FIERE

PRICE LIST 2.0

INDEX

4 FHIABA'S SOLUTIONS

FRIDGES, FREEZER AND WINE CELLARS

- 6 FRIDGES, FREEZER AND WINE CELLARS
- 7 PRODUCT CODE
- 8 SUMMARY PRICES
- 13 WIDTH 90 CM (899)
- 71 WIDTH 75 CM (749)
- 123 WIDTH 60 CM (599)
- 169 WIDTH 45 CM (449)
- 182 ACCESSORIES

UNDERCOUNTER

- 192 PRODUCT CODE
- 193 SUMMARY PRICES
- 195 BEVERAGE CENTER & WINE CELLARS
- 217 TRIMODE DRAWERS
- 236 ACCESSORIES

BLAST CHILLER & VACUUM DRAWERS

- 241 BLAST CHILLER & VACUUM DRAWERS
- 242 BLAST CHILLER
- 246 VACUUM DRAWERS
- 250 ACCESSORIES


Information Notes

Fhiaba is constantly researching new ways to improve the features and the design of their products, therefore models are often upgraded and reviewed and this may result in aesthetic and technical changes in respect of what indicated in the pages hereafter. While we endeavour to keep the documentation constantly updated we recommend to always refer to the specific technical documentation for every design and installation requirement.

The Prices here indicated do not include VAT and

transport expenses. At any rate what indicated in this price list has no binding contract value and does not replace the sales conditions agreed with the Fhiaba commercial representatives.

Guarantee: in compliance with the European Law, Fhiaba offer a base guarantee of 2 years on their domestic appliances starting from the purchase date shown on the invoice or other purchase proof document. For information on how to request a service intervention during the period of guarantee do refer to the guarantee certificate which comes together with the appliance. The data relating to power and energy consumption are based on laboratory statistics and may vary in function of the conditions of use and installation environment of every single appliance.



BLAST CHILLER AND VACUUM SEALER

The Fhiaba blast chiller has a temperature range from -40°C to +75°C.

With 11 functions, it makes creative, all-encompassing cooking quick and easy. Take food directly out of the oven, without even changing the tray!



-40°C • • • • +75°C

THE FOUR DIMENSIONS OF QUALITY

Exclusive Fhiaba technology makes it possible to combine the four "key variables" of refrigeration, to create and maintain perfectly balanced climates.

Accurate temperatures Thanks to the numerous built-in sensors, the indicated temperature is always accurate.

TriPro Refrigeration[™] The triple cooling system ensures each ingredient and dish gets the right microclimate.

Fhiaba is the only company in the world today with technology capable of managing three independent climate zones, for unrivalled, high-quality food storage. Fhiaba systems also feature lateral refrigeration, thereby allowing for maximum use of the full depth of the inner compartments.





Temperature Humidity Ventilation

Uniform ProVentTM Ventilation

The ProVentTM system uniformly distributes cold air to all parts of the fridge.

Humidity control

Our wine cellars offer three different humidity level settings: low, medium and high.






PRODUCT CODE

PERSONALIZING YOUR FHIABA

Fhiaba offers a series of solutions to customize the refrigerator and make it a unique and tailor-made product.

- 1. Top compressor model (series: X-Pro, Country) and bottom compressors (series: Classic, Integrated, Brillaince integrated, Brilliance Classic)
- 2. Fully integrated, integrated and freestanding models
- 3. All the models available in 3 width: 60 / 75 / 90 cm
- 4. Indipendent climatic zones for unrivalled high-quality food conservation:
 - 1T: 3 separate temperatures.
 - OT: 2 separate temperatures + low temp zone.
 - OH: 2 separate temperatures + low temp zone.
 - OF: 1 eparate temperature + + low temp zone for fridges.
 - OF: 2 separate temperatures for wine cellars.
- 5. 6 lines: X-Pro, Country, Classic, Integrated, Brillaince integrated, Brilliance Classic
- 6. Door opening: right or left hinge
- 7. Ice Maker
- 8. Water dispenser for OF fridge columns 90 and 75 cm
- 9. Pair of stainless steel sides for free installation
- 10. Glass door
- 11. Single grill and single plinth kit X-Pro Series
- 12. Customized stainless steel door front up to 8 cm
- 13. Built in Kit
- 14. Stainless steel cladding for customer's doors
- 15. Custom RAL color
- 16. Painting of stainless steel doors and panels, sides and handles as per color sample
- 17. Patented separate "EvenliftTM" shelves. Standard on 1T and Country models.
- 18. Door front panel for Integrated Series without handle
- 19. Possibility of installing customer handles on the Integrated Series
- 20. Fhiaba tubular handles diameter 30 mm
- 21. Fhiaba tubular handles diameter 18 mm
- 22. Stainless steel panels with holes for Fhiaba handles
- 23. Elegant central connecting kit
- 24. Extra anti-tipping for insertion in structures with depth up to 80 cm
- 25. Anti-condensation kit: Monferlene panel for side-by-side installation of two or more top compressors units (not required for models with compressors at the bottom)
- 26. Alternative energy kits: photovoltaic, geothermal, etc.
- 27. Support for tilting bottles
- 28. Wine exclusive accessories kit:
 - Wine kit
 - Cheese drawers
 - Cigar drawers
 - Set of knives
 - Prosciutteria Kit
- 29. Fhiaba link device: Remote connection to monitor via cloud software: Fhiaba will be able to detect sensor end-of-life or other issues and the consumer will be notified in case of power outage, open doors and more.
- 30. Panel installation up to 5 cm from the ground (Integrated Series)
- 31. Front Ventilation kit (Classic e Integrated series)





Digit # 1-> model series

XS = X-Pro (top compressors, stainless steel front) KS = Classic (bottom compressors, stainless steel front) S = Integrated (bottom compressors, flush or built-in)

BS = Brilliance - Integrated ((bottom compressors, flush or built-in, white interiors) BKS = Brilliance - Classic (bottom compressors, stainless steel front, white interiors)

| 899 | digit # 2 > width 899 = 90 cm |
|-----|--|
| | 749 = 75 cm |
| | 599 = 60 cm |



599 = 60 cm 449 = 45 cm



digit # 3 > model configuration

1T = One door, one bottom drawer, three separate temperatures OT = One door, one bottom drawer, two separate temperatures OH = One door, two bottom drawers, two separate temperatures OF = One door. Fridge and Freezer one temperature. Wine cellar two separate temperatures.



digit # 4 > function and door style

ST = Fridge/Trimode, Solid door

- GT = Fridge/Trimode, Glass door
- WT = Wine Cellar/Trimode
- R = Fridge column
- G = Fridge column, Glass door
- Z = Freezer column
- W = Wine Cellar column




digit # 6 > hinge positioning

- 3 = Hinge on the left
- 6 = Hinge on the right



digit # 7 > model options

i = indicate a unit equipped with Ice Maker (not available on wine cellars, 599 fridges and OF fridge models) D = Water dispenser (available only for OF fridge columns 90 and 75 cm)





AS= Country (top compressors, Built-in or Freestanding installation, Custom-colored front and sides, ice maker included)



| Export F | Price list 2.0 / | 2023 | | | | | | | | | | | | | | | | | | | |
|----------|---------------------|---|----------|--|----------------------------|----------------------|---------|--------------|----------|------|----------------------------|----------------------|------|--------------------------|----------------------|-----------|--------------|--------------|----------|---------------|---|
| | | | | | | | Top com | pressors | | | | | | | | Bottom co | mpressors | | | 1 | |
| | | | | | | Pro XS | | | intry AS | | | assic K | 1 | | grated S | 1 | | e Classic BK | | | Integrated BS |
| Model | Version | Width | Hinge | Optionals | Product code | Price | Page | Product code | Price | Page | Product code | Price | Page | Product code | Price | Page | Product code | Price | Page | Product code | Price Page |
| 1T | FRIDGE +FREEZER | 90 | LH | | XS8991TST3 | 13.890 € | - | | | | KS8991TST3 | 12.620€ | + | S8991TST3 | 11.820€ | | | | | | |
| | | | RH | | XS8991TST6 | 13.890€ | | | | | KS8991TST6 | 12.620€ | - | S8991TST6 | 11.820€ | - | | | | | |
| | | | LH | Ice maker | XS8991TST3I | 14.710€ | | AS8991TST3I | 14.630€ | | KS8991TST3I | 13.440€ | - | S8991TST3I | 12.640 € | | | | | | |
| | | | RH | lce maker | XS8991TST6I | 14.710€ | | AS8991TST6I | 14.630€ | | KS8991TST6I | 13.440 € | - | S8991TST6I | 12.640€ | | | | | | <u> </u> |
| | WINE CELLAR | 90 | LH | | XS8991TWT3 | 14.630 € | | AS8991TWT3 | 15.370€ | | KS8991TWT3 | 13.890€ | | S8991TWT3 | 13.150€ | | | | | | |
| | | | RH | | XS8991TWT6 | 14.630 € | | AS8991TWT6 | 15.370€ | | KS8991TWT6 | 13.890€ | | S8991TWT6 | 13.150 € | | | | | | |
| | | 60 | LH | | XS5991TWT3 | 12.720€ | | AS5991TWT3 | 12.940 € | | KS5991TWT3 | 11.560 € | | S5991TWT3 | 10.550 € | + | | | | | |
| 07 | 50005 | | RH | | XS5991TWT6 | 12.720 € | | AS5991TWT6 | 12.940€ | 127 | KS5991TWT6 | 11.560 € | | S5991TWT6 | 10.550 € | + | DUCODOTOTO | 0.010.0 | <u> </u> | Deconstration | 0.050.0.05 |
| 0T | FRIDGE + FREEZER | 90 | LH | | XS8990TST3 | 11.820€ | - | | | | KS8990TST3 | 10.500€ | | S8990TST3 | 9.970€ | | BKS8990TST3 | 8.910€ | | BS8990TST3 | 8.270 € 37 |
| | | | RH | | XS8990TST6 | 11.820€ | | AC0000TCT0 | 10 510 6 | 20 | KS8990TST6 | 10.500 € | | S8990TST6 | 9.970€ | - | BKS8990TST6 | 8.910€ | | BS8990TST6 | 8.270 € 37 |
| | | | LH | lce maker | XS8990TST3I | 12.640 € | | AS8990TST3I | 12.510€ | | KS8990TST3I | 11.320€ | | S8990TST3I | 10.790€ | | BKS8990TST3I | 9.730 € | | BS8990TST3I | 9.090 € 37 |
| | | | RH | lce maker | XS8990TST6I | 12.640 € | - | AS8990TST6I | 12.510€ | 30 | KS8990TST6I | 11.320€ | | S8990TST6I | 10.790€ | | BKS8990TST6I | 9.730 € | 36 | BS8990TST6I | 9.090€ 37 |
| | | | LH | | XS8990TGT3 | 12.780€ | | | | | KS8990TGT3 | 11.450€ | | S8990TGT3 | 10.920€ | - | | | | | |
| | | | RH | | XS8990TGT6 | 12.780 € | | | | | KS8990TGT6 | 11.450€ | | S8990TGT6 | 10.920 € 11.740 € | - | | | | | |
| | | | LH | Ice maker, glass door | XS8990TGT3I | 13.590 € | | | | | KS8990TGT3I | 12.270€ | | S8990TGT3I | 11.740€ | | | | | | |
| | | 85 | RH | lce maker, glass door | XS8990TGT6I | 13.590€ | | | | | KS8990TGT6I | 12.270€ | | S8990TGT6I | | + | DUCTIONTOTO | 0 (20 C | 00 | | |
| | | 75 | LH | | XS7490TST3 | 11.560 € | | | | | KS7490TST3 | 10.390 € | - | S7490TST3 | 9.860€ | | BKS7490TST3 | 8.430€ | | BS7490TST3 | 8.060 € 83 |
| | | | RH | | XS7490TST6 XS7490TST3I | 11.560 € | | AS7490TST3I | 10.000.0 | | KS7490TST6 | 10.390€ | - | S7490TST6 | 9.860€ | | BKS7490TST6 | 8.430€ | | BS7490TST6 | 8.060 € 83 |
| | | | LH | lce maker | | 12.380 € | | | 12.300 € | | KS7490TST3I | 11.210€ | | S7490TST3I | 10.680€ | | BKS7490TST3I | 9.250€ | | BS7490TST3I | 8.880 € 83 |
| | | | RH | lce maker | XS7490TST6I XS7490TGT3 | 12.380 € 12.510 € | | AS7490TST6I | 12.300€ | /6 | KS7490TST6I | 11.210€ | | S7490TST6I | 10.680 € 10.820 € | | BKS7490TST6I | 9.250 € | 82 | BS7490TST6I | 8.880€ 83 |
| | | | LH RH | | XS74901G13 XS7490TGT6 | - | | | | | KS7490TGT3 | 11.350 € | | S7490TGT3 | 10.820€ | | | | | | |
| | | | | les males alsos dess | XS7490TGT3I | 12.510 € 13.330 € | | | | | KS7490TGT6 | 11.350 € 12.160 € | - | S7490TGT6 | 11.630 € | - | | | | | |
| | | | RH | Ice maker, glass door Ice maker, glass door | XS74901G131 XS7490TGT6I | 13.330 € | | | | | KS7490TGT3I KS7490TGT6I | 12.160€ | | S7490TGT3I S7490TGT6I | 11.630€ | | | | | | |
| | | 60 | | | XS5990TST3 | 11.350 € | | AS5990TST3 | 11.770€ | 12/ | KS5990TST3 | 9.970 € | | S5990TST3 | 9.440 € | | | | | | |
| | | 00 | RH | | XS5990TST6 | 11.350€ | | AS5990TST6 | 11.770€ | | KS5990TST6 | 9.970€ | | S5990TST6 | 9.440 € | | | | | | |
| | | | | Class deer | | | | A337701316 | 11.//01 | 134 | | | | S5990TGT3 | | | | | | | |
| | | | LH RH | Glass door Glass door | XS5990TGT3 XS5990TGT6 | 12.300 € 12.300 € | | | | | KS5990TGT3 KS5990TGT6 | 10.920 € 10.920 € | | S5990TGT6 | 10.390 € 10.390 € | | | | | | |
| | WINE | 75 | | | XS7490TWT3 | 12.300€ | | | | | KS7490TWT3 | 10.920€ | | S7490TWT3 | 10.390€ | | | | | | |
| | CELLAR | /5 | RH | | XS7490TWT5 | 11.660€ | | | | | KS7490TWT6 | 10.710€ | | S7490TWT6 | 10.290€ | | | | | | |
| | | 60 | | | XS5990TWT3 | 10.600€ | | | | | KS5990TWT3 | 9.650€ | | S5990TWT3 | 9.330 € | + | | | | | |
| | | 00 | RH | | XS5990TWT6 | 10.600€ | | | | | KS5990TWT6 | 9.650€ | - | S5990TWT6 | 9.330 € | | | | | | |
| OH | FRIDGE + | 90 | | | XS8990HST3 | 12.510€ | | | | | KS8990HST3 | 11.560 € | | S8990HST3 | 10.550 € | | | | | | |
| 011 | FREEZER | | RH | | XS8990HST6 | 12.510 € | | | | | KS8990HST6 | 11.560 € | | S8990HST6 | 10.550 € | | | | | | |
| | | | LH | lce maker | XS8990HST3I | 13.330 € | | | | | KS8990HST3I | 12.380 € | | S8990HST3I | 11.370 € | + | | | | | |
| | | | RH | lce maker | XS8990HST6I | 13.330 € | | | | | KS8990HST6I | 12.380 € | - | S8990HST6I | 11.370 € | | | | | | |
| | | 75 | LH | | XS7490HST3 | 11.660 € | | | | | KS7490HST3 | 10.710€ | | S7490HST3 | 10.390 € | + | | | | | <u> </u> |
| | | | RH | | XS7470HST6 | 11.660 € | | | | | KS7490HST6 | 10.710€ | | S7490HST6 | 10.390 € | | | | | | |
| | | | LH | lce maker | XS7470HST3I | 12.480 € | | | | | KS7490HST3I | 11.530 € | | S7490HST3I | 11.210 € | + | | | | | + |
| | | | RH | lce maker | XS7490HST6I | 12.480 € | - | | | | KS7490HST6I | 11.530 € | - | S7490HST6I | 11.210€ | | | | | | |
| | WINE | 90 | | | XS8990HWT3 | 12.480€ | | | | | KS8990HWT3 | 11.130 € | | S8990HWT3 | 10.500 € | | | | | | <u> </u> |
| | CELLAR | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | RH | | XS8990HWT6 | 12.190€ | | | | | KS8990HWT6 | 11.130€ | | S8990HWT6 | 10.500 € | + | | | | | <u> </u> |
| | | 75 | | | XS7490HWT3 | 11.350 € | | | | | KS7490HWT3 | 10.290€ | | S7490HWT3 | 10.290 € | | | | | | <u> </u> |
| | | / 3 | RH | | XS7490HWT6 | 11.350€ | | | | | | 10.290€ | | _ | 10.290€ | + | | | | | <u> </u> |
| | | | КП | | A3/470HW16 | 11.30U € | 70 | | | | KS7490HWT6 | 10.270 ŧ | 77 | S7490HWT6 | 10.270 ŧ | 100 | | | | | |



| Export F | rice list 2.0 / | 2023 | | | | | Top com | pressors | | |
|----------|-----------------|-------|-------|--------------------------------|--------------|----------|---------|--------------|-------|-------|
| | | | | | X- | Pro XS | | Country AS | | |
| Model | Version | Width | Hinge | Optionals | Product code | Price | Page | Product code | Price | Page |
| 0F | FRIDGE | 90 | LH | | XS8990FR3 | 11.130€ | - | | | . ugo |
| | | | RH | | XS8990FR6 | 11.130€ | | | | |
| | | | LH | Water dispenser | XS8990FR3D | 11.950€ | 52 | | | |
| | | | RH | Water dispenser | XS8990FR6D | 11.950€ | 52 | | | |
| | | | LH | Glass door | XS8990FG3 | 12.090€ | 53 | | | |
| | | | RH | Glass door | XS8990FG6 | 12.090€ | 53 | | | |
| | | | LH | Glass door, water dispenser | XS8990FG3D | 12.910€ | 53 | | | |
| | | | RH | Glass door, water dispenser | XS8990FG6D | 12.910€ | 53 | | | |
| | | 75 | LH | | XS7490FR3 | 10.710€ | 104 | | | |
| | | | RH | | XS7490FR6 | 10.710€ | 104 | | | |
| | | | LH | Water dispenser | XS7490FR3D | 11.530 € | 104 | | | |
| | | | RH | Water dispenser | XS7490FR6D | 11.530 € | 104 | | | |
| | | | LH | Glass door | XS7490FG3 | 11.660€ | 105 | | | |
| | | | RH | Glass door | XS7490FG6 | 11.660€ | 105 | | | |
| | | | LH | Glass door, water dispenser | XS7490FG3D | 12.480€ | 105 | | | |
| | | | RH | Glass door, water dispenser | XS7490FG6D | 12.480€ | 105 | | | |
| | | 60 | LH | | XS5990FR3 | 10.500€ | 148 | | | |
| | | | RH | | XS5990FR6 | 10.500 € | 148 | | | |
| | | | LH | Glass door | XS5990FG3 | 11.450 € | 149 | | | |
| | | | RH | Glass door | XS5990FG6 | 11.450 € | 149 | | | |
| | WINE | 90 | LH | | XS8990FW3 | 11.820€ | 60 | | | |
| | CELLAR | | RH | | XS8990FW6 | 11.820€ | 60 | | | |
| | | 75 | LH | | XS7490FW3 | 11.560 € | 112 | | | |
| | | | RH | | XS7490FW6 | 11.560€ | 112 | | | |
| | | 60 | LH | | XS5990FW3 | 11.130 € | 156 | | | |
| | | | RH | | XS5990FW6 | 11.130 € | 156 | | | |
| | | 45 | LH | | XS4490FW3 | 10.710€ | 172 | | | |
| | | | RH | | XS4490FW6 | 10.710€ | 172 | | | |
| | FREEZER | 90 | LH | | XS8990FZ3 | 10.500 € | 66 | | | |
| | | | RH | | XS8990FZ6 | 10.500€ | 66 | | | |
| | | | LH | lce maker | XS8990FZ3I | 11.320€ | 66 | | | |
| | | | RH | lce maker | XS8990FZ6I | 11.320€ | 66 | | | |
| | | 75 | LH | | XS7490FZ3 | 9.760€ | 118 | | | |
| | | | RH | | XS7490FZ6 | 9.760€ | 118 | | | |
| | | | LH | lce maker | XS7490FZ3I | 10.570€ | 118 | | | |
| | | | RH | lce maker | XS7490FZ6I | 10.570€ | 118 | | | |
| | | 60 | LH | | XS5990FZ3 | 9.650€ | 164 | | | |
| | | | RH | | XS5990FZ6 | 9.650€ | 164 | | | |
| | | | LH | lce maker | XS5990FZ3I | 10.470€ | 164 | | | |
| | | | RH | lce maker | XS5990FZ6I | 10.470€ | 164 | | | _ |
| | | 45 | LH | | XS4490FZ3 | 9.540 € | 178 | | | |
| | | | RH | | XS4490FZ6 | 9.540€ | 178 | | - | |
| | | | LH | lce maker | XS4490FZ3I | 10.360€ | 178 | | | |
| | | | RH | lce maker | XS4490FZ6I | 10.360 € | 178 | | | |

| | | | | E | Bottom co | mpr |
|--------------|---------|------|--------------|----------|-----------|-----|
| Cla | ssic K | | Integ | rated S | | |
| Product code | Price | Page | Product code | Price | Page | Pro |
| KS8990FR3 | 9.230€ | 54 | S8990FR3 | 8.430€ | 56 | |
| KS8990FR6 | 9.230€ | 54 | S8990FR6 | 8.430 € | 56 | |
| KS8990FR3D | 10.040€ | 54 | S8990FR3D | 9.250€ | 56 | |
| KS8990FR6D | 10.040€ | 54 | S8990FR6D | 9.250€ | 56 | |
| KS8990FG3 | 10.180€ | 55 | S8990FG3 | 9.390 € | 57 | |
| KS8990FG6 | 10.180€ | 55 | S8990FG6 | 9.390€ | 57 | |
| KS8990FG3D | 11.000€ | 55 | S8990FG3D | 10.200€ | 57 | |
| KS8990FG6D | 11.000€ | 55 | S8990FG6D | 10.200€ | 57 | |
| KS7490FR3 | 8.590€ | 106 | S7490FR3 | 8.170€ | 108 | |
| KS7490FR6 | 8.590€ | 106 | S7490FR6 | 8.170€ | 108 | |
| KS7490FR3D | 9.410€ | 106 | S7490FR3D | 8.980€ | 108 | |
| KS7490FR6D | 9.410€ | 106 | S7490FR6D | 8.980€ | 108 | |
| KS7490FG3 | 9.540€ | 107 | S7490FG3 | 9.120€ | 109 | |
| KS7490FG6 | 9.540€ | 107 | S7490FG6 | 9.120€ | 109 | |
| KS7490FG3D | 10.360€ | 107 | S7490FG3D | 9.940€ | 109 | |
| KS7490FG6D | 10.360€ | 107 | S7490FG6D | 9.940€ | 109 | |
| KS5990FR3 | 8.170€ | 150 | S5990FR3 | 7.740€ | 152 | |
| KS5990FR6 | 8.170€ | 150 | S5990FR6 | 7.740€ | 152 | |
| KS5990FG3 | 9.120€ | 151 | S5990FG3 | 8.700€ | 153 | |
| KS5990FG6 | 9.120€ | 151 | S5990FG6 | 8.700€ | 153 | |
| KS8990FW3 | 10.550€ | 61 | S8990FW3 | 9.760€ | 62 | |
| KS8990FW6 | 10.550€ | 61 | S8990FW6 | 9.760€ | 62 | |
| KS7490FW3 | 10.290€ | 113 | S7490FW3 | 9.440€ | 114 | |
| KS7490FW6 | 10.290€ | 113 | S7490FW6 | 9.440€ | 114 | |
| KS5990FW3 | 9.760€ | 157 | S5990FW3 | 9.010€ | 158 | BK |
| KS5990FW6 | 9.760€ | 157 | S5990FW6 | 9.010€ | 158 | BK |
| KS4490FW3 | 9.440€ | 173 | S4490FW3 | 8.700€ | 174 | |
| KS4490FW6 | 9.440€ | 173 | S4490FW6 | 8.700€ | 174 | |
| KS8990FZ3 | 9.760€ | 67 | S8990FZ3 | 9.440 € | 68 | |
| KS8990FZ6 | 9.760€ | 67 | S8990FZ6 | 9.440€ | 68 | |
| KS8990FZ3I | 10.570€ | 67 | S8990FZ3I | 10.260 € | 68 | |
| KS8990FZ6I | 10.570€ | 67 | S8990FZ6I | 10.260€ | 68 | |
| KS7490FZ3 | 8.590€ | 119 | S7490FZ3 | 8.270€ | 120 | |
| KS7490FZ6 | 8.590€ | 119 | S7490FZ6 | 8.270€ | 120 | |
| KS7490FZ3I | 9.410€ | 119 | S7490FZ3I | 9.090€ | 120 | |
| KS7490FZ6I | 9.410€ | 119 | S7490FZ6I | 9.090€ | 120 | |
| KS5990FZ3 | 8.430€ | 165 | S5990FZ3 | 8.060€ | 166 | |
| KS5990FZ6 | 8.430€ | 165 | S5990FZ6 | 8.060€ | 166 | |
| KS5990FZ3I | 9.250€ | 165 | S5990FZ3I | 8.880€ | 166 | |
| KS5990FZ6I | 9.250€ | 165 | S5990FZ6I | 8.880€ | 166 | |
| KS4490FZ3 | 8.380€ | 179 | S4490FZ3 | 7.950€ | 180 | |
| KS4490FZ6 | 8.380€ | 179 | S4490FZ6 | 7.950€ | 180 | |
| KS4490FZ3I | 9.200€ | 179 | S4490FZ3I | 8.770 € | 180 | |
| KS4490FZ6I | 9.200€ | 179 | S4490FZ6I | 8.770€ | 180 | |

| oressors | | | | | |
|-------------|------------|------|--------------|-------------|----------|
| Brilliance | Classic BK | | Brilliance I | ntegrated E | BS |
| roduct code | Price | Page | Product code | Price | Page |
| | | | | | • |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| KS5990FW3 | 8.910€ | 159 | BS5990FW3 | € 008.8 | 160 |
| KS5990FW6 | 8.910€ | 159 | BS5990FW6 | 8.800€ | 160 |
| | 0.710 0 | 137 | D337701 W0 | 0.000 0 | 100 |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | <u> </u> |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

FULL SIZE: FRIDGES/FREEZERS/WINE CELLARS Width: 90cm (899)





FULL SIZE: FRIDGE AND FREEZER Model: 1T Width: 90cm (899)

One door, one drawer, 3 separate temperatures

Upper compartment: Fridge Middle compartment: Fresco Lower compartment TriMode: Fridge/Fresco/Freezer

FEATURES

- Made in Italy.
- Aisi 304 stainless steel body.
- Stainless steel interior finish
- Antibacterial stainless steel interior.
- Evenlift: shelves can slide up and down to be adjusted to any height in the fridge compartment.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by laterally circulation air.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides brilliant illumination to the entire interior.
- Soft close door and drawers in all compartments
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision temperature control with low vibration.
- Sabbath mode
- Front and rear adjustable feet up to 25 mm.
- Three independent climatic zones.
- Tempered glass shelves with aluminium profiles.
- Crisper drawers for multi use preservazion solution. Antibacterial stainless steel interior & rounded corners promoting hygiene and easy cleaning.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.



| Reversible doorNOEquilanceYESSoftClosing RunnerYESLow vibrationYESOptieview (LED light spots)YESDouble Evenlift Shelves2+2Slide-out shelvesNOType of shelvesGLASSFridge drawers typeFRESCOFresco/LowTemp Drawers2Bottom drawers1Full Extension shelves 90° door opening/Full Extension drawers 90° door openingYESDefrost ProcessAUTOMATICIce maker with water filterAVAILABLEDoor Open AlarmsYESHumidity controlNOActive carbon filterNOAir filter controlNOShopping FridgeYESPower Failure FunctionYESPower Failure FunctionYES | GENERAL PROPERTIES | |
|---|---|-----------|
| SoftClosing RunnerYESLow vibrationYESOptieview (LED light spots)YESDouble Evenlift Shelves2+2Slide-out shelvesGLASSFridge drawers typeFRESCOFresco/LowTemp Drawers2Bottom drawers1Full Extension shelves 90° door opening/Full Extension drawers 90° door openingYESDefrost ProcessAUTOMATICIce maker with water filterAVAILABLEDoor Open AlarmsYESHumidity controlNOAir filter controlNOShopping FridgeYESShopping FreezerYES | Reversible door | NO |
| Low vibrationYESOptieview (LED light spots)YESDouble Evenlift Shelves2+2Slide-out shelvesNOType of shelvesGLASSFridge drawers typeFRESCOFresco/LowTemp Drawers2Bottom drawers1Full Extension shelves 90° door opening/Full Extension drawers 90° door openingYESDefrost ProcessAUTOMATICIce maker with water filterAVAILABLEDoor Open AlarmsYESHumidity controlNOAir filter controlNOShopping FridgeYESShopping FreezerYES | Equilance | YES |
| DefinitionNDOptieview (LED light spots)YESDouble Evenlift Shelves2+2Slide-out shelvesNOType of shelvesGLASSFridge drawers typeFRESCOFresco/LowTemp Drawers2Bottom drawers1Full Extension shelves 90° door opening/Full Extension drawers 90° door openingYESDefrost ProcessAUTOMATICIce maker with water filterAVAILABLEDoor Open AlarmsYESHumidity controlNOAir filter controlNOShopping FridgeYESShopping FreezerYES | SoftClosing Runner | YES |
| Double Evenlift Shelves2+2Slide-out shelvesNOType of shelvesGLASSFridge drawers typeFRESCOFresco/LowTemp Drawers2Bottom drawers1Full Extension shelves 90° door opening/Full Extension drawers 90° door openingYESDefrost ProcessAUTOMATICIce maker with water filterAVAILABLEDoor Open AlarmsYESHumidity controlNOActive carbon filterNOAir filter controlNOShopping FridgeYESShopping FreezerYES | Low vibration | YES |
| Slide-out shelvesNOType of shelvesGLASSFridge drawers typeFRESCOFresco/LowTemp Drawers2Bottom drawers1Full Extension shelves 90° door opening/Full Extension drawers 90° door openingYESDefrost ProcessAUTOMATICIce maker with water filterAVAILABLEDoor Open AlarmsYESHumidity controlNOAir filter controlNOShopping FridgeYESShopping FreezerYES | Optieview (LED light spots) | YES |
| Type of shelvesGLASSFridge drawers typeFRESCOFresco/LowTemp Drawers2Bottom drawers1Full Extension shelves 90° door opening/Full Extension drawers 90° door openingYESDefrost ProcessAUTOMATICIce maker with water filterAVAILABLEDoor Open AlarmsYESHumidity controlNOAir filter controlNOShopping FridgeYESShopping FreezerYES | Double Evenlift Shelves | 2+2 |
| Fridge drawers typeFRESCOFresco/LowTemp Drawers2Bottom drawers1Full Extension shelves 90° door opening/Full Extension drawers 90° door openingYESDefrost ProcessAUTOMATICIce maker with water filterAVAILABLEDoor Open AlarmsYESHumidity controlNOActive carbon filterNOAir filter controlNOShopping FridgeYESShopping FreezerYES | Slide-out shelves | NO |
| Fresco/LowTemp Drawers2Bottom drawers1Full Extension shelves 90° door opening/Full Extension drawers 90° door openingYESDefrost ProcessAUTOMATICIce maker with water filterAVAILABLEDoor Open AlarmsYESHumidity controlNOActive carbon filterNOAir filter controlNOShopping FridgeYESShopping FreezerYES | Type of shelves | GLASS |
| Bottom drawers1Full Extension shelves 90° door opening/Full Extension drawers 90° door openingYESDefrost ProcessAUTOMATICIce maker with water filterAVAILABLEDoor Open AlarmsYESHumidity controlNOActive carbon filterNOAir filter controlNOShopping FridgeYES | Fridge drawers type | FRESCO |
| Full Extension shelves 90° door opening/Full Extension drawers 90° door openingYESDefrost ProcessAUTOMATICIce maker with water filterAVAILABLEDoor Open AlarmsYESHumidity controlNOActive carbon filterNOAir filter controlNOShopping FridgeYESShopping FreezerYES | Fresco/LowTemp Drawers | 2 |
| Full Extension drawers 90° door openingYESDefrost ProcessAUTOMATICIce maker with water filterAVAILABLEDoor Open AlarmsYESHumidity controlNOActive carbon filterNOAir filter controlNOShopping FridgeYESShopping FreezerYES | Bottom drawers | 1 |
| Defrost ProcessAUTOMATICIce maker with water filterAVAILABLEDoor Open AlarmsYESHumidity controlNOActive carbon filterNOAir filter controlNOShopping FridgeYESShopping FreezerYES | Full Extension shelves 90° door opening | 1 |
| Ice maker with water filterAVAILABLEDoor Open AlarmsYESHumidity controlNOActive carbon filterNOAir filter controlNOShopping FridgeYESShopping FreezerYES | Full Extension drawers 90° door opening | YES |
| Door Open AlarmsYESHumidity controlNOActive carbon filterNOAir filter controlNOShopping FridgeYESShopping FreezerYES | Defrost Process | AUTOMATIC |
| Humidity control NO Active carbon filter NO Air filter control NO Shopping Fridge YES Shopping Freezer YES | Ice maker with water filter | AVAILABLE |
| Active carbon filterNOAir filter controlNOShopping FridgeYESShopping FreezerYES | Door Open Alarms | YES |
| Air filter control NO Shopping Fridge YES Shopping Freezer YES | Humidity control | NO |
| Shopping Fridge YES Shopping Freezer YES | Active carbon filter | NO |
| Shopping Freezer YES | Air filter control | NO |
| | Shopping Fridge | YES |
| Power Failure Function YES | Shopping Freezer | YES |
| | Power Failure Function | YES |

XS8991TST 90 cm, FRIDGE AND FREEZER, 1T MODEL **BUILT-IN**

X-PRO[®] SERIES





| AESTHETIC | |
|--|------------------------|
| Compressor position | Тор |
| Front finish | Stanless steel |
| Handles | Stainless steel 030 mm |
| Interior material finish | Stainless steel |
| PRICE (VAT and delivery charges no | t included) |
| XS8991TST6 (right hinge) | 13.890 € |
| XS8991TST3 (left hinge) | 13.890 € |
| XS8991TST6I (right hinge, with ice maker) | 14.710 € |
| XS8991TST3I (left hinge, with ice maker) | 14.710 € |
| CAPACITY | |
| Volume Compartment 1 (L) | 268 |
| Volume Compartment 2 (L) | 128 |
| Volume Compartment 3 (L) | 131 |
| Total Nat Valuma (L) | E07 |

| Volume Compartment 3 (L) | 131 |
|---|-----|
| Total Net Volume (L) | 527 |
| Total Gross Volume (L) | 651 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 1 |
| Compartment 2 / Middle wine cellar capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar capacity (bottles) | 1 |

| TECHNICAL DETAILS | |
|-------------------------------|----------|
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | F |
| Energy consumption (kWh/year) | 398 |

| DIMENSIONS & WEIGHT | |
|---|---------------|
| Height of the product (closed weels) (mm) | 2120 |
| Width of the product (mm) | 899 |
| Depth of Product without handle (mm) | 635 |
| Net Weight (kg) | 217 |
| Gross Weight (kg) | 238 |
| TEMPERATURE RANGES | |
| Climatic compartments | 3 |
| Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| Compartment 2 / Middle temperature (°C) | from -2 to 2 |
| Low temp zone | NO |
| Compartment 3 / Low temperature (°C) | from 8 to -22 |
| Dual zone | NO |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 2+2 |
| Type of shelves | GLASS |
| Door Bins | 3 |
| Fridge drawers type | FRESCO |
| Fresco/LowTemp Drawers | 2 |
| Freezer drawers | 1 |

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- X-Pro top grille kit
- Extra length anti-tipping kit
- Anticondensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Painting
- 90° Door stop



AS8991TST 90 cm, FRIDGE AND FREEZER, 1T MODEL FREESTANDING **COUNTRY® SERIES**



| AESTHETIC | | DIMENSIONS & WEIGHT | |
|------------------------------------|------------------------|---|---------------|
| Compressor position | Тор | Height of the product (closed weels) (mm) | 2120 |
| Front and sides finish | Painted Stanless steel | Width of the product (mm) | 887 |
| Handles | Stainless steel 030 mm | Depth of Product without handle (mm) | 635 |
| Interior material finish | Stainless steel | Net Weight (kg) | 217 |
| PRICE (VAT and delivery charges | not included) | Gross Weight (kg) | 238 |
| AS8991TST6I | | TEMPERATURE RANGES | |
| (right hinge, ice maker included) | 14.630 € | Climatic compartments | 3 |
| AS8991TST3I | 14.630 € | Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| (left hinge, ice maker included) | | Compartment 2 / Middle temperature (°C) | from -2 to 2 |
| | | Low temp zone | NO |
| | | Compartment 3 / Low temperature (°C) | from 8 to -22 |
| CAPACITY | | Dual zone | NO |
| Volume Compartment 1 (L) | 268 | GENERAL PROPERTIES | |
| Volume Compartment 2 (L) | 128 | Reversible door | NO |
| Volume Compartment 3 (L) | 131 | Low vibration | YES |
| Total Net Volume (L) | 527 | - Shelves | 2+2 |
| Total Gross Volume (L) | 651 | - Type of shelves | GLASS |
| Compartment 1 / Upper wine cellar | | Door Bins | 3 |
| capacity (bottles) | | Fridge drawers type | FRESCO |
| Compartment 2 / Middle wine cellar | | Fresco/LowTemp Drawers | 2 |
| capacity (bottles) | | Freezer drawers | 1 |
| Compartment 3 / Lower wine cellar | | ACCESSORIES | |
| capacity (bottles) | 1 | • Joining kit | |
| | | Extra length anti-tipping kit | |
| TECHNICAL DETAILS | | Anticondensation kit | |
| Voltage (V) | 220-240V | • Cleaning kit | |
| Frequency (Hz) | 50-60 Hz | • FLD - Fhiaba Link Device | |
| Climatic class | SN/T | • 90° Door stop | |
| Noise level (dB) | 41 | | |
| EFFICIENCY | | | |
| New Energy Label class | F | | |
| Energy consumption (kWh/year) | 398 | | |
| | I | | |



KS8991TST 90 cm, FRIDGE AND FREEZER, 1T MODEL **BUILT-IN**

CLASSIC® SERIES





| AESTHETIC | |
|--|------------------------|
| Compressor position | Bottom |
| Front finish | Stanless steel |
| Handles | Stainless steel Ø30 mm |
| Interior material finish | Stainless steel |
| PRICE (VAT and delivery charges no | t included) |
| KS8991TST6 (right hinge) | 12.620 € |
| KS8991TST3 (left hinge) | 12.620 € |
| KS8991TST6I (right hinge, with ice maker) | 13.440 € |
| KS8991TST3I (left hinge, with ice maker) | 13.440 € |
| CAPACITY | |
| Volume Compartment 1 (L) | 268 |
| Volume Compartment 2 (L) | 128 |
| Volume Compartment 3 (L) | 131 |

| Volume Compartment 2 (L) | 128 |
|---|-----|
| Volume Compartment 3 (L) | 131 |
| Total Net Volume (L) | 527 |
| Total Gross Volume (L) | 651 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 1 |
| Compartment 2 / Middle wine cellar capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar capacity (bottles) | 1 |

| TECHNICAL DETAILS | | |
|-------------------------------|----------|--|
| Voltage (V) | 220-240V | |
| Frequency (Hz) | 50-60 Hz | |
| Climatic class | SN/T | |
| Noise level (dB) | 41 | |
| EFFICIENCY | | |
| New Energy Label class | F | |
| Energy consumption (kWh/year) | 398 | |

| DIMENSIONS & WEIGHT | |
|---|---------------|
| Height of the product (closed weels) (mm) | 2050 |
| Width of the product (mm) | 899 |
| Depth of Product without handle (mm) | 635 |
| Net Weight (kg) | 209 |
| Gross Weight (kg) | 230 |
| TEMPERATURE RANGES | |
| Climatic compartments | 3 |
| Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| Compartment 2 / Middle temperature (°C) | from -2 to 2 |
| Low temp zone | NO |
| Compartment 3 / Low temperature (°C) | from 8 to -22 |
| Dual zone | NO |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 2+2 |
| Type of shelves | Glass |
| Door Bins | 3 |
| Fridge drawers type | FRESCO |
| Fresco/LowTemp Drawers | 2 |
| Freezer drawers | 1 |
| ACCESSORIES | |
| Chainless steel sides namels | |

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop



S8991TST 90 cm, FRIDGE AND FREEZER, 1T MODEL **FULLY INTEGRATED INTEGRATED® SERIES**





| Compressor position Bottom Height of the product (closed weels) (nm) 2050 Front finish Custom Panel Ready With of the product (closed weels) (nm) 610 Interior material finish Stainless steel NO Depth of Product without handle (nm) 610 PRICE (VAT and delivery charges not included) Stainless steel Not Weight (kg) 191 S8971TS13 11.820 € Gross Weight (kg) 212 S8971TS14 11.820 € Climatic compartments 3 (right hinge) 12.640 € Climatic compartment 1/ Upper temperature (°C) from 2 to 8 S8971TS13 12.640 € Compartment 3 / Low temperature (°C) from 2 to 2 Low temp zone NO Compartment 3 / Low temperature (°C) from 8 to -22 Dual zone NO Compartment 3 / Low temperature (°C) from 8 to -22 Dual zone NO Compartment 3 / Low temperature (°C) from 8 to -22 Dual zone NO Low temperature (°C) from 8 to -22 Dual zone NO Low temperature (°C) from 8 to -22 Dual zone NO Low temperature (°C) from 8 to -22 Dual zone NO Low temperature (°C) from 8 to -22 Total Net Volume (L) 527 Type of shelves | AESTHETIC | | DIMENSIONS & WEIGHT | |
|--|---------------------------------------|--------------------|---|-----------------------|
| Handles N0 Depth of Product without handle (mm) 610 Interior material finish Stainless steel 91 91 PRICE (VAT and delivery charges not included) Stainless steel 91 91 S8991TIST6 (iright hinge) 11.820 € Compartments 3 S8991TIST6 (iright hinge) 11.820 € Compartments 3 S8991TIST6 (iright hinge, with ice maker) 12.640 € Compartment 2 / Middle temperature (°C) from 2 to 3 S8991TIST6 (iright hinge, with ice maker) 12.640 € Compartment 3 / Low temperature (°C) from 8 to -22 Dual zone N0 Compartment 3 / Low temperature (°C) from 8 to -22 Dual zone N0 Compartment 3 / Low temperature (°C) from 8 to -22 Dual zone N0 Compartment 3 / Low temperature (°C) from 8 to -22 Dual zone N0 Compartment 3 / Low temperature (°C) from 8 to -22 Dual zone N0 Low vibration YES Yolume Compartment 3 (L) 131 Total 4 to Yolume (L) 527 Total 4 to Yolume (L) 551 FreezorLow femp Tawers 2 Compartment 3 / Midle wine cellar | Compressor position | Bottom | Height of the product (closed weels) (mm) | 2050 |
| Interior material finish Stainless steel PRICE (VAT and delivery charges not included) SegrifTST6 (right hinge) 11820 € SegrifTST6 (right hinge, with ice maker) 11820 € SegrifTST6 (left hinge, with ice maker) 12640 € SegrifTST31 (left hinge, with ice maker) 12640 € CAPACITY Temperature (°C) from 2 to 8 Volume Compartment 3 (L) 131 Total Ner Youtme (L) 527 Volume Compartment 3 (L) 131 Total Ner Youtheles 1 Compartment 1 (L) 527 Total Ner Sos Volume (L) 527 Compartment 2 / Middle twine cellar capacity (bottles) 1 Compartment 2 / Middle wine cellar capacity (bottles) 1 TECHNICAL DETAILS 1 Voltage (V) 220-240V Tecuency (Hz) 50-60 Hz Climatic class SN/T Noise level (dB) 41 EFFICIENCY Extra length anti-tipping kit | Front finish | Custom Panel Ready | Width of the product (mm) | 899 |
| PRICE (VAT and delivery charges not included) S8991151 S89911516 11820 € Cifgitt hinge) 11820 € S89911513 11820 € Cifgitt hinge) 11820 € S89911513 11820 € Cifgitt hinge) 12640 € S89911514 12640 € Cifgitt hinge, with ice maker) 12640 € S89911513 12640 € Compartment 1 / Upper upter temperature (°C) from 8 to -22 Dual zone N0 Compartment 2 / Middle temperature (°C) from 8 to -22 Dual zone N0 Compartment 2 / U 128 Volume Compartment 3 / Low temperature (°C) from 8 to -22 Dual zone N0 Volume Compartment 1 (L) 268 Volume Compartment 3 (L) 131 Total Ket Volume (L) 527 Total Ket Volume (L) 521 Compartment 1 / Upper wine cellar / capacity (bottles) / Compartment 1 / Upper wine cellar / capacity (bottles) / TECHNICAL DETAILS Stainless steel sides panels <t< td=""><td>Handles</td><td>NO</td><td>Depth of Product without handle (mm)</td><td>610</td></t<> | Handles | NO | Depth of Product without handle (mm) | 610 |
| Preceduation Temperature (*C) Temperature (*C) Serversitie 11820 € Serversitie Compartment 2 / Middle temperature (*C) from 2 to 8 Compartment 2 / Middle temperature (*C) from 2 to 8 Compartment 2 / Middle temperature (*C) from 8 to -22 Light hinge, with ice maker) 12.640 € Serversitie NO Compartment 2 / Middle temperature (*C) from 8 to -22 Dual zone NO Compartment 3 / Low temperature (*C) from 8 to -22 Dual zone NO Compartment 3 / Low temperature (*C) from 8 to -22 Dual zone NO Compartment 3 (L) 131 Yolume Compartment 3 (L) 131 Total Ket Volume (L) 527 Total Ket Volume (L) 551 Compartment 1 / Upper wine cellar / capacity (bottles) / Compartment 3 / Lower wine cellar / capacity (bottles) / TechnicAL DETAILS Stainless steel sides panels • Front ventilation kit Volage (W) 220-240V 5tainless steel panels Stainless steel panels | Interior material finish | Stainless steel | Net Weight (kg) | 191 |
| S8991TST6 (right hinge) 11.820 € S8991TST6 (right hinge, with ice maker) 12.640 € S8991TST6 (right hinge, with ice maker) 12.640 € S8991TST6 (right hinge, with ice maker) 12.640 € Compartment 2 / Middle temperature (°C) from 2 to 8 S8991TST6 (right hinge, with ice maker) 12.640 € CAPACITY N0 Volume Compartment 1 (L) 2.68 Volume Compartment 2 (L) 128 Volume Compartment 3 (L) 131 Total Ket Volume (L) 527 Total Ket Volume (L) 651 Compartment 1 / Upper wine cellar capacity (bottles) i Compartment 2 / Middle wine cellar capacity (bottles) i Compartment 2 / Middle wine cellar capacity (bottles) i Tequency (hz) 50-60 Hz Climatic cass SN/T Notale ket Volar handles 3 Stainless steel tubular handles 30mm Stainless steel tubular handles 18mm Stainless steel ponals Stainless steel ponals Stainless steel tubular handles 18mm Stainless steel ponals Stainless steel ponals Stainless steel po | PRICE (VAT and delivery charges | not included) | Gross Weight (kg) | 212 |
| Itight linge) 11820 € S8991TST3 11820 € Climatic compartments 3 Compartment 1 / Upper temperature (°C) from 2 to 8 Compartment 2 / Middle temperature (°C) from 8 to -22 Dual zone N0 Compartment 3 / Low temperature (°C) from 8 to -22 Dual zone N0 CAPACITY Volume Compartment 3 (L) Volume Compartment 3 (L) 131 Total Ket Volume (L) 268 Volume Compartment 3 (L) 131 Total Ket Volume (L) 527 Total Ket Volume (L) 651 Compartment 1 / Upper wine cellar capacity (bottles) / Compartment 2 / Middle wine cellar capacity (bottles) / Compartment 3 / Lower wine cellar capacity (bottles) / Tequency (Ikz) 50-60 Hz Climatic cass SN/T Noise level (dB) 41 EFFICIENCY Estainless stel tubular handles Noise level (dB) 41 EFFICIENCY Estainless stel panels Noise level (dB) 41 Extra length anti-tipping kit Clieaning kit <td></td> <td></td> <td>TEMPERATURE RANGES</td> <td></td> | | | TEMPERATURE RANGES | |
| S8991TST3 (left hinge) 11820 € Compartment 1 / Upper temperature (°C) from 2 to 8 S8991TST3 (left hinge, with ice maker) 12.640 € Compartment 2 / Middle temperature (°C) from 8 to -22 S8991TST3 (left hinge, with ice maker) 12.640 € Compartment 2 / Low temperature (°C) from 8 to -22 S8991TST3 (left hinge, with ice maker) 12.640 € Compartment 2 / Low temperature (°C) from 8 to -22 S8991TST3 (left hinge, with ice maker) 12.640 € Compartment 2 / Low temperature (°C) from 8 to -22 Volume Compartment 1 (L) 268 Compartment 2 / Low temperature (°C) from 8 to -22 Volume Compartment 2 (L) 128 Reversible door NO Volume Compartment 3 (L) 131 Shelves Geas Total Ker Volume (L) 527 Type of shelves Glass Dord Bins 3 Fridge drawers type FRESCO Compartment 2 / Middle wine cellar / Fridge drawers type Freezor/LowTemp Drawers 2 Compartment 3 / Lower wine cellar / Stainless steel tobular handles 90° Door stop Stainless steel tobular handles capacity (bottles) 1 Stainless steel tobular handles 18mm< | (right hinge) | 11.820 ŧ | Climatic compartments | 3 |
| (left hinge) Indeod S8991TST36 12.640 € (right hinge, with ice maker) 12.640 € S8991TST31 12.640 € (left hinge, with ice maker) 12.640 € Campartment 3 / Low temp zone NO Campartment 1(L) 268 Volume Compartment 1(L) 268 Volume Compartment 2(L) 128 Volume Compartment 3(L) 131 Total Ker Volume (L) 527 Total Ker Volume (L) 527 Total Gross Volume (L) 651 Campartment 1 / Upper wine cellar capacity (bottles) / Campartment 2 / Middle wine cellar capacity (bottles) / Compartment 3 / Lower wine cellar capacity (bottles) / TECHNICAL DETAILS 220-240V Yoltage (V) 220-240V Frequency (Hz) 50-60 Hz Climatic class SNIT Noise level (dB) 41 EFFICIENCY Extra length anti-tipping kit New Energy Label class File | S8991TST3 | 11 820 £ | · · · · · · · · · · · · · · · · · · · | from 2 to 8 |
| S89911516/d (right hinge, with ice maker) 12.640 € CAPACITY 12.640 € Volume Compartment 1 (L) 268 Volume Compartment 2 (L) 128 Volume Compartment 3 (L) 131 Total Net Volume (L) 527 Total Net Volume (L) 551 Compartment 1 / Upper wine cellar capacity (hottles) 2 Compartment 2 / Middle wine cellar capacity (hottles) 1 Compartment 3 / Lower wine cellar capacity (hottles) 1 TetCHNICAL DETAILS 1 Voltage (V) 220-240V Frequency (Hz) 50-60 Hz Climatic class SN/T Noise level (dB) 41 Perforement 1 41 Perforement 1 51 Compartment 2 50-60 Hz Climatic class SN/T Noise level (dB) 41 | (left hinge) | 11.020 6 | | from -2 to 2 |
| Iright minge, with ice maker) 12.640 € S899TIST3I (left hinge, with ice maker) 12.640 € CAPACITY GENERAL PROPERTIES Volume Compartment 1 (L) 268 Volume Compartment 2 (L) 128 Volume Compartment 3 (L) 131 Total Ket Volume (L) 527 Total Gross Volume (L) 651 Compartment 1 / Upper wine cellar capacity (bottles) 7 Compartment 2 / Middle wine cellar capacity (bottles) 1 Compartment 3 / Lower wine cellar capacity (bottles) 1 Voltage (V) 220-240V Frequency (Hz) 50-60 Hz Climatic class SN/T Noise level (dB) 41 EFFICIENCY EFFICIENCY New Energy Label class F New Energy Label class F | | 12.640 € | i | |
| S899/15131 12.640 € N0 CAPACITY Image: Compartment 1 (L) 268 Volume Compartment 2 (L) 128 Reversible door N0 Volume Compartment 3 (L) 131 Shelves 2+2 Total Ket Volume (L) 527 Shelves Glass Total Gross Volume (L) 651 Fridge drawers type FRESCO Compartment 1 / Upper wine cellar capacity (bottles) / Freezer drawers 1 Compartment 3 / Lower wine cellar capacity (bottles) / Stainless steel sides panels + Front ventilation kit Compartment 3 / Lower wine cellar capacity (bottles) / Stainless steel sides panels + Front ventilation kit Compartment 3 / Lower wine cellar capacity (bottles) / - Stainless steel sides panels + Front ventilation kit Voltage (V) 220-240V - Stainless steel lubular handles 30mm - Stainless steel panels - Stainless steel panels Voltage (V) 220-240V - Stainless steel panels - Stainless steel panels - Stainless steel panels Climatic class SN/T - Stainless steel panels - Stainless steel panels - Stainless steel portal for freestanding <t< td=""><td></td><td></td><td>· · · · · · · · · · · · · · · · · · ·</td><td></td></t<> | | | · · · · · · · · · · · · · · · · · · · | |
| CAPACITY Volume Compartment 1 (L) 268 Volume Compartment 2 (L) 128 Volume Compartment 3 (L) 131 Total Net Volume (L) 527 Total Net Volume (L) 651 Compartment 1 / Upper wine cellar 7 capacity (bottles) 7 Compartment 2 / Middle wine cellar 7 capacity (bottles) 7 Compartment 3 / Lower wine cellar 7 capacity (bottles) 7 TECHNICAL DETAILS 50-60 Hz Voltage (V) 220-240V Frequency (Hz) 50-60 Hz Climatic class SN/T Noise level (dB) 41 EFFICIENCY Fact a length anti-tipping kit New Energy Label class F | | 12.640 € | | |
| Reversible door N0 Volume Compartment 2 (L) 128 Volume Compartment 2 (L) 131 Total Net Volume (L) 527 Total Gross Volume (L) 651 Compartment 1 / Upper wine cellar capacity (bottles) / Compartment 2 / Middle wine cellar capacity (bottles) / Compartment 3 / Lower wine cellar capacity (bottles) / Compartment 3 / Lower wine cellar capacity (bottles) / Compartment 3 / Lower wine cellar capacity (bottles) / TetCHNICAL DETAILS * Voltage (V) 220-240V Frequency (Hz) 50-60 Hz Climatic class SN/T Noise level (dB) 41 EFFICIENCY Findent class New Energy Label class F New Energy Label class F | | | - | |
| Volume Compartment 2 (L) 128 Volume Compartment 2 (L) 131 Total Net Volume (L) 527 Total Net Volume (L) 527 Total Social Compartment 3 (L) 651 Compartment 1 / Upper wine cellar capacity (bottles) / Compartment 2 / Middle wine cellar capacity (bottles) / Compartment 3 / Lower wine cellar capacity (bottles) / TeCHNICAL DETAILS / Voltage (V) 220-240V Frequency (Hz) 50-60 Hz Climatic class SN/T Noise level (dB) 41 EFFICIENCY Stainless steel portal for freestanding New Energy Label class F | | 0/0 | | NO |
| Volume Compartment 2 (L) 120 Volume Compartment 3 (L) 131 Total Net Volume (L) 527 Total Gross Volume (L) 651 Compartment 1 / Upper wine cellar / capacity (bottles) / Compartment 2 / Middle wine cellar / capacity (bottles) / Compartment 3 / Lower wine cellar / capacity (bottles) / TECHNICAL DETAILS / Voltage (V) 220-240V Frequency (Hz) 50-60 Hz Climatic class SN/T Noise level (dB) 41 EFFICIENCY - New Energy Label class F | · · · | | _ | |
| Total vet Volume (L) 527 Total Gross Volume (L) 651 Compartment 1 / Upper wine cellar capacity (bottles) / Compartment 2 / Middle wine cellar capacity (bottles) / Compartment 3 / Lower wine cellar capacity (bottles) / Compartment 3 / Lower wine cellar capacity (bottles) / TecHNICAL DETAILS / Voltage (V) 220-240V Frequency (Hz) 50-60 Hz Climatic class SN/T Noise level (dB) 41 EFFICIENCY Extra length anti-tipping kit New Energy Label class F | · · · · · · · · · · · · · · · · · · · | | _ | |
| Total Gross Volume (L) 651 Total Gross Volume (L) 651 Compartment 1 // Upper wine cellar capacity (bottles) / Compartment 2 / Middle wine cellar capacity (bottles) / Compartment 3 / Lower wine cellar capacity (bottles) / Compartment 3 / Lower wine cellar capacity (bottles) / Compartment 3 / Lower wine cellar capacity (bottles) / TECHNICAL DETAILS · Voltage (V) 220-240V Frequency (Hz) 50-60 Hz Climatic class SN/T Noise level (dB) 41 EFFICIENCY · New Energy Label class F | | | _ | |
| Inder Orders Wording (L) Dot Compartment 1 / Upper wine cellar / capacity (bottles) / Compartment 2 / Middle wine cellar / capacity (bottles) / Compartment 2 / Middle wine cellar / capacity (bottles) / Compartment 3 / Lower wine cellar / capacity (bottles) / TECHNICAL DETAILS · Front ventilation kit Voltage (V) 220-240V Frequency (Hz) 50-60 Hz Climatic class SN/T Noise level (dB) 41 EFFICIENCY · Stainless steel panels New Energy Label class F New Energy Label class F Cleaning kit · Cleaning kit | | | | |
| Compartment 1/ Upper wine cettar / capacity (bottles) / Compartment 2 / Middle wine cettar / capacity (bottles) / Compartment 3 / Lower wine cettar / capacity (bottles) / Compartment 3 / Lower wine cettar / capacity (bottles) / TECHNICAL DETAILS · Stainless steel sides panels Voltage (V) 220-240V Frequency (Hz) 50-60 Hz Climatic class SN/T Noise level (dB) 41 EFFICIENCY · Stainless steel panels · Stainless steel class · Stainless steel panels · Stainless steel panels · | Total Gross Volume (L) | 651 | | |
| Capacity (bottles) I Compartment 2 / Middle wine cellar / capacity (bottles) I Compartment 3 / Lower wine cellar / capacity (bottles) I Compartment 3 / Lower wine cellar / capacity (bottles) I TECHNICAL DETAILS • Stainless steel sides panels Voltage (V) 220-240V Frequency (Hz) 50-60 Hz Climatic class SN/T Noise level (dB) 41 EFFICIENCY • Stainless steel portal for New Energy Label class F Rew Energy Label class F Cleaning kit • Cleaning kit | Compartment 1 / Upper wine cellar , | | | |
| Compartment 2 / Middle wine cellar / capacity (bottles) / Compartment 3 / Lower wine cellar / capacity (bottles) / TECHNICAL DETAILS • 90° Door stop Voltage (V) 220-240V Frequency (Hz) 50-60 Hz Climatic class SN/T Noise level (dB) 41 EFFICIENCY • Stainless steel portal for freestanding • Extra length anti-tipping kit • Cleaning kit | capacity (bottles) | | · · · · | |
| capacity (bottles) / ACCESSORIES Compartment 3 / Lower wine cellar capacity (bottles) / • Stainless steel sides panels • Front ventilation kit • 90° Door stop TECHNICAL DETAILS • Stainless steel tubular handles 30mm • Stainless steel tubular handles 18mm Voltage (V) 220-240V • Stainless steel tubular handles 18mm Frequency (Hz) 50-60 Hz 18mm Climatic class SN/T • Stainless steel panels Noise level (dB) 41 • Stainless steel portal for freestanding EFFICIENCY • Extra length anti-tipping kit • Cleaning kit | Compartment 2 / Middle wine cellar | | | |
| Compartment 3 / Lower wine cellar capacity (bottles) / • Stainless steel sides panels • Front ventilation kit Compartment 3 / Lower wine cellar capacity (bottles) / • Stainless steel sides panels • 90° Door stop TECHNICAL DETAILS • Stainless steel tubular handles 30mm • Stainless steel tubular handles Voltage (V) 220-240V • Stainless steel tubular handles 18mm Frequency (Hz) 50-60 Hz • Stainless steel panels • Stainless steel panels Climatic class SN/T • Stainless steel portal for freestanding • Stainless steel portal for freestanding EFFICIENCY • Extra length anti-tipping kit • Cleaning kit • Cleaning kit | • | | ACCESSORIES | |
| capacity (bottles) 7 500mm (kt 500mm (kt TECHNICAL DETAILS • Stainless steel tubular handles Voltage (V) 220-240V • Stainless steel tubular handles Frequency (Hz) 50-60 Hz • Stainless steel panels Climatic class SN/T • Stainless steel panels Noise level (dB) 41 • Stainless steel portal for freestanding EFFICIENCY • Extra length anti-tipping kit New Energy Label class F Cleaning kit • Cleaning kit | | | Stainless steel sides panels • | Front ventilation kit |
| Ottom to be defined and the second dot an indicesTECHNICAL DETAILSVoltage (V)220-240VStainless steel tubular handlesFrequency (Hz)50-60 Hz18mmClimatic classSN/TStainless steel panelsNoise level (dB)41Stainless steel portal for freestandingEFFICIENCYExtra length anti-tipping kitNew Energy Label classFCleaning kit | • | | • Joining kit • | 90° Door stop |
| Veltage (V) 220-240V Frequency (Hz) 50-60 Hz Climatic class SN/T Noise level (dB) 41 EFFICIENCY • Stainless steel panels New Energy Label class F Extra length anti-tipping kit • Cleaning kit | capacity (bottles) | | Stainless steel tubular handles | |
| Voltage (V) 220-240V • Stainless steel tubular handles Frequency (Hz) 50-60 Hz 18mm Climatic class SN/T • Stainless steel panels Noise level (dB) 41 • Stainless steel portal for freestanding EFFICIENCY • Extra length anti-tipping kit New Energy Label class F Output 0.000 | TECHNICAL DETAILS | | 30mm | |
| Frequency (Hz) 50-60 Hz 18mm Climatic class SN/T Stainless steel panels Noise level (dB) 41 Stainless steel portal for freestanding EFFICIENCY • Extra length anti-tipping kit New Energy Label class F Output • Cleaning kit | | 220-240V | Stainless steel tubular handles | |
| Climatic class SN/T Noise level (dB) 41 EFFICIENCY • Stainless steel panels New Energy Label class F • Stainless steel panels • Stainless steel portal for freestanding • Extra length anti-tipping kit • Cleaning kit | | | 18mm | |
| Noise level (dB) 41 • Stainless steel portal for freestanding EFFICIENCY • Extra length anti-tipping kit New Energy Label class F • Cleaning kit | | | Stainless steel panels | |
| EFFICIENCY F New Energy Label class F • Cleaning kit | | | Stainless steel portal for | |
| New Energy Label class F • Cleaning kit | | | freestanding | |
| | | | Extra length anti-tipping kit | |
| Energy consumption (kWh/year) 398 • FLD - Fhiaba Link Device | | | Cleaning kit | |
| | Energy consumption (kWh/year) | 398 | • FLD - Fhiaba Link Device | |





WINE CELLAR

FULL SIZE: WINE CELLAR Model: 1T Width: 90cm (899)

One door, one drawer, 3 separate temperatures

Upper compartment: Wine cellar Middle compartment: Wine cellar Lower compartment: Wine cellar



FEATURES

- Made in Italy.
- Aisi 304 stainless steel body.
- Stainless steel interior finish
- Antibacterial stainless steel interior.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by laterally circulation air.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides brilliant illumination to the entire interior.
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Insulated variable speed compressors maintains precision temperature control with low vibration.
- Sabbath mode
- Front and rear adjustable feet up to 25 mm.
- Three independent climatic zones.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.
- Triple-pane, bronzed glass door guarantees maximum protection from harmful UV light rays.
- Soft close mechanisms on every oak wine rack.
- Humidity control



| GENERAL PROPERTIES | |
|---|-----------|
| Reversible door | NO |
| Equilance | YES |
| SoftClosing Runner | YES |
| Low vibration | YES |
| Optieview (LED light spots) | YES |
| Shelves | 9 |
| Slide-out shelves | YES |
| Type of shelves | WOOD |
| Fridge drawers type | 1 |
| Fresco/LowTemp Drawers | 1 |
| Bottom drawers | 1 |
| Full Extension shelves 90° door opening | YES |
| Full Extension drawers 90° door opening | NO |
| Defrost Process | AUTOMATIC |
| Ice maker with water filter | NO |
| Door Open Alarms | YES |
| Humidity control | YES |
| Active carbon filter | NO |
| Air filter control | NO |
| Shopping Fridge | NO |
| Shopping Freezer | NO |
| Power Failure Function | YES |
| | |

XS8991TWT 90 cm, WINE CELLAR, 1T MODEL **BUILT-IN**

X-PRO® SERIES






| AESTHETIC | _ |
|--|------------------------|
| Compressor position | Тор |
| Front finish | Stanless steel |
| Handles | Stainless steel 030 mm |
| Interior material finish | Stainless steel |
| PRICE (VAT and delivery charges n | ot included) |
| XS8991TWT6 (right hinge) | 14.630 € |
| XS8991TWT3 (left hinge) | 14.630 € |
| | |
| CAPACITY | |
| Volume Compartment 1 (L) | 247 |
| Volume Compartment 2 (L) | 128 |
| Volume Compartment 3 (L) | 131 |
| Total Net Volume (L) | 506 |
| Total Gross Volume (L) | 525 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 72 |
| Compartment 2 / Middle wine cellar capacity (bottles) | 36 |
| Compartment 2 / Lower wine cellar capacity (bottles) | 1 |
| TECHNICAL DETAILS | |
| Voltage (V) | 220-240V |

| TECHNICAL DETAILS | | |
|-------------------------------|----------|--|
| Voltage (V) | 220-240V | |
| Frequency (Hz) | 50-60 Hz | |
| Climatic class | SN/T | |
| Noise level (dB) | 41 | |
| EFFICIENCY | | |
| New Energy Label class | G | |
| Energy consumption (kWh/year) | 194 | |
| | | |



AS8991TWT 90 cm, WINE CELLAR, 1T MODEL FREESTANDING **COUNTRY® SERIES**



| | 0/6 mm |
|---|--------------|
| DIMENSIONS & WEIGHT | |
| Height of the product (closed weels) (mm) | 2120 |
| Width of the product (mm) | 899 |
| Depth of Product without handle (mm) | 635 |
| Net Weight (kg) | 205 |
| Gross Weight (kg) | 226 |
| TEMPERATURE RANGES | |
| Climatic compartments | 3 |
| Compartment 1 / Upper temperature (°C) | from 4 to 18 |
| Compartment 2 / Middle temperature (°C) | from 4 to 18 |
| Low temp zone | NO |
| Compartment 3 / Low temperature (°C) | from 4 to 18 |
| Dual zone | NO |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 9 |
| Type of shelves | WOOD |
| Door Bins | 1 |
| Fridge drawers type | 1 |
| Fresco/LowTemp Drawers | 1 |
| Freezer drawers | 1 |
| | |

• Set of knives • Cigar drawer

• Beverage drawer

• Beverage removable shelf


• Beverage shelf


- Stainless steel sides panels
- Joining kit
- X-Pro top grille kit
- Extra length anti-tipping kit
- Anticondensation kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Painting
- 90° Door stop
- Wine kit
- Cheese drawer



| AESTHETIC | | DIMENSIONS & WEIGHT | |
|------------------------------------|------------------------|---|--------------------------|
| Compressor position | Тор | Height of the product (closed weels) (mm) | 2120 |
| Front and sides finish | Painted Stanless steel | Width of the product (mm) | 887 |
| Handles | Stainless steel 030 mm | Depth of Product without handle (mm) | 635 |
| Interior material finish | Stainless steel | Net Weight (kg) | 205 |
| PRICE (VAT and delivery charges n | ot included) | Gross Weight (kg) | 226 |
| AS8991TWT6 | 15.370 € | TEMPERATURE RANGES | |
| (right hinge) | 13.370 t | Climatic compartments | 3 |
| AS8991TWT3 | 15.370 € | Compartment 1 / Upper temperature (°C) | from 4 to 18 |
| (left hinge) | | - Compartment 2 / Middle temperature (°C) | from 4 to 18 |
| | | - Low temp zone | NO |
| | | Compartment 3 / Low temperature (°C) | from 4 to 18 |
| CAPACITY | | Dual zone | NO |
| Volume Compartment 1 (L) | 247 | GENERAL PROPERTIES | |
| Volume Compartment 2 (L) | 128 | - Reversible door | NO |
| Volume Compartment 3 (L) | 131 | - Low vibration | YES |
| Total Net Volume (L) | 506 | - Shelves | 9 |
| Total Gross Volume (L) | 525 | - Type of shelves | WOOD |
| Compartment 1 / Upper wine cellar | 70 | Door Bins | 1 |
| capacity (bottles) | 72 | Fridge drawers type | 1 |
| Compartment 2 / Middle wine cellar | | Fresco/LowTemp Drawers | 1 |
| capacity (bottles) | 36 | Freezer drawers | 1 |
| Compartment 2 / Lower wine cellar | | ACCESSORIES | |
| capacity (bottles) | 1 | • Joining kit • | Beverage shelf |
| | | | Beverage removable shelf |
| TECHNICAL DETAILS | | Anticondensation kit | |
| Voltage (V) | 220-240V | • Cleaning kit | |
| Frequency (Hz) | 50-60 Hz | • Active carbon filter | |
| Climatic class | SN/T | • FLD - Fhiaba Link Device | |
| Noise level (dB) | 41 | • 90° Door stop | |
| EFFICIENCY | | • Wine kit | |
| New Energy Label class | G | Cheese drawer | |
| Energy consumption (kWh/year) | 194 | Set of knives | |
| | + | • Cigar drawer | |







- Cigar drawer
- Beverage drawer


KS8991TWT 90 cm, WINE CELLAR, 1T MODEL **BUILT-IN CLASSIC® SERIES**



| AESTHETIC | - |
|---|------------------------|
| Compressor position | Bottom |
| Front finish | Stanless steel |
| Handles | Stainless steel 030 mm |
| Interior material finish | Stainless steel |
| PRICE (VAT and delivery charges n | ot included) |
| KS8991TWT6 (right hinge) | 13.890 € |
| KS8991TWT3 (left hinge) | 13.890 € |
| | |
| CAPACITY | |
| Volume Compartment 1 (L) | 247 |
| Volume Compartment 2 (L) | 128 |
| Volume Compartment 3 (L) | 131 |
| Total Net Volume (L) | 506 |
| Total Gross Volume (L) | 525 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 72 |
| Compartment 2 / Middle wine cellar capacity (bottles) | 36 |
| Compartment 2 / Lower wine cellar capacity (bottles) | 1 |
| TECHNICAL DETAILS | |
| Voltage (V) | 220-240V |

| TECHNICAL DETAILS | |
|-------------------------------|----------|
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | G |
| Energy consumption (kWh/year) | 194 |
| | |

S8991TWT 90 cm, WINE CELLAR, 1T MODEL **FULLY INTEGRATED INTEGRATED® SERIES**



| DIMENSIONS & WEIGHT | |
|---|--------------|
| Height of the product (closed weels) (mm) | 2050 |
| Width of the product (mm) | 899 |
| Depth of Product without handle (mm) | 635 |
| Net Weight (kg) | 205 |
| Gross Weight (kg) | 226 |
| TEMPERATURE RANGES | |
| Climatic compartments | 3 |
| Compartment 1 / Upper temperature (°C) | from 4 to 18 |
| Compartment 2 / Middle temperature (°C) | from 4 to 18 |
| Low temp zone | NO |
| Compartment 3 / Low temperature (°C) | from 4 to 18 |
| Dual zone | NO |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 9 |
| Type of shelves | WOOD |
| Door Bins | 1 |
| Fridge drawers type | 1 |
| Fresco/LowTemp Drawers | 1 |
| Freezer drawers | 1 |

• Cheese drawer

• Set of knives

• Cigar drawer

Beverage drawer

• Beverage removable shelf


• Beverage shelf


- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop
- Wine kit



| AESTHETIC | | DIMENSIONS & WEIGHT | |
|------------------------------------|--------------------|---|--------------------------|
| Compressor position | Bottom | Height of the product (closed weels) (mm) | 2050 |
| Front finish | Custom panel ready | Width of the product (mm) | 899 |
| Handles | NO | Depth of Product without handle (mm) | 610 |
| Interior material finish | Stainless steel | Net Weight (kg) | 187 |
| PRICE (VAT and delivery charges n | ot included) | Gross Weight (kg) | 208 |
| S8991TWT6 | | TEMPERATURE RANGES | |
| (right hinge) | 13.150 € | Climatic compartments | 3 |
| S8991TWT3 | 13.150 € | Compartment 1 / Upper temperature (°C) | from 4 to 18 |
| (left hinge) | | Compartment 2 / Middle temperature (°C) | from 4 to 18 |
| | | Low temp zone | NO |
| | | Compartment 3 / Low temperature (°C) | from 4 to 18 |
| CAPACITY | | Dual zone | NO |
| Volume Compartment 1 (L) | 247 | GENERAL PROPERTIES | |
| Volume Compartment 2 (L) | 128 | Reversible door | NO |
| Volume Compartment 3 (L) | 131 | Low vibration | YES |
| Total Net Volume (L) | 506 | Shelves | 9 |
| Total Gross Volume (L) | 525 | Type of shelves | WOOD |
| Compartment 1 / Upper wine cellar | 72 | Door Bins | 1 |
| capacity (bottles) | 12 | Fridge drawers type | 1 |
| Compartment 2 / Middle wine cellar | | Fresco/LowTemp Drawers | 1 |
| capacity (bottles) | 36 | Freezer drawers | 1 |
| | | ACCESSORIES | |
| capacity (bottles) | 1 | Stainless steel sides panels | FLD - Fhiaba Link Device |
| | | • Joining kit | Front ventilation kit |
| TECHNICAL DETAILS | | Stainless steel tubular handles | 90° Door stop |
| Voltage (V) | 220-240V | 30mm - | Wine kit |
| Frequency (Hz) | 50-60 Hz | • Stainless steel tubular handles | Cheese drawer |
| Climatic class | SN/T | 18mm - | Set of knives |
| Noise level (dB) | 41 | Stainless steel panels | Cigar drawer |
| EFFICIENCY | · | Stainless steel portal for | Beverage drawer |
| New Energy Label class | G | freestanding | Beverage shelf |
| Energy consumption (kWh/year) | 194 | • Extra length anti-tipping kit | Beverage removable shelf |
| | 1 | Cleaning kit | |







- Cleaning kit
- Active carbon filter



FULL SIZE: FRIDGE AND FREEZER Model: 0T Width: 90cm (899)

One door, one drawer, 2 separate temperatures

Upper compartment: Fridge Middle compartment: Low Temp Lower compartment TriMode: Fridge/Fresco/Freezer

FEATURES

FRIDGE

LOW TEMP

TRIMODE[®]

- Made in Italy.
- Aisi 304 stainless steel body.
- Stainless steel interior finish
- Antibacterial stainless steel interior.
- Evenlift: shelves can slide up and down to be adjusted to any height in the fridge compartment.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by laterally circulation air.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides brilliant illumination to the entire interior.
- Soft close door and drawers in all compartments
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision temperature control with low vibration.
- Sabbath mode
- Front and rear adjustable feet up to 25 mm.
- Two independent climatic zones.
- Tempered glass shelves with aluminium profiles.
- Crisper drawers for multi use preservazion solution. Antibacterial stainless steel interior & rounded corners promoting hygiene and easy cleaning.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.



| GENERAL PROPERTIES | |
|---|-----------|
| Reversible door | NO |
| Equilance | YES |
| SoftClosing Runner | YES |
| Low vibration | YES |
| Optieview (LED light spots) | YES |
| Shelves | 3 |
| Slide-out shelves | NO |
| Type of shelves | GLASS |
| Fridge drawers type | LOW TEMP |
| Fresco/LowTemp Drawers | 2 |
| Bottom drawers | 1 |
| Full Extension shelves 90° door opening | 1 |
| Full Extension drawers 90° door opening | YES |
| Defrost Process | AUTOMATIC |
| Ice maker with water filter | AVAILABLE |
| Door Open Alarms | YES |
| Humidity control | NO |
| Active carbon filter | NO |
| Air filter control | NO |
| Shopping Fridge | YES |
| Shopping Freezer | YES |
| Power Failure Function | YES |

XS8990TST 90 cm, FRIDGE AND FREEZER, 0T MODEL **BUILT-IN**

X-PRO[®] SERIES





| AESTHETIC | |
|--|------------------------|
| Compressor position | Тор |
| Front finish | Stanless steel |
| Handles | Stainless steel 030 mm |
| Interior material finish | Stainless steel |
| PRICE (VAT and delivery charges no | t included) |
| XS8990TST6 (right hinge) | 11.820 € |
| XS8990TST3 (left hinge) | 11.820 € |
| XS8990TST6I (right hinge, with ice maker) | 12.640 € |
| XS8990TST3I (left hinge, with ice maker) | 12.640 € |
| CAPACITY | |
| Volume Compartment 1 (L) | 425 |
| | |

| Volume Compartment 2 (L) | I |
|---|-----|
| Volume Compartment 3 (L) | 131 |
| Total Net Volume (L) | 556 |
| Total Gross Volume (L) | 581 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 1 |
| Compartment 2 / Middle wine cellar capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar capacity (bottles) | 1 |
| | |

| TECHNICAL DETAILS | | |
|-------------------------------|----------|--|
| Voltage (V) | 220-240V | |
| Frequency (Hz) | 50-60 Hz | |
| Climatic class | SN/T | |
| Noise level (dB) | 41 | |
| EFFICIENCY | | |
| New Energy Label class | F | |
| Energy consumption (kWh/year) | 342 | |

| DIMENSIONS & WEIGHT | |
|---|---------------|
| Height of the product (closed weels) (mm) | 2120 |
| Width of the product (mm) | 899 |
| Depth of Product without handle (mm) | 635 |
| Net Weight (kg) | 214 |
| Gross Weight (kg) | 235 |
| TEMPERATURE RANGES | |
| Climatic compartments | 2 |
| Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | YES |
| Compartment 3 / Low temperature (°C) | from 8 to -22 |
| Dual zone | YES |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 3 |
| Type of shelves | GLASS |
| Door Bins | 3 |
| Fridge drawers type | LOW TEMP |
| Fresco/LowTemp Drawers | 2 |
| Freezer drawers | 1 |
| | |

ACCESSORIES

• Stainless steel sides panels

- Joining kit
- X-Pro top grille kit
- Extra length anti-tipping kit
- Anticondensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Painting
- 90° Door stop



XS8990TGT 90 cm, FRIDGE AND FREEZER, 0T MODEL **BUILT-IN, GLASS DOOR** X-PRO[®] SERIES



| AESTHETIC | | DIMENSIONS & WEIGHT | |
|--|------------------------|---|---------------|
| Compressor position | Тор | Height of the product (closed weels) (mm) | 2120 |
| Front finish | Stanless steel | Width of the product (mm) | 899 |
| Handles | Stainless steel 030 mm | Depth of Product without handle (mm) | 635 |
| Interior material finish | Stainless steel | Net Weight (kg) | 214 |
| PRICE (VAT and delivery charges | not included) | Gross Weight (kg) | 235 |
| XS8990TGT6 | | TEMPERATURE RANGES | |
| (right hinge) | 12.780 € | _ Climatic compartments | 2 |
| XS8990TGT3 | 12.780 € | Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| (left hinge) | 12.700 € | Compartment 2 / Middle temperature (°C) | 1 |
| XS8990TGT6I | 13.590 € | Low temp zone | YES |
| (right hinge, with ice maker) | | Compartment 3 / Low temperature (°C) | from 8 to -22 |
| XS8990TGT3I (left hinge, with ice maker) | 13.590 € | Dual zone | YES |
| • | | _ | |
| CAPACITY | | GENERAL PROPERTIES | NO |
| Volume Compartment 1 (L) | 425 | Reversible door | NO |
| Volume Compartment 2 (L) | 1 | Low vibration | YES |
| Volume Compartment 3 (L) | 131 | Shelves | 3 |
| Total Net Volume (L) | 556 | Type of shelves | GLASS |
| Total Gross Volume (L) | 581 | Door Bins | 0 |
| Compartment 1 / Upper wine cellar / capacity (bottles) | | Fridge drawers type | LOW TEMP |
| | | Fresco/LowTemp Drawers | 2 |
| Compartment 2 / Middle wine cellar | | – Freezer drawers | 1 |
| • | 1 | ACCESSORIES | |
| capacity (bottles) | | Stainless steel sides panels | |
| Compartment 3 / Lower wine cellar | | Joining kit | |
| capacity (bottles) | | • X-Pro top grille kit | |
| TECHNICAL DETAILS | | Extra length anti-tipping kit | |
| | 220-240V | Anticondensation kit | |
| Voltage (V) | | • Cleaning kit | |
| Frequency (Hz) | 50-60 Hz | • FLD - Fhiaba Link Device | |
| Climatic class | SN/T | Painting | |
| Noise level (dB) | 41 | • 90° Door stop | |
| EFFICIENCY | | | |
| New Energy Label class | F | _ | |
| Energy consumption (kWh/year) | 342 | | |



AS8990TST 90 cm, FRIDGE AND FREEZER, 0T MODEL FREESTANDING



COUNTRY® SERIES





| AESTHETIC | |
|--|------------------------|
| Compressor position | Тор |
| Front and sides finish | Painted Stanless steel |
| Handles | Stainless steel 030 mm |
| Interior material finish | Stainless steel |
| PRICE (VAT and delivery charges not | t included) |
| AS8990TST6I (right hinge, ice maker included) | 12.510 € |
| AS8990TST3I (left hinge, ice maker included) | 12.510 € |
| | |
| CAPACITY | |
| Volume Compartment 1 (L) | 425 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 131 |
| Total Net Volume (L) | 556 |
| Total Gross Volume (L) | 581 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 1 |
| Compartment 2 / Middle wine cellar capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar capacity (bottles) | 1 |

| TECHNICAL DETAILS | |
|-------------------------------|----------|
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | F |
| Energy consumption (kWh/year) | 342 |
| | |

| DIMENSIONS & WEIGHT | |
|---|---------------|
| Height of the product (closed weels) (mm) | 2120 |
| Width of the product (mm) | 887 |
| Depth of Product without handle (mm) | 635 |
| Net Weight (kg) | 214 |
| Gross Weight (kg) | 235 |
| TEMPERATURE RANGES | |
| Climatic compartments | 2 |
| Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | YES |
| Compartment 3 / Low temperature (°C) | from 8 to -22 |
| Dual zone | YES |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| | YES |
| Shelves | 3 |
| Type of shelves | GLASS |
| Door Bins | 3 |
| Fridge drawers type | |
| Fresco/LowTemp Drawers | 2 |
| Freezer drawers | 1 |
| | |

ACCESSORIES

Joining kit

- Extra length anti-tipping kit
- Anticondensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- 90° Door stop

KS8990TST 90 cm, FRIDGE AND FREEZER, 0T MODEL **BUILT-IN**

CLASSIC® SERIES





| AESTHETIC | | |
|---|------------------------|--|
| Compressor position | Bottom | |
| Front finish | Stanless steel | |
| Handles | Stainless steel 030 mm | |
| Interior material finish | Stainless steel | |
| PRICE (VAT and delivery charges not included) | | |
| KS8990TST6 (right hinge) | 10.500 € | |
| KS8990TST3 (left hinge) | 10.500 € | |
| KS8990TST6I (right hinge, with ice maker) | 11.320 € | |
| KS8990TST31 (left hinge, with ice maker) | 11.320 € | |
| CAPACITY | | |

| CAPACITY | |
|--|-----|
| Volume Compartment 1 (L) | 425 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 131 |
| Total Net Volume (L) | 556 |
| Total Gross Volume (L) | 581 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 1 |
| Compartment 2 / Middle wine cellar capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar capacity (bottles) | 1 |
| | |

| TECHNICAL DETAILS | | |
|-------------------------------|----------|--|
| Voltage (V) | 220-240V | |
| Frequency (Hz) | 50-60 Hz | |
| Climatic class | SN/T | |
| Noise level (dB) | 41 | |
| EFFICIENCY | | |
| New Energy Label class | F | |
| Energy consumption (kWh/year) | 342 | |

| DIMENSIONS & WEIGHT | |
|---|---------------|
| Height of the product (closed weels) (mm) | 2050 |
| Width of the product (mm) | 899 |
| Depth of Product without handle (mm) | 635 |
| Net Weight (kg) | 214 |
| Gross Weight (kg) | 235 |
| TEMPERATURE RANGES | |
| Climatic compartments | 2 |
| Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | YES |
| Compartment 3 / Low temperature (°C) | from 8 to -22 |
| Dual zone | NO |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 3 |
| Type of shelves | Glass |
| Door Bins | 3 |
| Fridge drawers type | LOW TEMP |
| Fresco/LowTemp Drawers | 2 |
| Freezer drawers | 1 |

ACCESSORIES

• Stainless steel sides panels

- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop



KS8990TGT 90 cm, FRIDGE AND FREEZER, 0T MODEL **BUILT-IN, GLASS DOOR CLASSIC® SERIES**



| | - | | |
|--|------------------------|---|---------------|
| AESTHETIC | | DIMENSIONS & WEIGHT | |
| Compressor position | Bottom | Height of the product (closed weels) (mm) | 2050 |
| Front finish | Stanless steel | Width of the product (mm) | 899 |
| Handles | Stainless steel 030 mm | Depth of Product without handle (mm) | 635 |
| Interior material finish | Stainless steel | Net Weight (kg) | 214 |
| PRICE (VAT and delivery charges | not included) | Gross Weight (kg) | 235 |
| KS8990TGT6 | 11.450 € | TEMPERATURE RANGES | |
| (right hinge) | | Climatic compartments | 2 |
| KS8990TGT3 | 11.450 € | Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| (left hinge) | | Compartment 2 / Middle temperature (°C) | 1 |
| KS8990TGT6I (right hinge, with ice maker) | 12.270 € | Low temp zone | YES |
| KS8990TGT3I | | Compartment 3 / Low temperature (°C) | from 8 to -22 |
| (left hinge, with ice maker) | 12.270 € | Dual zone | NO |
| CAPACITY | | GENERAL PROPERTIES | |
| Volume Compartment 1 (L) | 425 | Reversible door | NO |
| Volume Compartment 2 (L) | | Low vibration | YES |
| Volume Compartment 3 (L) | 131 | Shelves | 3 |
| Total Net Volume (L) | 556 | Type of shelves | Glass |
| Total Gross Volume (L) | 581 | Door Bins | 0 |
| Compartment 1 / Upper wine cellar | | Fridge drawers type | LOW TEMP |
| | 1 | Fresco/LowTemp Drawers | 2 |
| capacity (bottles) | | – Freezer drawers | 1 |
| Compartment 2 / Middle wine cellar | 1 | ACCESSORIES | |
| capacity (bottles) | | Stainless steel sides panels | |
| Compartment 3 / Lower wine cellar | | • Joining kit | |
| capacity (bottles) | | Stainless steel portal for freestanding | |
| TECHNICAL DETAILS | | Extra length anti-tipping kit | |
| | 220. 27.07 | Cleaning kit | |
| Voltage (V) | 220-240V | • FLD - Fhiaba Link Device | |
| Frequency (Hz) | 50-60 Hz | Front ventilation kit | |
| Climatic class | SN/T | • Painting | |
| Noise level (dB) | 41 | • 90° Door stop | |
| EFFICIENCY | | | |
| New Energy Label class | F | | |
| Energy consumption (kWh/year) | 342 | | |



S8990TST 90 cm, FRIDGE AND FREEZER, 0T MODEL **FULLY INTEGRATED**

INTEGRATED® SERIES





| AESTHETIC | | |
|---|--------------------|--|
| Compressor position | Bottom | |
| Front finish | Custom panel ready | |
| Handles | NO | |
| Interior material finish | Stainless steel | |
| PRICE (VAT and delivery charges not included) | | |
| S8990TST6 (right hinge) | 9.970 € | |
| S8990TST3 (left hinge) | 9.970 € | |
| S8990TST6I (right hinge, with ice maker) | 10.790 € | |
| S8990TST31 (left hinge, with ice maker) | 10.790 € | |
| CAPACITY | | |

| CAPACITY | |
|---|-----|
| Volume Compartment 1 (L) | 425 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 131 |
| Total Net Volume (L) | 556 |
| Total Gross Volume (L) | 581 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 1 |
| Compartment 2 / Middle wine cellar capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar capacity (bottles) | 1 |
| | |

| TECHNICAL DETAILS | |
|-------------------------------|----------|
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | F |
| Energy consumption (kWh/year) | 342 |

| DIMENSIONS & WEIGHT | |
|---|---------------|
| Height of the product (closed weels) (mm) | 2050 |
| Width of the product (mm) | 899 |
| Depth of Product without handle (mm) | 610 |
| Net Weight (kg) | 191 |
| Gross Weight (kg) | 212 |
| TEMPERATURE RANGES | |
| Climatic compartments | 2 |
| Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | YES |
| Compartment 3 / Low temperature (°C) | from 8 to -22 |
| Dual zone | NO |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 3 |
| Type of shelves | Glass |
| Door Bins | 3 |
| Fridge drawers type | LOW TEMP |
| Fresco/LowTemp Drawers | 2 |
| Freezer drawers | 1 |
| | |

ACCESSORIES

• Stainless steel sides panels

- Joining kit
- Stainless steel tubular handles 30mm
- Stainless steel tubular handles 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop



S8990TGT 90 cm, FRIDGE AND FREEZER, 0T MODEL FULLY INTEGRATED, GLASS DOOR **INTEGRATED® SERIES**





| AESTHETIC | | DIMENSIONS & WEIGHT | |
|--|---------------------|--|---------------|
| Compressor position | Bottom | Height of the product (closed weels) (mm) | 2050 |
| Front finish | Custom panel ready | Width of the product (mm) | 899 |
| Handles | NO | Depth of Product without handle (mm) | 610 |
| Interior material finish | Stainless steel | Net Weight (kg) | 191 |
| PRICE (VAT and delivery charges r | ot included) | Gross Weight (kg) | 212 |
| S8990TGT6 | | TEMPERATURE RANGES | |
| (right hinge) | 10.920 € | Climatic compartments | 2 |
| S8990TGT3 | 10.920 € | Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| (left hinge) | 10.720 0 | - Compartment 2 / Middle temperature (°C) | 1 |
| S8990TGT6I (right hinge, with ice maker) | 11.740 € | Low temp zone | YES |
| | | Compartment 3 / Low temperature (°C) | from 8 to -22 |
| (left hinge, with ice maker) | 11.740 € | Dual zone | NO |
| CAPACITY | | GENERAL PROPERTIES | |
| Volume Compartment 1 (L) | 425 | Reversible door | NO |
| Volume Compartment 2 (L) | 1 | Low vibration | YES |
| Volume Compartment 3 (L) | 131 | Shelves | 3 |
| Total Net Volume (L) | 556 | Type of shelves | Glass |
| Total Gross Volume (L) | 581 | Door Bins | 0 |
| Compartment 1 / Upper wine cellar | Fridge drawers type | LOW TEMP | |
| capacity (bottles) | 1 | Fresco/LowTemp Drawers | 2 |
| | | Freezer drawers | 1 |
| Compartment 2 / Middle wine cellar capacity (bottles) | 1 | ACCESSORIES | |
| | | Stainless steel sides panels | |
| Compartment 3 / Lower wine cellar | | • Joining kit | |
| capacity (bottles) | | • Stainless steel tubular handles 30mm | |
| TECHNICAL DETAILS | | • Stainless steel tubular handles 18mm | |
| Voltage (V) | 220-240V | Stainless steel panels | |
| Frequency (Hz) | 50-60 Hz | Stainless steel portal for freestanding | |
| Climatic class | SN/T | Extra length anti-tipping kit | |
| Noise level (dB) | 41 | • Cleaning kit | |
| EFFICIENCY | <u> </u> | • FLD - Fhiaba Link Device | |
| New Energy Label class | F | • Front ventilation kit | |
| Energy consumption (kWh/year) | 342 | • 90° Door stop | |
| | J4Z | - | |



BKS8990TST 90 cm, FRIDGE AND FREEZER, 0T MODEL

BUILT-IN

BRILLIANCE® SERIES





DIMENSIONS & WEIGHT

Width of the product (mm)

TEMPERATURE RANGES Climatic compartments

GENERAL PROPERTIES

Net Weight (kg)

Low temp zone

Reversible door

Evenlift Shelves Type of shelves

Fridge drawers type

Freezer drawers

ACCESSORIES

Joining kit

Cleaning kit

 Painting • 90° Door stop

Fresco/LowTemp Drawers

• Stainless steel portal for freestanding

• Extra length anti-tipping kit

• FLD - Fhiaba Link Device • Front ventilation kit

Low vibration

Shelves

Door Bins

Dual zone

Gross Weight (kg)

Height of the product (closed weels) (mm)

Depth of Product without handle (mm)

Compartment 1 / Upper temperature (°C)

Compartment 2 / Middle temperature (°C)

Compartment 3 / Low temperature (°C)

| AESTHETIC | |
|---|-------------------------|
| Compressor position | Bottom |
| Front finish | Stanless steel |
| Handles | Stainless steel 030 mm |
| Interior material finish | White painted aluminium |
| PRICE (VAT and delivery charges | not included) |
| BKS8990TST6 (right hinge) | 8.910 € |
| BKS8990TST3 (left hinge) | 8.910 € |
| BKS8990TST6I (right hinge, with ice maker) | 9.730 € |
| BKS8990TST3I (left hinge, with ice maker) | 9.730 € |
| CAPACITY | |
| Volume Compartment 1 (L) | 425 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 131 |
| Total Net Volume (L) | 556 |
| Total Gross Volume (L) | 581 |
| Compartment 1 / Upper wine collar | |

| Compartment 1 / Upper wine cellar capacity (bottles) | I |
|---|---|
| Compartment 2 / Middle wine cellar capacity (bottles) | I |
| Compartment 3 / Lower wine cellar capacity (bottles) | 1 |

| TECHNICAL DETAILS | | |
|-------------------------------|----------|--|
| Voltage (V) | 220-240V | |
| Frequency (Hz) | 50-60 Hz | |
| Climatic class | SN/T | |
| Noise level (dB) | 41 | |
| EFFICIENCY | | |
| New Energy Label class | F | |
| Energy consumption (kWh/year) | 342 | |

2050

899

635

199 220

2

1 YES

NO

NO

YES 3

NO

2

1

GLASS 3

LOW TEMP

from 2 to 8

from 8 to -22

BS8990TST 90 cm, FRIDGE AND FREEZER, 0T MODEL **FULLY INTEGRATED**

BRILLIANCE® SERIES





| AESTHETIC | | DIMENSIONS & WEIGHT | |
|------------------------------------|-------------------------|--|--|
| Compressor position | Bottom | Height of the product (closed weels) (mm) | 2050 |
| Front finish | Custom panel ready | Width of the product (mm) | 899 |
| Handles | NO | Depth of Product without handle (mm) | 610 |
| Interior material finish | White painted aluminium | Net Weight (kg) | 178 |
| | | Gross Weight (kg) | 199 |
| PRICE (VAT and delivery charges | not included) | TEMPERATURE RANGES | |
| BS8990TST6 | 8.270 € | Climatic compartments | 2 |
| (right hinge) | | Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| BS8990TST3 (left hinge) | 8.270 € | Compartment 2 / Middle temperature (°C) | |
| BS8990TST6I | | Low temp zone | YES |
| (right hinge, with ice maker) | 9.090 € | Compartment 3 / Low temperature (°C) | from 8 to -22 |
| BS8990TST3I | 9.090 € | Dual zone | NO |
| (left hinge, with ice maker) | 7.070 € | GENERAL PROPERTIES | |
| CAPACITY | | Reversible door | NO |
| Volume Compartment 1 (L) | 425 | Low vibration | YES |
| Volume Compartment 2 (L) | 1 | Shelves | 3 |
| Volume Compartment 3 (L) | 131 | Evenlift Shelves | NO |
| Total Net Volume (L) | 556 | Type of shelves | GLASS |
| Total Gross Volume (L) | 581 | Door Bins | 3 |
| Compartment 1 / Upper wine cellar | | Fridge drawers type | LOW TEMP |
| capacity (bottles) | | Fresco/LowTemp Drawers | 2 |
| Compartment 2 / Middle wine cellar | | Freezer drawers | 1 |
| capacity (bottles) | 1 | ACCESSORIES | • |
| | | Stainless steel sides panels | |
| Compartment 3 / Lower wine cellar | 1 | Joining kit | |
| capacity (bottles) | | Stainless steel tubular handles 30mm | |
| TECHNICAL DETAILS | | • Stainless steel tubular handles 18mm | |
| Voltage (V) | 220-240V | Stainless steel panels | |
| Frequency (Hz) | 50-60 Hz | Stainless steel partal for freestanding | |
| Climatic class | SN/T | Extra length anti-tipping kit | |
| Noise level (dB) | 41 | • Cleaning kit | |
| EFFICIENCY | | • FLD - Fhiaba Link Device | |
| New Energy Label class | F | Front ventilation kit | |
| Energy consumption (kWh/year) | 342 | • 90° Door stop | |
| | J42 | - | |
| | | Price list - All specifications are subje | ect to change without notice 37 |





FULL SIZE: FRIDGE AND FREEZER Model: 0H Width: 90cm (899)

One door, two drawer, 2 separate temperatures

Upper compartment: Fridge Middle compartment: Low Temp Lower compartment TriMode: Fridge/Fresco/Freezer

FEATURES

FRIDGE

TRIMODE®

- Made in Italy.
- Aisi 304 stainless steel body.
- Stainless steel interior finish
- Antibacterial stainless steel interior.
- Evenlift: shelves can slide up and down to be adjusted to any height in the fridge compartment.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by laterally circulation air.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides brilliant illumination to the entire interior.
- Soft close door and drawers in all compartments
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision temperature control with low vibration.
- Sabbath mode
- Front and rear adjustable feet up to 25 mm.
- Two independent climatic zones.
- Tempered glass shelves with aluminium profiles.
- Crisper drawers for multi use preservazion solution. Antibacterial stainless steel interior & rounded corners promoting hygiene and easy cleaning.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.



| GENERAL PROPERTIES | |
|---|-----------|
| Reversible door | NO |
| Equilance | YES |
| SoftClosing Runner | YES |
| Low vibration | YES |
| Optieview (LED light spots) | YES |
| Shelves | 3 |
| Slide-out shelves | NO |
| Type of shelves | GLASS |
| Fridge drawers type | LOW TEMP |
| Fresco/LowTemp Drawers | 1 |
| Bottom drawers | 2 |
| Full Extension shelves 90° door opening | 1 |
| Full Extension drawers 90° door opening | YES |
| Defrost Process | AUTOMATIC |
| Ice maker with water filter | AVAILABLE |
| Door Open Alarms | YES |
| Humidity control | NO |
| Active carbon filter | NO |
| Air filter control | NO |
| Shopping Fridge | YES |
| Shopping Freezer | YES |
| Power Failure Function | YES |

XS8990HST 90 cm, FRIDGE AND FREEZER, 0H MODEL **BUILT-IN**

X-PRO[®] SERIES





| AESTHETIC | |
|--|------------------------|
| Compressor position | Тор |
| Front finish | Stanless steel |
| Handles | Stainless steel 030 mm |
| Interior material finish | Stainless steel |
| PRICE (VAT and delivery charge | s not included) |
| XS8990HST6 (right hinge) | 12.510 € |
| XS8990HST3 (left hinge) | 12.510 € |
| XS8990HST61 (right hinge, with ice maker) | 13.330 € |
| XS8990HST3I (left hinge, with ice maker) | 13.330 € |
| CAPACITY | |
| Volume Compartment 1 (L) | 381 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 167 |
| Total Net Volume (L) | 548 |
| Total Gross Volume (L) | 575 |

| Total Gross Volume (L) | 575 |
|---|-----|
| Compartment 1 / Upper wine cellar capacity (bottles) | 1 |
| Compartment 2 / Middle wine cellar capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar | 1 |

capacity (bottles)

| TECHNICAL DETAILS | | |
|-------------------------------|----------|--|
| Voltage (V) | 220-240V | |
| Frequency (Hz) | 50-60 Hz | |
| Climatic class | SN/T | |
| Noise level (dB) | 41 | |
| EFFICIENCY | | |
| New Energy Label class | F | |
| Energy consumption (kWh/year) | 401 | |

| DIMENSIONS & WEIGHT | |
|---|---------------|
| Height of the product (closed weels) (mm) | 2120 |
| Width of the product (mm) | 899 |
| Depth of Product without handle (mm) | 635 |
| Net Weight (kg) | 212 |
| Gross Weight (kg) | 233 |
| TEMPERATURE RANGES | |
| Climatic compartments | 2 |
| Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | YES |
| Compartment 3 / Low temperature (°C) | from 8 to -22 |
| Dual zone | YES |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 3 |
| Type of shelves | GLASS |
| Door Bins | 3 |
| Fridge drawers type | LOW TEMP |
| Fresco/LowTemp Drawers | 1 |
| Freezer drawers | 2 |
| ACCESSORIES | |

- Stainless steel sides panels
- Joining kit
- X-Pro top grille kit
- Extra length anti-tipping kit
- Anticondensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Painting
- 90° Door stop



KS8990HST 90 cm, FRIDGE AND FREEZER, 0H MODEL **BUILT-IN**

CLASSIC® SERIES



| Comproseer position | | DIMENSIONS & WEIGHT | |
|--|------------------------|---|---------------|
| Compressor position | Bottom | Height of the product (closed weels) (mm) | 2050 |
| Front finish | Stanless steel | Width of the product (mm) | 899 |
| Handles | Stainless steel 030 mm | Depth of Product without handle (mm) | 635 |
| Interior material finish | Stainless steel | Net Weight (kg) | 193 |
| PRICE (VAT and delivery charges r | not included) | Gross Weight (kg) | 215 |
| KS8990HST6 | | TEMPERATURE RANGES | |
| (right hinge) | 11.560 € | _ Climatic compartments | 2 |
| KS8990HST3 | 11.560 € | Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| (left hinge) | 11.300 € | Compartment 2 / Middle temperature (°C) | 1 |
| KS8990HST6I | 12.380 € | Low temp zone | YES |
| (right hinge, with ice maker) | | Compartment 3 / Low temperature (°C) | from 8 to -22 |
| KS8990HST3I (left bings with ice maker) | 12.380 € | Dual zone | YES |
| (left hinge, with ice maker) | | | |
| CAPACITY | | GENERAL PROPERTIES | NO |
| Volume Compartment 1 (L) | 381 | Reversible door | NO |
| Volume Compartment 2 (L) | 1 | Low vibration | YES |
| Volume Compartment 3 (L) | 167 | Shelves | 3 |
| Total Net Volume (L) | 548 | Type of shelves | GLASS |
| Total Gross Volume (L) | 575 | Door Bins | 3 |
| Compartment 1 / Upper wine cellar | | Fridge drawers type | LOW TEMP |
| capacity (bottles) | | Fresco/LowTemp Drawers | 1 |
| Comportment 2 / Middle wine collar | | – Freezer drawers | 2 |
| Compartment 2 / Middle wine cellar | 1 | ACCESSORIES | |
| capacity (bottles) | | Stainless steel sides panels | |
| Compartment 3 / Lower wine cellar | | • Joining kit | |
| capacity (bottles) | | Stainless steel portal for freestanding | |
| TECHNICAL DETAILS | | Extra length anti-tipping kit | |
| | 220. 27.07 | • Cleaning kit | |
| Voltage (V) | 220-240V | FLD - Fhiaba Link Device | |
| Frequency (Hz) | 50-60 Hz | Front ventilation kit | |
| Climatic class | SN/T | - • Painting | |
| Noise level (dB) | 41 | • 90° Door stop | |
| EFFICIENCY | | | |
| New Energy Label class | F | _ | |
| Energy consumption (kWh/year) | 401 | _ | |



S8990HST 90 cm, FRIDGE AND FREEZER, OH MODEL FULLY INTEGRATED

INTEGRATED® SERIES







| Bottom |
|--------------------|
| Custom panel ready |
| NO |
| Stainless steel |
| t included) |
| 10.550 € |
| 10.550 € |
| 11.370 € |
| 11.370 € |
| |

| CAPACITY | |
|---|-----|
| Volume Compartment 1 (L) | 381 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 167 |
| Total Net Volume (L) | 548 |
| Total Gross Volume (L) | 575 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 1 |
| Compartment 2 / Middle wine cellar capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar capacity (bottles) | 1 |
| | 1 |

| TECHNICAL DETAILS | |
|-------------------------------|----------|
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | F |
| Energy consumption (kWh/year) | 401 |

| 2050 |
|---------------|
| 899 |
| 610 |
| 184 |
| 205 |
| |
| 2 |
| from 2 to 8 |
| 1 |
| YES |
| from 8 to -22 |
| YES |
| |
| NO |
| YES |
| 3 |
| GLASS |
| 3 |
| LOW TEMP |
| 1 |
| 2 |
| |

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles 30mm
- Stainless steel tubular handles 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
 - FLD Fhiaba Link Device
 - Front ventilation kit
 - 90° Door stop



FULL SIZE: WINE CELLAR Model: 0H Width: 90cm (899)

One door, two drawer, 2 separate temperatures

Upper compartment: Wine Cellar Lower compartment: Wine Cellar

FEATURES

- Made in Italy.
- Aisi 304 stainless steel body.
- Stainless steel interior finish
- Antibacterial stainless steel interior.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by laterally circulation air.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides brilliant illumination to the entire interior.
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Insulated variable speed compressors maintains precision temperature control with low vibration.
- Sabbath mode
- Front and rear adjustable feet up to 25 mm.
- Two independent climatic zones.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.
- Triple-pane, bronzed glass door guarantees maximum protection from harmful UV light rays.
- Soft close mechanisms on every oak wine rack.
- Humidity control



| GENERAL PROPERTIES | |
|---|-----------|
| Reversible door | NO |
| Equilance | YES |
| SoftClosing Runner | YES |
| Low vibration | YES |
| Optieview (LED light spots) | YES |
| Shelves | 9 |
| Slide-out shelves | YES |
| Type of shelves | WOOD |
| Fridge drawers type | 1 |
| Fresco/LowTemp Drawers | 1 |
| Bottom drawers | 2 |
| Full Extension shelves 90° door opening | YES |
| Full Extension drawers 90° door opening | NO |
| Defrost Process | AUTOMATIC |
| Ice maker with water filter | NO |
| Door Open Alarms | YES |
| Humidity control | YES |
| Active carbon filter | NO |
| Air filter control | NO |
| Shopping Fridge | NO |
| Shopping Freezer | NO |
| Power Failure Function | YES |
| | |

XS8990HWT 90 cm, WINE CELLAR, 0H MODEL **BUILT-IN X-PRO® SERIES**




| AESTHETIC | | |
|---|------------------------|--|
| Compressor position | Тор | |
| Front finish | Stanless steel | |
| Handles | Stainless steel 030 mm | |
| Interior material finish | Stainless steel | |
| PRICE (VAT and delivery charges no | t included) | |
| XS8990HWT6 (right hinge) | 12.190 € | |
| XS8990HWT3 (left hinge) | 12.190 € | |
| | | |
| CAPACITY | | |
| Volume Compartment 1 (L) | 357 | |
| Volume Compartment 2 (L) | 1 | |
| Volume Compartment 3 (L) | 167 | |
| Total Net Volume (L) | 524 | |
| Total Gross Volume (L) | 542 | |
| Compartment 1 / Upper wine cellar capacity (bottles) | 108 | |
| Compartment 2 / Middle wine cellar capacity (bottles) | 1 | |
| Compartment 3 / Lower wine cellar capacity (bottles) | 1 | |
| TECHNICAL DETAILS | | |
| | 000 0/01/ | |

| TECHNICAL DETAILS | |
|-------------------------------|----------|
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | G |
| Energy consumption (kWh/year) | 197 |
| | |



KS8990HWT 90 cm, WINE CELLAR, 0H MODEL **BUILT-IN CLASSIC® SERIES**




| DIMENSIONS & WEIGHT | |
|---|--------------|
| Height of the product (closed weels) (mm) | 2120 |
| Width of the product (mm) | 899 |
| Depth of Product without handle (mm) | 635 |
| Net Weight (kg) | 212 |
| Gross Weight (kg) | 233 |
| TEMPERATURE RANGES | |
| Climatic compartments | 2 |
| Compartment 1 / Upper temperature (°C) | from 4 to 18 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | NO |
| Compartment 3 / Low temperature (°C) | from 4 to 18 |
| Dual zone | YES |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 9 |
| Type of shelves | WOOD |
| Door Bins | 1 |
| Fridge drawers type | 1 |
| Fresco/LowTemp Drawers | 1 |
| Freezer drawers | 2 |

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- X-Pro top grille kit
- Extra length anti-tipping kit
- Anticondensation kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Painting
- 90° Door stop
- Wine kit

- Cheese drawer • Set of knives
- Prosciutteria kit
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

| Compartment 1 / Upper wine cellar capacity (bottles) | 108 |
|---|----------------------|
| Compartment 2 / Middle wine cellar capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar capacity (bottles) | 1 |
| | |
| TECHNICAL DETAILS | |
| TECHNICAL DETAILS Voltage (V) | 220-240V |
| | 220-240V 50-60 Hz |
| Voltage (V) | |
| Voltage (V) Frequency (Hz) | 50-60 Hz |
| Voltage (V) Frequency (Hz) Climatic class | 50-60 Hz SN/T |
| Voltage (V) Frequency (Hz) Climatic class Noise level (dB) | 50-60 Hz SN/T |





AESTHETIC Compressor position

Front finish

KS8990HWT6

(right hinge) KS8990HWT3

(left hinge)

CAPACITY

Volume Compartment 1 (L)

Volume Compartment 2 (L)

Volume Compartment 3 (L)

Energy consumption (kWh/year)

Total Net Volume (L)

Total Gross Volume (L)

Interior material finish

PRICE (VAT and delivery charges not included)

Handles



Bottom

11.130 €

11.130 €

357

1

167

524 542


197

Stanless steel

Stainless steel

Stainless steel 030 mm





| $\bigcirc \bigcirc $ |
|---|
| $\bigcirc \bigcirc $ |
| |
| $\bigcirc \bigcirc $ |
| |
| |
| $\bigcirc \bigcirc $ |
| 000000000000 |
| |

| DIMENSIONS & WEIGHT | |
|---|--------------|
| Height of the product (closed weels) (mm) | 2050 |
| Width of the product (mm) | 899 |
| Depth of Product without handle (mm) | 635 |
| Net Weight (kg) | 193 |
| Gross Weight (kg) | 215 |
| TEMPERATURE RANGES | |
| Climatic compartments | 2 |
| Compartment 1 / Upper temperature (°C) | from 4 to 18 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | NO |
| Compartment 3 / Low temperature (°C) | from 4 to 18 |
| Dual zone | YES |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 9 |
| Type of shelves | WOOD |
| Door Bins | |
| Fridge drawers type | |
| Fresco/LowTemp Drawers | |
| Freezer drawers | 2 |

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop
- Wine kit

- Cheese drawer
- Set of knives
- Prosciutteria kit
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

S8990HWT 90 cm, WINE CELLAR, 0H MODEL FULLY INTEGRATED

INTEGRATED® SERIES






| AESTHETIC | Dettem |
|--|--------------------|
| Compressor position | Bottom |
| Front finish | Custom panel ready |
| Handles | NO |
| Interior material finish | Stainless steel |
| PRICE (VAT and delivery charges no | ot included) |
| S8990HWT6 (right hinge) | 10.500 € |
| S8990HWT3 (left hinge) | 10.500 € |
| | |
| CAPACITY | |
| Volume Compartment 1 (L) | 357 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 167 |
| Total Net Volume (L) | 524 |
| Total Gross Volume (L) | 542 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 108 |
| Compartment 2 / Middle wine cellar capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar capacity (bottles) | 1 |

| TECHNICAL DETAILS | |
|-------------------------------|----------|
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | G |
| Energy consumption (kWh/year) | 197 |
| | |





| 2050 |
|--------------|
| 899 |
| 610 |
| 181 |
| 202 |
| |
| 2 |
| from 4 to 18 |
| 1 |
| NO |
| from 4 to 18 |
| YES |
| |
| NO |
| YES |
| 9 |
| WOOD |
| 1 |
| 1 |
| 1 |
| 2 |
| |

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles 30mm
- Stainless steel tubular handles
 18mm
- Stainless steel panels
- Stainless steel portal for
- freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device

• 90° Door stop

Front ventilation kit

- Wine kit
- Cheese drawer
- Set of knives
- Prosciutteria kit
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf



One door, 1 temperature Upper compartment: Fridge Lower compartment: Low Temp



FRIDGE

LOW TEMP

FEATURES

- Made in Italy.
- Aisi 304 stainless steel body.
- Stainless steel interior finish
- Antibacterial stainless steel interior.
- Evenlift: shelves can slide up and down to be adjusted to any height in the fridge compartment.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by laterally circulation air.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides brilliant illumination to the entire interior.
- Soft close door and drawers in all compartments
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision temperature control with low vibration.
- Sabbath mode
- Front and rear adjustable feet up to 25 mm.
- One indipendent climatic zone.
- Tempered glass shelves with aluminium profiles.
- Crisper drawers for multi use preservazion solution. Antibacterial stainless steel interior & rounded corners promoting hygiene and easy cleaning.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.



| Reversible doorN0EquilanceYESSoftClosing RunnerYESLow vibrationYESOptieview (LED light spots)YESShelves3Slide-out shelvesGLASSFridge drawers typeLOW TEMPFresco/LowTemp Drawers3Bottom drawers/Full Extension shelves 90° door opening/Full Extension drawers 90° door openingYESDefrost ProcessAUTOMATICIce maker with water filterNODoor Open AlarmsYESHumidity controlNOActive carbon filterNOAir filter controlNOShopping FreezerNOPower Failure FunctionYES | GENERAL PROPERTIES | |
|--|---|-----------|
| SoftClosing RunnerYESLow vibrationYESOptieview (LED light spots)YESShelves3Slide-out shelvesNOType of shelvesGLASSFridge drawers typeLOW TEMPFresco/LowTemp Drawers3Bottom drawers/Full Extension shelves 90° door opening/Full Extension drawers 90° door openingYESDefrost ProcessAUTOMATICIce maker with water filterNODoor Open AlarmsYESHumidity controlNOActive carbon filterNOShopping FridgeYESShopping FridgeYESShopping FreezerNO | Reversible door | NO |
| Low vibrationYESOptieview (LED light spots)YESShelves3Slide-out shelvesNOType of shelvesGLASSFridge drawers typeLOW TEMPFresco/LowTemp Drawers3Bottom drawers/Full Extension shelves 90° door opening/Full Extension drawers 90° door openingYESDefrost ProcessAUTOMATICIce maker with water filterNODoor Open AlarmsYESHumidity controlNOActive carbon filterNOAir filter controlNOShopping FridgeYESShopping FreezerNO | Equilance | YES |
| Optieview (LED light spots)YESShelves3Slide-out shelvesNOType of shelvesGLASSFridge drawers typeLOW TEMPFresco/LowTemp Drawers3Bottom drawers/Full Extension shelves 90° door opening/Full Extension drawers 90° door openingYESDefrost ProcessAUTOMATICIce maker with water filterNODoor Open AlarmsYESHumidity controlNOActive carbon filterNOAir filter controlNOShopping FridgeYESShopping FreezerNO | SoftClosing Runner | YES |
| Shelves3Slide-out shelvesNOType of shelvesGLASSFridge drawers typeLOW TEMPFresco/LowTemp Drawers3Bottom drawers/Full Extension shelves 90° door opening/Full Extension drawers 90° door openingYESDefrost ProcessAUTOMATICIce maker with water filterNODoor Open AlarmsYESHumidity controlNOActive carbon filterNOAir filter controlNOShopping FridgeYESShopping FreezerNO | Low vibration | YES |
| Stide-out shelvesNOType of shelvesGLASSFridge drawers typeLOW TEMPFresco/LowTemp Drawers3Bottom drawers/Full Extension shelves 90° door opening/Full Extension drawers 90° door openingYESDefrost ProcessAUTOMATICIce maker with water filterNODoor Open AlarmsYESHumidity controlNOActive carbon filterNOAir filter controlNOShopping FridgeYESShopping FreezerNO | Optieview (LED light spots) | YES |
| Type of shelvesGLASSFridge drawers typeLOW TEMPFresco/LowTemp Drawers3Bottom drawers/Full Extension shelves 90° door opening/Full Extension drawers 90° door openingYESDefrost ProcessAUTOMATICIce maker with water filterNODoor Open AlarmsYESHumidity controlNOActive carbon filterNOAir filter controlNOShopping FridgeYESShopping FreezerNO | Shelves | 3 |
| Fridge drawers typeLOW TEMPFresco/LowTemp Drawers3Bottom drawers/Full Extension shelves 90° door opening/Full Extension drawers 90° door openingYESDefrost ProcessAUTOMATICIce maker with water filterNODoor Open AlarmsYESHumidity controlNOActive carbon filterNOAir filter controlNOShopping FridgeYESShopping FreezerNO | Slide-out shelves | NO |
| Fresco/LowTemp Drawers3Bottom drawers/Full Extension shelves 90° door opening/Full Extension drawers 90° door openingYESDefrost ProcessAUTOMATICIce maker with water filterNODoor Open AlarmsYESHumidity controlNOActive carbon filterNOAir filter controlNOShopping FridgeYESShopping FreezerNO | Type of shelves | GLASS |
| Bottom drawers/Full Extension shelves 90° door opening/Full Extension drawers 90° door openingYESDefrost ProcessAUTOMATICIce maker with water filterNODoor Open AlarmsYESHumidity controlNOActive carbon filterNOAir filter controlNOShopping FridgeYESShopping FreezerNO | Fridge drawers type | LOW TEMP |
| Full Extension shelves 90° door opening/Full Extension drawers 90° door openingYESDefrost ProcessAUTOMATICIce maker with water filterNODoor Open AlarmsYESHumidity controlNOActive carbon filterNOAir filter controlNOShopping FridgeYESShopping FreezerNO | Fresco/LowTemp Drawers | 3 |
| Full Extension drawers 90° door openingYESDefrost ProcessAUTOMATICIce maker with water filterNODoor Open AlarmsYESHumidity controlNOActive carbon filterNOAir filter controlNOShopping FridgeYESShopping FreezerNO | Bottom drawers | 1 |
| Defrost ProcessAUTOMATICIce maker with water filterNODoor Open AlarmsYESHumidity controlNOActive carbon filterNOAir filter controlNOShopping FridgeYESShopping FreezerNO | Full Extension shelves 90° door opening | 1 |
| Ice maker with water filterNODoor Open AlarmsYESHumidity controlNOActive carbon filterNOAir filter controlNOShopping FridgeYESShopping FreezerNO | Full Extension drawers 90° door opening | YES |
| Door Open AlarmsYESHumidity controlNOActive carbon filterNOAir filter controlNOShopping FridgeYESShopping FreezerNO | Defrost Process | AUTOMATIC |
| Humidity controlNOActive carbon filterNOAir filter controlNOShopping FridgeYESShopping FreezerNO | Ice maker with water filter | NO |
| Active carbon filterNOAir filter controlNOShopping FridgeYESShopping FreezerNO | Door Open Alarms | YES |
| Air filter control NO Shopping Fridge YES Shopping Freezer NO | Humidity control | NO |
| Shopping Fridge YES Shopping Freezer NO | Active carbon filter | NO |
| Shopping Freezer NO | Air filter control | NO |
| | Shopping Fridge | YES |
| Power Failure Function YES | Shopping Freezer | NO |
| | Power Failure Function | YES |

XS8990FR 90 cm, FRIDGE, 0FR MODEL **BUILT-IN** X-PRO[®] SERIES





| AESTHETIC | | |
|--|------------------------|--|
| Compressor position | Тор | |
| Front finish | Stanless steel | |
| Handles | Stainless steel 030 mm | |
| Interior material finish | Stainless steel | |
| PRICE (VAT and delivery charges no | t included) | |
| XS8990FR6 (right hinge) | 11.130 € | |
| XS8990FR3 (left hinge) | 11.130 € | |
| XS8990FR6D (right hinge, water dispenser) | 11.950 € | |
| XS8990FR3D (left hinge, water dispenser) | 11.950 € | |
| CAPACITY | | |
| Volume Compartment 1 (L) | 619 | |
| Volume Compartment 2 (L) | | |

| Volume Compartment 2 (L) | Ι |
|---|-----|
| Volume Compartment 3 (L) | 1 |
| Total Net Volume (L) | 619 |
| Total Gross Volume (L) | 629 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 1 |
| Compartment 2 / Middle wine cellar capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar capacity (bottles) | 1 |
| | |

| TECHNICAL DETAILS | | |
|-------------------------------|----------|--|
| Voltage (V) | 220-240V | |
| Frequency (Hz) | 50-60 Hz | |
| Climatic class | SN/T | |
| Noise level (dB) | 41 | |
| EFFICIENCY | | |
| New Energy Label class | F | |
| Energy consumption (kWh/year) | 188 | |

| DIMENSIONS & WEIGHT | |
|---|-------------|
| Height of the product (closed weels) (mm) | 2120 |
| Width of the product (mm) | 899 |
| Depth of Product without handle (mm) | 640 |
| Net Weight (kg) | 200 |
| Gross Weight (kg) | 221 |
| TEMPERATURE RANGES | |
| Climatic compartments | 1 |
| Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | YES |
| Compartment 3 / Low temperature (°C) | 1 |
| Dual zone | NO |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 3 |
| Type of shelves | GLASS |
| Door Bins | 3 |
| Fridge drawers type | LOW TEMP |
| Fresco/LowTemp Drawers | 3 |
| Freezer drawers | 1 |

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- X-Pro top grille kit
- Extra length anti-tipping kit
- Anticondensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Painting
- 90° Door stop



XS8990FG 90 cm, FRIDGE, 0FR MODEL **BUILT-IN, GLASS DOOR** X-PRO[®] SERIES





| AESTHETIC | | DIMENSIONS & WEIGHT | |
|---|------------------------|--|-------------|
| Compressor position | Тор | Height of the product (closed weels) (mm) | 2120 |
| Front finish | Stanless steel | Width of the product (mm) | 899 |
| Handles | Stainless steel Ø30 mm | Depth of Product without handle (mm) | 640 |
| Interior material finish | Stainless steel | Net Weight (kg) | 200 |
| PRICE (VAT and delivery charges | not included) | Gross Weight (kg) | 221 |
| XS8990FG6 | | TEMPERATURE RANGES | |
| (right hinge) | 12.090 € | _ Climatic compartments | 1 |
| XS8990FG3 | 12.090 € | Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| (left hinge) | 12.070 0 | Compartment 2 / Middle temperature (°C) | |
| XS8990FG6D | 12.910 € | Low temp zone | YES |
| (right hinge, water dispenser) | | Compartment 3 / Low temperature (°C) | |
| XS8990FG3D (left hinge, water dispenser) | 12.910 € | Dual zone | NO |
| CAPACITY | | GENERAL PROPERTIES | |
| Volume Compartment 1 (L) | 619 | Reversible door | NO |
| Volume Compartment 2 (L) | | Low vibration | YES |
| Volume Compartment 3 (L) | | Shelves | 3 |
| Total Net Volume (L) | 619 | Type of shelves | GLASS |
| Total Gross Volume (L) | 629 | Door Bins | 0 |
| | | Fridge drawers type | LOW TEMP |
| Compartment 1 / Upper wine cellar | 1 | Fresco/LowTemp Drawers | 3 |
| capacity (bottles) | | – Freezer drawers | 1 |
| Compartment 2 / Middle wine cellar | | ACCESSORIES | |
| capacity (bottles) | | | |
| Compartment 3 / Lower wine cellar | | Stainless steel sides panels | |
| capacity (bottles) | 1 | • Joining kit | |
| | | • X-Pro top grille kit | |
| TECHNICAL DETAILS | | Extra length anti-tipping kit | |
| Voltage (V) | 220-240V | Anticondensation kit | |
| Frequency (Hz) | 50-60 Hz | Cleaning kit FLD - Fhiaba Link Device | |
| Climatic class | SN/T | | |
| Noise level (dB) | 41 | Painting 90° Door stop | |
| EFFICIENCY | | - 70 Door Stop | |
| New Energy Label class | F | - | |
| Energy consumption (kWh/year) | 188 | | |
| | | _ | |



KS8990FR 90 cm, FRIDGE, 0FR MODEL **BUILT-IN CLASSIC® SERIES**





DIMENSIONS & WEIGHT

Width of the product (mm)

TEMPERATURE RANGES Climatic compartments

GENERAL PROPERTIES

Net Weight (kg)

Low temp zone

Reversible door

Type of shelves Door Bins

Fridge drawers type Fresco/LowTemp Drawers

Freezer drawers

ACCESSORIES

Joining kit

Cleaning kit

 Painting • 90° Door stop

• Stainless steel sides panels

• Extra length anti-tipping kit

• FLD - Fhiaba Link Device Front ventilation kit

• Stainless steel portal for freestanding

Low vibration

Shelves

Dual zone

Gross Weight (kg)

Height of the product (closed weels) (mm)

Depth of Product without handle (mm)

Compartment 1 / Upper temperature (°C)

Compartment 2 / Middle temperature (°C)

Compartment 3 / Low temperature (°C)

| AESTHETIC | |
|--|------------------------|
| Compressor position | Bottom |
| Front finish | Stanless steel |
| Handles | Stainless steel Ø30 mm |
| Interior material finish | Stainless steel |
| PRICE (VAT and delivery charges no | t included) |
| KS8990FR6 (right hinge) | 9.230 € |
| KS8990FR3 (left hinge) | 9.230 € |
| KS8990FR6D (right hinge, water dispenser) | 10.040 € |
| KS8990FR3D (left hinge, water dispenser) | 10.040 € |
| CAPACITY | |
| Volume Compartment 1 (L) | 619 |
| Volume Compartment 2 (L) | 1 |

| | , |
|---|-----|
| Volume Compartment 3 (L) | 1 |
| Total Net Volume (L) | 619 |
| Total Gross Volume (L) | 629 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 1 |
| Compartment 2 / Middle wine cellar capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar capacity (bottles) | 1 |
| | |

| TECHNICAL DETAILS | |
|-------------------------------|----------|
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | F |
| Energy consumption (kWh/year) | 188 |

2050

899

640

189 210

1

1 YES

1 NO

NO

YES

GLASS

LOW TEMP

3

3

3

1

from 2 to 8

KS8990FG 90 cm, FRIDGE, 0FR MODEL **BUILT-IN, GLASS DOOR CLASSIC® SERIES**





| AESTHETIC | | DIMENSIONS & WEIGHT | |
|--|------------------------|--|-------------|
| Compressor position | Bottom | Height of the product (closed weels) (mm) | 2050 |
| Front finish | Stanless steel | Width of the product (mm) | 899 |
| Handles | Stainless steel 030 mm | Depth of Product without handle (mm) | 640 |
| Interior material finish | Stainless steel | Net Weight (kg) | 189 |
| PRICE (VAT and delivery charges | not included) | Gross Weight (kg) | 210 |
| KS8990FG6 (right hinge) | 10.180 € | TEMPERATURE RANGES Climatic compartments | 1 |
| KS8990FG3 (left hinge) | 10.180 € | Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| KS8990FG6D (right hinge, water dispenser) | 11.000 € | Compartment 2 / Middle temperature (°C) Low temp zone | / YES |
| KS8990FG3D (left hinge, water dispenser) | 11.000 € | Compartment 3 / Low temperature (°C) Dual zone | / NO |
| CAPACITY | | GENERAL PROPERTIES | |
| Volume Compartment 1 (L) | 619 | Reversible door | NO |
| Volume Compartment 2 (L) | | Low vibration | YES |
| Volume Compartment 3 (L) | | Shelves | 3 |
| Total Net Volume (L) | 619 | Type of shelves | GLASS |
| Total Gross Volume (L) | 629 | Door Bins | 0 |
| Compartment 1 / Upper wine cellar | | Fridge drawers type | LOW TEMP |
| comparing (bottles) | 1 | Fresco/LowTemp Drawers | 3 |
| | | - Freezer drawers | 1 |
| Compartment 2 / Middle wine cellar capacity (bottles) | 1 | ACCESSORIES | |
| Compartment 3 / Lower wine cellar | | Stainless steel sides panels | |
| capacity (bottles) | 1 | • Joining kit | |
| | | Stainless steel portal for freestanding | |
| TECHNICAL DETAILS | | Extra length anti-tipping kit | |
| Voltage (V) | 220-240V | Cleaning kit ELD_Ebicks_Link_Davies | |
| Frequency (Hz) | 50-60 Hz | FLD - Fhiaba Link Device | |
| Climatic class | SN/T | Front ventilation kit | |
| Noise level (dB) | 41 | Painting 90° Door stop | |
| EFFICIENCY | | | |
| New Energy Label class | F | | |
| Energy consumption (kWh/year) | 188 | | |
| | | | |



S8990FR 90 cm, FRIDGE, 0FR MODEL **FULLY INTEGRATED INTEGRATED® SERIES**





| AESTHETIC | |
|---|--------------------|
| Compressor position | Bottom |
| Front finish | Custom panel ready |
| Handles | NO |
| Interior material finish | Stainless steel |
| PRICE (VAT and delivery charges | not included) |
| S8990FR6 (right hinge) | 8.430 € |
| S8990FR3 (left hinge) | 8.430 € |
| S8990FR6D (right hinge, water dispenser) | 9.250 € |
| S8990FR3D (left hinge, water dispenser) | 9.250 € |
| | |

| CAPACITY | |
|---|-----|
| Volume Compartment 1 (L) | 619 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 1 |
| Total Net Volume (L) | 619 |
| Total Gross Volume (L) | 629 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 1 |
| Compartment 2 / Middle wine cellar capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar capacity (bottles) | 1 |
| | |

| TECHNICAL DETAILS | |
|-------------------------------|----------|
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | F |
| Energy consumption (kWh/year) | 188 |

| DIMENSIONS & WEIGHT | |
|---|-------------|
| Height of the product (closed weels) (mm) | 2050 |
| Width of the product (mm) | 899 |
| Depth of Product without handle (mm) | 615 |
| Net Weight (kg) | 168 |
| Gross Weight (kg) | 189 |
| TEMPERATURE RANGES | |
| Climatic compartments | 1 |
| Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | YES |
| Compartment 3 / Low temperature (°C) | 1 |
| Dual zone | NO |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 3 |
| Type of shelves | glass |
| Door Bins | 3 |
| 2001 2110 | LOW TEMP |
| Fridge drawers type | |
| Fresco/LowTemp Drawers | 3 |
| Freezer drawers | |
| 10050000150 | |

ACCESSORIES

• Stainless steel sides panels

- Joining kit
- Stainless steel tubular handles 30mm
- Stainless steel tubular handles 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop



S8990FG 90 cm, FRIDGE, 0FR MODEL FULLY INTEGRATED, GLASS DOOR **INTEGRATED® SERIES**





| AESTHETIC | | DIMENSIONS & WEIGHT | | |
|--|--------------------|---|-------------|--|
| Compressor position | Bottom | Height of the product (closed weels) (mm) | 2050 | |
| Front finish | Custom panel ready | Width of the product (mm) | 899 | |
| Handles | NO | Depth of Product without handle (mm) | 615 | |
| Interior material finish | Stainless steel | Net Weight (kg) | 168 | |
| PRICE (VAT and delivery charges | not included) | Gross Weight (kg) | 189 | |
| S8990FG6 | | TEMPERATURE RANGES | | |
| (right hinge) | 9.390€ | Climatic compartments | 1 | |
| S8990FG3 | 9.390€ | Compartment 1 / Upper temperature (°C) | from 2 to 8 | |
| (left hinge) | 7.570 0 | — Compartment 2 / Middle temperature (°C) | | |
| S8990FG6D | 10.200 € | Low temp zone | YES | |
| (right hinge, water dispenser) | | Compartment 3 / Low temperature (°C) | | |
| S8990FG3D (left hinge, water dispenser) | 10.200 € | Dual zone | NO | |
| CAPACITY | | GENERAL PROPERTIES | | |
| Volume Compartment 1 (L) | 619 | Reversible door | NO | |
| Volume Compartment 2 (L) | | Low vibration | YES | |
| Volume Compartment 3 (L) | 1 | Shelves | 3 | |
| Total Net Volume (L) | 619 | Type of shelves | glass | |
| Total Gross Volume (L) | 629 | Door Bins | 3 | |
| Compartment 1 / Upper wine cellar | | Fridge drawers type | LOW TEMP | |
| capacity (bottles) | 1 | Fresco/LowTemp Drawers | 3 | |
| | | — Freezer drawers | 1 | |
| Compartment 2 / Middle wine cellar | 1 | ACCESSORIES | | |
| capacity (bottles) | | Stainless steel sides panels | | |
| Compartment 3 / Lower wine cellar | | Joining kit | | |
| capacity (bottles) | | Stainless steel tubular handles 30mm | | |
| TECHNICAL DETAILS | | Stainless steel tubular handles 18mm | | |
| Voltage (V) | 220-240V | Stainless steel panels | | |
| Frequency (Hz) | 50-60 Hz | Stainless steel portal for freestanding | | |
| Climatic class | SN/T | Extra length anti-tipping kit | | |
| Noise level (dB) | 41 | • Cleaning kit | | |
| | 41 | • FLD - Fhiaba Link Device | | |
| EFFICIENCY | | Front ventilation kit | | |
| New Energy Label class | F | • 90° Door stop | | |
| Energy consumption (kWh/year) | 188 | | | |
| | 1 | | | |





WINE CELLAR

FULL SIZE: WINE CELLAR Model: 0F Width: 90cm (899)

One door, 2 separate temperatures

Upper compartment: Wine Cellar Lower compartment: Wine Cellar



FEATURES

- Made in Italy.
- Aisi 304 stainless steel body.
- Stainless steel interior finish
- Antibacterial stainless steel interior.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by laterally circulation air.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides brilliant illumination to the entire interior.
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision temperature control with low vibration.
- Sabbath mode
- Front and rear adjustable feet up to 25 mm.
- Two independent climatic zones.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.
- Triple-pane, bronzed glass door guarantees maximum protection from harmful UV light rays.
- Soft close mechanisms on every oak wine rack.
- Humidity control



| GENERAL PROPERTIES | |
|---|-----------|
| Reversible door | NO |
| Equilance | YES |
| SoftClosing Runner | YES |
| Low vibration | YES |
| Optieview (LED light spots) | YES |
| Shelves | 13 |
| Slide-out shelves | YES |
| Type of shelves | WOOD |
| Fridge drawers type | 1 |
| Fresco/LowTemp Drawers | 1 |
| Bottom drawers | 1 |
| Full Extension shelves 90° door opening | YES |
| Full Extension drawers 90° door opening | NO |
| Defrost Process | AUTOMATIC |
| Ice maker with water filter | NO |
| Door Open Alarms | YES |
| Humidity control | YES |
| Active carbon filter | NO |
| Air filter control | NO |
| Shopping Fridge | NO |
| Shopping Freezer | NO |
| Power Failure Function | YES |
| | |

XS8990FW 90 cm, WINE CELLAR, 0FW MODEL **BUILT-IN X-PRO® SERIES**




| | NIL |
|--|------------------------|
| AESTHETIC | |
| Compressor position | Тор |
| Front finish | Stanless steel |
| Handles | Stainless steel 030 mm |
| Interior material finish | Stainless steel |
| PRICE (VAT and delivery charges | not included) |
| XS8990FW6 (right hinge) | 11.820 € |
| XS8990FW3 (left hinge) | 11.820 € |
| | |
| CAPACITY | |
| Volume Compartment 1 (L) | 590 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 1 |
| Total Net Volume (L) | 590 |
| Total Gross Volume (L) | 607 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 96 |
| Compartment 2 / Middle wine cellar capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar capacity (bottles) | 60 |
| TECHNICAL DETAILS | |
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| | |

| Compartment 3 / Lower wine cellar capacity (bottles) | 60 |
|--|----------|
| TECHNICAL DETAILS | |
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | G |
| Energy consumption (kWh/year) | 169 |
| | |



KS8990FW 90 cm, WINE CELLAR, 0FW MODEL **BUILT-IN CLASSIC® SERIES**



| DIMENSIONS & WEIGHT | |
|---|--------------|
| Height of the product (closed weels) (mm) | 2120 |
| Width of the product (mm) | 899 |
| Depth of Product without handle (mm) | 640 |
| Net Weight (kg) | 192 |
| Gross Weight (kg) | 223 |
| TEMPERATURE RANGES | |
| Climatic compartments | 2 |
| Compartment 1 / Upper temperature (°C) | from 4 to 18 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | NO |
| Compartment 3 / Low temperature (°C) | from 4 to 18 |
| Dual zone | NO |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 13 |
| Type of shelves | WOOD |
| Door Bins | 1 |
| Fridge drawers type | 1 |
| Fresco/LowTemp Drawers | 1 |
| Freezer drawers | 1 |

• Wine kit

• Cheese drawer

Prosciutteria kit

• Beverage drawer

• Beverage removable shelf

• Beverage shelf

• Set of knives


• Cigar drawer

- Stainless steel sides panels
- Joining kit
- X-Pro top grille kit
- Stainless steel tubular handles 30mm
- Extra length anti-tipping kit
- Anticondensation kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Painting
- 90° Door stop



| AESTHETIC | | DIMENSIONS & WEIGHT | | |
|------------------------------------|------------------------|---|--|--|
| Compressor position | Bottom | Height of the product (closed weels) (mm) | 2050 | |
| Front finish | Stanless steel | Width of the product (mm) | 899 | |
| Handles | Stainless steel 030 mm | Depth of Product without handle (mm) | 640 | |
| Interior material finish | Stainless steel | Net Weight (kg) | 194 | |
| PRICE (VAT and delivery charges | not included) | Gross Weight (kg) | 215 | |
| KS8990FW6 | | TEMPERATURE RANGES | | |
| (right hinge) | 10.550 € | _ Climatic compartments | 2 | |
| KS8990FW3 | 10.550 € | Compartment 1 / Upper temperature (°C) | from 4 to 18 | |
| (left hinge) | | - Compartment 2 / Middle temperature (°C) | 1 | |
| | | - Low temp zone | NO | |
| | | - Compartment 3 / Low temperature (°C) | from 4 to 18 | |
| CAPACITY | | Dual zone | NO | |
| Volume Compartment 1 (L) | 590 | - GENERAL PROPERTIES | | |
| Volume Compartment 2 (L) | 1 | - Reversible door | NO | |
| Volume Compartment 3 (L) | 1 | - Low vibration | YES | |
| Total Net Volume (L) | 590 | - Shelves | 13 | |
| Total Gross Volume (L) | 607 | - Type of shelves | WOOD | |
| Compartment 1 / Upper wine cellar | 04 | Door Bins | 1 | |
| capacity (bottles) | | Fridge drawers type | 1 | |
| Compartment 2 / Middle wine cellar | | Fresco/LowTemp Drawers | 1 | |
| capacity (bottles) | 1 | Freezer drawers | 1 | |
| Compartment 3 / Lower wine cellar | | ACCESSORIES | | |
| capacity (bottles) | 60 | Stainless steel sides panels | Set of knives | |
| | | | Prosciutteria kit | |
| TECHNICAL DETAILS | | Stainless steel portal for | • Cigar drawer | |
| Voltage (V) | 220-240V | 1 | • Beverage drawer | |
| Frequency (Hz) | 50-60 Hz | Extra length anti-tipping kit | • Beverage shelf | |
| Climatic class | SN/T | Cleaning kit | Beverage removable shelf | |
| Noise level (dB) | 41 | • Active carbon filter | | |
| EFFICIENCY | | • FLD - Fhiaba Link Device | | |
| New Energy Label class | G | Front ventilation kit | | |
| Energy consumption (kWh/year) | 169 | • Painting | | |
| | | • 90° Door stop | | |





| (| $\mathbf{\hat{)}}$ |). | \square | | $\mathbf{\hat{)}}$ | $\mathbf{\hat{)}}$ |). |
|---|----------------------|------------|---------------|---|----------------------|--------------------|----------|
| C | | | \circ | • | | | |
| C |)•(| | \mathcal{O} | | $\mathbf{\hat{)}}$ | | |
| C | | | \square | | $\tilde{\mathbf{M}}$ | |) |
| C | $\mathbf{\tilde{)}}$ |)• | \mathcal{O} | • |)•(| |) |
| C | $\mathbf{\tilde{)}}$ |)• | \mathcal{O} | • | $\mathbf{\hat{)}}$ | |) |
| C | |) • | \square | | $\mathbf{\hat{)}}$ | | |
| (| | | \bigcirc | • | | |) |
| | | | | |] | | |
| (| $\mathbf{\hat{)}}$ | | \square | • | $\mathbf{\hat{)}}$ | $\mathbf{\hat{)}}$ |). |
| (| $\mathbf{\hat{)}}$ | | \square | | $\mathbf{\hat{)}}$ | $\mathbf{\hat{)}}$ | |
| C |)•(| | \mathcal{O} | • | $\mathbf{\hat{)}}$ | $\mathbf{\hat{)}}$ | |
| C |)•(|)• | \bigcirc | | $\mathbf{\hat{)}}$ | |) |
| C | | ~ | \cap | • | $\mathbf{\hat{)}}$ | | γ |

- 90° Door stop
- Wine kit
- Cheese drawer

S8990FW 90 cm, WINE CELLAR, 0FW MODEL FULLY INTEGRATED

INTEGRATED® SERIES






| AESTHETIC | |
|--|--------------------|
| Compressor position | Bottom |
| Front finish | Custom panel ready |
| Handles | NO |
| Interior material finish | Stainless steel |
| PRICE (VAT and delivery charges no | t included) |
| S8990FW6 (right hinge) | 9.760 € |
| S8990FW3 (left hinge) | 9.760 € |
| | |
| CAPACITY | |
| Volume Compartment 1 (L) | 590 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 1 |
| Total Net Volume (L) | 590 |
| Total Gross Volume (L) | 607 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 96 |
| Compartment 2 / Middle wine cellar capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar capacity (bottles) | 60 |
| TECHNICAL DETAILS | |
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |

| 50-60 Hz |
|----------|
| SN/T |
| 41 |
| |
| |
| G |
| 169 |
| |

62 **Price list** - All specifications are subject to change without notice



| DIMENSIONS & WEIGHT | 1 |
|---|--------------|
| Height of the product (closed weels) (mm) | 2050 |
| Width of the product (mm) | 899 |
| Depth of Product without handle (mm) | 615 |
| Net Weight (kg) | 173 |
| Gross Weight (kg) | 194 |
| TEMPERATURE RANGES | |
| Climatic compartments | 2 |
| Compartment 1 / Upper temperature (°C) | from 4 to 18 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | NO |
| Compartment 3 / Low temperature (°C) | from 4 to 18 |
| Dual zone | NO |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 13 |
| Type of shelves | WOOD |
| Door Bins | 1 |
| Fridge drawers type | 1 |
| Fresco/LowTemp Drawers | 1 |
| Freezer drawers | 1 |

Front ventilation kit

• 90° Door stop

• Cheese drawer

• Prosciutteria kit

• Beverage drawer

• Beverage removable shelf

• Beverage shelf

Set of knives

• Cigar drawer

• Wine kit

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles 30mm
- Stainless steel tubular handles 18mm
- Stainless steel panels
- Stainless steel portal for
- freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device



FULL SIZE: FREEZER Model: 0F Width: 90cm (899)

One door, 1 temperature Single compartment: Freezer



FEATURES

FREEZER

- Made in Italy.
- Aisi 304 stainless steel body.
- Stainless steel interior finish
- Antibacterial stainless steel interior.
- Evenlift: shelves can slide up and down to be adjusted to any height in the fridge compartment.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by laterally circulation air.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides brilliant illumination to the entire interior.
- Soft close door and drawers in all compartments
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision temperature control with low vibration.
- Sabbath mode
- Front and rear adjustable feet up to 25 mm.
- Single climatic zone.
- Tempered glass shelves with aluminium profiles.
- Crisper drawers for multi use preservazion solution. Antibacterial stainless steel interior & rounded corners promoting hygiene and easy cleaning.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.

| GENERAL PROPERTIES | |
|---|-----------|
| Reversible door | NO |
| Equilance | YES |
| SoftClosing Runner | NO |
| Low vibration | YES |
| Optieview (LED light spots) | YES |
| Shelves | 2 |
| Slide-out shelves | NO |
| Type of shelves | GLASS |
| Fridge drawers type | 1 |
| Fresco/LowTemp Drawers | 1 |
| Bottom drawers | 4 |
| Full Extension shelves 90° door opening | YES |
| Full Extension drawers 90° door opening | NO |
| Defrost Process | AUTOMATIC |
| Ice maker with water filter | AVAILABLE |
| Door Open Alarms | YES |
| Humidity control | NO |
| Active carbon filter | NO |
| Air filter control | NO |
| Shopping Fridge | NO |
| Shopping Freezer | YES |
| Power Failure Function | YES |
| | |

XS8990FZ 90 cm, FREEZER, 0FZ MODEL **BUILT-IN**

INTEGRATED® SERIES





| AESTHETIC | | |
|---|------------------------|--|
| Compressor position | Тор | |
| Front finish | Stanless steel | |
| Handles | Stainless steel 030 mm | |
| Interior material finish | Stainless steel | |
| PRICE (VAT and delivery charges not included) | | |
| XS8990FZ6 (right hinge) | 10.500 € | |
| XS8990FZ3 (left hinge) | 10.500 € | |
| XS8990FZ6I (right hinge, with ice maker) | 11.320 € | |
| XS8990FZ3I (left hinge, with ice maker) | 11.320 € | |
| CAPACITY | | |

| CAPACITY | |
|---|-----|
| Volume Compartment 1 (L) | 570 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 1 |
| Total Net Volume (L) | 570 |
| Total Gross Volume (L) | 573 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 1 |
| Compartment 2 / Middle wine cellar capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar capacity (bottles) | 1 |
| | |

| TECHNICAL DETAILS | |
|-------------------------------|----------|
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | F |
| Energy consumption (kWh/year) | 457 |

| DIMENSIONS & WEIGHT | |
|---|-----------------|
| Height of the product (closed weels) (mm) | 2120 |
| Width of the product (mm) | 899 |
| Depth of Product without handle (mm) | 640 |
| Net Weight (kg) | 195 |
| Gross Weight (kg) | 216 |
| TEMPERATURE RANGES | |
| Climatic compartments | 1 |
| Compartment 1 / Upper temperature (°C) | from -15 to -22 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | NO |
| Compartment 3 / Low temperature (°C) | 1 |
| Dual zone | NO |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 2 |
| Type of shelves | GLASS |
| Door Bins | 2 |
| Fridge drawers type | Ι |
| Fresco/LowTemp Drawers | 1 |
| Freezer drawers | 4 |
| ACCESSORIES | |

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles 30mm
- Stainless steel tubular handles 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Anticondensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop



KS8990FZ 90 cm, FREEZER, 0FZ MODEL **BUILT-IN CLASSIC® SERIES**



| AESTHETIC | | DIMENSIONS & WEIGHT | |
|--|------------------------|---|-----------------|
| Compressor position | Bottom | Height of the product (closed weels) (mm) | 2050 |
| Front finish | Stanless steel | Width of the product (mm) | 899 |
| Handles | Stainless steel 030 mm | Depth of Product without handle (mm) | 640 |
| Interior material finish | Stainless steel | Net Weight (kg) | 195 |
| PRICE (VAT and delivery charges | not included) | Gross Weight (kg) | 216 |
| KS8990FZ6 | | TEMPERATURE RANGES | |
| (right hinge) | 9.760 € | _ Climatic compartments | 1 |
| KS8990FZ3 | 9.760 € | Compartment 1 / Upper temperature (°C) | from -15 to -22 |
| (left hinge) | 7.700 € | Compartment 2 / Middle temperature (°C) | 1 |
| KS8990FZ6I | 10.570 € | Low temp zone | NO |
| (right hinge, with ice maker) | | Compartment 3 / Low temperature (°C) | 1 |
| KS8990FZ3I (left hinge, with ice maker) | 10.570 € | Dual zone | NO |
| CAPACITY | | GENERAL PROPERTIES | |
| Volume Compartment 1 (L) | 570 | Reversible door | NO |
| Volume Compartment 2 (L) | 1 | Low vibration | YES |
| Volume Compartment 3 (L) | | Shelves | 2 |
| Total Net Volume (L) | 570 | Type of shelves | GLASS |
| Total Gross Volume (L) | 573 | Door Bins | 2 |
| Compartment 1 / Upper wine cellar | | Fridge drawers type | 1 |
| capacity (bottles) | 1 | Fresco/LowTemp Drawers | 1 |
| | | – Freezer drawers | 4 |
| Compartment 2 / Middle wine cellar | | | |
| capacity (bottles) | | ACCESSORIES | |
| Compartment 3 / Lower wine cellar | | Stainless steel sides panels | |
| capacity (bottles) | | • Joining kit | |
| | | Stainless steel portal for freestanding | |
| TECHNICAL DETAILS | | Extra length anti-tipping kit | |
| Voltage (V) | 220-240V | • Cleaning kit | |
| Frequency (Hz) | 50-60 Hz | • FLD - Fhiaba Link Device | |
| Climatic class | SN/T | • Front ventilation kit | |
| Noise level (dB) | 41 | • Painting | |
| EFFICIENCY | 1 | • 90° Door stop | |
| New Energy Label class | F | _ | |
| Energy consumption (kWh/year) | 457 | | |



S8990FZ 90 cm, FREEZER, 0FZ MODEL FULLY INTEGRATED INTEGRATED[®] SERIES



NIEGRAIED® SERIES





| AESTHETIC | | |
|---|--------------------|--|
| Compressor position | Bottom | |
| Front finish | Custom panel ready | |
| Handles | NO | |
| Interior material finish | Stainless steel | |
| PRICE (VAT and delivery charges not included) | | |
| S8990FZ6 (right hinge) | 9.440€ | |
| S8990FZ3 (left hinge) | 9.440€ | |
| S8990FZ6I (right hinge, with ice maker) | 10.260€ | |
| S8990FZ3I (left hinge, with ice maker) | 10.260 € | |


| CAPACITY | |
|---|-----|
| Volume Compartment 1 (L) | 570 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 1 |
| Total Net Volume (L) | 570 |
| Total Gross Volume (L) | 573 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 1 |
| Compartment 2 / Middle wine cellar capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar capacity (bottles) | 1 |
| | 1 |

| TECHNICAL DETAILS | |
|-------------------------------|----------|
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | F |
| Energy consumption (kWh/year) | 457 |
| | |

| DIMENSIONS & WEIGHT | |
|---|-----------------|
| Height of the product (closed weels) (mm) | 2050 |
| Width of the product (mm) | 899 |
| Depth of Product without handle (mm) | 615 |
| Net Weight (kg) | 182 |
| Gross Weight (kg) | 202 |
| TEMPERATURE RANGES | |
| Climatic compartments | 1 |
| Compartment 1 / Upper temperature (°C) | from -15 to -22 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | NO |
| Compartment 3 / Low temperature (°C) | 1 |
| Dual zone | NO |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 2 |
| Type of shelves | GLASS |
| Door Bins | 2 |
| Fridge drawers type | 1 |
| Fresco/LowTemp Drawers | 1 |
| Freezer drawers | 4 |

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles 30mm
- Stainless steel tubular handles 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop

FULL SIZE: FRIDGES/FREEZERS/WINE CELLARS Width: 75cm (749)





FULL SIZE: FRIDGE AND FREEZER Model: 0T Width: 75cm (749)

One door, one drawer, 2 separate temperatures

Upper compartment: Fridge Middle compartment: Low Temp Lower compartment TriMode: Fridge/Fresco/Freezer

FEATURES

FRIDGE

LOW TEMP

TRIMODE[®]

- Made in Italy.
- Aisi 304 stainless steel body.
- Stainless steel interior finish
- Antibacterial stainless steel interior.
- Evenlift: shelves can slide up and down to be adjusted to any height in the fridge compartment.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by laterally circulation air.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides brilliant illumination to the entire interior.
- Soft close door and drawers in all compartments
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision temperature control with low vibration.
- Sabbath mode
- Front and rear adjustable feet up to 25 mm.
- Two independent climatic zones.
- Tempered glass shelves with aluminium profiles.
- Crisper drawers for multi use preservazion solution. Antibacterial stainless steel interior & rounded corners promoting hygiene and easy cleaning.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.



| GENERAL PROPERTIES | |
|---|-----------|
| Reversible door | NO |
| Equilance | YES |
| SoftClosing Runner | YES |
| Low vibration | YES |
| Optieview (LED light spots) | YES |
| Shelves | 3 |
| Slide-out shelves | NO |
| Type of shelves | GLASS |
| Fridge drawers type | LOW TEMP |
| Fresco/LowTemp Drawers | 2 |
| Bottom drawers | 1 |
| Full Extension shelves 90° door opening | 1 |
| Full Extension drawers 90° door opening | YES |
| Defrost Process | AUTOMATIC |
| Ice maker with water filter | AVAILABLE |
| Door Open Alarms | YES |
| Humidity control | NO |
| Active carbon filter | NO |
| Air filter control | NO |
| Shopping Fridge | YES |
| Shopping Freezer | YES |
| Power Failure Function | YES |

XS7490TST 75 cm, FRIDGE AND FREEZER, 0T MODEL **BUILT-IN**

X-PRO[®] SERIES





| AESTHETIC | |
|--|------------------------|
| Compressor position | Тор |
| Front finish | Stanless steel |
| Handles | Stainless steel 030 mm |
| Interior material finish | Stainless steel |
| PRICE (VAT and delivery charges no | t included) |
| XS7490TST6 (right hinge) | 11.560 € |
| XS7490TST3 (left hinge) | 11.560 € |
| XS7490TST6I (right hinge, with ice maker) | 12.380 € |
| XS7490TST3I (left hinge, with ice maker) | 12.380 € |
| CAPACITY | L |
| Volume Compartment 1 (L) | 335 |

| Volume Compartment 1 (L) | 335 |
|---|-----|
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 105 |
| Total Net Volume (L) | 440 |
| Total Gross Volume (L) | 461 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 1 |
| Compartment 2 / Middle wine cellar capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar capacity (bottles) | 1 |
| | |

| TECHNICAL DETAILS | | |
|-------------------------------|----------|--|
| Voltage (V) | 220-240V | |
| Frequency (Hz) | 50-60 Hz | |
| Climatic class | SN/T | |
| Noise level (dB) | 41 | |
| EFFICIENCY | | |
| New Energy Label class | F | |
| Energy consumption (kWh/year) | 323 | |

| DIMENSIONS & WEIGHT | |
|---|---------------|
| Height of the product (closed weels) (mm) | 2120 |
| Width of the product (mm) | 749 |
| Depth of Product without handle (mm) | 635 |
| Net Weight (kg) | 191 |
| Gross Weight (kg) | 212 |
| TEMPERATURE RANGES | |
| Climatic compartments | 2 |
| Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | YES |
| Compartment 3 / Low temperature (°C) | from 8 to -22 |
| Dual zone | YES |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 3 |
| Type of shelves | GLASS |
| Door Bins | 3 |
| Fridge drawers type | LOW TEMP |
| Fresco/LowTemp Drawers | 2 |
| Freezer drawers | 1 |

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- X-Pro top grille kit
- Extra length anti-tipping kit
- Anticondensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Painting
- 90° Door stop



XS7490TGT 75 cm, FRIDGE AND FREEZER, 0T MODEL **BUILT-IN, GLASS DOOR** X-PRO[®] SERIES





| AESTHETIC | | DIMENSIONS & WEIGHT | |
|---|------------------------|---|---------------|
| Compressor position | Тор | Height of the product (closed weels) (mm) | 2120 |
| Front finish | Stanless steel | Width of the product (mm) | 749 |
| Handles | Stainless steel 030 mm | Depth of Product without handle (mm) | 635 |
| Interior material finish | Stainless steel | Net Weight (kg) | 191 |
| PRICE (VAT and delivery charges | not included) | Gross Weight (kg) | 212 |
| XS7490TGT6 | | TEMPERATURE RANGES | |
| (right hinge) | 12.510 € | _ Climatic compartments | 2 |
| XS7490TGT3 | 12.510 € | Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| (left hinge) | 12.310 t | Compartment 2 / Middle temperature (°C) | 1 |
| XS7490TGT6I | 13.330 € | Low temp zone | YES |
| (right hinge, with ice maker) | | Compartment 3 / Low temperature (°C) | from 8 to -22 |
| XS7490TGT31 (left hinge, with ice maker) | 13.330 € | Dual zone | YES |
| | | GENERAL PROPERTIES | |
| CAPACITY | | | NO |
| Volume Compartment 1 (L) | 335 | Reversible door | |
| Volume Compartment 2 (L) | 1 | Low vibration | YES |
| Volume Compartment 3 (L) | 105 | Shelves | 3 |
| Total Net Volume (L) | 440 | Type of shelves | GLASS |
| Total Gross Volume (L) | 461 | Door Bins | 0 |
| Compartment 1 / Upper wine cellar | , | Fridge drawers type | LOW TEMP |
| capacity (bottles) | 1 | Fresco/LowTemp Drawers | 2 |
| Compartment 2 / Middle wine cellar | | - Freezer drawers | 1 |
| | 1 | ACCESSORIES | |
| capacity (bottles) | | Stainless steel sides panels | |
| Compartment 3 / Lower wine cellar | | Joining kit | |
| capacity (bottles) | | • X-Pro top grille kit | |
| TECHNICAL DETAILS | | • Extra length anti-tipping kit | |
| Voltage (V) | 220-240V | Anticondensation kit | |
| Frequency (Hz) | 50-60 Hz | Cleaning kit | |
| Climatic class | SN/T | • FLD - Fhiaba Link Device | |
| Noise level (dB) | 41 | - • Painting | |
| | | • 90° Door stop | |
| EFFICIENCY | | 1 | |
| New Energy Label class | F | - | |
| Energy consumption (kWh/year) | 323 | - | |



AS7490TST 75 cm, FRIDGE AND FREEZER, 0T MODEL FREESTANDING



COUNTRY® SERIES





| AESTHETIC | |
|---|------------------------|
| Compressor position | Тор |
| Front and sides finish | Painted Stanless steel |
| Handles | Stainless steel 030 mm |
| Interior material finish | Stainless steel |
| PRICE (VAT and delivery charges no | ot included) |
| AS7490TST61 (right hinge, with ice maker) | 12.300 € |
| AS7490TST3I (left hinge, with ice maker) | 12.300 € |
| | |
| | |
| CAPACITY | |
| Volume Compartment 1 (L) | 335 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 105 |
| Total Net Volume (L) | 440 |
| Total Gross Volume (L) | 461 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 1 |
| Compartment 2 / Middle wine cellar capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar capacity (bottles) | 1 |
| TECHNICAL DETAILS | |

| TECHNICAL DETAILS | |
|-------------------------------|----------|
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | F |
| Energy consumption (kWh/year) | 323 |

| DIMENSIONS & WEIGHT | |
|---|---------------|
| Height of the product (closed weels) (mm) | 2120 |
| Width of the product (mm) | 737 |
| Depth of Product without handle (mm) | 635 |
| Net Weight (kg) | 191 |
| Gross Weight (kg) | 212 |
| TEMPERATURE RANGES | |
| Climatic compartments | 2 |
| Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | YES |
| Compartment 3 / Low temperature (°C) | from 8 to -22 |
| Dual zone | YES |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 3 |
| Type of shelves | GLASS |
| Door Bins | 3 |
| Fridge drawers type | LOW TEMP |
| Fresco/LowTemp Drawers | 2 |
| Freezer drawers | 1 |
| | |

ACCESSORIES

Joining kit

- Extra length anti-tipping kit
- Anticondensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- 90° Door stop

Fhaba

KS7490TST 75 cm, FRIDGE AND FREEZER, 0T MODEL **BUILT-IN**

CLASSIC® SERIES





| AESTHETIC | |
|--|------------------------|
| Compressor position | Bottom |
| Front finish | Stanless steel |
| Handles | Stainless steel 030 mm |
| Interior material finish | Stainless steel |
| PRICE (VAT and delivery charges no | t included) |
| KS7490TST6 (right hinge) | 10.390 € |
| KS7490TST3 (left hinge) | 10.390 € |
| KS7490TST6I (right hinge, with ice maker) | 11.210 € |
| KS7490TST3I (left hinge, with ice maker) | 11.210 € |
| CAPACITY | |

| CAPACITY | |
|---|-----|
| Volume Compartment 1 (L) | 335 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 105 |
| Total Net Volume (L) | 440 |
| Total Gross Volume (L) | 461 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 1 |
| Compartment 2 / Middle wine cellar capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar capacity (bottles) | 1 |

| TECHNICAL DETAILS | | |
|-------------------------------|----------|--|
| Voltage (V) | 220-240V | |
| Frequency (Hz) | 50-60 Hz | |
| Climatic class | SN/T | |
| Noise level (dB) | 41 | |
| EFFICIENCY | | |
| New Energy Label class | F | |
| Energy consumption (kWh/year) | 323 | |

| DIMENSIONS & WEIGHT | |
|---|---------------|
| Height of the product (closed weels) (mm) | 2050 |
| Width of the product (mm) | 749 |
| Depth of Product without handle (mm) | 635 |
| Net Weight (kg) | 184 |
| Gross Weight (kg) | 205 |
| TEMPERATURE RANGES | |
| Climatic compartments | 2 |
| Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | YES |
| Compartment 3 / Low temperature (°C) | from 8 to -22 |
| Dual zone | NO |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 3 |
| Type of shelves | Glass |
| Door Bins | 3 |
| Fridge drawers type | LOW TEMP |
| Fresco/LowTemp Drawers | 2 |
| Freezer drawers | 1 |

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop



KS7490TGT 75 cm, FRIDGE AND FREEZER, 0T MODEL **BUILT-IN, GLASS DOOR CLASSIC® SERIES**





| AESTHETIC | | DIMENSIONS & WEIGHT | |
|---|------------------------|---|---------------|
| Compressor position | Bottom | Height of the product (closed weels) (mm) | 2050 |
| Front finish | Stanless steel | Width of the product (mm) | 749 |
| Handles | Stainless steel Ø30 mm | Depth of Product without handle (mm) | 635 |
| Interior material finish | Stainless steel | Net Weight (kg) | 187 |
| PRICE (VAT and delivery charges | not included) | Gross Weight (kg) | 208 |
| KS7490TGT6 | | TEMPERATURE RANGES | |
| (right hinge) | 11.350 € | _ Climatic compartments | 2 |
| KS7490TGT3 | 11.350 € | Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| (left hinge) | 11.000 C | Compartment 2 / Middle temperature (°C) | 1 |
| KS7490TGT6I | 12.160 € | Low temp zone | YES |
| (right hinge, with ice maker) | | Compartment 3 / Low temperature (°C) | from 8 to -22 |
| KS7490TGT3I (left hinge, with ice maker) | 12.160 € | Dual zone | NO |
| | | GENERAL PROPERTIES | |
| CAPACITY | 005 | Reversible door | NO |
| Volume Compartment 1 (L) | 335 | - Low vibration | YES |
| Volume Compartment 2 (L) | | - Shelves | 3 |
| Volume Compartment 3 (L) | 105 | | Glass |
| Total Net Volume (L) | 440 | Door Bins | 0 |
| Total Gross Volume (L) | 461 | _ | LOW TEMP |
| Compartment 1 / Upper wine cellar | | Fridge drawers type | - |
| capacity (bottles) | | Fresco/LowTemp Drawers | 2 |
| Compartment 2 / Middle wine cellar | | – Freezer drawers | 1 |
| capacity (bottles) | 1 | ACCESSORIES | |
| | | Stainless steel sides panels | |
| Compartment 3 / Lower wine cellar | 1 | • Joining kit | |
| capacity (bottles) | | Stainless steel portal for freestanding | |
| TECHNICAL DETAILS | | • Extra length anti-tipping kit | |
| Voltage (V) | 220-240V | Cleaning kit | |
| Frequency (Hz) | 50-60 Hz | FLD - Fhiaba Link Device | |
| Climatic class | SN/T | Front ventilation kit | |
| Noise level (dB) | 41 | - • Painting | |
| EFFICIENCY | | • 90° Door stop | |
| New Energy Label class | F | • | |
| Energy consumption (kWh/year) | 323 | _ | |
| | J20 | _ | |



S7490TST 75 cm, FRIDGE AND FREEZER, 0T MODEL **FULLY INTEGRATED**

INTEGRATED® SERIES





| AESTHETIC | | |
|---|--------------------|--|
| Compressor position | Bottom | |
| Front finish | Custom panel ready | |
| Handles | NO | |
| Interior material finish | Stainless steel | |
| PRICE (VAT and delivery charges not included) | | |
| S7490TST6 (right hinge) | 9.860€ | |
| S7490TST3 (left hinge) | 9.860€ | |
| S7490TST6I (right hinge, with ice maker) | 10.680 € | |
| S7490TST3I (left hinge, with ice maker) | 10.680 € | |

| CAPACITY | |
|--|-----|
| Volume Compartment 1 (L) | 335 |
| Volume Compartment 2 (L) | |
| Volume Compartment 3 (L) | 105 |
| Total Net Volume (L) | 440 |
| Total Gross Volume (L) | 461 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 1 |
| Compartment 2 / Middle wine cellar capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar capacity (bottles) | 1 |
| | 1 |

| TECHNICAL DETAILS | |
|-------------------------------|----------|
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | F |
| Energy consumption (kWh/year) | 323 |

| DIMENSIONS & WEIGHT | |
|---|---------------|
| Height of the product (closed weels) (mm) | 2050 |
| Width of the product (mm) | 749 |
| Depth of Product without handle (mm) | 610 |
| Net Weight (kg) | 169 |
| Gross Weight (kg) | 190 |
| TEMPERATURE RANGES | |
| Climatic compartments | 2 |
| Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | YES |
| Compartment 3 / Low temperature (°C) | from 8 to -22 |
| Dual zone | NO |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| | YES |
| Shelves | 3 |
| | - |
| Type of shelves | Glass |
| Door Bins | 3 |
| Fridge drawers type | LOW TEMP |
| Fresco/LowTemp Drawers | 2 |
| Freezer drawers | 1 |
| | |

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles 30mm
- Stainless steel tubular handles 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
 - FLD Fhiaba Link Device
 - Front ventilation kit
 - 90° Door stop



S7490TGT 75 cm, FRIDGE AND FREEZER, 0T MODEL FULLY INTEGRATED, GLASS DOOR **INTEGRATED® SERIES**





| AESTHETIC | | DIMENSIONS & WEIGHT | |
|---|--------------------|---|---------------|
| Compressor position | Bottom | Height of the product (closed weels) (mm) | 2050 |
| Front finish | Custom panel ready | Width of the product (mm) | 749 |
| Handles | NO | Depth of Product without handle (mm) | 610 |
| Interior material finish | Stainless steel | Net Weight (kg) | 169 |
| PRICE (VAT and delivery charges | not included) | Gross Weight (kg) | 190 |
| S7490TGT6 | | TEMPERATURE RANGES | |
| (right hinge) | 10.820 € | Climatic compartments | 2 |
| S7490TGT3 | 10.820 € | Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| (left hinge) | 10.020 0 | — Compartment 2 / Middle temperature (°C) | 1 |
| S7490TGT6I | 11.630 € | Low temp zone | YES |
| (right hinge, with ice maker) S7490TGT3I | | Compartment 3 / Low temperature (°C) | from 8 to -22 |
| (left hinge, with ice maker) | 11.630 € | Dual zone | NO |
| CAPACITY | | GENERAL PROPERTIES | |
| Volume Compartment 1 (L) | 335 | Reversible door | NO |
| Volume Compartment 2 (L) | 1 | Low vibration | YES |
| Volume Compartment 3 (L) | 105 | Shelves | 3 |
| Total Net Volume (L) | 440 | Type of shelves | Glass |
| Total Gross Volume (L) | 461 | Door Bins | 0 |
| Compartment 1 / Upper wine cellar | | Fridge drawers type | LOW TEMP |
| capacity (bottles) | | | 2 |
| | | – Freezer drawers | 1 |
| Compartment 2 / Middle wine cellar | 1 | ACCESSORIES | |
| capacity (bottles) | | Stainless steel sides panels | |
| Compartment 3 / Lower wine cellar | | • Joining kit | |
| capacity (bottles) | | Stainless steel tubular handles 30mm | |
| TECHNICAL DETAILS | | Stainless steel tubular handles 18mm | |
| | 220-240V | Stainless steel panels | |
| Voltage (V) Frequency (Hz) | 50-60 Hz | • Stainless steel portal for freestanding | |
| Climatic class | SN/T | Extra length anti-tipping kit | |
| Noise level (dB) | 41 | - • Cleaning kit | |
| | 41 | • FLD - Fhiaba Link Device | |
| EFFICIENCY | | Front ventilation kit | |
| New Energy Label class | F | • 90° Door stop | |
| Energy consumption (kWh/year) | 323 | _ | |



BKS7490TST 75 cm, FRIDGE AND FREEZER, 0T MODEL **BUILT-IN**

BRILLIANCE® SERIES





| AESTHETIC | | |
|--|-------------------------|--|
| Compressor position | Bottom | |
| Front finish | Stainless steel | |
| Handles | Stainless steel 030 mm | |
| Interior material finish | White painted aluminium | |
| PRICE (VAT and delivery charges not included) | | |
| BKS7490TST6 (right hinge) | 8.430 € | |
| BKS7490TST3 (left hinge) | 8.430 € | |
| BKS7490TST6I (right hinge, with ice maker) | 9.250 € | |
| BKS7490TST3I (left hinge, with ice maker) | 9.250 € | |
| CAPACITY | | |
| Volume Compartment 1 (L) | 335 | |
| Volume Compartment 2 (L) | | |
| Volume Compartment 3 (L) | 105 | |
| Total Net Volume (L) | 440 | |
| Total Gross Volume (L) | 461 | |
| Compartment 1 / Upper wine cellar capacity (bottles) | 1 | |
| Compartment 2 / Middle wine cellar capacity (bottles) | 1 | |

- Compartment 3 / Lower wine cellar
- capacity (bottles)

| 220-240V | | |
|------------|--|--|
| 50-60 Hz | | |
| SN/T | | |
| 41 | | |
| EFFICIENCY | | |
| F | | |
| 323 | | |
| | | |

1

| IMENSIONS & WEIGHT | 2050 |
|---|---------------|
| leight of the product (closed weels) (mm) | 2000 |
| Width of the product (mm) | 749 |
| Depth of Product without handle (mm) | 635 |
| Net Weight (kg) | 179 |
| Gross Weight (kg) | 200 |
| TEMPERATURE RANGES | |
| Climatic compartments | 2 |
| Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | YES |
| Compartment 3 / Low temperature (°C) | from 8 to -22 |
| Dual zone | NO |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 3 |
| EvenLift shelves | NO |
| Type of shelves | GLASS |
| Door Bins | 3 |
| Fridge drawers type | LOW TEMP |
| Fresco/LowTemp Drawers | 2 |
| Freezer drawers | 1 |
| | I |

- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop



BS7490TST 75 cm, FRIDGE AND FREEZER, 0T MODEL **FULLY INTEGRATED BRILLIANCE® SERIES**





| Front finishCustom panel readyWidth of the princeHandlesNODepth of ProduInterior material finishWhite painted aluminiumNet Weight (kgPRICE (VAT and delivery charges not included)Gross Weight (BS7490TST6 (right hinge)8.060 €Climatic compBS7490TST3 (left hinge)8.060 €CompartmentBS7490TST6I (right hinge, with ice maker)8.880 €Low temp zone | ict without handle (mm) i) kg) JRE RANGES | 2050 749 610 169 190 | |
|--|--|--|--|
| HandlesN0Interior material finishWhite painted aluminiumPRICE (VAT and delivery charges not included)BS7490TST6 (right hinge)8.060 €BS7490TST3 (left hinge, with ice maker)8.060 €BS7490TST31 (left hinge, with ice maker)8.880 €CAPACITYB.880 € | ict without handle (mm) i) kg) JRE RANGES | 610 169 | |
| Interior material finishWhite painted aluminiumNet Weight (kgPRICE (VAT and delivery charges not included)Gross Weight (BS7490TST68.060 €Climatic comp(right hinge)8.060 €CompartmentBS7490TST38.060 €Compartment(left hinge, with ice maker)8.880 €Low temp zoneBS7490TST3I8.880 €CompartmentCAPACITYGENERAL P |) kg) JRE RANGES | 169 | |
| PRICE (VAT and delivery charges not included)Gross Weight (BS7490TST68.060 €TEMPERAT(right hinge)8.060 €Climatic compBS7490TST38.060 €Compartment(left hinge)8.880 €Low temp zoneBS7490TST3I8.880 €Compartment(left hinge, with ice maker)8.880 €CompartmentBS7490TST3I8.880 €CompartmentCAPACITYGENERAL P | kg) JRE RANGES | | |
| PRICE (VA1 and delivery charges not included) BS7490TST6 (right hinge) 8.060 € BS7490TST3 (left hinge) 8.060 € BS7490TST6I (right hinge, with ice maker) 8.880 € BS7490TST3I (left hinge, with ice maker) 8.880 € Compartment Low temp zone Compartment CAPACITY 6ENERAL P | JRE RANGES | 190 | |
| (right hinge) 8.060 € Climatic comp BS7490TST3 8.060 € Compartment (left hinge) 8.060 € Compartment BS7490TST6I 8.880 € Low temp zone (right hinge, with ice maker) 8.880 € Compartment BS7490TST3I 8.880 € Dual zone CAPACITY GENERAL P Dual to b | | | |
| (Inglit fillinge) Climatic comp BS7490TST3 (left hinge) 8.060 € Compartment BS7490TST6l (right hinge, with ice maker) 8.880 € Low temp zone BS7490TST3l (left hinge, with ice maker) 8.880 € Dual zone CAPACITY GENERAL P | artments | | |
| (left hinge) 8.060 € Compartment BS7490TST6I 8.880 € Low temp zone (right hinge, with ice maker) 8.880 € Dual zone BS7490TST3I 8.880 € Dual zone (left hinge, with ice maker) 8.880 € Dual zone | | 2 | |
| (tert ninge) Compartment BS7490TST6I 8.880 € (right hinge, with ice maker) 8.880 € BS7490TST3I 8.880 € (left hinge, with ice maker) 8.880 € CAPACITY GENERAL P | 1 / Upper temperature (°C) | from 2 to 8 | |
| (right hinge, with ice maker) 8.880 € Low temp zone BS7490TST3I (left hinge, with ice maker) 8.880 € Dual zone CAPACITY GENERAL P | 2 / Middle temperature (°C) | 1 | |
| BS7490TST3I (left hinge, with ice maker) 8.880 € Compartment CAPACITY GENERAL P | } | YES | |
| (left hinge, with ice maker) 8.880 € Dual zone CAPACITY GENERAL P | 3 / Low temperature (°C) | from 8 to -22 | |
| | | NO | |
| Volume Compartment 1 (L) 335 Reversible doo | ROPERTIES | | |
| | r | NO | |
| Volume Compartment 2 (L) / Low vibration | | YES | |
| Volume Compartment 3 (L) 105 Shelves | | 3 | |
| Total Net Volume (L) 440 EvenLift shelve | S | NO | |
| Total Gross Volume (L) 461 Type of shelves | 3 | GLASS | |
| Compartment 1 / Upper wine cellar Door Bins | | 3 | |
| capacity (bottles) | s type | LOW TEMP | |
| | np Drawers | 2 | |
| Compartment 2 / Middle wine cellar | ſS | 1 | |
| | ACCESSORIES | | |
| Compartment 3 / Lower wine cellar • Stainless si | teel sides panels | | |
| capacity (bottles) ' • Joining kit | • Joining kit | | |
| • Stainless s | Stainless steel tubular handles 30mm | | |
| | Stainless steel tubular handles 18mm | | |
| Frequency (Hz) 50-60 Hz • Stainless st | teel panels | | |
| Climatic class SN/T • Stainless st | Stainless steel portal for freestanding | | |
| Noise level (dB) 41 • Extra lengtl | Extra length anti-tipping kit | | |
| Cleaning ki | • Cleaning kit | | |
| | • FLD - Fhiaba Link Device | | |
| | | Front ventilation kit | |
| Energy consumption (kWh/year) 323 • 90° Door st | | | |





WINE CELLAR

FULL SIZE: WINE CELLAR Model: 0T Width: 75cm (749)

One door, one drawer, 2 separate temperatures

Upper compartment: Wine Cellar Lower compartment: Wine Cellar

FEATURES

- Made in Italy.
- Aisi 304 stainless steel body.
- Stainless steel interior finish
- Antibacterial stainless steel interior.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by laterally circulation air.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides brilliant illumination to the entire interior.
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Insulated variable speed compressors maintains precision temperature control with low vibration.
- Sabbath mode
- Front and rear adjustable feet up to 25 mm.
- Two independent climatic zones.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.
- Triple-pane, bronzed glass door guarantees maximum protection from harmful UV light rays.
- Soft close mechanisms on every oak wine rack.
- Humidity control



| GENERAL PROPERTIES | |
|---|-----------|
| Reversible door | NO |
| Equilance | YES |
| SoftClosing Runner | YES |
| Low vibration | YES |
| Optieview (LED light spots) | YES |
| Shelves | 9 |
| Slide-out shelves | NO |
| Type of shelves | WOOD |
| Fridge drawers type | 1 |
| Fresco/LowTemp Drawers | 1 |
| Bottom drawers | 1 |
| Full Extension shelves 90° door opening | YES |
| Full Extension drawers 90° door opening | NO |
| Defrost Process | AUTOMATIC |
| Ice maker with water filter | NO |
| Door Open Alarms | YES |
| Humidity control | YES |
| Active carbon filter | NO |
| Air filter control | NO |
| Shopping Fridge | NO |
| Shopping Freezer | NO |
| Power Failure Function | YES |
| | |

XS7490TWT 75 cm, WINE CELLAR AND FREEZER, 0T MODEL

BUILT-IN

X-PRO® SERIES





| AESTHETIC | |
|--|------------------------|
| Compressor position | Тор |
| Front finish | Stanless steel |
| Handles | Stainless steel 030 mm |
| Interior material finish | Stainless steel |
| PRICE (VAT and delivery charges n | ot included) |
| XS7490TWT6 (right hinge) | 11.660 € |
| XS7490TWT3 (left hinge) | 11.660 € |
| | |
| CAPACITY | |
| Volume Compartment 1 (L) | 320 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 105 |
| Total Net Volume (L) | 425 |
| Total Gross Volume (L) | 439 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 81 |
| Compartment 2 / Middle wine cellar capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar capacity (bottles) | 1 |
| TECHNICAL DETAILS | |
| Voltage (V) | 220-240V |

| TECHNICAL DETAILS | | |
|-------------------------------|----------|--|
| Voltage (V) | 220-240V | |
| Frequency (Hz) | 50-60 Hz | |
| Climatic class | SN/T | |
| Noise level (dB) | 41 | |
| EFFICIENCY | | |
| New Energy Label class | G | |
| Energy consumption (kWh/year) | 184 | |
| | | |

Bordeau Bottle

0,75 lt

Burgundy Bottle 0,75 lt

2120

749

635

169 190

2

1 YES

YES

NO

YES 9

WOOD

1

1

1 1

Set of knives

• Cigar drawer

Prosciutteria kit

• Beverage drawer

• Beverage removable shelf


• Beverage shelf

from 4 to 18

from 4 to 18

KS7490TWT 75 cm, WINE CELLAR AND FREEZER, 0T MODEL **BUILT-IN**

CLASSIC® SERIES







| AESTHETIC | | DIMENSIONS & WEIGHT | |
|--|------------------------|---|--|
| Compressor position | Bottom | Height of the product (closed weels) (mm) | 2050 |
| Front finish | Stanless steel | Width of the product (mm) | 749 |
| Handles | Stainless steel 030 mm | Depth of Product without handle (mm) | 635 |
| Interior material finish | Stainless steel | Net Weight (kg) | 182 |
| PRICE (VAT and delivery charges | not included) | Gross Weight (kg) | 203 |
| KS7490TWT6 | | TEMPERATURE RANGES | |
| (right hinge) | 10.710 € | _ Climatic compartments | 2 |
| KS7490TWT3 | 10.710 € | Compartment 1 / Upper temperature (°C) | from 4 to 18 |
| (left hinge) | 10.7 10 t | Compartment 2 / Middle temperature (°C) | 1 |
| | | Low temp zone | YES |
| | | Compartment 3 / Low temperature (°C) | from 4 to 18 |
| CAPACITY | | Dual zone | YES |
| Volume Compartment 1 (L) | 320 | GENERAL PROPERTIES | |
| Volume Compartment 2 (L) | 1 | Reversible door | NO |
| Volume Compartment 3 (L) | 105 | Low vibration | YES |
| Total Net Volume (L) | 425 | – Shelves | 3 |
| Total Gross Volume (L) | 439 | Type of shelves | WOOD |
| Compartment 1 / Upper wine cellar | | Door Bins | |
| capacity (bottles) | 81 | Fridge drawers type | |
| | | Fresco/LowTemp Drawers | |
| Compartment 2 / Middle wine cellar capacity (bottles) | 1 | Freezer drawers | 1 |
| Compartment 3 / Lower wine cellar | | ACCESSORIES | |
| capacity (bottles) | 1 | Stainless steel sides panels | • Cheese drawer |
| | | | Set of knives |
| TECHNICAL DETAILS | | | Prosciutteria kit |
| Voltage (V) | 220-240V | • | • Cigar drawer |
| Frequency (Hz) | 50-60 Hz | 0 | Beverage drawer |
| Climatic class | SN/T | | • Beverage shelf |
| Noise level (dB) | 41 | | Beverage removable shelf |
| EFFICIENCY | | • FLD - Fhiaba Link Device | |
| New Energy Label class | G | Front ventilation kit | |
| Energy consumption (kWh/year) | 184 | • Painting | |
| | | • 90° Door stop | |

Gross Weight (kg) TEMPERATURE RANGES Climatic compartments Compartment 1 / Upper temperature (°C) Compartment 2 / Middle temperature (°C) Low temp zone Compartment 3 / Low temperature (°C) Dual zone GENERAL PROPERTIES Reversible door Low vibration Shelves Type of shelves Door Bins Fridge drawers type

• Stainless steel sides panels

Joining kit

Freezer drawers ACCESSORIES

• X-Pro top grille kit

Fresco/LowTemp Drawers

DIMENSIONS & WEIGHT

Width of the product (mm)


Net Weight (kg)

Height of the product (closed weels) (mm)

Depth of Product without handle (mm)

- Extra length anti-tipping kit
- Anticondensation kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Painting
- 90° Door stop
- Wine kit
- Cheese drawer





- Wine kit

Fhaba

S7490TWT 75 cm, WINE CELLAR AND FREEZER, 0T MODEL FULLY INTEGRATED


INTEGRATED® SERIES





| Compressor position | Bottom |
|--|--------------------|
| Front finish | Custom panel ready |
| Handles | NO |
| Interior material finish | Stainless steel |
| PRICE (VAT and delivery charges n | ot included) |
| S7490TWT6 (right hinge) | 10.290 € |
| S7490TWT3 (left hinge) | 10.290 € |
| | |
| CAPACITY | |
| Volume Compartment 1 (L) | 320 |
| Volume Compartment 2 (L) | |
| Volume Compartment 3 (L) | 105 |
| Total Net Volume (L) | 425 |
| Total Gross Volume (L) | 439 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 81 |
| Compartment 2 / Middle wine cellar capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar | |

| TECHNICAL DETAILS | |
|-------------------------------|----------|
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | G |
| Energy consumption (kWh/year) | 184 |



| DIMENSIONS & WEIGHT | |
|---|--------------|
| Height of the product (closed weels) (mm) | 2050 |
| Width of the product (mm) | 749 |
| Depth of Product without handle (mm) | 610 |
| Net Weight (kg) | 168 |
| Gross Weight (kg) | 190 |
| TEMPERATURE RANGES | |
| Climatic compartments | 2 |
| Compartment 1 / Upper temperature (°C) | from 4 to 18 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | YES |
| Compartment 3 / Low temperature (°C) | from 4 to 18 |
| Dual zone | YES |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 9 |
| Type of shelves | WOOD |
| Door Bins | 1 |
| Fridge drawers type | 1 |
| Fresco/LowTemp Drawers | Ι |
| Freezer drawers | 1 |
| | |

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles 30mm
- Stainless steel tubular handles 18mm
- Stainless steel panels
- Stainless steel portal for
- freestanding • Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device

- Front ventilation kit
 90° Door stop
- Wine kit
- Cheese drawer
- Set of knives
- Prosciutteria kit
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

Fhaha



FULL SIZE: FRIDGE AND FREEZER Model: 0H Width: 75cm (749)

One door, two drawer, 2 separate temperatures

Upper compartment: Fridge Middle compartment: Low Temp Lower compartment TriMode: Fridge/Fresco/Freezer

FEATURES

FRIDGE

LOW TEMP

TRIMODE®

- Made in Italy.
- Aisi 304 stainless steel body.
- Stainless steel interior finish
- Antibacterial stainless steel interior.
- Evenlift: shelves can slide up and down to be adjusted to any height in the fridge compartment.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by laterally circulation air.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides brilliant illumination to the entire interior.
- Soft close door and drawers in all compartments
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision temperature control with low vibration.
- Sabbath mode
- Front and rear adjustable feet up to 25 mm.
- Two independent climatic zones.
- Tempered glass shelves with aluminium profiles.
- Crisper drawers for multi use preservazion solution. Antibacterial stainless steel interior & rounded corners promoting hygiene and easy cleaning.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.



| GENERAL PROPERTIES | |
|---|-----------|
| Reversible door | NO |
| Equilance | YES |
| SoftClosing Runner | YES |
| Low vibration | YES |
| Optieview (LED light spots) | YES |
| Shelves | 3 |
| Slide-out shelves | NO |
| Type of shelves | GLASS |
| Fridge drawers type | LOW TEMP |
| Fresco/LowTemp Drawers | 1 |
| Bottom drawers | 2 |
| Full Extension shelves 90° door opening | 1 |
| Full Extension drawers 90° door opening | YES |
| Defrost Process | AUTOMATIC |
| Ice maker with water filter | AVAILABLE |
| Door Open Alarms | YES |
| Humidity control | NO |
| Active carbon filter | NO |
| Air filter control | NO |
| Shopping Fridge | YES |
| Shopping Freezer | YES |
| Power Failure Function | YES |

XS7490HST 75 cm, FRIDGE AND FREEZER, 0H MODEL **BUILT-IN**

X-PRO[®] SERIES





| AESTHETIC | |
|--|------------------------|
| Compressor position | Тор |
| Front finish | Stanless steel |
| Handles | Stainless steel 030 mm |
| Interior material finish | Stainless steel |
| PRICE (VAT and delivery charges no | t included) |
| XS7490HST6 (right hinge) | 11.660 € |
| XS7490HST3 (left hinge) | 11.660 € |
| XS7490HST6I (right hinge, with ice maker) | 12.480 € |
| XS7490HST3I (left hinge, with ice maker) | 12.480 € |
| CAPACITY | 1 |
| Volume Compartment 1 (L) | 300 |

| Volume Compartment 1 (L) | 300 |
|---|-----|
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 134 |
| Total Net Volume (L) | 434 |
| Total Gross Volume (L) | 456 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 1 |
| Compartment 2 / Middle wine cellar capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar capacity (bottles) | 1 |
| | |

| TECHNICAL DETAILS | | |
|-------------------------------|----------|--|
| Voltage (V) | 220-240V | |
| Frequency (Hz) | 50-60 Hz | |
| Climatic class | SN/T | |
| Noise level (dB) | 41 | |
| EFFICIENCY | | |
| New Energy Label class | F | |
| Energy consumption (kWh/year) | 351 | |

| DIMENSIONS & WEIGHT | 2120 |
|---|---------------|
| Height of the product (closed weels) (mm) | |
| Width of the product (mm) | 749 |
| Depth of Product without handle (mm) | 635 |
| Net Weight (kg) | 200 |
| Gross Weight (kg) | 221 |
| TEMPERATURE RANGES | |
| Climatic compartments | 2 |
| Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | YES |
| Compartment 3 / Low temperature (°C) | from 8 to -22 |
| Dual zone | YES |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 3 |
| Type of shelves | GLASS |
| Door Bins | 3 |
| Fridge drawers type | LOW TEMP |
| Fresco/LowTemp Drawers | 1 |
| Freezer drawers | 2 |

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- X-Pro top grille kit
- Extra length anti-tipping kit
- Anticondensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Painting
- 90° Door stop



KS7490HST 75 cm, FRIDGE AND FREEZER, 0H MODEL **BUILT-IN**

CLASSIC® SERIES



| AESTHETIC | | DIMENSIONS & WEIGHT | |
|---|------------------------|---|---------------|
| Compressor position | Bottom | Height of the product (closed weels) (mm) | 2050 |
| Front finish | Stanless steel | Width of the product (mm) | 749 |
| Handles | Stainless steel 030 mm | Depth of Product without handle (mm) | 635 |
| Interior material finish | Stainless steel | Net Weight (kg) | 181 |
| PRICE (VAT and delivery charges | not included) | Gross Weight (kg) | 203 |
| KS7490HST6 | | TEMPERATURE RANGES | |
| (right hinge) | 10.710 € | _ Climatic compartments | 2 |
| KS7490HST3 | 10.710 € | Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| (left hinge) | 10.710 € | Compartment 2 / Middle temperature (°C) | |
| KS7490HST6I | 11.530 € | Low temp zone | YES |
| (right hinge, with ice maker) | | Compartment 3 / Low temperature (°C) | from 8 to -22 |
| KS7490HST3I (left hinge, with ice maker) | 11.530 € | Dual zone | NO |
| | | GENERAL PROPERTIES | |
| CAPACITY | 000 | Reversible door | NO |
| Volume Compartment 1 (L) | 300 | Low vibration | YES |
| Volume Compartment 2 (L) | 1 | - Shelves | 3 |
| Volume Compartment 3 (L) | 134 | | GLASS |
| Total Net Volume (L) | 434 | Door Bins | 3 |
| Total Gross Volume (L) | 456 | | LOW TEMP |
| Compartment 1 / Upper wine cellar | | Fridge drawers type | |
| capacity (bottles) | | Fresco/LowTemp Drawers | 2 |
| Compartment 2 / Middle wine cellar | | – Freezer drawers | 2 |
| capacity (bottles) | 1 | ACCESSORIES | |
| | | Stainless steel sides panels | |
| Compartment 3 / Lower wine cellar | 1 | • Joining kit | |
| capacity (bottles) | | Stainless steel portal for freestanding | |
| TECHNICAL DETAILS | | • Extra length anti-tipping kit | |
| Voltage (V) | 220-240V | • Cleaning kit | |
| Frequency (Hz) | 50-60 Hz | • FLD - Fhiaba Link Device | |
| Climatic class | SN/T | Front ventilation kit | |
| Noise level (dB) | 41 | • Painting | |
| EFFICIENCY | | • 90° Door stop | |
| New Energy Label class | F | | |
| Energy consumption (kWh/year) | 351 | _ | |
| | JJI | - | |



S7490HST 75 cm, FRIDGE AND FREEZER, OH MODEL FULLY INTEGRATED

INTEGRATED® SERIES







| AESTHETIC | | |
|---|--------------------|--|
| Compressor position | Bottom | |
| Front finish | Custom panel ready | |
| Handles | NO | |
| Interior material finish | Stainless steel | |
| PRICE (VAT and delivery charges not included) | | |
| S7490HST6 (right hinge) | 10.390 € | |
| S7490HST3 (left hinge) | 10.390 € | |
| S7490HST6I (right hinge, with ice maker) | 11.210 € | |
| S7490HST3I (left hinge, with ice maker) | 11.210 € | |

| CAPACITY | |
|---|-----|
| Volume Compartment 1 (L) | 300 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 134 |
| Total Net Volume (L) | 434 |
| Total Gross Volume (L) | 456 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 1 |
| Compartment 2 / Middle wine cellar capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar capacity (bottles) | 1 |
| | |

| TECHNICAL DETAILS | | |
|-------------------------------|----------|--|
| Voltage (V) | 220-240V | |
| Frequency (Hz) | 50-60 Hz | |
| Climatic class | SN/T | |
| Noise level (dB) | 41 | |
| EFFICIENCY | | |
| New Energy Label class | F | |
| Energy consumption (kWh/year) | 351 | |
| | | |

| DIMENSIONS & WEIGHT | |
|---|---------------|
| Height of the product (closed weels) (mm) | 2050 |
| Width of the product (mm) | 749 |
| Depth of Product without handle (mm) | 610 |
| Net Weight (kg) | 172 |
| Gross Weight (kg) | 193 |
| TEMPERATURE RANGES | |
| Climatic compartments | 2 |
| Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | YES |
| Compartment 3 / Low temperature (°C) | from 8 to -22 |
| Dual zone | NO |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 3 |
| Type of shelves | GLASS |
| Door Bins | 3 |
| Fridge drawers type | LOW TEMP |
| Fresco/LowTemp Drawers | 1 |
| Freezer drawers | 2 |

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles 30mm
- Stainless steel tubular handles 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop

Fhaba



WINE CELLAR

FULL SIZE: WINE CELLAR Model: 0H Width: 75cm (749)

One door, two drawer, 2 separate temperatures

Upper compartment: Wine Cellar Lower compartment: Wine Cellar

FEATURES

- Made in Italy.
- Aisi 304 stainless steel body.
- Stainless steel interior finish
- Antibacterial stainless steel interior.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by laterally circulation air.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides brilliant illumination to the entire interior.
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Insulated variable speed compressors maintains precision temperature control with low vibration.
- Sabbath mode
- Front and rear adjustable feet up to 25 mm.
- Two independent climatic zones.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.
- Triple-pane, bronzed glass door guarantees maximum protection from harmful UV light rays.
- Soft close mechanisms on every oak wine rack.
- Humidity control



| GENERAL PROPERTIES | |
|---|-----------|
| Reversible door | NO |
| Equilance | YES |
| SoftClosing Runner | YES |
| Low vibration | YES |
| Optieview (LED light spots) | YES |
| Shelves | 9 |
| Slide-out shelves | YES |
| Type of shelves | WOOD |
| Fridge drawers type | 1 |
| Fresco/LowTemp Drawers | 1 |
| Bottom drawers | 2 |
| Full Extension shelves 90° door opening | YES |
| Full Extension drawers 90° door opening | NO |
| Defrost Process | AUTOMATIC |
| Ice maker with water filter | NO |
| Door Open Alarms | YES |
| Humidity control | YES |
| Active carbon filter | YES |
| Air filter control | NO |
| Shopping Fridge | NO |
| Shopping Freezer | NO |
| Power Failure Function | YES |
| | |

XS7490HWT

75 cm, WINE CELLAR AND FREEZER, 0H MODEL

BUILT-IN


X-PRO® SERIES





| AESTHETIC | |
|--|------------------------|
| Compressor position | Тор |
| Front finish | Stanless steel |
| Handles | Stainless steel Ø30 mm |
| Interior material finish | Stainless steel |
| PRICE (VAT and delivery charges no | ot included) |
| XS7490HWT6 (right hinge) | 11.350 € |
| XS7490HWT3 (left hinge) | 11.350 € |
| | |
| CAPACITY | |
| Volume Compartment 1 (L) | 283 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 134 |
| Total Net Volume (L) | 416 |
| Total Gross Volume (L) | 430 |
| Compartment 1 / Upper wine cellar capacity (bottles) | - 81 |
| Compartment 2 / Middle wine cellar capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar capacity (bottles) | 1 |
| TECHNICAL DETAILS | |
| Voltage (V) | 220-240V |

| TECHNICAL DETAILS | |
|-------------------------------|----------|
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | G |
| Energy consumption (kWh/year) | 183 |
| | |



| DIMENSIONS & WEIGHT | 1 |
|---|--------------|
| Height of the product (closed weels) (mm) | 2120 |
| Width of the product (mm) | 749 |
| Depth of Product without handle (mm) | 635 |
| Net Weight (kg) | 200 |
| Gross Weight (kg) | 221 |
| TEMPERATURE RANGES | |
| Climatic compartments | 2 |
| Compartment 1 / Upper temperature (°C) | from 4 to 18 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | YES |
| Compartment 3 / Low temperature (°C) | from 4 to 18 |
| Dual zone | YES |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 9 |
| Type of shelves | WOOD |
| Door Bins | 1 |
| Fridge drawers type | 1 |
| Fresco/LowTemp Drawers | 1 |
| Freezer drawers | 2 |
| | · |

• Set of knives

• Prosciutteria kit • Cigar drawer

• Beverage drawer

• Beverage removable shelf

• Beverage shelf

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- X-Pro top grille kit
- Extra length anti-tipping kit
- Anticondensation kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Painting
- 90° Door stop
- Wine kit
- Cheese drawer




KS7490HWT 75 cm, WINE CELLAR AND FREEZER, 0H MODEL **BUILT-IN CLASSIC® SERIES**





| AESTHETIC | | DIMENSIONS & WEIGHT | |
|------------------------------------|------------------------|---|--------------------------|
| Compressor position | Bottom | Height of the product (closed weels) (mm) | 2050 |
| Front finish | Stanless steel | Width of the product (mm) | 749 |
| Handles | Stainless steel 030 mm | Depth of Product without handle (mm) | 635 |
| Interior material finish | Stainless steel | Net Weight (kg) | 187 |
| PRICE (VAT and delivery charges | not included) | Gross Weight (kg) | 208 |
| KS7490HWT6 | | TEMPERATURE RANGES | |
| (right hinge) | 10.290 € | _ Climatic compartments | 2 |
| KS7490HWT3 | 10.290 € | Compartment 1 / Upper temperature (°C) | from 4 to 18 |
| (left hinge) | 10.270 0 | Compartment 2 / Middle temperature (°C) | 1 |
| | | - Low temp zone | YES |
| | | Compartment 3 / Low temperature (°C) | from 4 to 18 |
| CAPACITY | | Dual zone | YES |
| Volume Compartment 1 (L) | 283 | GENERAL PROPERTIES | |
| Volume Compartment 2 (L) | 1 | - Reversible door | NO |
| Volume Compartment 3 (L) | 134 | – Low vibration | YES |
| Total Net Volume (L) | 416 | - Shelves | 9 |
| Total Gross Volume (L) | 430 | - Type of shelves | WOOD |
| Compartment 1 / Upper wine cellar | Door Bins | 1 | |
| capacity (bottles) | - 81 | Fridge drawers type | 1 |
| Compartment 2 / Middle wine cellar | | Fresco/LowTemp Drawers | 1 |
| capacity (bottles) | 1 | Freezer drawers | 2 |
| Compartment 3 / Lower wine cellar | ACCESSORIES | | |
| capacity (bottles) | 1 | Stainless steel sides panels | Cheese drawer |
| · · · | | • Joining kit • | Set of knives |
| TECHNICAL DETAILS | | • Stainless steel portal for • | Prosciutteria kit |
| Voltage (V) | 220-240V | _ freestanding • | Cigar drawer |
| Frequency (Hz) | 50-60 Hz | • Extra length anti-tipping kit • | Beverage drawer |
| Climatic class | SN/T | | Beverage shelf |
| Noise level (dB) | 41 | • Active carbon filter • | Beverage removable shelf |
| EFFICIENCY | | • FLD - Fhiaba Link Device | |
| New Energy Label class | G | Front ventilation kit | |
| Energy consumption (kWh/year) | 183 | • Painting | |
| ** * * * | 1 | • 90° Door stop | |





- 90° Door stop
- Wine kit

Fhaba

S7490HWT 75 cm, WINE CELLAR AND FREEZER, 0H MODEL FULLY INTEGRATED


INTEGRATED® SERIES





| AESTHETIC | |
|------------------------------------|--------------------|
| Compressor position | Bottom |
| Front finish | Custom panel ready |
| Handles | NO |
| Interior material finish | Stainless steel |
| | |
| PRICE (VAT and delivery charges no | t included) |
| S7490HWT6 (right hinge) | 10.290 € |
| S7490HWT3 (left hinge) | 10.290 € |
| | |
| | |
| CAPACITY | |
| Volume Compartment 1 (L) | 283 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 134 |
| Total Net Volume (L) | 416 |
| Total Gross Volume (L) | 430 |
| Compartment 1 / Upper wine cellar | - 81 |
| capacity (bottles) | U |
| Compartment 2 / Middle wine cellar | |
| capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar | |
| capacity (bottles) | 1 |
| | |

| 220-240V |
|----------|
| 50-60 Hz |
| SN/T |
| 41 |
| |
| G |
| 183 |
| |



| DIMENSIONS & WEIGHT | |
|---|--------------|
| Height of the product (closed weels) (mm) | 2050 |
| Width of the product (mm) | 749 |
| Depth of Product without handle (mm) | 610 |
| Net Weight (kg) | 167 |
| Gross Weight (kg) | 188 |
| TEMPERATURE RANGES | |
| Climatic compartments | 2 |
| Compartment 1 / Upper temperature (°C) | from 4 to 18 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | YES |
| Compartment 3 / Low temperature (°C) | from 4 to 18 |
| Dual zone | YES |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 9 |
| Type of shelves | WOOD |
| Door Bins | 1 |
| Fridge drawers type | 1 |
| Fresco/LowTemp Drawers | 1 |
| Freezer drawers | 2 |

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles 30mm
- Stainless steel tubular handles 18mm
- Stainless steel panels
- Stainless steel portal for
- freestanding • Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device

• 90° Door stop

Front ventilation kit

- Wine kit
- Cheese drawer
 Set of knives
- Prosciutteria kit
- Cigar drawer
- Povoroce de
- Beverage drawerBeverage shelf
- Beverage removable shelf

Fhaha



FRIDGE

LOW TEMP

FULL SIZE: FRIDGE Model: 0F Width: 75cm (749)

One door, 1 temperature

Upper compartment: Fridge Lower compartment: Low Temp

FEATURES

- Made in Italy.
- Aisi 304 stainless steel body.
- Stainless steel interior finish
- Antibacterial stainless steel interior.
- Evenlift: shelves can slide up and down to be adjusted to any height in the fridge compartment.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by laterally circulation air.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides brilliant illumination to the entire interior.
- Soft close door and drawers in all compartments
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision temperature control with low vibration.
- Sabbath mode
- Front and rear adjustable feet up to 25 mm.
- One indipendent climatic zone.
- Tempered glass shelves with aluminium profiles.
- Crisper drawers for multi use preservazion solution. Antibacterial stainless steel interior & rounded corners promoting hygiene and easy cleaning.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.



| GENERAL PROPERTIES | |
|---|-----------|
| Reversible door | NO |
| Equilance | YES |
| SoftClosing Runner | YES |
| Low vibration | YES |
| Optieview (LED light spots) | YES |
| Shelves | 3 |
| Slide-out shelves | NO |
| Type of shelves | GLASS |
| Fridge drawers type | LOW TEMP |
| Fresco/LowTemp Drawers | 3 |
| Bottom drawers | 1 |
| Full Extension shelves 90° door opening | 1 |
| Full Extension drawers 90° door opening | YES |
| Defrost Process | AUTOMATIC |
| Ice maker with water filter | NO |
| Door Open Alarms | YES |
| Humidity control | NO |
| Active carbon filter | NO |
| Air filter control | NO |
| Shopping Fridge | YES |
| Shopping Freezer | NO |
| Power Failure Function | YES |
| | |

XS7490FR 75 cm, FRIDGE, 0FR MODEL **BUILT-IN**

X-PRO[®] SERIES





| AESTHETIC | | | |
|---|------------------------|--|--|
| Compressor position | Тор | | |
| Front finish | Stanless steel | | |
| Handles | Stainless steel Ø30 mm | | |
| Interior material finish | Stainless steel | | |
| PRICE (VAT and delivery charges not included) | | | |
| XS7490FR6 (right hinge) | 10.710 € | | |
| XS7490FR3 (left hinge) | 10.710 € | | |
| XS7490FR6D (right hinge, water dispenser) | 11.530 € | | |
| XS7490FR3D (left hinge, water dispenser) | 11.530 € | | |
| CAPACITY | | | |
| Volume Compartment 1 (L) | 479 | | |
| Volume Compartment 2 (L) | 1 | | |
| Volume Compartment 3 (L) | 1 | | |

| Volume Compartment 3 (L) | 1 |
|--|-----|
| Total Net Volume (L) | 479 |
| Total Gross Volume (L) | 489 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 1 |
| Compartment 2/ Middle wine cellar capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar capacity (bottles) | 1 |

| TECHNICAL DETAILS | | |
|-------------------------------|----------|--|
| Voltage (V) | 220-240V | |
| Frequency (Hz) | 50-60 Hz | |
| Climatic class | SN/T | |
| Noise level (dB) | 41 | |
| EFFICIENCY | | |
| New Energy Label class | F | |
| Energy consumption (kWh/year) | 168 | |

| DIMENSIONS & WEIGHT | |
|---|-------------|
| Height of the product (closed weels) (mm) | 2120 |
| Width of the product (mm) | 749 |
| Depth of Product without handle (mm) | 640 |
| Net Weight (kg) | 162 |
| Gross Weight (kg) | 183 |
| TEMPERATURE RANGES | |
| Climatic compartments | 1 |
| Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | YES |
| Compartment 3 / Low temperature (°C) | 1 |
| Dual zone | NO |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 3 |
| Type of shelves | GLASS |
| Door Bins | 3 |
| Fridge drawers type | LOW TEMP |
| Fresco/LowTemp Drawers | 3 |
| Freezer drawers | Ι |
| | |

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- X-Pro top grille kit
- Extra length anti-tipping kit
- Anticondensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Painting
- 90° Door stop



XS7490FG 75 cm, FRIDGE, 0FR MODEL **BUILT-IN, GLASS DOOR** X-PRO[®] SERIES





| AESTHETIC | | DIMENSIONS & WEIGHT | |
|---|------------------------|---|-------------|
| Compressor position | Тор | Height of the product (closed weels) (mm) | 2120 |
| Front finish | Stanless steel | Width of the product (mm) | 749 |
| Handles | Stainless steel 030 mm | Depth of Product without handle (mm) | 640 |
| Interior material finish | Stainless steel | Net Weight (kg) | 162 |
| PRICE (VAT and delivery charges | not included) | Gross Weight (kg) | 183 |
| XS7490FG6 | 11.660 € | TEMPERATURE RANGES | |
| (right hinge) | 11.000 C | _ Climatic compartments | 1 |
| XS7490FG3 | 11.660 € | Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| (left hinge) | | Compartment 2 / Middle temperature (°C) | 1 |
| XS7490FG6D (right hinge, water dispenser) | 12.480 € | Low temp zone | YES |
| XS7490FG3D | | Compartment 3 / Low temperature (°C) | 1 |
| (left hinge, water dispenser) | 12.480 € | Dual zone | NO |
| CAPACITY | | GENERAL PROPERTIES | |
| Volume Compartment 1 (L) | 479 | Reversible door | NO |
| Volume Compartment 2 (L) | 1 | Low vibration | YES |
| Volume Compartment 3 (L) | 1 | Shelves | 3 |
| Total Net Volume (L) | 479 | Type of shelves | GLASS |
| Total Gross Volume (L) | 489 | Door Bins | 0 |
| Compartment 1 / Upper wine cellar | | Fridge drawers type | LOW TEMP |
| capacity (bottles) | 1 | Fresco/LowTemp Drawers | 3 |
| | | - Freezer drawers | 1 |
| Compartment 2/ Middle wine cellar | 1 | ACCESSORIES | |
| capacity (bottles) | | Stainless steel sides panels | |
| Compartment 3 / Lower wine cellar | | • Joining kit | |
| capacity (bottles) | | • X-Pro top grille kit | |
| TECHNICAL DETAILS | | • Extra length anti-tipping kit | |
| Voltage (V) | 220-240V | Anticondensation kit | |
| Frequency (Hz) | 50-60 Hz | Cleaning kit | |
| Climatic class | SN/T | • FLD - Fhiaba Link Device | |
| Noise level (dB) | 41 | - • Painting | |
| EFFICIENCY | | • 90° Door stop | |
| | F | 1 | |
| New Energy Label class Energy consumption (kWh/year) | F | - | |
| | 100 | - | |
| | | | |



KS7490FR 75 cm, FRIDGE, 0FR MODEL BUILT-IN CLASSIC® SERIES



| AESTHETIC | | |
|---|------------------------|--|
| Compressor position | Bottom | |
| Front finish | Stanless steel | |
| Handles | Stainless steel 030 mm | |
| Interior material finish | Stainless steel | |
| PRICE (VAT and delivery charges not included) | | |
| KS7490FR6 (right hinge) | 8.590 € | |
| KS7490FR3 (left hinge) | 8.590 € | |
| KS7490FR6D (right hinge, water dispenser) | 9.410 € | |
| KS7490FR3D (left hinge, water dispenser) | 9.410 € | |
| CAPACITY | | |

| Volume Compartment 1 (L) | 479 |
|--|-----|
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 1 |
| Total Net Volume (L) | 479 |
| Total Gross Volume (L) | 489 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 1 |
| Compartment 2/ Middle wine cellar capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar capacity (bottles) | 1 |
| | |

| TECHNICAL DETAILS | | |
|-------------------------------|----------|--|
| Voltage (V) | 220-240V | |
| Frequency (Hz) | 50-60 Hz | |
| Climatic class | SN/T | |
| Noise level (dB) | 41 | |
| EFFICIENCY | | |
| New Energy Label class | F | |
| Energy consumption (kWh/year) | 168 | |

KS7490FG 75 cm, FRIDGE, 0FR MODEL BUILT-IN, GLASS DOOR CLASSIC® SERIES



| | 400 |
|---|------------------------|
| AESTHETIC | |
| Compressor position | Bottom |
| Front finish | Stanless steel |
| Handles | Stainless steel 030 mm |
| Interior material finish | Stainless steel |
| PRICE (VAT and delivery charges | not included) |
| KS7490FG6 (right hinge) | 9.540€ |
| KS7490FG3 (left hinge) | 9.540€ |
| KS7490FG6D (right hinge, water dispenser) | 10.360 € |
| KS7490FG3D (left hinge, water dispenser) | 10.360 € |
| CAPACITY | |
| Volume Compartment 1 (L) | 479 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 1 |
| Total Net Volume (L) | 479 |
| Total Gross Volume (L) | 489 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 1 |
| | |
| Compartment 2/ Middle wine cellar capacity (bottles) | 1 |
| | |
| Compartment 3 / Lower wine cellar | 1 |
| capacity (bottles) | |
| TECHNICAL DETAILS | |
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | F |
| Energy consumption (kWh/year) | 168 |

| Height of the product (closed weels) (mm) | 2050 |
|---|-------------------------|
| Width of the product (mm) | 749 |
| Depth of Product without handle (mm) | 640 |
| Net Weight (kg) | 162 |
| Gross Weight (kg) | 183 |
| | |
| TEMPERATURE RANGES | |
| Climatic compartments | 1 |
| | |
| Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| Compartment 1 / Upper temperature (°C) Compartment 2 / Middle temperature (°C) | from 2 to 8 / |
| | from 2 to 8 / YES |
| Compartment 2 / Middle temperature (°C) | 1 |

| GENERAL PROPERTIES | |
|------------------------|----------|
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 3 |
| Type of shelves | glass |
| Door Bins | 3 |
| Fridge drawers type | LOW TEMP |
| Fresco/LowTemp Drawers | 3 |
| Freezer drawers | 1 |

ACCESSORIES

• Stainless steel sides panels

DIMENSIONS & WEIGHT

- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop



| DIMENSIONS & WEIGHT | |
|---|-------------|
| Height of the product (closed weels) (mm) | 2050 |
| Width of the product (mm) | 749 |
| Depth of Product without handle (mm) | 640 |
| Net Weight (kg) | 162 |
| Gross Weight (kg) | 183 |
| TEMPERATURE RANGES | |
| Climatic compartments | 1 |
| Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | YES |
| Compartment 3 / Low temperature (°C) | 1 |
| Dual zone | NO |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 3 |
| Type of shelves | glass |
| Door Bins | 0 |
| Fridge drawers type | LOW TEMP |
| Fresco/LowTemp Drawers | 3 |
| Freezer drawers | 1 |

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Anticondensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop

S7490FR 75 cm, FRIDGE, 0FR MODEL **FULLY INTEGRATED INTEGRATED® SERIES**





| Bottom | | |
|---|--|--|
| Custom panel ready | | |
| NO | | |
| Stainless steel | | |
| PRICE (VAT and delivery charges not included) | | |
| 8.170 € | | |
| 8.170 € | | |
| 8.980 € | | |
| 8.980€ | | |
| | | |

| CAPACITY | |
|---|-----|
| Volume Compartment 1 (L) | 479 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 1 |
| Total Net Volume (L) | 479 |
| Total Gross Volume (L) | 489 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 1 |
| Compartment 2/ Middle wine cellar capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar capacity (bottles) | 1 |

| TECHNICAL DETAILS | |
|-------------------------------|----------|
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | F |
| Energy consumption (kWh/year) | 168 |

| DIMENSIONS & WEIGHT | |
|---|-------------|
| Height of the product (closed weels) (mm) | 2050 |
| Width of the product (mm) | 749 |
| Depth of Product without handle (mm) | 615 |
| Net Weight (kg) | 154 |
| Gross Weight (kg) | 175 |
| TEMPERATURE RANGES | |
| Climatic compartments | 1 |
| Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | YES |
| Compartment 3 / Low temperature (°C) | 1 |
| Dual zone | NO |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 3 |
| Type of shelves | glass |
| Door Bins | 3 |
| Fridge drawers type | LOW TEMP |
| Fresco/LowTemp Drawers | 3 |
| Freezer drawers | 1 |

ACCESSORIES

• Stainless steel sides panels

Joining kit

- Stainless steel tubular handles 30mm
- Stainless steel tubular handles 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop



S7490FG 75 cm, FRIDGE, 0FR MODEL FULLY INTEGRATED, GLASS DOOR **INTEGRATED® SERIES**



| AESTHETIC | | DIMENSIONS & WEIGHT | |
|--|--------------------|---|-------------|
| Compressor position | Bottom | Height of the product (closed weels) (mm) | 2050 |
| Front finish | Custom panel ready | Width of the product (mm) | 749 |
| Handles | NO | Depth of Product without handle (mm) | 615 |
| Interior material finish | Stainless steel | Net Weight (kg) | 154 |
| PRICE (VAT and delivery charges | not included) | Gross Weight (kg) | 175 |
| \$7/ 00EC4 | | TEMPERATURE RANGES | |
| (right hinge) | 9.120€ | Climatic compartments | 1 |
| S7490FG3 | 9.120 € | Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| (left hinge) | 7.120 0 | Compartment 2 / Middle temperature (°C) | 1 |
| S7490FG6D | 9.940 € | Low temp zone | YES |
| (right hinge, water dispenser) | | Compartment 3 / Low temperature (°C) | 1 |
| S7490FG3D (left hinge, water dispenser) | 9.940€ | Dual zone | NO |
| CAPACITY | | GENERAL PROPERTIES | |
| Volume Compartment 1 (L) | 479 | Reversible door | NO |
| Volume Compartment 2 (L) | 1 | Low vibration | YES |
| Volume Compartment 3 (L) | | Shelves | 3 |
| Total Net Volume (L) | 479 | Type of shelves | glass |
| Total Gross Volume (L) | 489 | Door Bins | 0 |
| Compartment 1 / Upper wine cellar | | Fridge drawers type | LOW TEMP |
| capacity (bottles) | 1 | Fresco/LowTemp Drawers | 3 |
| | | — Freezer drawers | 1 |
| Compartment 2/ Middle wine cellar | 1 | ACCESSORIES | |
| capacity (bottles) | | • Stainless steel sides panels | |
| Compartment 3 / Lower wine cellar | | Glass door | |
| capacity (bottles) | 1 | Joining kit | |
| · · | | Stainless steel tubular handles 30mm | |
| TECHNICAL DETAILS | 000.0101 | Stainless steel tubular handles 18mm | |
| Voltage (V) | 220-240V | Stainless steel panels Stainless steel panels | |
| Frequency (Hz) | 50-60 Hz | Stainless steel parets Stainless steel parets Stainless steel portal for freestanding | |
| Climatic class | SN/T | • Extra length anti-tipping kit | |
| Noise level (dB) | 41 | Cleaning kit | |
| EFFICIENCY | | • FLD - Fhiaba Link Device | |
| New Energy Label class | F | Front ventilation kit | |
| Energy consumption (kWh/year) | 168 | • 90° Door stop | |





FULL SIZE: WINE CELLAR Model: 0F Width: 75cm (749)

One door, 2 separate temperatures

Upper compartment: Wine Cellar Lower compartment: Wine Cellar



WINE CELLAR

FEATURES

- Made in Italy.
- Aisi 304 stainless steel body.
- Stainless steel interior finish
- Antibacterial stainless steel interior.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by laterally circulation air.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides brilliant illumination to the entire interior.
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision temperature control with low vibration.
- Sabbath mode
- Front and rear adjustable feet up to 25 mm.
- Two independent climatic zones.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.
- Triple-pane, bronzed glass door guarantees maximum protection from harmful UV light rays.
- Soft close mechanisms on every oak wine rack.
- Humidity control




| GENERAL PROPERTIES | |
|---|-----------|
| Reversible door | NO |
| Equilance | YES |
| SoftClosing Runner | YES |
| Low vibration | YES |
| Optieview (LED light spots) | YES |
| Shelves | 13 |
| Slide-out shelves | YES |
| Type of shelves | WOOD |
| Fridge drawers type | 1 |
| Fresco/LowTemp Drawers | 1 |
| Bottom drawers | 1 |
| Full Extension shelves 90° door opening | YES |
| Full Extension drawers 90° door opening | NO |
| Defrost Process | AUTOMATIC |
| Ice maker with water filter | NO |
| Door Open Alarms | YES |
| Humidity control | YES |
| Active carbon filter | YES |
| Air filter control | NO |
| Shopping Fridge | NO |
| Shopping Freezer | NO |
| Power Failure Function | YES |
| | |

XS7490FW 75 cm, WINE CELLAR, 0FW MODEL **BUILT-IN X-PRO® SERIES**




| AESTHETIC | |
|------------------------------------|------------------------|
| Compressor position | Тор |
| Front finish | Stanless steel |
| Handles | Stainless steel 030 mm |
| Interior material finish | Stainless steel |
| PRICE (VAT and delivery charges | not included) |
| XS7490FW6 | |
| (right hinge) | 11.560 € |
| XS7490FW3 | 11.560 € |
| (left hinge) | |
| | |
| | |
| CAPACITY | |
| Volume Compartment 1 (L) | 467 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 1 |
| Total Net Volume (L) | 467 |
| Total Gross Volume (L) | 482 |
| Compartment 1 / Upper wine cellar | 72 |
| capacity (bottles) | |
| Compartment 2 / Middle wine cellar | |
| capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar | |
| capacity (bottles) | 45 |
| · · · | |
| TECHNICAL DETAILS | |
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |

Climatic class SN/T 41 Noise level (dB) EFFICIENCY New Energy Label class G Energy consumption (kWh/year) 169



KS7490FW 75 cm, WINE CELLAR, 0FW MODEL **BUILT-IN CLASSIC® SERIES**







| AESTHETIC | | DIMENSIONS & WEIGHT | |
|------------------------------------|------------------------|---|--------------------------|
| Compressor position | Bottom | Height of the product (closed weels) (mm) | 2050 |
| Front finish | Stanless steel | Width of the product (mm) | 749 |
| Handles | Stainless steel 030 mm | Depth of Product without handle (mm) | 640 |
| Interior material finish | Stainless steel | Net Weight (kg) | 159 |
| PRICE (VAT and delivery charges i | not included) | Gross Weight (kg) | 180 |
| KS7490FW6 | 10.290 € | TEMPERATURE RANGES | |
| (right hinge) | 10.290 t | Climatic compartments | 2 |
| KS7490FW3 | 10.290 € | Compartment 1 / Upper temperature (°C) | from 4 to 18 |
| (left hinge) | | Compartment 2 / Middle temperature (°C) | 1 |
| | | Low temp zone | NO |
| | | Compartment 3 / Low temperature (°C) | from 4 to 18 |
| CAPACITY | | Dual zone | NO |
| Volume Compartment 1 (L) | 467 | GENERAL PROPERTIES | |
| Volume Compartment 2 (L) | 1 | Reversible door | NO |
| Volume Compartment 3 (L) | 1 | Low vibration | YES |
| Total Net Volume (L) | 467 | Shelves | 13 |
| Total Gross Volume (L) | 482 | Type of shelves | WOOD |
| Compartment 1 / Upper wine cellar | | Door Bins | 1 |
| capacity (bottles) | | Fridge drawers type | 1 |
| Compartment 2 / Middle wine cellar | | Fresco/LowTemp Drawers | 1 |
| capacity (bottles) | 1 | Freezer drawers | 1 |
| Compartment 3 / Lower wine cellar | | ACCESSORIES | |
| capacity (bottles) | 45 | • Stainless steel sides panels • | Cheese drawer |
| | | • Joining kit • | Set of knives |
| TECHNICAL DETAILS | | • Stainless steel portal for • | Prosciutteria kit |
| Voltage (V) | 220-240V | freestanding • | Cigar drawer |
| Frequency (Hz) | 50-60 Hz | • Extra length anti-tipping kit • | Beverage drawer |
| Climatic class | SN/T | • Cleaning kit • | Beverage shelf |
| Noise level (dB) | 41 | • Active carbon filter • | Beverage removable shelf |
| EFFICIENCY | | • FLD - Fhiaba Link Device | |
| New Energy Label class | G | Front ventilation kit | |
| Energy consumption (kWh/year) | 169 | • Painting | |
| | | • 90° Door stop | |

| Height of the product (closed weels) (mm) | 2120 |
|---|--------------|
| Width of the product (mm) | 749 |
| Depth of Product without handle (mm) | 640 |
| Net Weight (kg) | 153 |
| Gross Weight (kg) | 174 |
| TEMPERATURE RANGES | |
| Climatic compartments | 2 |
| Compartment 1 / Upper temperature (°C) | from 4 to 18 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | NO |
| Compartment 3 / Low temperature (°C) | from 4 to 18 |
| Dual zone | NO |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 13 |
| | |
| Type of shelves | WOOD |
| Door Bins | 1 |
| Fridge drawers type | 1 |
| Fresco/LowTemp Drawers | 1 |
| Freezer drawers | 1 |
| | |

Burgundy Bottle

0,75 lt

Ø 76

ACCESSORIES


- Stainless steel sides panels
- Joining kit

DIMENSIONS & WEIGHT

- X-Pro top grille kit
- Stainless steel tubular handles 30mm
- Extra length anti-tipping kit
- Anticondensation kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Painting
- 90° Door stop
- Wine kit

- Cheese drawer • Set of knives
- Prosciutteria kit
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf





- 90° Door stop
- Wine kit

S7490FW 75 cm, WINE CELLAR, 0FW MODEL **FULLY INTEGRATED**

INTEGRATED® SERIES






| Compressor position | Bottom |
|--|--------------------|
| Front finish | Custom panel ready |
| Handles | NO |
| Interior material finish | Stainless steel |
| PRICE (VAT and delivery charges | not included) |
| S7490FW6 (right hinge) | 9.440 € |
| S7490FW3 (left hinge) | 9.440€ |
| | |
| CAPACITY | |
| Volume Compartment 1 (L) | 467 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 1 |
| Total Net Volume (L) | 467 |
| Total Gross Volume (L) | 482 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 72 |
| Compartment 2 / Middle wine cellar capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar capacity (bottles) | 45 |

| TECHNICAL DETAILS | |
|-------------------------------|----------|
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | G |
| Energy consumption (kWh/year) | 169 |





| DIMENSIONS & WEIGHT | |
|---|--------------|
| Height of the product (closed weels) (mm) | 2050 |
| Width of the product (mm) | 749 |
| Depth of Product without handle (mm) | 615 |
| Net Weight (kg) | 153 |
| Gross Weight (kg) | 174 |
| TEMPERATURE RANGES | |
| Climatic compartments | 2 |
| Compartment 1 / Upper temperature (°C) | from 4 to 18 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | NO |
| Compartment 3 / Low temperature (°C) | from 4 to 18 |
| Dual zone | NO |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 13 |
| Type of shelves | WOOD |
| Door Bins | 1 |
| Fridge drawers type | 1 |
| Fresco/LowTemp Drawers | 1 |
| Freezer drawers | 1 |
| | |

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles 30mm
- Stainless steel tubular handles
- 18mm Stainless steel panels
- Stainless steel portal for
- freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device

• 90° Door stop

Front ventilation kit

- Wine kit
- Cheese drawer
- Set of knives
- Prosciutteria kit
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

Fhaha



FREEZER

FULL SIZE: FREEZER Model: 0F Width: 75cm (749)

One door, 1 temperature Single compartment: Freezer

FEATURES

- Made in Italy.
- Aisi 304 stainless steel body.
- Stainless steel interior finish
- Antibacterial stainless steel interior.
- Evenlift: shelves can slide up and down to be adjusted to any height in the fridge compartment.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by laterally circulation air.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides brilliant illumination to the entire interior.
- Soft close door and drawers in all compartments
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision temperature control with low vibration.
- Sabbath mode
- Front and rear adjustable feet up to 25 mm.
- Single climatic zone.
- Tempered glass shelves with aluminium profiles.
- Crisper drawers for multi use preservazion solution. Antibacterial stainless steel interior & rounded corners promoting hygiene and easy cleaning.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.

| GENERAL PROPERTIES | |
|---|-----------|
| Reversible door | NO |
| Equilance | YES |
| SoftClosing Runner | NO |
| Low vibration | YES |
| Optieview (LED light spots) | YES |
| Shelves | 2 |
| Slide-out shelves | NO |
| Type of shelves | GLASS |
| Fridge drawers type | 1 |
| Fresco/LowTemp Drawers | 1 |
| Bottom drawers | 4 |
| Full Extension shelves 90° door opening | YES |
| Full Extension drawers 90° door opening | NO |
| Defrost Process | AUTOMATIC |
| Ice maker with water filter | AVAILABLE |
| Door Open Alarms | YES |
| Humidity control | NO |
| Active carbon filter | NO |
| Air filter control | NO |
| Shopping Fridge | NO |
| Shopping Freezer | YES |
| Power Failure Function | YES |
| | |

XS7490FZ 75 cm, FREEZER, 0FZ MODEL **BUILT-IN**

X-PRO[®] SERIES





| AESTHETIC | |
|---|------------------------|
| Compressor position | Тор |
| Front finish | Stanless steel |
| Handles | Stainless steel 030 mm |
| Interior material finish | Stainless steel |
| PRICE (VAT and delivery charges no | t included) |
| XS7490FZ6 (right hinge) | 9.760 € |
| XS7490FZ3 (left hinge) | 9.760 € |
| XS7490FZ6I (right hinge, with ice maker) | 10.570 € |
| XS7490FZ3I (left hinge, with ice maker) | 10.570 € |
| CAPACITY | |

| CAPACITY | |
|---|-----|
| Volume Compartment 1 (L) | 452 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 1 |
| Total Net Volume (L) | 452 |
| Total Gross Volume (L) | 455 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 1 |
| Compartment 2 / Middle wine cellar capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar capacity (bottles) | 1 |

| TECHNICAL DETAILS | |
|-------------------------------|----------|
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | F |
| Energy consumption (kWh/year) | 403 |

| DIMENSIONS & WEIGHT | |
|---|-----------------|
| Height of the product (closed weels) (mm) | 2120 |
| Width of the product (mm) | 749 |
| Depth of Product without handle (mm) | 640 |
| Net Weight (kg) | 167 |
| Gross Weight (kg) | 188 |
| TEMPERATURE RANGES | |
| Climatic compartments | 1 |
| Compartment 1 / Upper temperature (°C) | from -15 to -22 |
| Compartment 2 / Middle temperature (°C) | |
| Low temp zone | NO |
| Compartment 3 / Low temperature (°C) | |
| Dual zone | NO |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 2 |
| Type of shelves | GLASS |
| Door Bins | 2 |
| Fridge drawers type | Ι |
| Fresco/LowTemp Drawers | 1 |
| Freezer drawers | 4 |


ACCESSORIES

Stainless steel sides panels

- Joining kit
- X-Pro top grille kit
- Extra length anti-tipping kit
- Anticondensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Painting
- 90° Door stop



KS7490FZ 75 cm, FREEZER, 0FZ MODEL **BUILT-IN CLASSIC® SERIES**



| AESTHETIC | | DIMENSIONS & WEIGHT | |
|--|------------------------|---|-----------------|
| Compressor position | Bottom | Height of the product (closed weels) (mm) | 2050 |
| Front finish | Stanless steel | Width of the product (mm) | 749 |
| Handles | Stainless steel 030 mm | Depth of Product without handle (mm) | 640 |
| Interior material finish | Stainless steel | Net Weight (kg) | 167 |
| PRICE (VAT and delivery charges | not included) | Gross Weight (kg) | 188 |
| K\$7/.00E76 | | TEMPERATURE RANGES | |
| (right hinge) | 8.590€ | _ Climatic compartments | 1 |
| KS7490FZ3 | 8.590 € | Compartment 1 / Upper temperature (°C) | from -15 to -22 |
| (left hinge) | 0.370 6 | Compartment 2 / Middle temperature (°C) | 1 |
| KS7490FZ6I | 9.410 € | Low temp zone | NO |
| (right hinge, with ice maker) | | Compartment 3 / Low temperature (°C) | 1 |
| KS7490FZ3I (left hinge, with ice maker) | 9.410 € | Dual zone | NO |
| CAPACITY | | GENERAL PROPERTIES | |
| | 452 | Reversible door | NO |
| Volume Compartment 1 (L) Volume Compartment 2 (L) | 432 | Low vibration | YES |
| Volume Compartment 3 (L) | | Shelves | 2 |
| Total Net Volume (L) | 452 | Type of shelves | glass |
| Total Gross Volume (L) | 455 | Door Bins | 2 |
| | 400 | Fridge drawers type | - |
| Compartment 1 / Upper wine cellar | 1 | Fresco/LowTemp Drawers | 1 |
| capacity (bottles) | | Freezer drawers | 4 |
| Compartment 2 / Middle wine cellar | | ACCESSORIES | I |
| capacity (bottles) | | | |
| Compartment 3 / Lower wine cellar | | Stainless steel sides panels Joining kit | |
| capacity (bottles) | | Stainless steel portal for freestanding | |
| | | Extra length anti-tipping kit | |
| TECHNICAL DETAILS | | Cleaning kit | |
| Voltage (V) | 220-240V | • FLD - Fhiaba Link Device | |
| Frequency (Hz) | 50-60 Hz | Front ventilation kit | |
| Climatic class | SN/T | | |
| Noise level (dB) | 41 | Painting 90° Door stop | |
| EFFICIENCY | I | | |
| New Energy Label class | F | - | |
| Energy consumption (kWh/year) | 403 | | |



S7490FZ 75 cm, FREEZER, 0FZ MODEL **FULLY INTEGRATED**



INTEGRATED® SERIES





| AESTHETIC | | |
|---|--------------------|--|
| Compressor position | Bottom | |
| Front finish | Custom panel ready | |
| Handles | NO | |
| Interior material finish | Stainless steel | |
| PRICE (VAT and delivery charges not included) | | |
| S7490FZ6 (right hinge) | 8.270 € | |
| S7490FZ3 (left hinge) | 8.270 € | |
| S7490FZ6I (right hinge, with ice maker) | 9.090 € | |
| S7490FZ3I (left hinge, with ice maker) | 9.090 € | |

| CAPACITY | |
|---|-----|
| Volume Compartment 1 (L) | 452 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 1 |
| Total Net Volume (L) | 452 |
| Total Gross Volume (L) | 455 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 1 |
| Compartment 2 / Middle wine cellar capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar capacity (bottles) | 1 |
| | |

| TECHNICAL DETAILS | |
|-------------------------------|----------|
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | F |
| Energy consumption (kWh/year) | 403 |

| DIMENSIONS & WEIGHT | |
|---|-----------------|
| Height of the product (closed weels) (mm) | 2050 |
| Width of the product (mm) | 749 |
| Depth of Product without handle (mm) | 615 |
| Net Weight (kg) | 154 |
| Gross Weight (kg) | 175 |
| TEMPERATURE RANGES | |
| Climatic compartments | 1 |
| Compartment 1 / Upper temperature (°C) | from -15 to -22 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | NO |
| Compartment 3 / Low temperature (°C) | 1 |
| Dual zone | NO |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 2 |
| Type of shelves | glass |
| Door Bins | 2 |
| Fridge drawers type | 1 |
| Fresco/LowTemp Drawers | 1 |
| Freezer drawers | 4 |
| | 1 |

ACCESSORIES

Stainless steel sides panels

- Joining kit
- Stainless steel tubular handles 30mm
- Stainless steel tubular handles 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop

Fhaba

FULL SIZE: FRIDGES/FREEZERS/WINE CELLARS Width: 60cm (599)





WINE CELLAR

FULL SIZE: WINE CELLAR Model: 1T Width: 60cm (599)

One door, one drawer, 3 separate temperatures

Upper compartment: Wine cellar Middle compartment: Wine cellar Lower compartment: Wine cellar

FEATURES

- Made in Italy.
- Aisi 304 stainless steel body.
- Stainless steel interior finish
- Antibacterial stainless steel interior.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by laterally circulation air.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides brilliant illumination to the entire interior.
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Insulated variable speed compressors maintains precision temperature control with low vibration.
- Sabbath mode
- Front and rear adjustable feet up to 25 mm.
- Three independent climatic zones.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.
- Triple-pane, bronzed glass door guarantees maximum protection from harmful UV light rays.
- Soft close mechanisms on every oak wine rack.
- Humidity control



| GENERAL PROPERTIES | |
|---|-----------|
| Reversible door | NO |
| Equilance | YES |
| SoftClosing Runner | YES |
| Low vibration | YES |
| Optieview (LED light spots) | YES |
| Shelves | 9 |
| Slide-out shelves | YES |
| Type of shelves | WOOD |
| Fridge drawers type | 1 |
| Fresco/LowTemp Drawers | 1 |
| Bottom drawers | 1 |
| Full Extension shelves 90° door opening | YES |
| Full Extension drawers 90° door opening | NO |
| Defrost Process | AUTOMATIC |
| Ice maker with water filter | NO |
| Door Open Alarms | YES |
| Humidity control | YES |
| Active carbon filter | NO |
| Air filter control | NO |
| Shopping Fridge | NO |
| Shopping Freezer | NO |
| Power Failure Function | YES |
| | |

XS5991TWT 60 cm, WINE CELLAR AND FREEZER, 1T MODEL

BUILT-IN

X-PRO® SERIES





| AESTHETIC | |
|---|------------------------|
| Compressor position | Тор |
| Front finish | Stanless steel |
| Handles | Stainless steel 030 mm |
| Interior material finish | Stainless steel |
| PRICE (VAT and delivery charges no | t included) |
| XS5991TWT6 (right hinge) | 12.720 € |
| XS5991TWT3 (left hinge) | 12.720 € |
| | |
| CAPACITY | |
| Volume Compartment 1 (L) | 147 |
| Volume Compartment 2 (L) | 76 |
| Volume Compartment 3 (L) | 77 |
| Total Net Volume (L) | 300 |
| Total Gross Volume (L) | 315 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 36 |
| Compartment 2 / Middle wine cellar capacity (bottles) | 18 |
| Compartment 3 / Lower wine cellar capacity (bottles) | 1 |
| TECHNICAL DETAILS | |
| Voltage (V) | 220-240V |

| Voltage (V) | 220-240V |
|-------------------------------|----------|
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | G |
| Energy consumption (kWh/year) | 169 |
| | |



Ø 30

Ø 75

Ø 29

Ø 76

2120

599

635

162 182

3

from 4 to 18

from 4 to 18 NO

from 4 to 18

NO

NO YES

9

1

1

1 1

WOOD

Bordeaux Bottle


0,75 lt

Burgundy Bottle

0,75 lt

AS5991TWT 60 cm, WINE CELLAR AND FREEZER, 1T MODEL FREESTANDING

COUNTRY® SERIES







| AESTHETIC | | DIMENSIONS & WEIGHT | |
|--------------------------------------|------------------------|---|--------------------------|
| Compressor position | Тор | Height of the product (closed weels) (mm) | 2120 |
| Front and sides finish | Painted Stanless steel | Width of the product (mm) | 587 |
| Handles | Stainless steel 030 mm | Depth of Product without handle (mm) | 635 |
| Interior material finish | Stainless steel | Net Weight (kg) | 162 |
| | | Gross Weight (kg) | 182 |
| PRICE (VAT and delivery charges n | ot included) | TEMPERATURE RANGES | |
| AS5991TWT6 | 12.940 € | Climatic compartments | 3 |
| (right hinge) | | Compartment 1 / Upper temperature (°C) | from 4 to 18 |
| AS5991TWT3 (left hinge) | 12.940 € | Compartment 2 / Middle temperature (°C) | from 4 to 18 |
| | | Low temp zone | NO |
| | | Compartment 3 / Low temperature (°C) | from 4 to 18 |
| | | Dual zone | NO |
| CAPACITY | 445 | GENERAL PROPERTIES | |
| Volume Compartment 1 (L) | 147 | Reversible door | NO |
| Volume Compartment 2 (L) | 76 | | YES |
| Volume Compartment 3 (L) | 77 | Shelves | 9 |
| Total Net Volume (L) | 300 | Type of shelves | WOOD |
| Total Gross Volume (L) | 315 | Door Bins | |
| Compartment 1 / Upper wine cellar 36 | Fridge drawers type | | |
| capacity (bottles) | 50 | Fresco/LowTemp Drawers | |
| Compartment 2 / Middle wine cellar | | Freezer drawers | 1 |
| capacity (bottles) | 18 | | |
| | | ACCESSORIES | |
| Compartment 3 / Lower wine cellar | 1 | • Joining kit • E | Beverage removable shelf |
| capacity (bottles) | | • Extra length anti-tipping kit • C | Chocolate kit |
| TECHNICAL DETAILS | | Anticondensation kit | |
| Voltage (V) | 220-240V | • Cleaning kit | |
| Frequency (Hz) | 50-60 Hz | Active carbon filter | |
| Climatic class | SN/T | • FLD - Fhiaba Link Device | |
| Noise level (dB) | 41 | • 90° Door stop | |
| EFFICIENCY | | • Wine kit | |
| | G | • Cheese drawer | |
| New Energy Label class | 169 | • Set of knives | |
| Energy consumption (kWh/year) | 107 | • Cigar drawer | |

• Stainless steel sides panels

• Joining kit

DIMENSIONS & WEIGHT

Width of the product (mm)

TEMPERATURE RANGES Climatic compartments

GENERAL PROPERTIES

Net Weight (kg)

Low temp zone

Reversible door

Type of shelves Door Bins

Fridge drawers type

Freezer drawers

ACCESSORIES

Fresco/LowTemp Drawers

Low vibration

Shelves

Dual zone

Gross Weight (kg)

Height of the product (closed weels) (mm)

Depth of Product without handle (mm)

Compartment 1 / Upper temperature (°C)


Compartment 2 / Middle temperature (°C)

Compartment 3 / Low temperature (°C)

- X-Pro top grille kit
- Extra length anti-tipping kit
- Anticondensation kit
- Cleaning kit
- Active carbon filter • FLD - Fhiaba Link Device
- Painting
- 90° Door stop
- Wine kit
- Cheese drawer
- Set of knives

- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Chocolate kit





- Beverage drawer
- Beverage shelf

KS5991TWT 60 cm, WINE CELLAR AND FREEZER, 1T MODEL

BUILT-IN


CLASSIC® SERIES





| AESTHETIC | |
|--|------------------------|
| Compressor position | Bottom |
| Front finish | Stanless steel |
| Handles | Stainless steel 030 mm |
| Interior material finish | Stainless steel |
| | |
| PRICE (VAT and delivery charges no | t included) |
| KS5991TWT6 (right hinge) | 11.560 € |
| KS5991TWT3 (left hinge) | 11.560 € |
| | |
| | |
| CAPACITY | |
| Volume Compartment 1 (L) | 147 |
| Volume Compartment 2 (L) | 76 |
| Volume Compartment 3 (L) | 77 |
| Total Net Volume (L) | 300 |
| Total Gross Volume (L) | 315 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 36 |
| Compartment 2 / Middle wine cellar capacity (bottles) | 18 |
| Compartment 3 / Lower wine cellar capacity (bottles) | 1 |
| TECHNICAL DETAILS | |

| TECHNICAL DETAILS | |
|-------------------------------|----------|
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | G |
| Energy consumption (kWh/year) | 169 |
| | |



| | mm Landon and Angeleration |
|---|----------------------------|
| DIMENSIONS & WEIGHT | |
| Height of the product (closed weels) (mm) | 2050 |
| Width of the product (mm) | 599 |
| Depth of Product without handle (mm) | 635 |
| Net Weight (kg) | 158 |
| Gross Weight (kg) | 178 |
| TEMPERATURE RANGES | |
| Climatic compartments | 3 |
| Compartment 1 / Upper temperature (°C) | from 4 to 18 |
| Compartment 2 / Middle temperature (°C) | from 4 to 18 |
| Low temp zone | NO |
| Compartment 3 / Low temperature (°C) | from 4 to 18 |
| Dual zone | NO |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 9 |
| Type of shelves | WOOD |
| Door Bins | 1 |
| Fridge drawers type | 1 |
| Fresco/LowTemp Drawers | 1 |
| Freezer drawers | 1 |
| | |

Set of knives

• Cigar drawer

Beverage drawer

• Beverage removable shelf

• Beverage shelf

• Chocolate kit

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop
- Wine kit
- Cheese drawer




INTEGRATED® SERIES





| AESTHETIC | | DIMENSIONS & WEIGHT | |
|---|--------------------|---|--|
| Compressor position | Bottom | Height of the product (closed weels) (mm) | 2050 |
| Front finish | Custom panel ready | Width of the product (mm) | 599 |
| Handles | NO | Depth of Product without handle (mm) | 610 |
| Interior material finish | Stainless steel | Net Weight (kg) | 148 |
| | | Gross Weight (kg) | 168 |
| PRICE (VAT and delivery charges n | ot included) | TEMPERATURE RANGES | |
| S5991TWT6 | 10.550 € | Climatic compartments | 3 |
| (right hinge) S5991TWT3 | | Compartment 1 / Upper temperature (°C) | from 4 to 18 |
| (left hinge) | 10.550 € | Compartment 2 / Middle temperature (°C) | from 4 to 18 |
| | | Low temp zone | NO |
| | | Compartment 3 / Low temperature (°C) | from 4 to 18 |
| | | Dual zone | NO |
| CAPACITY | 417 | GENERAL PROPERTIES | |
| Volume Compartment 1 (L) | 147 | Reversible door | NO |
| Volume Compartment 2 (L) | 76 | Low vibration | YES |
| Volume Compartment 3 (L) | 77 | Shelves | 9 |
| Total Net Volume (L) | 300 | Type of shelves | WOOD |
| Total Gross Volume (L) | 315 | Door Bins | |
| Compartment 1 / Upper wine cellar | 36 | Fridge drawers type | |
| capacity (bottles) | 50 | Fresco/LowTemp Drawers | |
| Compartment 2 / Middle wine cellar | | Freezer drawers | 1 |
| capacity (bottles) | 18 | | |
| | | ACCESSORIES | |
| Compartment 3 / Lower wine cellar | 1 | • Stainless steel sides panels | Front ventilation kit |
| capacity (bottles) | | • Joining kit | • 90° Door stop |
| TECHNICAL DETAILS | · | Stainless steel tubular handles | • Wine kit |
| Voltage (V) | 220-240V | 30mm | Cheese drawer |
| Frequency (Hz) | 50-60 Hz | Stainless steel tubular handles | Set of knives |
| Climatic class | SN/T | 18mm | • Cigar drawer |
| Noise level (dB) | 41 | | Beverage drawer |
| EFFICIENCY | | | Beverage shelf |
| | G | | Beverage removable shelf |
| New Energy Label class Energy consumption (kWh/year) | 169 | 5 11 5 | Chocolate kit |
| | | Cleaning kit | |





• FLD - Fhiaba Link Device

- Active carbon filter



FULL SIZE: FRIDGE AND FREEZER Model: 0T Width: 60cm (599)

One door, one drawer, 2 separate temperatures

Upper compartment: Fridge Middle compartment: Low Temp Lower compartment TriMode: Fridge/Fresco/Freezer

FEATURES

FRIDGE

LOW TEMP

TRIMODE[®]

- Made in Italy.
- Aisi 304 stainless steel body.
- Stainless steel interior finish
- Antibacterial stainless steel interior.
- Evenlift: shelves can slide up and down to be adjusted to any height in the fridge compartment.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by laterally circulation air.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides brilliant illumination to the entire interior.
- Soft close door and drawers in all compartments
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision temperature control with low vibration.
- Sabbath mode
- Front and rear adjustable feet up to 25 mm.
- Two independent climatic zones.
- Tempered glass shelves with aluminium profiles.
- Crisper drawers for multi use preservazion solution. Antibacterial stainless steel interior & rounded corners promoting hygiene and easy cleaning.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.



| GENERAL PROPERTIES | |
|---|-----------|
| Reversible door | NO |
| Equilance | YES |
| SoftClosing Runner | YES |
| Low vibration | YES |
| Optieview (LED light spots) | YES |
| Shelves | 3 |
| Slide-out shelves | NO |
| Type of shelves | GLASS |
| Fridge drawers type | LOW TEMP |
| Fresco/LowTemp Drawers | 2 |
| Bottom drawers | 1 |
| Full Extension shelves 90° door opening | 1 |
| Full Extension drawers 90° door opening | YES |
| Defrost Process | AUTOMATIC |
| Ice maker with water filter | NO |
| Door Open Alarms | YES |
| Humidity control | NO |
| Active carbon filter | NO |
| Air filter control | NO |
| Shopping Fridge | YES |
| Shopping Freezer | YES |
| Power Failure Function | YES |
| | |

XS5990TST 60 cm, FRIDGE AND FREEZER, 0T MODEL **BUILT-IN**

X-PRO[®] SERIES





| AESTHETIC | |
|---|------------------------|
| Compressor position | Тор |
| Front finish | Stanless steel |
| Handles | Stainless steel 030 mm |
| Interior material finish | Stainless steel |
| PRICE (VAT and delivery charges | not included) |
| XS5990TST6 (right hinge) | 11.350 € |
| XS5990TST3 (left hinge) | 11.350 € |
| | |
| CAPACITY | |
| Volume Compartment 1 (L) | 251 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 77 |
| Total Net Volume (L) | 328 |
| Total Gross Volume (L) | 348 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 1 |
| Compartment 2 / Middle wine cellar capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar capacity (bottles) | 1 |
| TECHNICAL DETAILS | |
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |

| Frequency (Hz) | 50-60 Hz |
|-------------------------------|----------|
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | F |
| Energy consumption (kWh/year) | 288 |

| DIMENSIONS & WEIGHT | |
|---|---------------|
| Height of the product (closed weels) (mm) | 2120 |
| Width of the product (mm) | 599 |
| Depth of Product without handle (mm) | 635 |
| Net Weight (kg) | 170 |
| Gross Weight (kg) | 190 |
| TEMPERATURE RANGES | |
| Climatic compartments | 2 |
| Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | YES |
| Compartment 3 / Low temperature (°C) | from 8 to -22 |
| Dual zone | YES |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 3 |
| Type of shelves | GLASS |
| Door Bins | 3 |
| Fridge drawers type | LOW TEMP |
| Fresco/LowTemp Drawers | 2 |
| Freezer drawers | 1 |

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- X-Pro top grille kit
- Extra length anti-tipping kit
- Anticondensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Painting
- 90° Door stop



XS5990TGT 60 cm, FRIDGE AND FREEZER, 0T MODEL **BUILT-IN, GLASS DOOR** X-PRO[®] SERIES





| AESTHETIC | | DIMENSIONS & WEIGHT | |
|------------------------------------|------------------------|---|---------------|
| Compressor position | Тор | Height of the product (closed weels) (mm) | 2120 |
| Front finish | Stanless steel | Width of the product (mm) | 599 |
| Handles | Stainless steel 030 mm | Depth of Product without handle (mm) | 635 |
| Interior material finish | Stainless steel | Net Weight (kg) | 170 |
| PRICE (VAT and delivery charges i | not included) | Gross Weight (kg) | 190 |
| XS5990TGT6 | | TEMPERATURE RANGES | |
| (right hinge) | 12.300 € | _ Climatic compartments | 2 |
| XS5990TGT3 | 12.300 € | Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| (left hinge) | | Compartment 2 / Middle temperature (°C) | 1 |
| | | – Low temp zone | YES |
| | | Compartment 3 / Low temperature (°C) | from 8 to -22 |
| CAPACITY | | Dual zone | YES |
| Volume Compartment 1 (L) | 251 | GENERAL PROPERTIES | |
| Volume Compartment 2 (L) | 1 | – Reversible door | NO |
| Volume Compartment 3 (L) | 77 | Low vibration | YES |
| Total Net Volume (L) | 328 | - Shelves | 3 |
| Total Gross Volume (L) | 348 | Type of shelves | GLASS |
| Compartment 1 / Upper wine cellar | Door Bins | 0 | |
| capacity (bottles) | 1 | Fridge drawers type | LOW TEMP |
| Compartment 2 / Middle wine cellar | | Fresco/LowTemp Drawers | 2 |
| capacity (bottles) | 1 | Freezer drawers | 1 |
| Compartment 3 / Lower wine cellar | | ACCESSORIES | |
| capacity (bottles) | 1 | Stainless steel sides panels | |
| | | • Joining kit | |
| TECHNICAL DETAILS | | • X-Pro top grille kit | |
| Voltage (V) | 220-240V | Extra length anti-tipping kit | |
| Frequency (Hz) | 50-60 Hz | Anticondensation kit | |
| Climatic class | SN/T | Cleaning kit | |
| Noise level (dB) | 41 | • FLD - Fhiaba Link Device | |
| EFFICIENCY | | • Painting | |
| New Energy Label class | F | • 90° Door stop | |
| Energy consumption (kWh/year) | 288 | - | |
| | | | |



AS5990TST 60 cm, FRIDGE AND FREEZER, 0T MODEL FREESTANDING



COUNTRY® SERIES



| | | 5 | | Т |
|---|---|----|----|---|
| | | 1 | | |
| | | 0 | | |
| 2 | | ł | | |
| E | | -1 | | 4 |
| | | 5 | | |
| - | - | - | ٩. | |
| | | | | |

| AESTHETIC | |
|------------------------------------|------------------------|
| | Tan |
| Compressor position | Тор |
| Front and sides finish | Painted Stanless steel |
| Handles | Stainless steel 030 mm |
| Interior material finish | Stainless steel |
| | |
| PRICE (VAT and delivery charges no | t included) |
| AS5990TST6 (right hinge) | 11.770 € |
| AS5990TST3 (left hinge) | 11.770 € |
| | |
| | |
| CAPACITY | l |
| Volume Compartment 1 (L) | 251 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 77 |
| Total Net Volume (L) | 328 |
| Total Gross Volume (L) | 348 |
| Compartment 1 / Upper wine cellar | |
| capacity (bottles) | |
| | |
| Compartment 2 / Middle wine cellar | 1 |
| capacity (bottles) | |
| Compartment 3 / Lower wine cellar | |
| capacity (bottles) | 1 |
| | |

| TECHNICAL DETAILS | |
|-------------------------------|----------|
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | F |
| Energy consumption (kWh/year) | 288 |
| | |

| DIMENSIONS & WEIGHT | |
|---|---------------|
| Height of the product (closed weels) (mm) | 2120 |
| Width of the product (mm) | 587 |
| Depth of Product without handle (mm) | 635 |
| Net Weight (kg) | 170 |
| Gross Weight (kg) | 190 |
| TEMPERATURE RANGES | |
| Climatic compartments | 2 |
| Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | YES |
| Compartment 3 / Low temperature (°C) | from 8 to -22 |
| Dual zone | YES |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 3 |
| Type of shelves | GLASS |
| Door Bins | 3 |
| Fridge drawers type | LOW TEMP |
| Fresco/LowTemp Drawers | 2 |
| Freezer drawers | 1 |
| | |

ACCESSORIES

Joining kit

- Extra length anti-tipping kit
- Anticondensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- 90° Door stop

Fileba

KS5990TST 60 cm, FRIDGE AND FREEZER, 0T MODEL **BUILT-IN**

CLASSIC® SERIES



| | and the second se |
|---|---|
| AESTHETIC | |
| Compressor position | Bottom |
| Front finish | Stanless steel |
| Handles | Stainless steel Ø30 mm |
| Interior material finish | Stainless steel |
| PRICE (VAT and delivery charges | not included) |
| KS5990TST6 (right hinge) | 9.970 € |
| KS5990TST3 (left hinge) | 9.970 € |
| | |
| CAPACITY | |
| Volume Compartment 1 (L) | 251 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 77 |
| Total Net Volume (L) | 328 |
| Total Gross Volume (L) | 348 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 1 |
| Compartment 2 / Middle wine cellar capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar capacity (bottles) | 1 |
| TECHNICAL DETAILS | |
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |

| Frequency (Hz) | 50-60 Hz |
|-------------------------------|----------|
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| | |
| EFFICIENCY | |
| New Energy Label class | F |
| Energy consumption (kWh/year) | 288 |

| DIMENSIONS & WEIGHT | |
|---|-----------------|
| Height of the product (closed weels) (mm) | 2050 |
| Width of the product (mm) | 599 |
| Depth of Product without handle (mm) | 635 |
| Net Weight (kg) | 158 |
| Gross Weight (kg) | 178 |
| TEMPERATURE RANGES | |
| Climatic compartments | 2 |
| Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | YES |
| Compartment 3 / Low temperature (°C) | from -15 to -22 |
| Dual zone | YES |
| GENERAL PROPERTIES | |
| | NO |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 3 |
| Type of shelves | GLASS |
| Door Bins | 3 |
| Fridge drawers type | LOW TEMP |
| Fresco/LowTemp Drawers | 2 |
| Freezer drawers | 1 |
| | |

ACCESSORIES

• Stainless steel sides panels

Joining kit

- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop



KS5990TGT 60 cm, FRIDGE AND FREEZER, 0T MODEL **BUILT-IN, GLASS DOOR CLASSIC® SERIES**



| AESTHETIC | | DIMENSIONS & WEIGHT | |
|--------------------------------------|------------------------|--|-----------------|
| Compressor position | Bottom | Height of the product (closed weels) (mm) | 2050 |
| Front finish | Stanless steel | Width of the product (mm) | 599 |
| Handles | Stainless steel Ø30 mm | Depth of Product without handle (mm) | 635 |
| Interior material finish | Stainless steel | Net Weight (kg) | 158 |
| | | Gross Weight (kg) | 178 |
| PRICE (VAT and delivery charges no | ot included) | TEMPERATURE RANGES | |
| KS5990TGT6 (right hinge) | 10.920 € | Climatic compartments | 2 |
| KS5990TGT3 | | Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| (left hinge) | 10.920 € | Compartment 2 / Middle temperature (°C) | 1 |
| | | Low temp zone | YES |
| | | Compartment 3 / Low temperature (°C) | from -15 to -22 |
| | | Dual zone | YES |
| CAPACITY Volume Compartment 1 (L) | 251 | GENERAL PROPERTIES | |
| Volume Compartment 2 (L) | 1 | Reversible door | NO |
| Volume Compartment 3 (L) | 77 | Low vibration | YES |
| Total Net Volume (L) | 328 | Shelves | 3 |
| Total Gross Volume (L) | 348 | Type of shelves | GLASS |
| | | Door Bins | 0 |
| Compartment 1 / Upper wine cellar | 1 | Fridge drawers type | LOW TEMP |
| capacity (bottles) | | Fresco/LowTemp Drawers | 2 |
| Compartment 2 / Middle wine cellar | | Freezer drawers | 1 |
| capacity (bottles) | 1 | ACCESSORIES | |
| Compartment 3 / Lower wine cellar | | Stainless steel sides panels | |
| capacity (bottles) | 1 | Joining kit | |
| | | Stainless steel portal for freestanding | |
| TECHNICAL DETAILS | | • Extra length anti-tipping kit | |
| Voltage (V) | 220-240V | • Cleaning kit | |
| Frequency (Hz) | 50-60 Hz | • FLD - Fhiaba Link Device | |
| Climatic class | SN/T | • Front ventilation kit | |
| Noise level (dB) | 41 | • Painting | |
| EFFICIENCY | | • 90° Door stop | |
| New Energy Label class | F | | |
| Energy consumption (kWh/year) | 288 | | |
| | I | | |



S5990TST 60 cm, FRIDGE AND FREEZER, 0T MODEL **FULLY INTEGRATED**

INTEGRATED® SERIES





| AESTHETIC | |
|---|--------------------|
| Compressor position | Bottom |
| Front finish | Custom panel ready |
| Handles | NO |
| Interior material finish | Stainless steel |
| PRICE (VAT and delivery charges r | not included) |
| S5990TST6 (right hinge) | 9.440€ |
| S5990TST3 (left hinge) | 9.440 € |
| | |
| CAPACITY | |
| Volume Compartment 1 (L) | 251 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 77 |
| Total Net Volume (L) | 328 |
| Total Gross Volume (L) | 348 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 1 |
| Compartment 2 / Middle wine cellar capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar capacity (bottles) | 1 |
| TECHNICAL DETAILS | |
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| | 10 |

| TIGHTULES | NU | Dehui |
|------------------------------------|-----------------|--------|
| Interior material finish | Stainless steel | Net W |
| PRICE (VAT and delivery charges | not included) | Gross |
| S5990TST6 | 9.440€ | TEM |
| (right hinge) | 7.440 0 | Climat |
| S5990TST3 | 9.440€ | Compa |
| (left hinge) | | Compa |
| | | Low te |
| | | Compa |
| CAPACITY | | Dual z |
| Volume Compartment 1 (L) | 251 | GEN |
| Volume Compartment 2 (L) | 1 | Revers |
| Volume Compartment 3 (L) | 77 | Low vi |
| Total Net Volume (L) | 328 | Shelve |
| Total Gross Volume (L) | 348 | Type o |
| Compartment 1 / Upper wine cellar | | Door E |
| capacity (bottles) | | Fridge |
| Compartment 2 / Middle wine cellar | | Fresco |
| capacity (bottles) | 1 | Freeze |
| Compartment 3 / Lower wine cellar | | ACCE |
| capacity (bottles) | 1 | • Stai |
| | | • Join |
| TECHNICAL DETAILS | 000.0707 | • Stai |
| Voltage (V) | 220-240V | • Stai |
| Frequency (Hz) | 50-60 Hz | • Stai |
| Climatic class | SN/T | • Stai |
| Noise level (dB) | 41 | • Extr |
| EFFICIENCY | | • Clea |
| | | |

F

288

DIMENSIONS & WEIGHT

| Height of the product (closed weels) (mm) | 2050 |
|---|---------------|
| Width of the product (mm) | 599 |
| Depth of Product without handle (mm) | 610 |
| Net Weight (kg) | 148 |
| Gross Weight (kg) | 168 |
| TEMPERATURE RANGES | |
| Climatic compartments | 2 |
| Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | YES |
| Compartment 3 / Low temperature (°C) | from 8 to -22 |
| Dual zone | YES |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 3 |
| Type of shelves | GLASS |
| Door Bins | 3 |
| Fridge drawers type | LOW TEMP |
| Fresco/LowTemp Drawers | 2 |
| Freezer drawers | 1 |

ESSORIES

ainless steel sides panels

ining kit

- ainless steel tubular handles 30mm
- ainless steel tubular handles 18mm
- ainless steel panels
- ainless steel portal for freestanding
- tra length anti-tipping kit
- eaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop



S5990TGT 60 cm, FRIDGE AND FREEZER, 0T MODEL FULLY INTEGRATED, GLASS DOOR **INTEGRATED® SERIES**





| AESTHETIC | | DIMENSIONS & WEIGHT | | |
|------------------------------------|---------------------|---|--------------------------------------|--|
| Compressor position | Bottom | Height of the product (closed weels) (mm) | 2050 | |
| Front finish | Custom panel ready | Width of the product (mm) | 599 | |
| Handles | NO | Depth of Product without handle (mm) | 610 | |
| Interior material finish | Stainless steel | Net Weight (kg) | 148 | |
| PRICE (VAT and delivery charges | not included) | Gross Weight (kg) | 168 | |
| \$5000TCT4 | | TEMPERATURE RANGES | | |
| (right hinge) | 10.390 € | _ Climatic compartments | 2 | |
| S5990TGT3 | 10.390 € | Compartment 1 / Upper temperature (°C) | from 2 to 8 | |
| (left hinge) | | Compartment 2 / Middle temperature (°C) | 1 | |
| | | – Low temp zone | YES | |
| | | Compartment 3 / Low temperature (°C) | from 8 to -22 | |
| CAPACITY | | Dual zone | YES | |
| Volume Compartment 1 (L) | 251 | GENERAL PROPERTIES | | |
| Volume Compartment 2 (L) | 1 | – Reversible door | NO | |
| Volume Compartment 3 (L) | 77 | - Low vibration | YES | |
| Total Net Volume (L) | 328 | - Shelves | 3 | |
| Total Gross Volume (L) | 348 | - Type of shelves | GLASS | |
| Compartment 1 / Upper wine cellar | | Door Bins | 0 | |
| capacity (bottles) | Fridge drawers type | LOW TEMP | | |
| Compartment 2 / Middle wine cellar | | Fresco/LowTemp Drawers | 2 | |
| capacity (bottles) | | Freezer drawers | 1 | |
| Compartment 3 / Lower wine cellar | ACCESSORIES | | | |
| capacity (bottles) | 1 | • Stainless steel sides panels | | |
| • Joining kit | | | | |
| TECHNICAL DETAILS | | • Stainless steel tubular handles 30mm | | |
| Voltage (V) | 220-240V | Stainless steel tubular handles 18mm | Stainless steel tubular handles 18mm | |
| Frequency (Hz) | 50-60 Hz | Stainless steel panels | | |
| Climatic class | SN/T | Stainless steel portal for freestanding | | |
| Noise level (dB) | 41 | Extra length anti-tipping kit | | |
| EFFICIENCY | ' | • Cleaning kit | | |
| New Energy Label class | F | • FLD - Fhiaba Link Device | | |
| Energy consumption (kWh/year) | 288 | Front ventilation kit | | |
| | | • 90° Door stop | | |

New Energy Label class

Energy consumption (kWh/year)





WINE CELLAR

FULL SIZE: WINE CELLAR Model: 0T Width: 60cm (599)

One door, one drawer, 2 separate temperatures

Upper compartment: Wine Cellar Lower compartment: Wine Cellar

FEATURES

- Made in Italy.
- Aisi 304 stainless steel body.
- Stainless steel interior finish
- Antibacterial stainless steel interior.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by laterally circulation air.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides brilliant illumination to the entire interior.
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Insulated variable speed compressors maintains precision temperature control with low vibration.
- Sabbath mode
- Front and rear adjustable feet up to 25 mm.
- Two independent climatic zones.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.
- Triple-pane, bronzed glass door guarantees maximum protection from harmful UV light rays.
- Soft close mechanisms on every oak wine rack.
- Humidity control



| GENERAL PROPERTIES | |
|---|-----------|
| Reversible door | NO |
| Equilance | YES |
| SoftClosing Runner | NO |
| Low vibration | YES |
| Optieview (LED light spots) | YES |
| Shelves | 9 |
| Slide-out shelves | NO |
| Type of shelves | WOOD |
| Fridge drawers type | 1 |
| Fresco/LowTemp Drawers | 1 |
| Bottom drawers | 1 |
| Full Extension shelves 90° door opening | YES |
| Full Extension drawers 90° door opening | NO |
| Defrost Process | AUTOMATIC |
| Ice maker with water filter | NO |
| Door Open Alarms | YES |
| Humidity control | YES |
| Active carbon filter | NO |
| Air filter control | NO |
| Shopping Fridge | NO |
| Shopping Freezer | NO |
| Power Failure Function | YES |
| | |

XS5990TWT 60 cm, WINE CELLAR AND FREEZER, 0T MODEL




X-PRO® SERIES





| AESTHETIC | |
|--|------------------------|
| Compressor position | Тор |
| Front finish | Stanless steel |
| Handles | Stainless steel 030 mm |
| Interior material finish | Stainless steel |
| PRICE (VAT and delivery charges no | t included) |
| XS5990TWT6 (right hinge) | 10.600€ |
| XS5990TWT3 (left hinge) | 10.600 € |
| | |
| CAPACITY | |
| Volume Compartment 1 (L) | 240 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 77 |
| Total Net Volume (L) | 317 |
| Total Gross Volume (L) | 332 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 54 |
| Compartment 2 / Middle wine cellar capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar capacity (bottles) | 1 |
| TECHNICAL DETAILS | |
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |

| Vullaye (V) | 220-2401 |
|-------------------------------|----------|
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | G |
| Energy consumption (kWh/year) | 171 |
| | |



Ø 29

Ø 76

2120

599

635

157 177

2

1 NO

YES

NO

YES 9

WOOD

1

1

1 1

Set of knives

• Cigar drawer

• Prosciutteria kit

Beverage drawer

• Beverage removable shelf

• Beverage shelf

• Chocolate kit

from 4 to 18

from 4 to 18

296

Burgundy Bottle

0,75 lt

 \bigcirc

Finaha

KS5990TWT 60 cm, WINE CELLAR AND FREEZER, 0T MODEL **BUILT-IN CLASSIC® SERIES**





| AESTHETIC | | DIMENSIONS & WEIGHT | |
|------------------------------------|------------------------|---|--------------------------|
| Compressor position | Bottom | Height of the product (closed weels) (mm) | 2050 |
| Front finish | Stanless steel | Width of the product (mm) | 599 |
| Handles | Stainless steel Ø30 mm | Depth of Product without handle (mm) | 635 |
| Interior material finish | Stainless steel | Net Weight (kg) | 155 |
| PRICE (VAT and delivery charges | not included) | Gross Weight (kg) | 175 |
| KS5990TWT6 9.650 € | | TEMPERATURE RANGES | |
| (right hinge) | 9.000 t | _ Climatic compartments | 2 |
| KS5990TWT3 | 9.650 € | Compartment 1 / Upper temperature (°C) | from 4 to 18 |
| (left hinge) | | - Compartment 2 / Middle temperature (°C) | 1 |
| | | - Low temp zone | NO |
| | | Compartment 3 / Low temperature (°C) | from 4 to 18 |
| CAPACITY | | Dual zone | YES |
| Volume Compartment 1 (L) | 240 | - GENERAL PROPERTIES | |
| Volume Compartment 2 (L) | 1 | - Reversible door | NO |
| Volume Compartment 3 (L) | 77 | - Low vibration | YES |
| Total Net Volume (L) | 317 | - Shelves | 9 |
| Total Gross Volume (L) | 332 | - Type of shelves | WOOD |
| Compartment 1 / Upper wine cellar | 54 | Door Bins | 1 |
| capacity (bottles) | 54 | Fridge drawers type | 1 |
| Compartment 2 / Middle wine cellar | | Fresco/LowTemp Drawers | 1 |
| capacity (bottles) | 1 | Freezer drawers | 1 |
| Compartment 3 / Lower wine cellar | | ACCESSORIES | |
| capacity (bottles) | 1 | Stainless steel sides panels | • Wine kit |
| | | • Joining kit | • Cheese drawer |
| TECHNICAL DETAILS | | Stainless steel portal for | • Set of knives |
| Voltage (V) | 220-240V | - freestanding | Prosciutteria kit |
| Frequency (Hz) | 50-60 Hz | - • Extra length anti-tipping kit | • Cigar drawer |
| Climatic class | SN/T | - • Cleaning kit | • Beverage drawer |
| Noise level (dB) | 41 | - • Active carbon filter | Beverage shelf |
| EFFICIENCY | | • FLD - Fhiaba Link Device | Beverage removable shelf |
| New Energy Label class | G | Front ventilation kit | • Chocolate kit |
| Energy consumption (kWh/year) | 171 | • Painting | |
| | | • 90° Door stop | |

Gross Weight (kg) TEMPERATURE RANGES Climatic compartments Compartment 1 / Upper temperature (°C) Compartment 2 / Middle temperature (°C) Low temp zone Compartment 3 / Low temperature (°C) Dual zone GENERAL PROPERTIES Reversible door Low vibration Shelves Type of shelves Door Bins Fridge drawers type Fresco/LowTemp Drawers Freezer drawers ACCESSORIES • Stainless steel sides panels

• Wine kit • Cheese drawer

• Joining kit

 Cleaning kit • Active carbon filter

 Painting • 90° Door stop

• X-Pro top grille kit

Anticondensation kit

• Extra length anti-tipping kit

• FLD - Fhiaba Link Device

DIMENSIONS & WEIGHT


Width of the product (mm)

Net Weight (kg)

Height of the product (closed weels) (mm)

Depth of Product without handle (mm)





- 90° Door stop

S5990TWT 60 cm, WINE CELLAR AND FREEZER, 0T MODEL **FULLY INTEGRATED**




INTEGRATED® SERIES





| AESTHETIC | |
|---|------------------------|
| Compressor position | Bottom |
| Front finish | Custom panel ready |
| Handles | NO |
| Interior material finish | Stainless steel |
| | |
| PRICE (VAT and delivery charges n | ot included) |
| S5990TWT6 | 9.330 € |
| (right hinge) | |
| S5990TWT3 (left hinge) | 9.330€ |
| (נכור וווושכ) | |
| | |
| | |
| | |
| CAPACITY | |
| CAPACITY Volume Compartment 1 (L) | 240 |
| | 240 |
| Volume Compartment 1 (L) | 240 77 |
| Volume Compartment 1 (L) Volume Compartment 2 (L) | |
| Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) | 77 |
| Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) Total Net Volume (L) | 77 317 332 |
| Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) Total Net Volume (L) Total Gross Volume (L) | 77 317 |
| Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) Total Net Volume (L) Total Gross Volume (L) Compartment 1 / Upper wine cellar capacity (bottles) | 77 317 332 |
| Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) Total Net Volume (L) Total Gross Volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar | 77 317 332 |
| Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) Total Net Volume (L) Total Gross Volume (L) Compartment 1 / Upper wine cellar capacity (bottles) | 77 317 332 54 |
| Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) Total Net Volume (L) Total Gross Volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar | 77 317 332 54 |

| TECHNICAL DETAILS | |
|-------------------------------|----------|
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | G |
| Energy consumption (kWh/year) | 171 |



| DIMENSIONS & WEIGHT | |
|---|--------------|
| Height of the product (closed weels) (mm) | 2050 |
| Width of the product (mm) | 599 |
| Depth of Product without handle (mm) | 610 |
| Net Weight (kg) | 142 |
| Gross Weight (kg) | 162 |
| TEMPERATURE RANGES | |
| Climatic compartments | 2 |
| Compartment 1 / Upper temperature (°C) | from 4 to 18 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | NO |
| Compartment 3 / Low temperature (°C) | from 4 to 18 |
| Dual zone | YES |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 9 |
| Type of shelves | WOOD |
| Door Bins | 1 |
| Fridge drawers type | 1 |
| Fresco/LowTemp Drawers | 1 |
| Freezer drawers | 1 |
| | |

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles 30mm
- Stainless steel tubular handles 18mm
- Stainless steel panels
- Stainless steel portal for
- freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device

- 90° Door stop
- Wine kit
- Cheese drawer
- Set of knives
- Prosciutteria kit
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

- Front ventilation kit

- Chocolate kit

Fhaha



FRIDGE

LOW TEMP

FULL SIZE: FRIDGE Model: 0F Width: 60cm (599)

One door, 1 temperature

Upper compartment: Fridge Lower compartment: Low Temp

- Made in Italy.
- Aisi 304 stainless steel body.
- Stainless steel interior finish
- Antibacterial stainless steel interior.
- Evenlift: shelves can slide up and down to be adjusted to any height in the fridge compartment.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by laterally circulation air.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides brilliant illumination to the entire interior.
- Soft close door and drawers in all compartments
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision temperature control with low vibration.
- Sabbath mode
- Front and rear adjustable feet up to 25 mm.
- One indipendent climatic zone.
- Tempered glass shelves with aluminium profiles.
- Crisper drawers for multi use preservazion solution. Antibacterial stainless steel interior & rounded corners promoting hygiene and easy cleaning.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.



| Reversible door | NO |
|---|-----------|
| Equilance | YES |
| SoftClosing Runner | YES |
| Low vibration | YES |
| Optieview (LED light spots) | YES |
| Shelves | 3 |
| Slide-out shelves | NO |
| Type of shelves | GLASS |
| Fridge drawers type | LOW TEMP |
| Fresco/LowTemp Drawers | 3 |
| Bottom drawers | 1 |
| Full Extension shelves 90° door opening | 1 |
| Full Extension drawers 90° door opening | YES |
| Defrost Process | AUTOMATIC |
| Ice maker with water filter | NO |
| Door Open Alarms | YES |
| Humidity control | NO |
| Active carbon filter | NO |
| Air filter control | NO |
| Shopping Fridge | YES |
| Shopping Freezer | NO |
| Power Failure Function | YES |

XS5990FR 60 cm, FRIDGE, 0FR MODEL **BUILT-IN X-PRO® SERIES**



| | sor tab |
|--|------------------------|
| AESTHETIC | |
| Compressor position | Тор |
| Front finish | Stanless steel |
| Handles | Stainless steel 030 mm |
| Interior material finish | Stainless steel |
| PRICE (VAT and delivery charges no | t included) |
| XS5990FR6 (right hinge) | 10.500€ |
| XS5990FR3 (left hinge) | 10.500 € |
| | |
| | |
| CAPACITY | |
| Volume Compartment 1 (L) | 368 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 1 |
| Total Net Volume (L) | 368 |
| Total Gross Volume (L) | 378 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 1 |
| Compartment 2 / Middle wine cellar capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar capacity (bottles) | 1 |
| TECHNICAL DETAILS | l |
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| | 011/T |

SN/T Climatic class 41 Noise level (dB) EFFICIENCY New Energy Label class F 151 Energy consumption (kWh/year)

| DIMENSIONS & WEIGHT | | |
|---|-------------|--|
| Height of the product (closed weels) (mm) | 2120 | |
| Width of the product (mm) | 599 | |
| Depth of Product without handle (mm) | 640 | |
| Net Weight (kg) | 134 | |
| Gross Weight (kg) | 156 | |
| TEMPERATURE RANGES | | |
| Climatic compartments | 1 | |
| Compartment 1 / Upper temperature (°C) | from 2 to 8 | |
| Compartment 2 / Middle temperature (°C) | 1 | |
| Low temp zone | YES | |
| Compartment 3 / Low temperature (°C) | 1 | |
| Dual zone | NO | |
| GENERAL PROPERTIES | | |
| Reversible door | NO | |
| Low vibration | YES | |
| Shelves | 3 | |
| Type of shelves | GLASS | |
| Door Bins | 3 | |
| Fridge drawers type | LOW TEMP | |
| Fresco/LowTemp Drawers | 3 | |
| Freezer drawers | 1 | |

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- X-Pro top grille kit
- Extra length anti-tipping kit
- Anticondensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Painting
- 90° Door stop



XS5990FG 60 cm, FRIDGE, 0FR MODEL **BUILT-IN, GLASS DOOR** X-PRO[®] SERIES





| AESTHETIC | | DIMENSIONS & WEIGHT | |
|------------------------------------|------------------------|--|-------------|
| Compressor position | Тор | Height of the product (closed weels) (mm) | 2120 |
| Front finish | Stanless steel | Width of the product (mm) | 599 |
| Handles | Stainless steel 030 mm | Depth of Product without handle (mm) | 640 |
| Interior material finish | Stainless steel | Net Weight (kg) | 134 |
| PRICE (VAT and delivery charges | not included) | Gross Weight (kg) | 156 |
| XS5990FG6 | | TEMPERATURE RANGES | |
| (right hinge) | 11.450 € | _ Climatic compartments | 1 |
| XS5990FG3 | 11.450 € | Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| (left hinge) | 11.100 0 | - Compartment 2 / Middle temperature (°C) | 1 |
| | | - Low temp zone | YES |
| | | Compartment 3 / Low temperature (°C) | 1 |
| CAPACITY | | Dual zone | NO |
| Volume Compartment 1 (L) | 368 | GENERAL PROPERTIES | |
| Volume Compartment 2 (L) | 1 | – Reversible door | NO |
| Volume Compartment 3 (L) | 1 | – Low vibration | YES |
| Total Net Volume (L) | 368 | - Shelves | 3 |
| Total Gross Volume (L) | 378 | - Type of shelves | GLASS |
| Compartment 1 / Upper wine cellar | cellar / | Door Bins | 0 |
| capacity (bottles) | | Fridge drawers type | LOW TEMP |
| Compartment 2 / Middle wine cellar | | Fresco/LowTemp Drawers | 3 |
| capacity (bottles) | 1 | Freezer drawers | 1 |
| Compartment 3 / Lower wine cellar | | ACCESSORIES | |
| capacity (bottles) | 1 | Stainless steel sides panels | |
| | | • Joining kit | |
| TECHNICAL DETAILS | | • X-Pro top grille kit | |
| Voltage (V) | 220-240V | Extra length anti-tipping kit | |
| Frequency (Hz) | 50-60 Hz | Anticondensation kit | |
| Climatic class | SN/T | Cleaning kit | |
| Noise level (dB) | 41 | FLD - Fhiaba Link Device | |
| EFFICIENCY | | • Painting | |
| New Energy Label class | F | • 90° Door stop | |
| Energy consumption (kWh/year) | 151 | | |



KS5990FR 60 cm, FRIDGE, 0FR MODEL **BUILT-IN CLASSIC® SERIES**





| AESTHETIC | |
|---|------------------------|
| Compressor position | Bottom |
| Front finish | Stanless steel |
| Handles | Stainless steel 030 mm |
| Interior material finish | Stainless steel |
| PRICE (VAT and delivery charges | not included) |
| KS5990FR6 (right hinge) | 8.170 € |
| KS5990FR3 (left hinge) | 8.170 € |
| | |
| CAPACITY | |
| Volume Compartment 1 (L) | 368 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 1 |
| Total Net Volume (L) | 368 |
| Total Gross Volume (L) | 378 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 1 |
| Compartment 2 / Middle wine cellar capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar capacity (bottles) | 1 |
| TECHNICAL DETAILS | |
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |

| Voltage (V) | 220-240V |
|-------------------------------|----------|
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | F |
| Energy consumption (kWh/year) | 151 |

| DIMENSIONS & WEIGHT | |
|---|-------------|
| Height of the product (closed weels) (mm) | 2050 |
| Width of the product (mm) | 599 |
| Depth of Product without handle (mm) | 640 |
| Net Weight (kg) | 134 |
| Gross Weight (kg) | 156 |
| TEMPERATURE RANGES | |
| Climatic compartments | 1 |
| Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | YES |
| Compartment 3 / Low temperature (°C) | 1 |
| Dual zone | NO |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 3 |
| Type of shelves | GLASS |
| Door Bins | 3 |
| Fridge drawers type | LOW TEMP |
| Fresco/LowTemp Drawers | 3 |
| Freezer drawers | 1 |
| | |

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop



KS5990FG 60 cm, FRIDGE, 0FR MODEL **BUILT-IN, GLASS DOOR CLASSIC® SERIES**





| Handles Stain Interior material finish Stain PRICE (VAT and delivery charges not inclu KS5990FG6 | nless steel inless steel 030 mm inless steel | Height of the product (closed weels) (mm) Width of the product (mm) Depth of Product without handle (mm) Net Weight (kg) | 2050 599 640 |
|--|--|---|--------------------|
| Handles Stair Interior material finish Stair PRICE (VAT and delivery charges not inclu KS5990FG6 | inless steel 030 mm inless steel | Depth of Product without handle (mm) | |
| Interior material finish Stain PRICE (VAT and delivery charges not inclu KS5990FG6 9 120 | inless steel | | 640 |
| PRICE (VAT and delivery charges not inclu KS5990FG6 0120 | | Net Weight (kg) | |
| KS5990FG6 0 120 | uded) | | 134 |
| KS5990FG6 0 120 | | Gross Weight (kg) | 156 |
| | | TEMPERATURE RANGES | |
| (right hinge) | U ŧ | Climatic compartments | 1 |
| KS5990FG3 | n€. | Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| (left hinge) | | Compartment 2 / Middle temperature (°C) | 1 |
| | | Low temp zone | YES |
| | | Compartment 3 / Low temperature (°C) | 1 |
| CAPACITY | | Dual zone | NO |
| Volume Compartment 1 (L) 368 | | GENERAL PROPERTIES | |
| Volume Compartment 2 (L) / | | Reversible door | NO |
| Volume Compartment 3 (L) / | | Low vibration | YES |
| Total Net Volume (L) 368 | | Shelves | 3 |
| Total Gross Volume (L) 378 | | Type of shelves | GLASS |
| Compartment 1 / Upper wine cellar | 1 / Upper wine cellar | Door Bins | 0 |
| capacity (bottles) | - | Fridge drawers type | LOW TEMP |
| Compartment 2 / Middle wine cellar | | Fresco/LowTemp Drawers | 3 |
| capacity (bottles) | - | Freezer drawers | 1 |
| Compartment 3 / Lower wine cellar | | ACCESSORIES | |
| capacity (bottles) | | Stainless steel sides panels | |
| | | • Joining kit | |
| TECHNICAL DETAILS | | Stainless steel portal for freestanding | |
| 0 • • | -240V | Extra length anti-tipping kit | |
| | 60 Hz | Cleaning kit | |
| Climatic class SN/T | T | FLD - Fhiaba Link Device | |
| Noise level (dB) 41 | | Front ventilation kit | |
| EFFICIENCY | | • Painting | |
| New Energy Label class F | | • 90° Door stop | |
| Energy consumption (kWh/year) 151 | | | |



S5990FR 60 cm, FRIDGE, 0FR MODEL **FULLY INTEGRATED INTEGRATED® SERIES**







| AESTHETIC | |
|---|--------------------|
| Compressor position | Bottom |
| Front finish | Custom panel ready |
| Handles | NO |
| Interior material finish | Stainless steel |
| PRICE (VAT and delivery charges no | ot included) |
| S5990FR6 (right hinge) | 7.740 € |
| S5990FR3 (left hinge) | 7.740 € |
| | |
| CAPACITY | |
| Volume Compartment 1 (L) | 368 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 1 |
| Total Net Volume (L) | 368 |
| Total Gross Volume (L) | 378 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 1 |
| Compartment 2 / Middle wine cellar capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar capacity (bottles) | 1 |
| TECHNICAL DETAILS | |
| | 000 0/01/ |

| TECHNICAL DETAILS | |
|-------------------------------|----------|
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | F |
| Energy consumption (kWh/year) | 151 |
| | |

| DIMENSIONS & WEIGHT | |
|---|-------------|
| Height of the product (closed weels) (mm) | 2050 |
| Width of the product (mm) | 599 |
| Depth of Product without handle (mm) | 615 |
| Net Weight (kg) | 132 |
| Gross Weight (kg) | 152 |
| TEMPERATURE RANGES | |
| Climatic compartments | 1 |
| Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | YES |
| Compartment 3 / Low temperature (°C) | 1 |
| Dual zone | NO |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 3 |
| Type of shelves | GLASS |
| Door Bins | 3 |
| Fridge drawers type | LOW TEMP |
| Fresco/LowTemp Drawers | 3 |
| Freezer drawers | 1 |
| | |

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles 30mm
- Stainless steel tubular handles 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop



S5990FG 60 cm, FRIDGE, 0FR MODEL FULLY INTEGRATED, GLASS DOOR **INTEGRATED® SERIES**





| AESTHETIC | | DIMENSIONS & WEIGHT | |
|------------------------------------|--------------------|---|-------------|
| Compressor position | Bottom | Height of the product (closed weels) (mm) | 2050 |
| Front finish | Custom panel ready | Width of the product (mm) | 599 |
| Handles | NO | Depth of Product without handle (mm) | 615 |
| Interior material finish | Stainless steel | Net Weight (kg) | 132 |
| PRICE (VAT and delivery charges i | not included) | Gross Weight (kg) | 152 |
| S5990FG6 | | TEMPERATURE RANGES | |
| (right hinge) | 8.700 € | _ Climatic compartments | 1 |
| S5990FG3 | 8.700 € | Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| (left hinge) | 0.700 0 | Compartment 2 / Middle temperature (°C) | 1 |
| | | – Low temp zone | YES |
| | | Compartment 3 / Low temperature (°C) | 1 |
| CAPACITY | | Dual zone | NO |
| Volume Compartment 1 (L) | 368 | GENERAL PROPERTIES | |
| Volume Compartment 2 (L) | 1 | – Reversible door | NO |
| Volume Compartment 3 (L) | 1 | Low vibration | YES |
| Total Net Volume (L) | 368 | - Shelves | 3 |
| Total Gross Volume (L) | 378 | – Type of shelves | GLASS |
| Compartment 1 / Upper wine cellar | | Door Bins | 0 |
| capacity (bottles) | | Fridge drawers type | LOW TEMP |
| Compartment 2 / Middle wine cellar | | Fresco/LowTemp Drawers | 3 |
| capacity (bottles) | 1 | Freezer drawers | 1 |
| Compartment 3 / Lower wine cellar | | ACCESSORIES | |
| capacity (bottles) | | Stainless steel sides panels | |
| | | • Joining kit | |
| TECHNICAL DETAILS | | Stainless steel tubular handles 30mm | |
| Voltage (V) | 220-240V | Stainless steel tubular handles 18mm | |
| Frequency (Hz) | 50-60 Hz | • Stainless steel panels | |
| Climatic class | SN/T | Stainless steel portal for freestanding | |
| Noise level (dB) | 41 | • Extra length anti-tipping kit | |
| EFFICIENCY | | • Cleaning kit | |
| New Energy Label class | F | • FLD - Fhiaba Link Device | |
| Energy consumption (kWh/year) | 151 | Front ventilation kit | |
| | | • 90° Door stop | |



- 90° Door stop



FULL SIZE: WINE CELLAR Model: 0F Width: 60cm (599)

One door, 2 separate temperatures

Upper compartment: Wine Cellar Lower compartment: Wine Cellar



WINE CELLAR

- Made in Italy.
- Aisi 304 stainless steel body.
- Stainless steel interior finish
- Antibacterial stainless steel interior.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by laterally circulation air.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides brilliant illumination to the entire interior.
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision temperature control with low vibration.
- Sabbath mode
- Front and rear adjustable feet up to 25 mm.
- Two independent climatic zones.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.
- Triple-pane, bronzed glass door guarantees maximum protection from harmful UV light rays.
- Soft close mechanisms on every oak wine rack.
- Humidity control



| Reversible doorN0EquilanceYESSoftClosing RunnerYESLow vibrationYESOptieview (LED light spots)YESShelves13Slide-out shelvesYESType of shelvesW00DFridge drawers type/Fresco/LowTemp Drawers/Bottom drawers/Full Extension shelves 90° door openingN0Defrost ProcessAUTOMATICIce maker with water filterN0Door Open AlarmsYESHumidity controlYESActive carbon filterN0Shopping FridgeN0Shopping FreezerN0 | GENERAL PROPERTIES | |
|--|---|-----------|
| SoftClosing RunnerYESLow vibrationYESOptieview (LED light spots)YESShelves13Slide-out shelvesYESType of shelvesW00DFridge drawers type/Fresco/LowTemp Drawers/Bottom drawers/Full Extension shelves 90° door openingYESFull Extension drawers 90° door openingNODefrost ProcessAUTOMATICIce maker with water filterNODoor Open AlarmsYESHumidity controlYESActive carbon filterNOAir filter controlNOShopping FridgeNO | Reversible door | NO |
| Low vibrationYESOptieview (LED light spots)YESShelves13Slide-out shelvesYESType of shelvesW00DFridge drawers type/Fresco/LowTemp Drawers/Bottom drawers/Full Extension shelves 90° door openingYESFull Extension drawers 90° door openingNODefrost ProcessAUTOMATICIce maker with water filterNODoor Open AlarmsYESHumidity controlYESActive carbon filterNOShopping FridgeNO | Equilance | YES |
| Optieview (LED light spots)YESShelves13Slide-out shelvesYESType of shelvesWOODFridge drawers type/Fresco/LowTemp Drawers/Bottom drawers/Full Extension shelves 90° door openingYESFull Extension drawers 90° door openingNODefrost ProcessAUTOMATICIce maker with water filterNODoor Open AlarmsYESHumidity controlYESActive carbon filterNOAir filter controlNOShopping FridgeNO | SoftClosing Runner | YES |
| Shelves13Slide-out shelvesYESType of shelvesWOODFridge drawers type/Fresco/LowTemp Drawers/Bottom drawers/Full Extension shelves 90° door openingYESFull Extension drawers 90° door openingNODefrost ProcessAUTOMATICIce maker with water filterNODoor Open AlarmsYESHumidity controlYESActive carbon filterNOAir filter controlNOShopping FridgeNO | Low vibration | YES |
| Slide-out shelvesYESType of shelvesW00DFridge drawers type/Fresco/LowTemp Drawers/Bottom drawers/Full Extension shelves 90° door openingYESFull Extension drawers 90° door openingNODefrost ProcessAUTOMATICIce maker with water filterNODoor Open AlarmsYESHumidity controlYESActive carbon filterNOAir filter controlNOShopping FridgeNO | Optieview (LED light spots) | YES |
| Type of shelvesWOODFridge drawers type/Fresco/LowTemp Drawers/Bottom drawers/Full Extension shelves 90° door openingYESFull Extension drawers 90° door openingNODefrost ProcessAUTOMATICIce maker with water filterNODoor Open AlarmsYESHumidity controlYESActive carbon filterNOAir filter controlNOShopping FridgeNO | Shelves | 13 |
| Fridge drawers type/Fridge drawers type/Fresco/LowTemp Drawers/Bottom drawers/Full Extension shelves 90° door openingYESFull Extension drawers 90° door openingNODefrost ProcessAUTOMATICIce maker with water filterNODoor Open AlarmsYESHumidity controlYESActive carbon filterNOAir filter controlNOShopping FridgeNO | Slide-out shelves | YES |
| Fresco/LowTemp Drawers/Bottom drawers/Full Extension shelves 90° door openingYESFull Extension drawers 90° door openingNODefrost ProcessAUTOMATICIce maker with water filterNODoor Open AlarmsYESHumidity controlYESActive carbon filterNOAir filter controlNOShopping FridgeNO | Type of shelves | WOOD |
| Bottom drawers/Full Extension shelves 90° door openingYESFull Extension drawers 90° door openingNODefrost ProcessAUTOMATICIce maker with water filterNODoor Open AlarmsYESHumidity controlYESActive carbon filterNOAir filter controlNOShopping FridgeNO | Fridge drawers type | 1 |
| Full Extension shelves 90° door openingYESFull Extension drawers 90° door openingNODefrost ProcessAUTOMATICIce maker with water filterNODoor Open AlarmsYESHumidity controlYESActive carbon filterNOAir filter controlNOShopping FridgeNO | Fresco/LowTemp Drawers | 1 |
| Full Extension drawers 90° door openingNODefrost ProcessAUTOMATICIce maker with water filterNODoor Open AlarmsYESHumidity controlYESActive carbon filterNOAir filter controlNOShopping FridgeNO | Bottom drawers | 1 |
| Defrost ProcessAUTOMATICIce maker with water filterNODoor Open AlarmsYESHumidity controlYESActive carbon filterNOAir filter controlNOShopping FridgeNO | Full Extension shelves 90° door opening | YES |
| Ice maker with water filterNODoor Open AlarmsYESHumidity controlYESActive carbon filterNOAir filter controlNOShopping FridgeNO | Full Extension drawers 90° door opening | NO |
| Door Open AlarmsYESHumidity controlYESActive carbon filterNOAir filter controlNOShopping FridgeNO | Defrost Process | AUTOMATIC |
| Humidity controlYESActive carbon filterNOAir filter controlNOShopping FridgeNO | Ice maker with water filter | NO |
| Active carbon filterNOAir filter controlNOShopping FridgeNO | Door Open Alarms | YES |
| Air filter control NO Shopping Fridge NO | Humidity control | YES |
| Shopping Fridge NO | Active carbon filter | NO |
| | Air filter control | NO |
| Shopping Freezer NO | Shopping Fridge | NO |
| | Shopping Freezer | NO |
| Power Failure Function YES | Power Failure Function | YES |

XS5990FW 60 cm, WINE CELLAR, 0FW MODEL **BUILT-IN X-PRO® SERIES**



| AESTHETIC | |
|-------------------------------------|------------------------|
| Compressor position | Тор |
| Front finish | Stanless steel |
| Handles | Stainless steel 030 mm |
| Interior material finish | Stainless steel |
| PRICE (VAT and delivery charges not | t included) |
| XS5990FW6 | 11.130 € |
| (right hinge) XS5990FW3 | |
| (left hinge) | 11.130 € |
| | |
| | |
| CAPACITY | |
| Volume Compartment 1 (L) | 352 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 1 |
| Total Net Volume (L) | 352 |
| Total Gross Volume (L) | 364 |
| Compartment 1 / Upper wine cellar | 48 |
| capacity (bottles) | 40 |
| Compartment 2 / Middle wine cellar | 1 |
| capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar | |
| capacity (bottles) | 30 |
| TECHNICAL DETAILS | |
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| | 71 |
| EFFICIENCY | |
| New Energy Label class | G |
| Energy consumption (kWh/year) | 169 |




Bordeaux Bottle

0,75 lt

Burgundy Bottle

0,75 lt

KS5990FW 60 cm, WINE CELLAR, 0FW MODEL **BUILT-IN CLASSIC® SERIES**



| DIMENSIONS & WEIGHT | |
|---|--------------|
| Height of the product (closed weels) (mm) | 2120 |
| Width of the product (mm) | 599 |
| Depth of Product without handle (mm) | 640 |
| Net Weight (kg) | 134 |
| Gross Weight (kg) | 156 |
| TEMPERATURE RANGES | |
| Climatic compartments | 2 |
| Compartment 1 / Upper temperature (°C) | from 4 to 18 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | NO |
| Compartment 3 / Low temperature (°C) | from 4 to 18 |
| Dual zone | NO |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 13 |
| Type of shelves | WOOD |
| Door Bins | 1 |
| Fridge drawers type | 1 |
| Fresco/LowTemp Drawers | 1 |
| Freezer drawers | 1 |

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- X-Pro top grille kit
- Stainless steel tubular handles 30mm
- Extra length anti-tipping kit
- Anticondensation kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Painting
- 90° Door stop
- Wine kit





| AESTHETIC | |
|------------------------------------|------------------------|
| Compressor position | Bottom |
| Front finish | Stanless steel |
| Handles | Stainless steel 030 mm |
| Interior material finish | Stainless steel |
| PRICE (VAT and delivery charges no | ot included) |
| KS5990FW6 | 9.760 € |
| (right hinge) KS5990FW3 | 7.700 0 |
| (left hinge) | 9.760 € |
| (ore migo) | |
| | |
| CAPACITY | |
| Volume Compartment 1 (L) | 352 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 1 |
| Total Net Volume (L) | 352 |
| Total Gross Volume (L) | 364 |
| Compartment 1 / Upper wine cellar | |
| capacity (bottles) | 48 |
| Compartment 2 / Middle wine cellar | |
| capacity (bottles) | 1 |
| | |
| Compartment 3 / Lower wine cellar | 30 |
| capacity (bottles) | |
| TECHNICAL DETAILS | |
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | G |
| Energy consumption (kWh/year) | 169 |
| * | |


• Set of knives

- Cigar drawer
- Beverage drawer
- Beverage shelf

- Beverage removable shelf
- Cheese drawer
- Prosciutteria kit

- Chocolate kit





| DIMENSIONS & WEIGHT | |
|---|--------------|
| Height of the product (closed weels) (mm) | 2050 |
| Width of the product (mm) | 599 |
| Depth of Product without handle (mm) | 640 |
| Net Weight (kg) | 152 |
| Gross Weight (kg) | 172 |
| TEMPERATURE RANGES | |
| Climatic compartments | 2 |
| Compartment 1 / Upper temperature (°C) | from 4 to 18 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | NO |
| Compartment 3 / Low temperature (°C) | from 4 to 18 |
| Dual zone | NO |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 13 |
| Type of shelves | WOOD |
| Door Bins | |
| Fridge drawers type | |
| Fresco/LowTemp Drawers | 1 |
| Freezer drawers | 1 |

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop
- Wine kit
- Cheese drawer

- Set of knives
- Prosciutteria kit
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Chocolate kit

S5990FW 60 cm, WINE CELLAR, 0FW MODEL **FULLY INTEGRATED INTEGRATED® SERIES**






| AESTHETIC | |
|---|--------------------|
| Compressor position | Bottom |
| Front finish | Custom panel ready |
| Handles | NO |
| Interior material finish | Stainless steel |
| | |
| PRICE (VAT and delivery charges | not included) |
| S5990FW6 | 9.010 € |
| (right hinge) S5990FW3 | |
| (left hinge) | 9.010 € |
| | |
| | |
| CAPACITY | |
| Volume Compartment 1 (L) | 352 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 1 |
| Total Net Volume (L) | 352 |
| Total Gross Volume (L) | 364 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 48 |
| Compartment 2 / Middle wine cellar capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar capacity (bottles) | 30 |
| TECHNICAL DETAILS | |
| Voltage (V) | 220-240V |

| TECHNICAL DETAILS | |
|-------------------------------|----------|
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | G |
| Energy consumption (kWh/year) | 169 |
| | |



BKS5990FW 60 cm, WINE CELLAR, 0FW MODEL **BUILT-IN BRILLIANCE® SERIES**



| DIMENSIONS & WEIGHT | |
|---|--------------|
| Height of the product (closed weels) (mm) | 2050 |
| Width of the product (mm) | 599 |
| Depth of Product without handle (mm) | 615 |
| Net Weight (kg) | 133 |
| Gross Weight (kg) | 153 |
| TEMPERATURE RANGES | |
| Climatic compartments | 2 |
| Compartment 1 / Upper temperature (°C) | from 4 to 18 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | NO |
| Compartment 3 / Low temperature (°C) | from 4 to 18 |
| Dual zone | NO |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 13 |
| Type of shelves | WOOD |
| Door Bins | 1 |
| Fridge drawers type | 1 |
| Fresco/LowTemp Drawers | 1 |
| Freezer drawers | 1 |

Front ventilation kit

• 90° Door stop

• Cheese drawer

• Prosciutteria kit • Cigar drawer

 Beverage drawer • Beverage shelf

• Chocolate kit

• Beverage removable shelf

Set of knives

• Wine kit


- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles 30mm
- Stainless steel tubular handles 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device





| AESTHETIC | | DIMENSIONS & WEIGHT | |
|--|-------------------------|---|--------------------------|
| Compressor position | Bottom | Height of the product (closed weels) (mm) | 2050 |
| Front finish | Stanless steel | Width of the product (mm) | 599 |
| Handles | Stainless steel 030 mm | Depth of Product without handle (mm) | 640 |
| Interior material finish | White painted aluminium | Net Weight (kg) | 152 |
| | | Gross Weight (kg) | 172 |
| PRICE (VAT and delivery charges | not included) | TEMPERATURE RANGES | |
| BKS5990FW6 | 8.910 € | Climatic compartments | 2 |
| (right hinge) BKS5990FW3 | | Compartment 1 / Upper temperature (°C) | from 4 to 18 |
| (left hinge) | 8.910 € | Compartment 2 / Middle temperature (°C) | 1 |
| * | | Low temp zone | NO |
| | | Compartment 3 / Low temperature (°C) | from 4 to 18 |
| CAPACITY | | Dual zone | NO |
| Volume Compartment 1 (L) | 352 | GENERAL PROPERTIES | |
| Volume Compartment 2 (L) | 1 | Reversible door | NO |
| Volume Compartment 3 (L) | 1 | | YES |
| Total Net Volume (L) | 352 | Shelves | 13 |
| Total Gross Volume (L) | 364 | Type of shelves | WOOD |
| Compartment 1 / Upper wine cellar | | Door Bins | |
| capacity (bottles) | 48 | Fridge drawers type | 1 |
| | | Fresco/LowTemp Drawers | 1 |
| Compartment 2 / Middle wine cellar capacity (bottles) | 1 | Freezer drawers | 1 |
| | | ACCESSORIES | |
| Compartment 3 / Lower wine cellar | 30 | | Cheese drawer |
| capacity (bottles) | | | Set of knives |
| TECHNICAL DETAILS | | 5 | Prosciutteria kit |
| Voltage (V) | 220-240V | | Cigar drawer |
| Frequency (Hz) | 50-60 Hz | | Beverage drawer |
| Climatic class | SN/T | | Beverage shelf |
| Noise level (dB) | 41 | | Beverage removable shelf |
| EFFICIENCY | | • Active carbon filter • | Chocolate kit |
| New Energy Label class | G | • FLD - Fhiaba Link Device | |
| Energy consumption (kWh/year) | 169 | Front ventilation kit | |
| | | Painting | |





- Painting
- 90° Door stop
- Wine kit

BS5990FW 60 cm, WINE CELLAR, 0FW MODEL FULLY INTEGRATED BRILLIANCE® SERIES

RILLIANCE[®] SERIES






| AESTHETIC Compressor position | Bottom |
|------------------------------------|--------------------------|
| Front finish | Custom panel ready |
| Handles | NO |
| | |
| Interior material finish | Whited painted aluminium |
| PRICE (VAT and delivery charges n | ot included) |
| BS5990FW6 | 8.800€ |
| (right hinge) BS5990FW3 | |
| (left hinge) | 8.800€ |
| (0)(1)(1)(2) | |
| | |
| CAPACITY | |
| Volume Compartment 1 (L) | 352 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 1 |
| Total Net Volume (L) | 352 |
| Total Gross Volume (L) | 364 |
| Compartment 1 / Upper wine cellar | |
| capacity (bottles) | 48 |
| Compartment 2 / Middle wine cellar | |
| capacity (bottles) | / |
| Compartment 3 / Lower wine cellar | |
| capacity (bottles) | 30 |
| | |

| TECHNICAL DETAILS | |
|-------------------------------|----------|
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | G |
| Energy consumption (kWh/year) | 169 |
| | |

| Fhaba |
|-------|
| |



| DIMENSIONS & WEIGHT | |
|---|--------------|
| Height of the product (closed weels) (mm) | 2050 |
| Width of the product (mm) | 599 |
| Depth of Product without handle (mm) | 615 |
| Net Weight (kg) | 133 |
| Gross Weight (kg) | 153 |
| TEMPERATURE RANGES | |
| Climatic compartments | 2 |
| Compartment 1 / Upper temperature (°C) | from 4 to 18 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | NO |
| Compartment 3 / Low temperature (°C) | from 4 to 18 |
| Dual zone | NO |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 13 |
| Type of shelves | WOOD |
| Door Bins | 1 |
| Fridge drawers type | 1 |
| Fresco/LowTemp Drawers | 1 |
| Freezer drawers | 1 |

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles 30mm
- Stainless steel tubular handles 18mm
- Stainless steel panels
- Stainless steel portal for
- freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device

• 90° Door stop

Front ventilation kit

- Wine kit
- Cheese drawer
- Set of knives
- Prosciutteria kit
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Chocolate kit

Fireha

FULL SIZE: FREEZER Model: 0F Width: 60cm (599)

One door, 1 temperature Single compartment: Freezer



FEATURES

FREEZER

- Made in Italy.
- Aisi 304 stainless steel body.
- Stainless steel interior finish
- Antibacterial stainless steel interior.
- Evenlift: shelves can slide up and down to be adjusted to any height in the fridge compartment.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by laterally circulation air.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides brilliant illumination to the entire interior.
- Soft close door and drawers in all compartments
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision temperature control with low vibration.
- Sabbath mode
- Front and rear adjustable feet up to 25 mm.
- Single climatic zone.
- Tempered glass shelves with aluminium profiles.
- Crisper drawers for multi use preservazion solution. Antibacterial stainless steel interior & rounded corners promoting hygiene and easy cleaning.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.



| GENERAL PROPERTIES | |
|---|-----------|
| Reversible door | NO |
| Equilance | YES |
| SoftClosing Runner | NO |
| Low vibration | YES |
| Optieview (LED light spots) | YES |
| Shelves | 2 |
| Slide-out shelves | NO |
| Type of shelves | GLASS |
| Fridge drawers type | 1 |
| Fresco/LowTemp Drawers | 1 |
| Bottom drawers | 4 |
| Full Extension shelves 90° door opening | YES |
| Full Extension drawers 90° door opening | NO |
| Defrost Process | AUTOMATIC |
| Ice maker with water filter | AVAILABLE |
| Door Open Alarms | YES |
| Humidity control | NO |
| Active carbon filter | NO |
| Air filter control | NO |
| Shopping Fridge | NO |
| Shopping Freezer | YES |
| Power Failure Function | YES |
| | |

XS5990FZ 60 cm, FREEZER, 0FZ MODEL **BUILT-IN**

X-PRO[®] SERIES





| AESTHETIC | | |
|---|------------------------|--|
| Compressor position | Тор | |
| Front finish | Stanless steel | |
| Handles | Stainless steel Ø30 mm | |
| Interior material finish | Stainless steel | |
| PRICE (VAT and delivery charges not included) | | |
| XS5990FZ6 (right hinge) | 9.650 € | |
| XS5990FZ3 (left hinge) | 9.650 € | |
| XS5990FZ6I (right hinge, with ice maker) | 10.470 € | |
| XS5990FZ3I (left hinge, with ice maker) | 10.470 € | |
| CAPACITY | | |

| CAFACITT | |
|------------------------------------|-----|
| Volume Compartment 1 (L) | 342 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 1 |
| Total Net Volume (L) | 342 |
| Total Gross Volume (L) | 344 |
| Compartment 1 / Upper wine cellar | , |
| capacity (bottles) | 1 |
| Compartment 2 / Middle wine cellar | 1 |
| capacity (bottles) | |
| Compartment 3 / Lower wine cellar | |
| capacity (bottles) | |
| | |

| TECHNICAL DETAILS | |
|-------------------------------|----------|
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | F |
| Energy consumption (kWh/year) | 351 |

| DIMENSIONS & WEIGHT | |
|---|-----------------|
| Height of the product (closed weels) (mm) | 2120 |
| Width of the product (mm) | 599 |
| Depth of Product without handle (mm) | 640 |
| Net Weight (kg) | 160 |
| Gross Weight (kg) | 180 |
| TEMPERATURE RANGES | |
| Climatic compartments | 1 |
| Compartment 1 / Upper temperature (°C) | from -15 to -22 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | NO |
| Compartment 3 / Low temperature (°C) | 1 |
| Dual zone | NO |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 2 |
| Type of shelves | GLASS |
| Door Bins | 2 |
| Fridge drawers type | 1 |
| Fresco/LowTemp Drawers | 1 |
| Freezer drawers | 4 |

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- X-Pro top grille kit
- Extra length anti-tipping kit
- Anticondensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Painting
- 90° Door stop



KS5990FZ 60 cm, FREEZER, 0FZ MODEL **BUILT-IN CLASSIC® SERIES**



| AESTNETIC Buttom Compressor position Battom Front finish Stanless steel Handles Stanless steel Interior material finish Stanless steel PRICE (VAT and delivery charges not included) KSS90720 8430 € (right hinge) 8430 € (right hinge, with ice maker) 9250 € CAPACITY 9250 € Volume Compartment 1 (Upper temperature (°C) / Volume Compartment 3 (L) 1 Volume Compartment 1 (Upper wine cellar capacity (bottles) 1 Compartment 1 / Upper wine cellar capacity (bottles) 1 Compartment 1 / Upper wine cellar capacity (bottles) 1 Compartment 2 / Middle wine cellar capacity (bottles) 1 Compartment 3 / Lower wine cellar capacity (bottles) 1 TeteCHNICAL DETAILS 1 Voltage (M) 220-240V Frequency (Hz) 50-60 Hz Cimater (Lass SNT Nois even (dis) 41 Parker (Jack (class) F Ferry consumption (WM/year) 351 | | | | |
|--|------------------------------------|---------------------------------------|--|-----------------|
| Front finish Stanless steel Handles Stainless steel 030 mm Interior material finish Stainless steel 030 mm PRICE (VAT and delivery charges not included) KSS990726 8.430 € (right hinge) 8.430 € KSS990723 8.430 € (left hinge) 8.430 € KSS990724 9.250 € (left hinge, with ice maker) 9.250 € (left hinge, with ice maker) 9.250 € CAPACITY Volume Compartment 1 (L) Volume Compartment 2 (L) / Volume Compartment 3 (L) / Total Ker Volume (L) 3.42 Total Ker Volume (L) 3.42 Total Ker Volume (L) 3.42 Total Gross Volume (L) 3.42 Compartment 2 (L) / Volume Compartment 3 (L) / Total Ker Volume (L) 3.44 Compartment 3 / Lower wine cellar capacity (bottles) / Compartment 3 / Lower wine cellar capacity (bottles) / Voltage (V) 220-240V Freezer drawers 4 Celeaning kit Frequery (left) 50-60 Hz Climatic class SN/T Noise level (db) 41 Voltage (lof) 41 <td>AESTHETIC</td> <td></td> <td>DIMENSIONS & WEIGHT</td> <td></td> | AESTHETIC | | DIMENSIONS & WEIGHT | |
| Handles Staintess steel 030 mm Interior material finish Staintess steel PRICE (VAT and delivery charges not included) KSS900F26 8.430 € (right hinge) 8.430 € (left hinge) 8.430 € (right hinge) 8.430 € (left hinge) 9.250 € (left hinge, with ice maker) 1 Volume Compartment 1(L) 342 Volume Compartment 2(L) 1 (left hinge, with ice maker) 1 (left hinge, with ice maker) 1 (left hinge, with ice maker) 1 <t< td=""><td></td><td></td><td></td><td></td></t<> | | | | |
| Interior material finishStainless steelPRICE (VAT and delivery charges not included)KS5990F26(right hinge)8.430 €KS5990F238.430 €(left hinge, with ice maker)9.250 €(left hinge, with ice maker)9.250 €CAPACITYVolume Compartment 1(L)342Volume Compartment 2 (L)1Usuare Compartment 3 (L)1Volume Compartment 3 (L)1Compartment 1 (Upper vince cellar capacity (bottles)2TetcHNICAL DETAILS1Voltage (V)220-240VFrequency (Hz)50-60 HzClimatic classSN/TNoise level (dB)41EFFICIENCY41Noise level (dB)41Prece (dass is point of the set of | Front finish | Stanless steel | · · · | 599 |
| PRICE (VAT and delivery charges not included) KS590FZ6 (right hinge) 8.430 € KS590FZ3 (left hinge) 8.430 € KS590FZ4 (right hinge, with ice maker) 9.250 € KS590FZ3 (left hinge, with ice maker) 9.250 € CAPACITY N0 Volume Compartment 1/ Upper wine cellar capacity (bottles) N0 Compartment 3/ Lower wine cellar capacity (bottles) 1 Compartment 3/ Lower wine cellar capacity (bottles) 1 TECHNICAL DETAILS 1 Voltage (V) 220-240V Freezer drawers 4 Compartment 3/ Lower wine cellar capacity (bottles) 1 TECHNICAL DETAILS 200-240V Voltage (V) 220-240V Freezer drawers 4 Climatic class SN/T Noise level (dB) 41 EFFICIENCY 90° Door stop | Handles | Stainless steel 030 mm | Depth of Product without handle (mm) | 640 |
| Price VAL and delivery charges not included) KS590726 KS590723 (left hinge) KS590723 (left hinge) KS590723 (left hinge) KS590723 (left hinge, with ice maker) 9250 € Capacitry Volume Compartment 1 (L) 942 Volume Compartment 3 (L) 1 Volume Compartment 1 (Upper vine cellar capacity (bottles) 1 Compartment 1 / Upper vine cellar capacity (bottles) 1 TECHNICAL DETAILS Volutes (MB Volutes (MB 1 Capacity (bottles) 1 | Interior material finish | Stainless steel | Net Weight (kg) | 151 |
| (right hinge)8.430 €(K5590FZ3 (left hinge)8.430 €(K5590FZ4) (right hinge, with ice maker)9.250 €(right hinge, with ice maker)9.250 €(left hinge, with ice maker)9.250 € CAPACITY Volume Compartment 2 (L)1Volume Compartment 3 (L)1Volume Compartment 3 (L)1Total Net Volume (L)344Compartment 1 / Upper wine cellar capacity (bottles)1Compartment 2 / Middle wine cellar capacity (bottles)1Compartment 3 / Lower wine cellar capacity (bottles)1TetCHNICAL DETAILS1Voltage (V) Frequency (Hz)220-240VFrequency (Hz)50-60 HzClimatic class S (MT)500 FBNo220-240VFrequency (Hz)50-60 HzCimatic class NVT50-60 HzCimatic classSN/TNo200- stopPerficiencey New Energy Label classF | PRICE (VAT and delivery charges n | ot included) | Gross Weight (kg) | 171 |
| Infinite infige 1 KSS990F23 8.430 € (ist hinge) 2.50 € (right hinge, with ice maker) 9.250 € (ist hinge, with ice maker) 1 (ist hinge, with ice maker) 1 </td <td>KS5990FZ6</td> <td>0/20.6</td> <td>TEMPERATURE RANGES</td> <td></td> | KS5990FZ6 | 0/20.6 | TEMPERATURE RANGES | |
| (left hinge) 8430 € (KSS90FZ6) 9.250 € (right hinge, with ice maker) 9.250 € (left hinge, with ice maker) 9.250 € (left hinge, with ice maker) 9.250 € CAPACITY 00 mpartment 2 / Middle temperature (°C) / Volume Compartment 1 (L) 342 00 mpartment 3 / Low temperature (°C) / Volume Compartment 2 (L) / 1 00 mpartment 3 / Low temperature (°C) / Volume Compartment 3 (L) / 1 00 mpartment 3 / Low temperature (°C) / Volume Compartment 3 (L) / 1 00 mpartment 3 / Low temperature (°C) / Volume Compartment 3 (L) / 1 1 00 mpartment 3 / Low temperature (°C) / Total Net Volume (L) 342 00 mpartment 3 / Low temperature (°C) / 1 Compartment 1 / Uppe wine cellar / 2 1 1 Compartment 2 / Middle wine cellar / 1 1 1 Compartment 3 / Lower wine cellar / 1 1 1 1 Compartment 3 / Lower wine cellar / 1 2 | (right hinge) | 0.430 € | Climatic compartments | 1 |
| Iter Hinge Compartment 2 / Middle temperature (*C) / KSS990F201 9.250 € Ice Maker) KSS990F231 9.250 € Ice Maker) CAPACITY Ice Maker) NO Volume Compartment 1 (L) 342 Ice NerAL PROPERTIES Volume Compartment 2 (L) / Ice NerAL PROPERTIES Volume Compartment 3 (L) / Ice NerAL PROPERTIES Total Net Volume (L) 342 Ice NerAL PROPERTIES Total Net Volume (L) 344 Ice NerAL PROPERTIES Compartment 1 / Upper wine cellar capacity (bottles) / Ice NerAL PROPERTIES Compartment 2 / Middle wine cellar capacity (bottles) / Ice Stainless steel sides panels Compartment 3 / Lower wine cellar capacity (bottles) / Ice Stainless steel sides panels Voltage (V) 220-260V Filde for freestanding Frequency (Hz) 50-60 Hz Ice Ining kit Climatic class SN/T Painting Noise level (dB) 41 Painting Painting 90° Door stop | | 8 430 € | Compartment 1 / Upper temperature (°C) | from -15 to -22 |
| (right hinge, with ice maker) 9.250 € (left hinge, with ice maker) 9.250 € CAPACITY Compartment 3 / Low temperature (°C) Volume Compartment 1 (L) 342 Volume Compartment 2 (L) / Total Net Volume (L) 342 Total Net Volume (L) 342 Total Net Volume (L) 344 Compartment 1 / Upper wine cellar capacity (bottles) 1 Compartment 2 / Middle wine cellar capacity (bottles) 1 Compartment 3 / Lower wine cellar capacity (bottles) 1 TechNICAL DETAILS 1 Voltage (V) 220-240V Frequency (Hz) 50-60 Hz Climatic class SN/T Noise level (dB) 41 EFFICIENCY 90° Door stop | | | Compartment 2 / Middle temperature (°C) | 1 |
| KSS990FZ31 (left hinge, with ice maker) 9.250 € // CAPACITY Dual zone N0 Volume Compartment 1 (L) 342 N0 Volume Compartment 2 (L) / N0 Volume Compartment 3 (L) / Shelves 2 Total Net Volume (L) 342 Shelves 2 Total Ket Volume (L) 344 Door Bins 2 Compartment 1 / Upper wine cellar capacity (bottles) / Fridge drawers type / Compartment 3 / Lower wine cellar capacity (bottles) / Freezer drawers 4 TECHNICAL DETAILS / Stainless steel sides panels - Voltage (V) 220-240V - Stainless steel portal for freestanding Frequency (Hz) 50-60 Hz - Flub - Fhiaba Link Device Climatic class SN/T - - Noise level (dB) 41 - - New Energy Label class F - - | | 9.250 € | Low temp zone | NO |
| (left hinge, with ice maker) 9.250 € CAPACITY Dual zone N0 Volume Compartment 1 (L) 342 Compartment 2 (L) / Volume Compartment 2 (L) / Status Reversible door N0 Volume Compartment 2 (L) / Status Status Status Status Status Volume Compartment 3 (L) / / Status Status <td></td> <td></td> <td>Compartment 3 / Low temperature (°C)</td> <td>1</td> | | | Compartment 3 / Low temperature (°C) | 1 |
| GENERAL PROPERTIES Volume Compartment 1 (L) 342 Volume Compartment 2 (L) / Volume Compartment 2 (L) / Total Net Volume (L) 342 Total Net Volume (L) 344 Compartment 1 / Upper wine cellar capacity (bottles) 2 Compartment 2 / Middle wine cellar capacity (bottles) / Compartment 3 / Lower wine cellar capacity (bottles) / TecHNICAL DETAILS Zuo-240V Frequency (Hz) 50-60 Hz Climatic class SN/T Noise level (dB) 41 EFFICIENCY F New Energy Label class F | | 9.250€ | Dual zone | NO |
| Reversible door N0 Volume Compartment 1 (L) 342 Volume Compartment 2 (L) 1 Total Net Volume (L) 342 Total Net Volume (L) 344 Compartment 1 / Upper wine cellar capacity (bottles) 1 Compartment 2 / Middle wine cellar capacity (bottles) 1 Compartment 3 / Lower wine cellar capacity (bottles) 1 TeCHNICAL DETAILS 1 Voltage (V) 220-240V Frequency (Hz) 50-60 Hz Climatic class SN/T Noise level (dB) 41 EFFICIENCY Frequency Label class New Energy Label class F | | | GENERAL PROPERTIES | |
| Volume Compartment 1(L) J42 Volume Compartment 2 (L) / Volume Compartment 3 (L) / Total Net Volume (L) 342 Total Gross Volume (L) 344 Compartment 1 / Upper wine cellar capacity (bottles) / Compartment 2 / Middle wine cellar capacity (bottles) / Compartment 3 / Lower wine cellar capacity (bottles) / TecHNICAL DETAILS / Voltage (V) 220-240V Frequency (Hz) 50-60 Hz Climatic class SN/T Noise level (dB) 41 EFFICIENCY - New Energy Label class F | | 0/0 | | NO |
| Volume Compartment 3 (L) / Yolume Compartment 3 (L) / Total Net Volume (L) 342 Total Gross Volume (L) 344 Compartment 1 / Upper wine cellar capacity (bottles) / Compartment 2 / Middle wine cellar capacity (bottles) / Compartment 3 / Lower wine cellar capacity (bottles) / Compartment 3 / Lower wine cellar capacity (bottles) / TECHNICAL DETAILS / Voltage (V) 220-240V Frequency (Hz) 50-60 Hz Climatic class SN/T Noise level (dB) 41 EFFICIENCY Frequency Label class New Energy Label class F | • • • • | 342 | | |
| Volume Cumpartment 3 (c) 1 Total Net Volume (L) 342 Total Gross Volume (L) 344 Compartment 1 / Upper wine cellar 1 capacity (bottles) 1 Compartment 2 / Middle wine cellar 1 capacity (bottles) 1 Compartment 3 / Lower wine cellar 1 capacity (bottles) 1 TecHNICAL DETAILS 1 Voltage (V) 220-240V Frequency (Hz) 50-60 Hz Climatic class SN/T Noise level (dB) 41 EFFICIENCY 90° Door stop | · · · | | | |
| Total Gross Volume (L) 344 Compartment 1 / Upper wine cellar / capacity (bottles) / Compartment 2 / Middle wine cellar / capacity (bottles) / Compartment 3 / Lower wine cellar / capacity (bottles) / Compartment 3 / Lower wine cellar / capacity (bottles) / TecHNICAL DETAILS · Voltage (V) 220-240V Frequency (Hz) 50-60 Hz Climatic class SN/T Noise level (dB) 41 EFFICIENCY · New Energy Label class F | · · · | | | |
| Indict Ordss Volume (c) 344 Compartment 1 / Upper wine cellar / capacity (bottles) / Compartment 2 / Middle wine cellar / capacity (bottles) / Compartment 3 / Lower wine cellar / capacity (bottles) / Compartment 3 / Lower wine cellar / capacity (bottles) / TECHNICAL DETAILS · Stainless steel sides panels Voltage (V) 220-240V Frequency (Hz) 50-60 Hz Climatic class SN/T Noise level (dB) 41 EFFICIENCY · Por Por Set point New Energy Label class F | | | | |
| Compartment 1/ biplet while cettal / capacity (bottles) / Compartment 2 / Middle wine cettar / capacity (bottles) / Compartment 3 / Lower wine cettar / capacity (bottles) / Compartment 3 / Lower wine cettar / capacity (bottles) / TECHNICAL DETAILS • Stainless steel sides panels Voltage (V) 220-240V Frequency (Hz) 50-60 Hz Climatic class SN/T Noise level (dB) 41 EFFICIENCY Painting New Energy Label class F | Iotal Gross Volume (L) | 344 | | |
| capacity (bottles) Freezer drawers 4 Compartment 2 / Middle wine cellar capacity (bottles) / ACCESSORIES Compartment 3 / Lower wine cellar capacity (bottles) / Stainless steel sides panels TECHNICAL DETAILS • Stainless steel portal for freestanding Voltage (V) 220-240V Frequency (Hz) 50-60 Hz Climatic class SN/T Noise level (dB) 41 EFFICIENCY Pointing New Energy Label class F | Compartment 1 / Upper wine cellar | | | |
| Compartment 2 / Middle wine cellar capacity (bottles)/Compartment 3 / Lower wine cellar capacity (bottles)/IACCESSORIESStainless steel sides panels.Joining kit.Stainless steel portal for freestandingEEFFICIENCYS0-60 HzNew Energy Label classF | capacity (bottles) | | • | |
| capacity (bottles)/Compartment 3 / Lower wine cellar capacity (bottles)/IStainless steel sides panels• Stainless steel portal for freestanding• ECHNICAL DETAILSVoltage (V)220-240VFrequency (Hz)50-60 HzClimatic classSN/TNoise level (dB)41EFFICIENCYFNew Energy Label classF | Compartment 2 / Middle wine cellar | | | 4 |
| Compartment 3 / Lower wine cellar capacity (bottles)IStainless steel sides panelsImage: Climatic classSummer of the stainless steel portal for freestandingStainless steel portal for freestandingVoltage (V)220-240VExtra length anti-tipping kitVoltage (V)50-60 HzCleaning kitFrequency (Hz)50-60 HzFLD - Fhiaba Link DeviceClimatic classSN/TFLD - Fhiaba Link DeviceNoise level (dB)41PaintingEFFICIENCY90° Door stopNew Energy Label classF | • | | ACCESSORIES | |
| Comparing their 37 Lower while certainI- Joining kitcapacity (bottles)I- Stainless steel portal for freestandingTECHNICAL DETAILS- Stainless steel portal for freestandingVoltage (V)220-240VFrequency (Hz)50-60 HzClimatic classSN/TNoise level (dB)41EFFICIENCY- PaintingNew Energy Label classF | | | Stainless steel sides panels | |
| Capacity (buttles)TECHNICAL DETAILSVoltage (V)220-240VFrequency (Hz)50-60 HzClimatic classSN/TNoise level (dB)EFFICIENCYNew Energy Label classF | • | 1 | | |
| TECHNICAL DETAILSVoltage (V)220-240V• Extra length anti-tipping kitFrequency (Hz)50-60 Hz• Cleaning kitClimatic classSN/T• FLD - Fhiaba Link DeviceNoise level (dB)41• PaintingEFFICIENCY• 90° Door stop | capacity (bottles) | | | |
| Voltage (V)220-240VFrequency (Hz)50-60 HzClimatic classSN/TNoise level (dB)41EFFICIENCY- PaintingNew Energy Label classF | TECHNICAL DETAILS | · · · · · · · · · · · · · · · · · · · | | |
| Frequency (Hz)50-60 Hz• FLD - Fhiaba Link DeviceClimatic classSN/T• Front ventilation kitNoise level (dB)41• PaintingEFFICIENCY• 90° Door stopNew Energy Label classF | Voltage (V) | 220-240V | | |
| Climatic class SN/T • Front ventilation kit Noise level (dB) 41 • Painting EFFICIENCY • 90° Door stop New Energy Label class F | | 50-60 Hz | | |
| Noise level (dB) 41 • Painting EFFICIENCY • 90° Door stop New Energy Label class F | | | | |
| EFFICIENCY • 90° Door stop New Energy Label class F | | | | |
| New Energy Label class F | | • 90° Door stop | | |
| 0, | | | | |
| Energy consomption (kwn/year) 351 | | | | |
| | Energy consumption (KWN/year) | 301 | | |



S5990FZ 60 cm, FREEZER, 0FZ MODEL FULLY INTEGRATED INTEGRATED[®] SERIES







| AESTHETIC | | |
|---|--------------------|--|
| Compressor position | Bottom | |
| Front finish | Custom panel ready | |
| Handles | NO | |
| Interior material finish | Stainless steel | |
| PRICE (VAT and delivery charges not included) | | |
| S5990FZ6 (right hinge) | 8.060 € | |
| S5990FZ3 (left hinge) | 8.060€ | |
| S5990FZ6I (right hinge, with ice maker) | 8.880 € | |
| S5990FZ3I (left hinge, with ice maker) | 8.880 € | |
| | | |

| CAPACITY | |
|--|-----|
| Volume Compartment 1 (L) | 342 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 1 |
| Total Net Volume (L) | 342 |
| Total Gross Volume (L) | 344 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 1 |
| Compartment 2 / Middle wine cellar capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar capacity (bottles) | 1 |

| TECHNICAL DETAILS | |
|-------------------------------|----------|
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | F |
| Energy consumption (kWh/year) | 351 |
| | |

| DIMENSIONS & WEIGHT | |
|---|-----------------|
| Height of the product (closed weels) (mm) | 2050 |
| Width of the product (mm) | 599 |
| Depth of Product without handle (mm) | 615 |
| Net Weight (kg) | 141 |
| Gross Weight (kg) | 161 |
| TEMPERATURE RANGES | |
| Climatic compartments | 1 |
| Compartment 1 / Upper temperature (°C) | from -15 to -22 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | NO |
| Compartment 3 / Low temperature (°C) | 1 |
| Dual zone | NO |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 2 |
| Type of shelves | GLASS |
| Door Bins | 2 |
| Fridge drawers type | 1 |
| Fresco/LowTemp Drawers | 1 |
| Freezer drawers | 4 |

ACCESSORIES


- Stainless steel sides panels
- Joining kit
- 90° Door stop

Front ventilation kit

- Stainless steel tubular handles
- 30mm
- Stainless steel tubular handles 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device

Fhaba

FULL SIZE: FREEZERS/WINE CELLARS Width: 45cm (449)







WINE CELLAR

FULL SIZE: WINE CELLAR Model: 0F Width: 45cm (449)

One door, 2 separate temperatures

Upper compartment: Wine Cellar Lower compartment: Wine Cellar



- Made in Italy.
- Aisi 304 stainless steel body.
- Stainless steel interior finish
- Antibacterial stainless steel interior.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by laterally circulation air.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides brilliant illumination to the entire interior.
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision temperature control with low vibration.
- Sabbath mode
- Front and rear adjustable feet up to 25 mm.
- Two independent climatic zones.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.
- Triple-pane, bronzed glass door guarantees maximum protection from harmful UV light rays.
- Soft close mechanisms on every oak wine rack.
- Humidity control




| GENERAL PROPERTIES | |
|---|-----------|
| Reversible door | NO |
| Equilance | YES |
| SoftClosing Runner | YES |
| Low vibration | YES |
| Optieview (LED light spots) | YES |
| Shelves | 13 |
| Slide-out shelves | YES |
| Type of shelves | WOOD |
| Fridge drawers type | 1 |
| Fresco/LowTemp Drawers | 1 |
| Bottom drawers | 1 |
| Full Extension shelves 90° door opening | YES |
| Full Extension drawers 90° door opening | NO |
| Defrost Process | AUTOMATIC |
| Ice maker with water filter | NO |
| Door Open Alarms | YES |
| Humidity control | YES |
| Active carbon filter | NO |
| Air filter control | NO |
| Shopping Fridge | NO |
| Shopping Freezer | NO |
| Power Failure Function | YES |
| | |

XS4490FW6 45 cm, WINE CELLAR, 0FW MODEL **BUILT-IN X-PRO® SERIES**



| AESTHETIC | |
|------------------------------------|------------------------|
| Compressor position | Тор |
| Front finish | Stanless steel |
| Handles | Stainless steel 030 mm |
| Interior material finish | Stainless steel |
| PRICE (VAT and delivery charges no | t included) |
| XS4490FW6 | 10.710 € |
| (right hinge) | 10.710 € |
| XS4490FW3 (left hinge) | 10.710 € |
| (oremigo) | |
| | |
| CAPACITY | |
| Volume Compartment 1 (L) | 229 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 1 |
| Total Net Volume (L) | 229 |
| Total Gross Volume (L) | 239 |
| Compartment 1 / Upper wine cellar | |
| capacity (bottles) | 32 |
| Compartment 2 / Middle wine cellar | , |
| capacity (bottles) | 1 |
| Compartment 3 / Lower wine cellar | |
| capacity (bottles) | 20 |
| TECHNICAL DETAILS | |
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | G |
| Energy consumption (kWh/year) | 169 |
| | 107 |



Fhaba

| DIMENSIONS & WEIGHT | |
|---|--------------|
| Height of the product (closed weels) (mm) | 2120 |
| Width of the product (mm) | 449 |
| Depth of Product without handle (mm) | 640 |
| Net Weight (kg) | 141 |
| Gross Weight (kg) | 161 |
| TEMPERATURE RANGES | |
| Climatic compartments | 2 |
| Compartment 1 / Upper temperature (°C) | from 4 to 18 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | NO |
| Compartment 3 / Low temperature (°C) | from 4 to 18 |
| Dual zone | NO |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 13 |
| Type of shelves | WOOD |
| Door Bins | 1 |
| Fridge drawers type | 1 |
| Fresco/LowTemp Drawers | 1 |
| Freezer drawers | 1 |

• Wine kit

• Cheese drawer

• Beverage drawer

• Beverage removable shelf

• Beverage shelf

Prosciutteria kit

• Cigar drawer

- Stainless steel sides panels
- Glass door
- Joining kit
- X-Pro top grille kit
- Stainless steel tubular handles 30mm
- Extra length anti-tipping kit
- Anticondensation kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Painting
- 90° Door stop








| AESTHETIC | | DIMENSIONS & WEIGHT | |
|------------------------------------|------------------------|---|--------------------------|
| Compressor position | Bottom | Height of the product (closed weels) (mm) | 2050 |
| Front finish | Stanless steel | Width of the product (mm) | 449 |
| Handles | Stainless steel 030 mm | Depth of Product without handle (mm) | 640 |
| Interior material finish | Stainless steel | Net Weight (kg) | 141 |
| | | Gross Weight (kg) | 161 |
| PRICE (VAT and delivery charges no | t included) | TEMPERATURE RANGES | |
| KS4490FW6 | 9.440€ | Climatic compartments | 2 |
| (right hinge) KS4490FW3 | | Compartment 1 / Upper temperature (°C) | from 4 to 18 |
| (left hinge) | 9.440€ | Compartment 2 / Middle temperature (°C) | |
| | | Low temp zone | NO |
| | | Compartment 3 / Low temperature (°C) | from 4 to 18 |
| CAPACITY | | Dual zone | NO |
| Volume Compartment 1 (L) | 229 | GENERAL PROPERTIES | |
| Volume Compartment 2 (L) | 1 | Reversible door | NO |
| Volume Compartment 3 (L) | 1 | Low vibration | YES |
| Total Net Volume (L) | 229 | Shelves | 13 |
| Total Gross Volume (L) | 239 | Type of shelves | WOOD |
| Compartment 1 / Upper wine cellar | | Door Bins | |
| capacity (bottles) | 32 | Fridge drawers type | |
| Compartment 2 / Middle wine cellar | | Fresco/LowTemp Drawers | 1 |
| capacity (bottles) | 1 | Freezer drawers | 1 |
| | | ACCESSORIES | |
| Compartment 3 / Lower wine cellar | 20 | Stainless steel sides panels | Cheese drawer |
| capacity (bottles) | | | Cigar drawer |
| TECHNICAL DETAILS | | • Joining kit • | Beverage drawer |
| Voltage (V) | 220-240V | | Beverage shelf |
| Frequency (Hz) | 50-60 Hz | freestanding • | Beverage removable shelf |
| Climatic class | SN/T | • Extra length anti-tipping kit • | Prosciutteria kit |
| Noise level (dB) | 41 | • Cleaning kit | |
| EFFICIENCY | | • Active carbon filter | |
| New Energy Label class | G | • FLD - Fhiaba Link Device | |
| Energy consumption (kWh/year) | 169 | Front ventilation kit | |
| | | • Painting | |





- 90° Door stop
- Wine kit
 - Price list All specifications are subject to change without notice | 173

S4490FW6 45 cm, WINE CELLAR, 0FW MODEL FULLY INTEGRATED


INTEGRATED® SERIES





| AESTHETIC | Battam |
|-------------------------------------|--------------------------|
| Compressor position Front finish | Bottom |
| Handles | Custom panel ready NO |
| nterior material finish | Stainless steel |
| | |
| PRICE (VAT and delivery charges | not included) |
| S4490FW6 (right hinge) | 8.700 € |
| S4490FW3 | |
| (left hinge) | 8.700 € |
| | |
| | |
| CAPACITY | |
| Volume Compartment 1 (L) | 229 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 1 |
| Total Net Volume (L) | 229 |
| Total Gross Volume (L) | 239 |
| Compartment 1 / Upper wine cellar | |
| capacity (bottles) | 32 |
| Compartment 2 / Middle wine cellar | |
| capacity (bottles) | 1 |
| | |
| Compartment 3 / Lower wine cellar | 20 |
| capacity (bottles) | |
| FECHNICAL DETAILS | |
| /oltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | G |
| Energy consumption (kWh/year) | 169 |
| | |

174 Price list - All specifications are subject to change without notice



| DIMENSIONS & WEIGHT | 0050 |
|---|--------------|
| Height of the product (closed weels) (mm) | 2050 |
| Width of the product (mm) | 449 |
| Depth of Product without handle (mm) | 615 |
| Net Weight (kg) | 128 |
| Gross Weight (kg) | 148 |
| TEMPERATURE RANGES | |
| Climatic compartments | 2 |
| Compartment 1 / Upper temperature (°C) | from 4 to 18 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | NO |
| Compartment 3 / Low temperature (°C) | from 4 to 18 |
| Dual zone | NO |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 13 |
| Type of shelves | WOOD |
| Door Bins | 1 |
| Fridge drawers type | 1 |
| Fresco/LowTemp Drawers | 1 |
| Freezer drawers | 1 |

- Stainless steel sides panels
- Glass door
- Joining kit
- Stainless steel tubular handles 30mm
- Stainless steel tubular handles 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter

- FLD Fhiaba Link DeviceFront ventilation kit
- 90° Door stop
- Wine kit
- Cheese drawer
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Prosciutteria kit

Fhaha



FREEZER

FEATURES

- Made in Italy.
- Aisi 304 stainless steel body.
- Stainless steel interior finish
- Antibacterial stainless steel interior.
- Evenlift: shelves can slide up and down to be adjusted to any height in the fridge compartment.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by laterally circulation air.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides brilliant illumination to the entire interior.
- Soft close door and drawers in all compartments
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision temperature control with low vibration.
- Sabbath mode
- Front and rear adjustable feet up to 25 mm.
- Single climatic zone.
- Tempered glass shelves with aluminium profiles.
- Crisper drawers for multi use preservazion solution. Antibacterial stainless steel interior & rounded corners promoting hygiene and easy cleaning.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.

FULL SIZE: FREEZER Model: 0F Width: 45cm (449)

One door, 1 temperature Single compartment: Freezer



| GENERAL PROPERTIES | |
|---|-----------|
| Reversible door | NO |
| Equilance | YES |
| SoftClosing Runner | NO |
| Low vibration | YES |
| Optieview (LED light spots) | YES |
| Shelves | 2 |
| Slide-out shelves | NO |
| Type of shelves | GLASS |
| Fridge drawers type | 1 |
| Fresco/LowTemp Drawers | 1 |
| Bottom drawers | 3 |
| Full Extension shelves 90° door opening | YES |
| Full Extension drawers 90° door opening | NO |
| Defrost Process | AUTOMATIC |
| Ice maker with water filter | AVAILABLE |
| Door Open Alarms | YES |
| Humidity control | NO |
| Active carbon filter | NO |
| Air filter control | NO |
| Shopping Fridge | NO |
| Shopping Freezer | YES |
| Power Failure Function | YES |
| | |

XS4490FZ 45 cm, FREEZER, 0FZ MODEL **BUILT-IN**

X-PRO® SERIES



DIMENSIONS & WEIGHT

Width of the product (mm)

TEMPERATURE RANGES Climatic compartments

GENERAL PROPERTIES

Net Weight (kg)

Gross Weight (kg)

Low temp zone

Reversible door

Type of shelves Door Bins

Fridge drawers type Fresco/LowTemp Drawers

Freezer drawers

ACCESSORIES

• X-Pro top grille kit

• Anticondensation kit

Joining kit

Cleaning kit

• 90° Door stop

Painting

• Stainless steel sides panels

• Extra length anti-tipping kit

• FLD - Fhiaba Link Device

Low vibration

Shelves

Dual zone

Height of the product (closed weels) (mm)

Depth of Product without handle (mm)

Compartment 1 / Upper temperature (°C)

Compartment 2 / Middle temperature (°C)

Compartment 3 / Low temperature (°C)

| AESTHETIC | |
|---|------------------------|
| Compressor position | Тор |
| Front finish | Stanless steel |
| Handles | Stainless steel Ø30 mm |
| Interior material finish | Stainless steel |
| PRICE (VAT and delivery charges no | t included) |
| XS4490FZ6 | |
| (right hinge) | 9.540€ |
| XS4490FZ3 | 9.540 € |
| (left hinge) | 9.040 t |
| XS4490FZ61 | 10.360 € |
| (right hinge, with ice maker) XS4490FZ3I | |
| (left hinge, with ice maker) | 10.360 € |
| | |
| CAPACITY | |
| Volume Compartment 1 (L) | 223 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 1 |
| Total Net Volume (L) | 223 |
| Total Gross Volume (L) | 225 |
| | |
| Compartment 1 / Upper wine cellar | |
| Compartment 1 / Upper wine cellar | 1 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 1 |
| | |
| capacity (bottles) | <i>I</i> |
| capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) | |
| capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 3 / Lower wine cellar | |
| capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) | 1 |

| TECHNICAL DETAILS | |
|-------------------------------|----------|
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | F |
| Energy consumption (kWh/year) | 298 |



2120

449

640

131 151

1

1 NO

1 NO

NO YES

2

2 1

1 3

GLASS

from -15 to -22

KS4490FZ 45 cm, FREEZER, 0FZ MODEL **BUILT-IN CLASSIC® SERIES**



| | - |
|------------------------------------|------------------------|
| AESTHETIC | |
| Compressor position | Bottom |
| Front finish | Stanless steel |
| Handles | Stainless steel 030 mm |
| Interior material finish | Stainless steel |
| PRICE (VAT and delivery charges | not included) |
| KS4490FZ6 | 8.380 € |
| (right hinge) | |
| KS4490FZ3 (left hinge) | 8.380 € |
| KS4490FZ6I | 0.000.0 |
| (right hinge, with ice maker) | 9.200€ |
| KS4490FZ3I | 9.200 € |
| (left hinge, with ice maker) | |
| CAPACITY | |
| Volume Compartment 1 (L) | 223 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 1 |
| Total Net Volume (L) | 223 |
| Total Gross Volume (L) | 225 |
| Compartment 1 / Upper wine cellar | |
| capacity (bottles) | 1 |
| Compartment 2 / Middle wine cellar | |
| capacity (bottles) | 1 |
| | |
| Compartment 3 / Lower wine cellar | 1 |
| capacity (bottles) | |
| TECHNICAL DETAILS | |
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | F |
| Energy consumption (kWh/year) | 298 |



| DIMENSIONS & WEIGHT | |
|---|-----------------|
| Height of the product (closed weels) (mm) | 2050 |
| Width of the product (mm) | 449 |
| Depth of Product without handle (mm) | 640 |
| Net Weight (kg) | 131 |
| Gross Weight (kg) | 151 |
| TEMPERATURE RANGES | |
| Climatic compartments | 1 |
| Compartment 1 / Upper temperature (°C) | from -15 to -22 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | NO |
| Compartment 3 / Low temperature (°C) | 1 |
| Dual zone | NO |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 2 |
| Type of shelves | GLASS |
| Door Bins | 2 |
| Fridge drawers type | 1 |
| Fresco/LowTemp Drawers | 1 |
| Freezer drawers | 3 |

ACCESSORIES

- Stainless steel sides panels
- Ice maker with water filter
- Water filtration system
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Water filter cartridge
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting

• 90° Door stop

S4490FZ 45 cm, FREEZER, 0FZ MODEL BUILT-IN INTEGRATED[®] SERIES







| Compressor position | Bottom |
|--|--------------------|
| Front finish | Custom panel ready |
| Handles | NO |
| Interior material finish | Stainless steel |
| PRICE (VAT and delivery charges not | t included) |
| S4490FZ6 (right hinge) | 7.950 € |
| S4490FZ3 (left hinge) | 7.950€ |
| S4490FZ6I (right hinge, with ice maker) | 8.770 € |
| S4490FZ3I (left hinge, with ice maker) | 8.770 € |
| CAPACITY | |
| Volume Compartment 1 (L) | 223 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | Ι |
| Total Net Volume (L) | 223 |
| Total Gross Volume (L) | 225 |
| Compartment 1 / Upper wine cellar capacity (bottles) | 1 |
| Compartment 2 / Middle wine cellar capacity (bottles) | I |
| Compartment 3 / Lower wine cellar capacity (bottles) | 1 |

| 220-240V |
|----------|
| 50-60 Hz |
| SN/T |
| 41 |
| |
| F |
| 298 |
| |

| DIMENSIONS & WEIGHT | |
|---|-----------------|
| Height of the product (closed weels) (mm) | 2050 |
| Width of the product (mm) | 449 |
| Depth of Product without handle (mm) | 615 |
| Net Weight (kg) | 121 |
| Gross Weight (kg) | 141 |
| TEMPERATURE RANGES | |
| Climatic compartments | 1 |
| Compartment 1 / Upper temperature (°C) | from -15 to -22 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | NO |
| Compartment 3 / Low temperature (°C) | 1 |
| Dual zone | NO |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 2 |
| Type of shelves | GLASS |
| Door Bins | 2 |
| Fridge drawers type | 1 |
| Fresco/LowTemp Drawers | Ι |
| Freezer drawers | 3 |

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles 30mm
- Stainless steel tubular handles 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop

Fhaba



| Door opening hinge | | | | | |
|-----------------------|-----------|--|--------------------------|-----------------------|-------|
| | Code | Series | Model Ref | Description | Price |
| | 6 | Integrated Classic Brilliance XPro Country | 899 749 599 449 | Right hinge | FREE |
| | 3 | Integrated Classic Brilliance XPro Country | 899 749 599 449 | Left hinge | FREE |
| Stainless steel sides | | | | | |
| | Code | Series | Model Ref | Description | Price |
| | FKK65T | Integrated, Classic, Brilliance | 899 1T/OT 749 OT | Stainless steel sides | 570€ |
| | FKK65H | Integrated, Classic, Brilliance | 899 OH 749 OH | Stainless steel sides | 570€ |
| | FKK65T599 | Integrated, Classic, Brilliance | 599 1T/OT | Stainless steel sides | 570 € |
| | FKK65F | Integrated, Classic, Brilliance | 899 OF 749 OF | Stainless steel sides | 570 € |
| | FKK65F599 | Integrated, Classic, Brilliance | 599 OF 449 OF | Stainless steel sides | 570 € |
| | FMX65T | X-Pro | 899 1T/OT 749 OT | Stainless steel sides | 570€ |
| | FMX65H | X-Pro | 899 OH 749 OH | Stainless steel sides | 570€ |
| | FMX65T599 | X-Pro | 599 1T/OT | Stainless steel sides | 570€ |
| | FMX65F | X-Pro | 899 OF 749 OF | Stainless steel sides | 570€ |
| | FMX65F599 | X-Pro | 599 OF 449 OF | Stainless steel sides | 570€ |

| XPro top ventilation grille Cod | CMTF | Series XPro XPro Country Series | Model Ref 8991T/0T/0H/0F 7491T/0T/0H/0F 5991T/0T/0H/0F 4490F 8991T/0T/0H/0F 7491T/0T/0H/0F 5991T/0T/0H/0F 4490F Model Ref | Description Joining kit - central (Joining brackets, airflow separation included) Joining kit - central models with stainless steel sides (Joining brackets, airflow separation included +anticondensation kit) Description | Price 170€ 200€ Price |
|------------------------------------|-------------|---|--|---|--------------------------------|
| XPro top ventilation grille Cod | CMTX ode | XPro Country Series | 7491T/0T/0H/0F 5991T/0T/0H/0F 4490F 8991T/0T/0H/0F 7491T/0T/0H/0F 5991T/0T/0H/0F 4490F | (Joining brackets, airflow separation included) Joining kit - central models with stainless steel sides (Joining brackets, airflow separation included +anticondensation kit) | 200€ |
| XPro top ventilation grille Cod | ode | Country Series | 7491T/OT/OH/OF 5991T/OT/OH/OF 4490F | models with stainless steel sides (Joining brackets, airflow separation included +anticondensation kit) | |
| Cod | | | Model Ref | Description | Price |
| XPRI | | | Model Ref | Description | Price |
| | R090TOP | VDro | | • | |
| XPR | | XPro | XS449 + XS449 | Kit grille + single socket | 670€ |
| | R0105TOP | XPro | XS449 + XS599 | Kit grille + single socket | 690€ |
| XPR | R0120TOP | XPro | XS599 + XS599 XS749 + XS449 | Kit grille + single socket | 720€ |
| XPR | R0135T0P | XPro | XS749 + XS599 XS899 + XS449 | Kit grille + single socket | 770€ |
| XPR | R0150TOP | XPro | XS749 + XS749 XS899 + XS599 | Kit grille + single socket | 820€ |
| XPR | R0165TOP | XPro | XS749 + XS899 | Kit grille + single socket | 880€ |
| XPR | R0180TOP | XPro | XS899 + XS899 | Kit grille + single socket | 930€ |
| XPR | R0195TOP | XPro | XS749 + XS599 + XS599 | Kit grille + single socket | 950€ |
| XPR | R0210TOP | XPro | XS749 + XS749 + XS599 | Kit grille + single socket | 980€ |
| XPR | R0225T0P | XPro | XS749 + XS749 + XS749 | Kit grille + single socket | 1.000€ |
| XPR | R0240TOP | XPro | XS899 + XS899 + XS599 | Kit grille + single socket | 1.020 € |
| XPR | R0255TOP | XPro | XS899 + XS899 + XS749 | Kit grille + single socket | 1.040€ |

The sides will be pre-installed in the factory and are not removable.

At the end of the zip code, add 3 to the left and 6 for the right hinge. For the installation of 2 or more units, indicate the model and where you want to apply the stainless steel sides.





| | Code | s Series | Model Ref | Description | Price |
|---------------------------|--------------------------|--|---|--|---|
| | KCCITF | Integrated | 8991T/0T/0H/0F 7491T/0T/0H/0F 5991T/0T/0H/0F 4490F | Joining kit (Joining brackets, airflow separation included) | 170 € |
| ning kit - Classic and Br | KCCITFW | Brilliance Integrated | 8991T/0T/0H/0F 7491T/0T/0H/0F 5991T/0T/0H/0F 4490F | Joining kit - central white (Joining brackets, airflow separation included) | 170€ |
| ning kit - Classic and B | rilliance Series | | | | |
| | Code | Series | Model Ref | Description | Price |
| КССКТ | KCCKTF | Classic | 8991T/0T/0H/0F 7491T/0T/0H/0F 5991T/0T/0H/0F 4490F | Joining kit (Joining brackets, airflow separation included) | 200€ |
| | KCCKTFW | Brilliance Classic | 8991T/0T/0H/0F 7491T/0T/0H/0F 5991T/0T/0H/0F 4490F | Joining kit - central white (Joining brackets, airflow separation included) | 200€ |
| gle lower grill kit | | | | | |
| | Code | Series | Model Ref | Description | Price |
| | | Classic | 899 749 599 449 | Single lower grille kit | on request |
| ular handles AISI 304 | | | | | |
| | Code | Series | Model Ref | Description | Price |
| | HV | Integrated | 899 749 | Vertical tubular handle, round section Ø30 mm | 220€ |
| | | | 599 | (1104 mm/43,4 in) | |
| | HVF | Integrated | 899 749 599 | Vertical tubular handle, round section Ø30 mm to join OF and OH models | 260€ |
| 11 11 | HVF H08 | Integrated Integrated | 899 749 | Vertical tubular handle, round section Ø30 mm | |
| 11 11 | | | 899 749 599 449 | Vertical tubular handle, round section Ø30 mm to join OF and OH models | 260€ |
| 1 | H08 | Integrated | 899 749 599 449 899 749 599 | Vertical tubular handle, round section Ø30 mm to join OF and OH models Horizontal tubular handle, round section Ø30 mm (794 mm/ 31.2 in) | 260 € 220 € |
| 11 | H08 H07 | Integrated Integrated | 899 749 599 449 899 749 599 449 899 749 599 899 749 599 899 749 599 899 749 599 | Vertical tubular handle, round section Ø30 mm to join OF and OH models Horizontal tubular handle, round section Ø30 mm (794 mm/ 31.2 in) Horizontal tubular handle, round section Ø30 mm (644 mm/25.3 in) | 260 € 220 € 210 € |
| 1 | H08 H07 H05 | Integrated Integrated Integrated | 899 749 599 449 899 749 599 599 899 749 | Vertical tubular handle, round section Ø30 mm to join OF and OH models Horizontal tubular handle, round section Ø30 mm (794 mm/ 31.2 in) Horizontal tubular handle, round section Ø30 mm (644 mm/25.3 in) Horizontal tubular handle, round section Ø30 mm (494 mm/ 19.4 in) Vertical tubular handle, round section Ø18 mm Horizontal tubular handle, round section Ø18 mm | 260 € 220 € 210 € 200 € |
| | H08 H07 H05 HCV | Integrated Integrated Integrated Integrated | 899 749 599 449 899 749 599 449 899 749 599 899 749 599 899 749 599 899 449 | Vertical tubular handle, round section Ø30 mm to join OF and OH models Horizontal tubular handle, round section Ø30 mm (794 mm/ 31.2 in) Horizontal tubular handle, round section Ø30 mm (644 mm/25.3 in) Horizontal tubular handle, round section Ø30 mm (494 mm/ 19.4 in) Vertical tubular handle, round section Ø18 mm Horizontal tubular handle, | 260 € 220 € 210 € 200 € 190 € |

| Extra Tilting kit | Code | Series | Model Ref | Description | Pric |
|----------------------|-----------|--|--------------------------|---|--------|
| | B04000900 | Integrated Classic Brilliance XPro Country | 899 749 599 449 | Extra Length Anti-tipping Kit (allows the installation in units with depth of 80 cm) | FREE |
| Anticondensation kit | | | | | |
| | Code | Series | Model Ref | Description | Price |
| | KAC16 | XPro Country | 899 749 599 449 | Anticondensation Kit adhesive 1,6 cm thick for side-by-side installation of two or more top compressors units (not required for models with compressors at the bottom) | 50€ |
| Fhiaba Link Device | | | | | |
| | Code | Series | Model Ref | Description | Price |
| | FLD | Integrated Classic Brilliance XPro Country | 899 749 599 449 | Remote connection to monitor via cloud software; Fhiaba will be able to detect sensor end-of-life or other issues and the consumer will be notified in case of power outage, open doors and more. | 560€ |
| Color box | | | | | |
| | Code | Series | Model Ref | Description | Price |
| | CARTCOL | Classic Brilliance XPro Country | 899 749 599 449 | Fhiaba colour chart | 370€ |
| Painting | | | | | |
| | Code | Series | Model Ref | Description | Price |
| | | XPro | 899 749 599 449 | Front | € 1.35 |
| | | XPro | 899 749 599 449 | Sides | € 870 |
| | | Classic Brilliance | 899 749 599 449 | Front | € 1.25 |
| | | Classic Brilliance | 899 749 599 449 | Sides | € 870 |
| | | Integrated Classic Brilliance XPro | 899 749 599 449 | Vertical handle | € 170 |
| | | Integrated Classic | 899 749 | Horizontal handle | € 170 |





| Cleaning and hygiene | | | | | |
|----------------------------|------------------|--|--------------------------|---|------------|
| | Code | Series | Model Ref | Description | Price |
| TAN | RPOOKP | Integrated Classic Brilliance XPro Country | 899 749 599 449 | Cleaning kit microfiber cloth and magic sponge | 70€ |
| N. | RP00FA | Integrated Classic Brilliance XPro Country | 899 749 599 449 | Water Filter Cartridge | 90€ |
| | ACF | Integrated Classic Brilliance XPro Country | 899 749 599 449 | Activated carbon filter | 60€ |
| 0° door stop | | | | | <u> </u> |
| | Code | Series Integrated | Model Ref | Description | Price |
| | | Classic Brilliance XPro Country | 899 749 599 449 | 90° door stop | 210€ |
| Air front kit | | | | | |
| | Code | Series | Model Ref | Description | Price |
| | ESPKIT | Integrated Classic Brilliance XPro Country | 899 749 | Air front kit | 490€ |
| stainless steel panels | | | | | |
| | Code | Series | Model Ref | Description | Price |
| | | Integrated | 899 749 599 449 | Stainless steel panels | on request |
| Stainless steel portal for | freestandig inst | tallation | | | |
| | Code | Series | Model Ref | Description | Price |
| | | Integrated Classic | 899 749 599 449 | Stainless steel portal for freestandig installation | on request |

| Wine Kit | | | | | | |
|----------------|--------|--|-----------|---|-------|--|
| | Code | Series | Model Ref | Description | Price | |
| | NBK45 | Integrated Classic Brilliance XPro | 449 | Support made of solid oak wood for 4 bottles 750ml or 2 magnum bottles 1,5 liters with corkscrewand 2 prestige stopper caps | 370 € | |
| Hand Hand | NBK60 | Integrated Classic Brilliance XPro Country | 599 | Support made of solid oak wood for 8 bottles 750ml or 4 magnum bottles 1,5 liters with corkscrew and 2 prestige stopper caps | 400€ | |
| | NBK75 | Integrated Classic Brilliance XPro Country | 749 | Support made of solid oak wood for 10 bottles 750ml or 6 magnum bottles 1,5 liters with corkscrew and 3 prestige stopper caps | 460€ | |
| | NBK90 | Integrated Classic Brilliance XPro Country | 899 | Support made of solid oak wood for 10 bottles 750ml or 6 magnum bottles 1,5 liters with corkscrew and 3 prestige stopper caps | 520€ | |
| Cheese drawers | | | | | | |
| | Code | Series | Model Ref | Capacity | Price | |
| | NCTB45 | Integrated Classic Brilliance XPro | 449 | 13,9 lt | 510€ | |
| | NCTB60 | Integrated Classic Brilliance XPro Country | 599 | 23,8 lt | 560 € | |
| | NCTB75 | Integrated Classic Brilliance XPro Country | 749 | 33,1 lt | 630€ | |
| | NCTB90 | Integrated Classic Brilliance XPro Country | 899 | 43 lt | 660€ | |
| | NCTS45 | Integrated Classic Brilliance XPro | 449 | 8,8 lt | 490€ | |
| | NCTS60 | Integrated Classic Brilliance XPro Country | 599 | 15 lt | 530 € | |
| | NCTS75 | Integrated Classic Brilliance XPro Country | 749 | 20,9 lt | 610€ | |
| | NCTS90 | Integrated Classic Brilliance XPro Country | 899 | 27,1 lt | 630€ | |

CUUII The drawers for storing the cheese are offered in two heights, they have been designed and made by Friulian artisans in precious okumè wood. With ultra-clear tempered glass front for proper attention to the products to be stored, a sliding cover in ultra-clear tempered glass on "Teflon" guides with a solid wood handle for easy access. On the bottom a perforated steel plate for perfect humidity and hygiene. All fresh food can be stored in the drawer by setting the appropriate temperature in the cellar display.





| | Code | Series | Model Ref | Description | Price |
|--|----------|-----------------------|-----------|--|-------|
| | Code | | Model Ref | Description | Frice |
| | | Integrated | | Full extraction drawer with sandblasted stain- | |
| | NBGD45 | Classic Brilliance | 449 | less steel interior, soft closing runners and with | 300€ |
| | | XPro | | 6mm tempered glass (capacity 10,5 L.) | |
| | | Integrated | | | |
| | | Classic | | Full extraction drawer with sandblasted stain- | |
| | NBGD60 | Brilliance | 599 | less steel interior, soft closing runners and with | 310 € |
| | | XPro | | 6mm tempered glass (capacity 18,4 L.) | |
| | | Country Integrated | | | |
| | | Classic | | Full extraction drawer with sandblasted stain- | |
| | NBGD75 | Brilliance | 749 | less steel interior, soft closing runners and with | 320€ |
| | | XPro | | 6mm tempered glass (capacity25,9 L.) | |
| | | Country Integrated | | | |
| | | Classic | | Full extraction drawer with sandblasted stain- | |
| | NBGD90 | Brilliance | 899 | less steel interior, soft closing runners and with | 330 € |
| | | XPro | | 6mm tempered glass (capacity 33,8 L.) | |
| erage shelf | | Country | | | |
| | Code | Series | Model Ref | Description | Price |
| | | Integrated | | | |
| | NBGSF45 | Classic | 449 | 6mm tempered glass shelves with aluminum edges that can be positioned on side racks | 210 € |
| | 11003143 | Brilliance | 447 | (cans capacity: 21 da 33/50 cc) | 210 t |
| | | XPro | | | |
| | | Integrated | | | |
| | NBGSF60 | Classic Brilliance | 599 | 6mm tempered glass shelves with aluminum edges that can be positioned on side racks | 230€ |
| | | XPro | 0,7 | (cans capacity: 42 da 33/50 cc) | 2000 |
| | | Country | | | |
| | | Integrated Classic | | | |
| | NBGSF75 | Brilliance | 749 | 6mm tempered glass shelves with aluminum edges that can be positioned on side racks | 240€ |
| | | XPro | | (cans capacity: 56 da 33/50 cc) | |
| | | Country | | | |
| | | Integrated Classic | | | |
| | NBGSF90 | Brilliance | 899 | 6mm tempered glass shelves with aluminum edges that can be positioned on side racks | 250€ |
| | | XPro | 0.7 | (cans capacity: 70 da 33/50 cc) | 230 0 |
| | | Country | | | |
| novable Beverage she | Code | Series | Model Ref | Description | Price |
| | | | | | |
| | | Integrated Classic | | Removable 6mm tempered glass shelves | |
| | NBGS45 | Brilliance | 449 | (cans capacity:21 da 33/50 cc) | 280€ |
| | | XPro | | | |
| | | Integrated | | | |
| | | Classic | 500 | Removable 6mm tempered glass shelves | 000 0 |
| li secondo de la constanción de la constancición de la constanción de la constanción de la constanción | NBGS60 | Brilliance | 599 | (cans capacity: 42 da 33/50 cc) | 290€ |
| H H | | XPro Country | | | |
| | | Integrated | | | |
| A 1 | | Classic | | Removable 6mm tempered glass shelves | |
| | NBGS75 | Brilliance | 749 | (cans capacity:: 56 da 33/50 cc) | 300€ |
| | | XPro Country | | | |
| | | Integrated | | | |
| | | Classic | | Removable 6mm tempered glass shelves | 046.5 |
| | NBGS90 | Brilliance | 899 | (cans capacity:70 da 33/50 cc) | 310 € |
| | | XPro | | | |

| Chocolate kit | | | | | |
|---------------|---------|--|-----------|--------------------------------|-------|
| | Code | Series | Model Ref | Description | Price |
| A LE | NCK60 | Integrated Classic Brilliance XPro Country | 599 | Support made of solid oak wood | 480€ |
| Cigar drawers | 1 | | | | |
| | Code | Series | Model Ref | Capacity | Price |
| | NCSGB45 | Integrated Classic Brilliance XPro | 449 | 13,9 lt | 490€ |
| | NCSGB60 | Integrated Classic Brilliance XPro Country | 599 | 23,8 lt | 530€ |
| | NCSGB75 | Integrated Classic Brilliance XPro Country | 749 | 33,1 lt | 610€ |
| | NCSGB90 | Integrated Classic Brilliance XPro Country | 899 | 43 lt | 630€ |
| | NCSGS45 | Integrated Classic Brilliance XPro | 449 | 8,8 lt | 470 € |
| | NCSGS60 | Integrated Classic Brilliance XPro Country | 599 | 15 lt | 510 € |
| | NCSGS75 | Integrated Classic Brilliance XPro Country | 749 | 20,9 lt | 590€ |
| | NCSGS90 | Integrated Classic Brilliance XPro Country | 899 | 27,1 lt | 610 € |

The drawers for storing the cigar are offered in two heights, they have been designed and made by Friulian artisans in precious okume wood. With ultra-clear tempered glass front for proper attention to the products to be stored, a sliding cover in ultra-clear tempered glass on "Teflon" guides with a solid wood handle for easy access.






| Set of knives | | | | | |
|---------------------------|---------|--|-------------------------------|---|-------|
| | Code | Series | Model Ref | Description | Price |
| III | NCP60 | Integrated Classic Brilliance XPro Country | 599 | Wooden tray made of Russian oak-plated birch wood, kitchen knife 20cm, bread knife 22cm, ham knife 26cm all with olive wood handle, wooden base for the knives storage | 520€ |
| | NCP75 | Integrated Classic Brilliance XPro Country | 749 | Wooden tray made of Russian oak-plated birch wood, kitchen knife 20cm, bread knife 22cm, ham knife 26cm all with olive wood handle, wooden base for the knives storage | 560€ |
| \$110 L | NCP90 | Integrated Classic Brilliance XPro Country | 899 | Wooden tray made of Russian oak-plated birch wood, kitchen knife 20cm, bread knife 22cm, ham knife 26cm all with olive wood handle, wooden base for the knives storage | 600€ |
| Prosciutteria kit | | , | | | , |
| | Code | Series | Model Ref | Description | Price |
| | KP4 | Integrated Classic XPro | 449 OFW | Prosciutteria kit | 630€ |
| | KP5 | Integrated Classic Brilliance XPro Country | 599 0TW 599 0FW | Prosciutteria kit | 650€ |
| | KP7 | Integrated Classic Brilliance XPro Country | 749 OTW 749 OHW 749 OFW | Prosciutteria kit | 670€ |
| | KP9 | Integrated Classic Brilliance XPro Country | 899 OHW 899 OFW | Prosciutteria kit | 700€ |
| Evenlift separate shelves | | | | | |
| | Code | Series | Model Ref | Description | Price |
| | EL33 | Integrated Classic Brilliance XPro Country | 899 0T/0H/0F 749 0T/0H/0F | 3+3 double EvenLift shelves in aluminium and glass | 730€ |
| | EL33_75 | Integrated Classic Brilliance XPro Country | 749 OT/OH/OF | 3+3 double EvenLift shelves in aluminium and glass | 730€ |
| Navigation door lock kit | | | | | |
| | Code | Series | Model Ref | Description | Price |
| | KBN | Integrated Classic Brilliance XPro Country | 899 749 599 449 | Navigation door lock kit | 730€ |

Fhiaba

PRODUCT CODE SPECIFICATIONS

UNDERCOUNTER





| Export Price list 2.0 / 2023 | | | | | | | | | | | | | |
|------------------------------|------|-------|------------------|-----------|------------------|--------|--------------------|--------------|------------------------|------|--------------|--------|------|
| | | | | | Premium indoor P | | Premium outdoor PO | | Gran Maestro indoor GM | | GM | | |
| Version | Mod. | Width | Hinge opening | Optionals | Product code | Price | Page | Product code | Price | Page | Product code | Price | Page |
| BEVERAGE/ | 2T | 60 | RH | | UCB602TP | 3.820€ | 198 | UCB602TPO | 4.140€ | 199 | | | |
| FRIDGE | | | RH | MODEL X | UCB602TPX | 3.500€ | 198 | UCB602TPOX | 3.820€ | 199 | | | |
| | 1T | 60 | RH | | UCB601TP | 3.160€ | 202 | UCB601TP0 | 3.820€ | 203 | | | |
| | | | RH | MODEL X | UCB601TPX | 2.810€ | 202 | UCB601TPOX | 3.500 € | 203 | | | |
| WINE CELLAR | 2T | 60 | RH | | UCW602TP | 4.030€ | 206 | UCW602TP0 | 4.240€ | 207 | UCW602TGM | 4.720€ | 208 |
| | | | RH | MODEL X | UCW602TPX | 3.710€ | 206 | UCW602TPOX | 3.930€ | 207 | UCW602TGMX | 4.240€ | 208 |
| | 1T | 60 | RH | | UCW601TP | 3.400€ | 212 | UCW601TP0 | 3.930€ | 213 | UCW601TGM | 4.140€ | 214 |
| | | | RH | MODEL X | UCW601TPX | 3.040€ | 212 | UCW601TPOX | 3.610€ | 213 | UCW601TGMX | 3.820€ | 214 |
| TRIMODE | 2D | 90 | | | UC2D90P | 4.990€ | 220 | UC2D90P0 | 5.520€ | 221 | UC2D90GM | 5.830€ | 222 |
| DRAWERS | | | | ICE MAKER | | | | | | | UC2D90GMI | 6.650€ | 222 |
| | | 75 | | | UC2D75P | 4.670€ | 226 | UC2D75P0 | 5.300€ | 227 | UC2D75GM | 5.730€ | 228 |
| | | | | ICE MAKER | | | | | | | UC2D75GMI | 6.550€ | 228 |
| | | 60 | | | UC2D60P | 4.560€ | 232 | UC2D60P0 | 5.090€ | 233 | UC2D60GM | 5.620€ | 234 |


Reversible door: Right hinge > standard Left hinge > on request

X digit # 7 > optional X = Model X - empty

I = To indicate a unit equipped with Ice Maker (available only on 90 and 75cm GranMaestro drawers models)









UNDERCOUNTER: FRIDGE/BEVERAGE Model: 2T Width: 60cm

One door, 2 separate temperatures

Upper compartment: Fridge/Beverage Lower compartment: Fridge/Beverage



- Made in Italy.
- Aisi 304 stainless steel body.
- Stainless steel interior finish
- Antibacterial stainless steel interior.
- Optiview: multi LED light array (top and side interior) provides brilliant illumination to the entire interior.
- Soft close door and drawers in all compartments
- Acoustic and visual signals
- Total no frost 100% automatic system
- Insulated variable speed compressors maintains precision temperature control with low vibration.
- Sabbath mode
- Front and rear adjustable feet up to 25 mm.
- Two independent climatic zones.
- Tempered glass shelves with aluminium profiles.
- Chill to serve: you can rapidly lower the temperature to 2°C before serving.
- Fully integrated / built-in
- Bronzed glass door and Argon gas guarantee maximum protection from harmful UV light rays.
- Reversible door.
- Low vibration compressor
- Full range of models and configurations.Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.



| GENERAL PROPERTIES | |
|---|------------|
| Reversible door | YES |
| Equilance | NO |
| SoftClosing Runner | YES |
| Low vibration | YES |
| Optieview (LED light spots) | YES |
| Shelves | 5 |
| Slide-out shelves | YES |
| Type of shelves | GLASS/WOOD |
| Fridge drawers type | 1 |
| Fresco/LowTemp Drawers | 1 |
| Bottom drawers | 1 |
| Full Extension shelves 90° door opening | YES |
| Full Extension drawers 90° door opening | NO |
| Defrost Process | AUTOMATIC |
| Ice maker with water filter | NO |
| Door Open Alarms | YES |
| Humidity control | NO |
| Active carbon filter | NO |
| Air filter control | NO |
| Shopping Fridge | NO |
| Shopping Freezer | NO |
| Power Failure Function | YES |
| | |

UCB602TP

60 cm, UNDERCOUNTER BEVERAGE/FRIDGE, 2T MODEL PREMIUM INDOOR

BUILT-IN

UNDERCOUNTER® SERIES





| AESTHETIC | |
|---|--------------------|
| Compressor position | Bottom |
| Front finish | Custom panel ready |
| Handles | NO |
| Interior material finish | Stainless steel |
| Dysplay | OLED |
| PRICE (VAT and delivery charges no | ot included) |
| UCB602TP | 3.820 € |
| (right hinge) | 0.020 0 |
| UCB602TPX _(right hinge, MODEL X empty) | 3.500 € |
| (higherninge, Hobee X empty) | |
| CAPACITY | |
| Volume Compartment 1 (L) | 143 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 1 |
| Total Net Volume (L) | 143 |
| Total Gross Volume (L) | 1 |
| Wine cellar capacity (bottles) | 23 |
| Undercounter glass shelf capacity (cans) | 42 |
| Undercounter drawer capacity (cans) | 1 |
| Undercounter bottom wooden bottle holder (bottles) | 11 |
| TECHNICAL DETAILS | |
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | G |
| Energy consumption (kWh/year) | 122 |
| · · · · · · · · · · · · · · · · · · · | 1 |

| DIMENSIONS & WEIGHT | |
|---|-------------|
| Height of the product (closed weels) (mm) | 865 |
| Width of the product (mm) | 598 |
| Depth of Product without handle (mm) | 572 |
| Net Weight (kg) | 60 |
| Gross Weight (kg) | 75 |
| TEMPERATURE RANGES | |
| Climatic compartments | 2 |
| Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| Compartment 2 / Middle temperature (°C) | from 2 to 8 |
| Low temp zone | NO |
| Compartment 3 / Low temperature (°C) | 1 |
| Dual zone | NO |
| | |
| GENERAL PROPERTIES | VEO |
| Reversible door | YES |
| Low vibration | YES |
| Shelves | 5 |
| Type of shelves | GLASS/WOOD |
| Freezer drawers | 1 |

ACCESSORIES

- Stainless steel tubular handles 30mm
- Set of knives
- Prosciutteria kit
- Stainless steel tubular handles 18mm
- Stainless steel panels
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- 90° Door stop
- Wine kit
- Cheese drawer
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf



UCB602TP0 60 cm, UNDERCOUNTER BEVERAGE/FRIDGE, 2T MODEL PREMIUM OUTDOOR **BUILT-IN**

UNDERCOUNTER® SERIES



| AESTHETIC | | DIMENSIONS & WEIGHT | |
|--|------------------------|--|-------------|
| Compressor position | Bottom | Height of the product (closed weels) (mm) | 865 |
| Front finish | Stainless steel | Width of the product (mm) | 598 |
| Handles | Stainless steel Ø 18mm | Depth of Product without handle (mm) | 576 |
| Interior material finish | Stainless steel | Net Weight (kg) | 63 |
| Dysplay | OLED | Gross Weight (kg) | 78 |
| PRICE (VAT and delivery charges no | ot included) | TEMPERATURE RANGES | |
| UCB602TP0 | 4.140 € | Climatic compartments | 2 |
| (right hinge) UCB602TPOX | | Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| (right hinge, MODEL X empty) | 3.820 € | Compartment 2 / Middle temperature (°C) | from 2 to 8 |
| | | Low temp zone | NO |
| | | Compartment 3 / Low temperature (°C) | 1 |
| CAPACITY | 110 | Dual zone | NO |
| Volume Compartment 1 (L) | 143 | GENERAL PROPERTIES | |
| Volume Compartment 2 (L) | | Reversible door | YES |
| Volume Compartment 3 (L) | 1 | Low vibration | YES |
| Total Net Volume (L) | 143 | Shelves | 5 |
| Total Gross Volume (L) | | Type of shelves | GLASS/WOOD |
| Wine cellar capacity (bottles) | 23 | Freezer drawers | |
| | | | |
| Undercounter glass shelf capacity (cans) | 42 | ACCESSORIES | |
| Undercounter drawer capacity (cans) | 1 | Cleaning kit | |
| Undercounter bottom wooden bottle | | Active carbon filter | |
| holder (bottles) | 11 | • FLD - Fhiaba Link Device | |
| | | • 90° Door stop | |
| TECHNICAL DETAILS | | • Wine kit | |
| Voltage (V) | 220-240V | • Cheese drawer | |
| Frequency (Hz) | 50-60 Hz | • Cigar drawer | |
| Climatic class | SN/T | Beverage drawer | |
| Noise level (dB) | 41 | • Beverage shelf | |
| EFFICIENCY | | Beverage removable shelf | |
| New Energy Label class | G | • Set of knives | |
| Energy consumption (kWh/year) | 122 | • Prosciutteria kit | |
| Energy Consomption (KWII/year) | | | |





UNDERCOUNTER: FRIDGE/BEVERAGE Model: 1T Width: 60cm

One door, 1 temperature Single compartment: Fridge/Beverage



- Made in Italy.
- Aisi 304 stainless steel body.
- Stainless steel interior finish
- Antibacterial stainless steel interior.
- Optiview: multi LED light array (top and side interior) provides brilliant illumination to the entire interior.
- Soft close door and drawers in all compartments
- Acoustic and visual signals
- Total no frost 100% automatic system
- Insulated variable speed compressors maintains precision temperature control with low vibration.
- Sabbath mode
- Front and rear adjustable feet up to 25 mm.
- One indipendent climatic zone.
- Tempered glass shelves with aluminium profiles.
- Chill to serve: you can rapidly lower the temperature to 2°C before serving.
- Fully integrated /built-in
- Bronzed glass door and Argon gas guarantee maximum protection from harmful UV light rays.
- Reversible door.
- Low vibration compressor
- Full range of models and configurations.Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.



| GENERAL PROPERTIES | |
|---|------------|
| Reversible door | YES |
| Equilance | NO |
| SoftClosing Runner | YES |
| Low vibration | YES |
| Optieview (LED light spots) | YES |
| Shelves | 4 |
| Slide-out shelves | YES |
| Type of shelves | GLASS/WOOD |
| Fridge drawers type | 1 |
| Fresco/LowTemp Drawers | 1 |
| Bottom drawers | 1 |
| Full Extension shelves 90° door opening | YES |
| Full Extension drawers 90° door opening | NO |
| Defrost Process | AUTOMATIC |
| Ice maker with water filter | NO |
| Door Open Alarms | YES |
| Humidity control | NO |
| Active carbon filter | NO |
| Air filter control | NO |
| Shopping Fridge | NO |
| Shopping Freezer | NO |
| Power Failure Function | YES |
| | |

UCB601TP

60 cm, UNDERCOUNTER BEVERAGE/FRIDGE, 1T MODEL PREMIUM INDOOR

BUILT-IN

UNDERCOUNTER® SERIES





| AESTHETIC | |
|---|--------------------|
| Compressor position | Bottom |
| Front finish | Custom panel ready |
| Handles | NO |
| Interior material finish | Stainless steel |
| Dysplay | OLED |
| PRICE (VAT and delivery charges no | ot included) |
| UCB601TP | 3.160 € |
| (right hinge) | |
| UCB601TPX (right hinge, MODEL X empty) | 2.810 € |
| | |
| CAPACITY | |
| Volume Compartment 1 (L) | 143 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 1 |
| Total Net Volume (L) | 143 |
| Total Gross Volume (L) | 1 |
| Wine cellar capacity (bottles) | 23 |
| Undercounter glass shelf capacity (cans) | 42 |
| Undercounter drawer capacity (cans) | 1 |
| Undercounter bottom wooden bottle holder (bottles) | 11 |
| TECHNICAL DETAILS | |
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | G |
| Energy consumption (kWh/year) | 122 |
| | |

| DIMENSIONS & WEIGHT | |
|---|-------------|
| Height of the product (closed weels) (mm) | 865 |
| Width of the product (mm) | 598 |
| Depth of Product without handle (mm) | 572 |
| Net Weight (kg) | 55 |
| Gross Weight (kg) | 70 |
| TEMPERATURE RANGES | |
| Climatic compartments | 1 |
| Compartment 1 / Upper temperature (°C) | from 2 to 8 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | NO |
| Compartment 3 / Low temperature (°C) | 1 |
| Dual zone | NO |
| GENERAL PROPERTIES | |
| Reversible door | YES |
| Low vibration | YES |
| Shelves | 4 |
| Type of shelves | GLASS/WOOD |

ACCESSORIES

Freezer drawers

- Stainless steel tubular handles 30mm
- Set of knives
- Prosciutteria kit

1

- Stainless steel tubular handles 18mm
- Stainless steel panels
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- 90° Door stop
- Wine kit
- Cheese drawer
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf



UCB601TP0 60 cm, UNDERCOUNTER BEVERAGE/FRIDGE, 1T MODEL PREMIUM OUTDOOR **BUILT-IN**

UNDERCOUNTER® SERIES



| AESTHETIC | | DIMENSIONS & WEIGHT | | |
|--|------------------------|---|-------------|--|
| Compressor position | Bottom | Height of the product (closed weels) (mm) | 865 | |
| Front finish | Stainless steel | Width of the product (mm) | 598 | |
| Handles | Stainless steel Ø 18mm | Depth of Product without handle (mm) | 576 | |
| Interior material finish | Stainless steel | Net Weight (kg) | 59 | |
| Dysplay | OLED | Gross Weight (kg) | 74 | |
| PRICE (VAT and delivery charges no | ot included) | TEMPERATURE RANGES | | |
| UCB601TP0 | 3.820 € | Climatic compartments | 2 | |
| (right hinge) | 0.020 0 | Compartment 1 / Upper temperature (°C) | from 2 to 8 | |
| UCB601TPOX (right hinge, MODEL X empty) | 3.500 € | Compartment 2 / Middle temperature (°C) | 1 | |
| | | Low temp zone | NO | |
| | | Compartment 3 / Low temperature (°C) | 1 | |
| CAPACITY | 1/0 | Dual zone | NO | |
| Volume Compartment 1 (L) | 143 | GENERAL PROPERTIES | | |
| Volume Compartment 2 (L) | | Reversible door | YES | |
| Volume Compartment 3 (L) | 1 | Low vibration | YES | |
| Total Net Volume (L) | 143 | Shelves | 4 | |
| Total Gross Volume (L) | | Type of shelves | GLASS/WOOD | |
| Wine cellar capacity (bottles) | 23 | Freezer drawers | 1 | |
| Undercounter glass shelf capacity (cans) | 42 | ACCESSORIES | | |
| Undercounter drawer capacity (cans) | 1 | • Cleaning kit | | |
| | | Active carbon filter | | |
| Undercounter bottom wooden bottle | 11 | • FLD - Fhiaba Link Device | | |
| holder (bottles) | | • 90° Door stop | | |
| TECHNICAL DETAILS | | • Wine kit | | |
| Voltage (V) | 220-240V | • Cheese drawer | | |
| Frequency (Hz) | 50-60 Hz | • Cigar drawer | | |
| Climatic class | SN/T | Beverage drawer | | |
| Noise level (dB) | 41 | • Beverage shelf | | |
| EFFICIENCY | İ | • Beverage removable shelf | | |
| New Energy Label class | G | • Set of knives | | |
| Energy consumption (kWh/year) | 122 | • Prosciutteria kit | | |
| | | | | |





UNDERCOUNTER: WINE CELLAR Model: 2T Width: 60cm

One door, 2 separate temperatures

Upper compartment: Wine cellar Lower compartment: Wine cellar



- Made in Italy.
- Aisi 304 stainless steel body.
- Stainless steel interior finish
- Antibacterial stainless steel interior.
- Optiview: multi LED light array (top and side interior) provides brilliant illumination to the entire interior.
- Soft close door and drawers in all compartments
- Acoustic and visual signals
- Total no frost 100% automatic system
- Insulated variable speed compressors maintains precision temperature control with low vibration.
- Sabbath mode
- Front and rear adjustable feet up to 25 mm.
- Two independent climatic zones.
- Wood sliding shelves with soft closing runner.
- Chill to serve: you can rapidly lower the temperature to 2°C before serving.
- Fully integrated / built-in
- Bronzed glass door and Argon gas guarantee maximum protection from harmful UV light rays.
- Reversible door.
- Low vibration compressor
- Full range of models and configurations.Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.



| Reversible doorYESEquilanceN0SoftClosing RunnerYESLow vibrationYESOptieview (LED light spots)YESShelves5Slide-out shelvesW00DFridge drawers type/Fridge drawers type/Full Extension shelves 90° door openingN0Defrost ProcessAUTOMATICIce maker with water filterN0Door Open AlarmsYESActive carbon filterYESAir filter controlYESShopping FreezerN0Power Failure FunctionYESPower Failure FunctionYESPower Failure FunctionYES | GENERAL PROPERTIES | |
|---|---|-----------|
| SoftClosing RunnerYESLow vibrationYESOptieview (LED light spots)YESShelves5Slide-out shelvesYESType of shelvesWOODFridge drawers type/Fresco/LowTemp Drawers/Bottom drawers/Full Extension shelves 90° door openingYESFull Extension drawers 90° door openingNODefrost ProcessAUTOMATICIce maker with water filterNODoor Open AlarmsYESActive carbon filterYESAir filter controlYESShopping FridgeNOShopping FreezerNO | Reversible door | YES |
| Low vibrationYESOptieview (LED light spots)YESShelves5Slide-out shelvesYESType of shelvesW00DFridge drawers type/Fresco/LowTemp Drawers/Bottom drawers/Full Extension shelves 90° door openingYESFull Extension drawers 90° door openingNODefrost ProcessAUTOMATICIce maker with water filterNODoor Open AlarmsYESHumidity controlYESActive carbon filterYESAir filter controlYESShopping FridgeNOShopping FreezerNO | Equilance | NO |
| Optieview (LED light spots)YESShelves5Slide-out shelvesYESType of shelvesWOODFridge drawers type/Fresco/LowTemp Drawers/Bottom drawers/Full Extension shelves 90° door openingYESFull Extension drawers 90° door openingNODefrost ProcessAUTOMATICIce maker with water filterNODoor Open AlarmsYESHumidity controlYESActive carbon filterYESAir filter controlYESShopping FridgeNOShopping FreezerNO | SoftClosing Runner | YES |
| Shelves5Slide-out shelvesYESType of shelvesW00DFridge drawers type/Fresco/LowTemp Drawers/Bottom drawers/Full Extension shelves 90° door openingYESFull Extension drawers 90° door openingNODefrost ProcessAUTOMATICIce maker with water filterNODoor Open AlarmsYESHumidity controlYESActive carbon filterYESAir filter controlYESShopping FridgeNOShopping FreezerNO | Low vibration | YES |
| Slide-out shelvesYESType of shelvesW00DFridge drawers type/Fresco/LowTemp Drawers/Bottom drawers/Full Extension shelves 90° door openingYESFull Extension drawers 90° door openingNODefrost ProcessAUTOMATICIce maker with water filterNODoor Open AlarmsYESHumidity controlYESActive carbon filterYESAir filter controlYESShopping FridgeNO | Optieview (LED light spots) | YES |
| Type of shelvesW00DFridge drawers type/Fresco/LowTemp Drawers/Bottom drawers/Full Extension shelves 90° door openingYESFull Extension drawers 90° door openingNODefrost ProcessAUTOMATICIce maker with water filterNODoor Open AlarmsYESHumidity controlYESActive carbon filterYESAir filter controlYESShopping FridgeNO | Shelves | 5 |
| Fridge drawers type/Fridge drawers type/Fresco/LowTemp Drawers/Bottom drawers/Full Extension shelves 90° door openingYESFull Extension drawers 90° door openingNODefrost ProcessAUTOMATICIce maker with water filterNODoor Open AlarmsYESHumidity controlYESActive carbon filterYESAir filter controlYESShopping FridgeNONONO | Slide-out shelves | YES |
| Fresco/LowTemp Drawers/Bottom drawers/Full Extension shelves 90° door openingYESFull Extension drawers 90° door openingNODefrost ProcessAUTOMATICIce maker with water filterNODoor Open AlarmsYESHumidity controlYESActive carbon filterYESAir filter controlYESShopping FridgeNO | Type of shelves | WOOD |
| Bottom drawers/Full Extension shelves 90° door openingYESFull Extension drawers 90° door openingNODefrost ProcessAUTOMATICIce maker with water filterNODoor Open AlarmsYESHumidity controlYESActive carbon filterYESAir filter controlYESShopping FridgeNONONO | Fridge drawers type | 1 |
| Full Extension shelves 90° door openingYESFull Extension drawers 90° door openingNODefrost ProcessAUTOMATICIce maker with water filterNODoor Open AlarmsYESHumidity controlYESActive carbon filterYESAir filter controlYESShopping FridgeNONONO | Fresco/LowTemp Drawers | 1 |
| Full Extension drawers 90° door openingNODefrost ProcessAUTOMATICIce maker with water filterNODoor Open AlarmsYESHumidity controlYESActive carbon filterYESAir filter controlYESShopping FridgeNOShopping FreezerNO | Bottom drawers | 1 |
| Defrost ProcessAUTOMATICIce maker with water filterNODoor Open AlarmsYESHumidity controlYESActive carbon filterYESAir filter controlYESShopping FridgeNOShopping FreezerNO | Full Extension shelves 90° door opening | YES |
| Ice maker with water filterNODoor Open AlarmsYESHumidity controlYESActive carbon filterYESAir filter controlYESShopping FridgeNOShopping FreezerNO | Full Extension drawers 90° door opening | NO |
| Door Open AlarmsYESHumidity controlYESActive carbon filterYESAir filter controlYESShopping FridgeNOShopping FreezerNO | Defrost Process | AUTOMATIC |
| Humidity controlYESActive carbon filterYESAir filter controlYESShopping FridgeNOShopping FreezerNO | Ice maker with water filter | NO |
| Active carbon filterYESAir filter controlYESShopping FridgeNOShopping FreezerNO | Door Open Alarms | YES |
| Air filter control YES Shopping Fridge NO Shopping Freezer NO | Humidity control | YES |
| Shopping Fridge NO Shopping Freezer NO | Active carbon filter | YES |
| Shopping Freezer NO | Air filter control | YES |
| | Shopping Fridge | NO |
| Power Failure Function YES | Shopping Freezer | NO |
| | Power Failure Function | YES |

UCW602TP

60 cm, UNDERCOUNTER WINE CELLAR, 2T MODEL PREMIUM INDOOR


BUILT-IN

UNDERCOUNTER® SERIE[®]





| AESTHETIC | |
|---|--------------------|
| Compressor position | Bottom |
| Front finish | Custom panel ready |
| Handles | NO |
| Interior material finish | Stainless steel |
| Dysplay | OLED |
| PRICE (VAT and delivery charges no | ot included) |
| UCW602TP | 4.030 € |
| (right hinge) | 4.030 t |
| UCW602TPX (right hinge, MODEL X empty) | 3.710 € |
| | |
| CAPACITY | |
| Volume Compartment 1 (L) | 143 |
| Volume Compartment 2 (L) | / |
| Volume Compartment 3 (L) | |
| Total Net Volume (L) | 143 |
| Total Gross Volume (L) | |
| | |
| Wine cellar capacity (bottles) | 41 |
| Undercounter glass shelf capacity (cans) | 1 |
| Undercounter drawer capacity (cans) | 1 |
| Undercounter bottom wooden bottle holder (bottles) | 11 |
| TECHNICAL DETAILS | |
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | G |
| Energy consumption (kWh/year) | 128 |
| | |



Fhaba

| DIMENSIONS & WEIGHT | |
|---|--------------|
| Height of the product (closed weels) (mm) | 865 |
| Width of the product (mm) | 598 |
| Depth of Product without handle (mm) | 572 |
| Net Weight (kg) | 60 |
| Gross Weight (kg) | 75 |
| TEMPERATURE RANGES | |
| Climatic compartments | 2 |
| Compartment 1 / Upper temperature (°C) | from 4 to 18 |
| Compartment 2 / Middle temperature (°C) | from 4 to 18 |
| Low temp zone | NO |
| Compartment 3 / Low temperature (°C) | 1 |
| Dual zone | NO |
| GENERAL PROPERTIES | |
| Reversible door | YES |
| Low vibration | YES |
| Shelves | 5 |
| Type of shelves | WOOD |
| Freezer drawers | 1 |

ACCESSORIES

- Stainless steel tubular handles 30mm
- Set of knives
- Prosciutteria kit
- Stainless steel tubular handles 18mm
- Stainless steel panels
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- 90° Door stop
- Wine kit
- Cheese drawer
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

UCW602TP0 60 cm, UNDERCOUNTER WINE CELLAR, 2T MODEL PREMIUM OUTDOOR **BUILT-IN**


UNDERCOUNTER®




| | | mm | |
|--|------------------------|--|--------------|
| AESTHETIC | | DIMENSIONS & WEIGHT | |
| Compressor position | Bottom | Height of the product (closed weels) (mm) | 865 |
| Front finish | Stainless steel | Width of the product (mm) | 598 |
| Handles | Stainless steel Ø 18mm | Depth of Product without handle (mm) | 576 |
| Interior material finish | Stainless steel | Net Weight (kg) | 63 |
| Dysplay | OLED | Gross Weight (kg) | 78 |
| PRICE (VAT and delivery charges n | ot included) | TEMPERATURE RANGES | |
| UCW602TPO | 4.240 € | Climatic compartments | 2 |
| (right hinge) | 4.240 0 | Compartment 1 / Upper temperature (°C) | from 4 to 18 |
| UCW602TPOX (right hinge, MODEL X empty) | 3.930 € | Compartment 2 / Middle temperature (°C) | from 4 to 18 |
| (hght hinge, Hobel K enipty) | | Low temp zone | NO |
| | | Compartment 3 / Low temperature (°C) | 1 |
| CAPACITY | | Dual zone | NO |
| Volume Compartment 1 (L) | 143 | GENERAL PROPERTIES | |
| Volume Compartment 2 (L) | | – Reversible door | YES |
| Volume Compartment 3 (L) | 1 | Low vibration | YES |
| Total Net Volume (L) | 143 | | 5 |
| Total Gross Volume (L) | 1 | Shelves | |
| Wine cellar capacity (bottles) | 41 | Type of shelves Freezer drawers | WOOD |
| whe certal capacity (bottles) | 41 | | |
| Undercounter glass shelf capacity (cans) | 1 | ACCESSORIES | |
| Undercounter drawer capacity (cans) | 1 | • Cleaning kit | |
| Undercounter bottom wooden bottle | | Active carbon filter | |
| holder (bottles) | 11 | • FLD - Fhiaba Link Device | |
| liotael (bottles) | | • 90° Door stop | |
| TECHNICAL DETAILS | | • Wine kit | |
| Voltage (V) | 220-240V | • Cheese drawer | |
| Frequency (Hz) | 50-60 Hz | • Cigar drawer | |
| Climatic class | SN/T | • Beverage drawer | |
| Noise level (dB) | 41 | • Beverage shelf | |
| EFFICIENCY | | Beverage removable shelf | |
| New Energy Label class | G | Set of knives | |
| Energy consumption (kWh/year) | 128 | Prosciutteria kit | |
| | | _ | |










UCW602TGM 60 cm, UNDERCOUNTER WINE CELLAR, 2T MODEL PREMIUM GRAN MAESTRO INDOOR



BUILT-IN UNDERCOUNTER® SERIES







| AESTHETIC | |
|---|--------------------|
| Compressor position | Bottom |
| Front finish | Custom panel ready |
| Handles | NO |
| Interior material finish | Stainless steel |
| Dysplay | TFT |
| PRICE (VAT and delivery charges no | t included) |
| UCW602TGM | |
| (right hinge) | 4.720 € |
| UCW602TGMX | 4.240 € |
| (right hinge, MODEL X empty) | |
| | |
| CAPACITY | |
| Volume Compartment 1 (L) | 143 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 1 |
| Total Net Volume (L) | 143 |
| Total Gross Volume (L) | 1 |
| Wine cellar capacity (bottles) | 41 |
| Undercounter glass shelf capacity (cans) | 1 |
| Undercounter drawer capacity (cans) | 1 |
| Undercounter bottom wooden bottle holder (bottles) | 11 |
| TECHNICAL DETAILS | |
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| 100000000000000 | |
| EFFICIENCY | |

| DIMENSIONS & WEIGHT | |
|---|--------------|
| Height of the product (closed weels) (mm) | 865 |
| Width of the product (mm) | 598 |
| Depth of Product without handle (mm) | 572 |
| Net Weight (kg) | 60 |
| Gross Weight (kg) | 75 |
| TEMPERATURE RANGES | |
| | |
| Climatic compartments | 2 |
| Compartment 1 / Upper temperature (°C) | from 4 to 18 |
| Compartment 2 / Middle temperature (°C) | from 4 to 18 |
| Low temp zone | NO |
| Compartment 3 / Low temperature (°C) | 1 |
| Dual zone | NO |
| GENERAL PROPERTIES | |
| Reversible door | YES |
| Low vibration | YES |
| Shelves | 5 |
| Type of shelves | WOOD |
| Freezer drawers | 1 |

ACCESSORIES

• Stainless steel tubular handles 30mm

• Stainless steel tubular handles

- Set of knives
- Prosciutteria kit
- 18mm
- Stainless steel panels
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- 90° Door stop
- Wine kit
- Cheese drawer
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

128

Energy consumption (kWh/year)

Fhaha



UNDERCOUNTER: WINE CELLAR Model: 1T Width: 60cm One door, 1 temperature

Single compartment: Wine cellar



- Made in Italy.
- Aisi 304 stainless steel body.
- Stainless steel interior finish
- Antibacterial stainless steel interior.
- Optiview: multi LED light array (top and side interior) provides brilliant illumination to the entire interior.
- Soft close door and drawers in all compartments
- Acoustic and visual signals
- Total no frost 100% automatic system
- Insulated variable speed compressors maintains precision temperature control with low vibration.
- Sabbath mode
- Front and rear adjustable feet up to 25 mm.
- One indipendent climatic zone.
- Tempered glass shelves with aluminium profiles.
- Chill to serve: you can rapidly lower the temperature to 2°C before serving.
- Fully integrated / built-in
- Bronzed glass door and Argon gas guarantee maximum protection from harmful UV light rays.
- Reversible door.
- Low vibration compressor
- Full range of models and configurations.Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.



| GENERAL PROPERTIES | |
|---|-----------|
| Reversible door | YES |
| Equilance | NO |
| SoftClosing Runner | YES |
| Low vibration | YES |
| Optieview (LED light spots) | YES |
| Shelves | 5 |
| Slide-out shelves | YES |
| Type of shelves | WOOD |
| Fridge drawers type | 1 |
| Fresco/LowTemp Drawers | 1 |
| Bottom drawers | 1 |
| Full Extension shelves 90° door opening | YES |
| Full Extension drawers 90° door opening | NO |
| Defrost Process | AUTOMATIC |
| Ice maker with water filter | NO |
| Door Open Alarms | YES |
| Humidity control | NO |
| Active carbon filter | NO |
| Air filter control | NO |
| Shopping Fridge | NO |
| Shopping Freezer | NO |
| Power Failure Function | YES |
| | |

UCW601TP

60 cm, UNDERCOUNTER WINE CELLAR, 1T MODEL PREMIUM INDOOR


BUILT-IN

UNDERCOUNTER® SERIES





| AESTHETIC | |
|---|--------------------|
| Compressor position | Bottom |
| Front finish | Custom panel ready |
| Handles | NO |
| Interior material finish | Stainless steel |
| Dysplay | OLED |
| PRICE (VAT and delivery charges no | ot included) |
| UCW601TP (right hinge) | 3.400 € |
| UCW601TPX (right hinge, MODEL X empty) | 3.040 € |
| | |
| CAPACITY | · |
| Volume Compartment 1 (L) | 143 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 1 |
| Total Net Volume (L) | 143 |
| Total Gross Volume (L) | 1 |
| Wine cellar capacity (bottles) | 41 |
| Undercounter glass shelf capacity (cans) | 1 |
| Undercounter drawer capacity (cans) | 1 |
| Undercounter bottom wooden bottle holder (bottles) | 11 |
| TECHNICAL DETAILS | |
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | G |
| | 100 |



| DIMENSIONS & WEIGHT | |
|---|--------------|
| Height of the product (closed weels) (mm) | 865 |
| Width of the product (mm) | 598 |
| Depth of Product without handle (mm) | 572 |
| Net Weight (kg) | 55 |
| Gross Weight (kg) | 70 |
| TEMPERATURE RANGES | |
| Climatic compartments | 1 |
| Compartment 1 / Upper temperature (°C) | from 4 to 18 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | NO |
| Compartment 3 / Low temperature (°C) | 1 |
| Dual zone | NO |
| GENERAL PROPERTIES | |
| | |
| Reversible door | YES |
| Low vibration | YES |
| Shelves | 5 |
| Type of shelves | WOOD |
| Freezer drawers | 1 |

Ø 76

ACCESSORIES

- Stainless steel tubular handles 30mm
- Set of knives
- Prosciutteria kit
- Stainless steel tubular handles 18mm
- Stainless steel panels
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- 90° Door stop
- Wine kit
- Cheese drawer
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

UCW601TP0 60 cm, UNDERCOUNTER WINE CELLAR, 1T MODEL PREMIUM OUTDOOR **BUILT-IN**

UNDERCOUNTER® SERIES





| AESTHETIC | | DIMENSIONS & WEIGHT | |
|--|----------------------------|---|--------------|
| Compressor position | Bottom | Height of the product (closed weels) (mm) | 865 |
| Front finish | Stainless steel | Width of the product (mm) | 598 |
| Handles | Stainless steel Ø 18mm | Depth of Product without handle (mm) | 576 |
| Interior material finish | Stainless steel | Net Weight (kg) | 59 |
| Dysplay | OLED | Gross Weight (kg) | 74 |
| PRICE (VAT and delivery charges no | tingluded) | TEMPERATURE RANGES | |
| UCW601TP0 | | | 1 |
| (right hinge) | 3.930 € | Climatic compartments | from 4 to 18 |
| UCW601TPOX | 3.610 € | - Compartment 1 / Upper temperature (°C) | |
| (right hinge, MODEL X empty) | J.010 t | Compartment 2 / Middle temperature (°C) | 1 |
| | | Low temp zone | NO |
| CAPACITY | | Compartment 3 / Low temperature (°C) | 1 |
| Volume Compartment 1 (L) | 143 | Dual zone | NO |
| Volume Compartment 2 (L) | 1 | GENERAL PROPERTIES | |
| Volume Compartment 3 (L) | 1 | Reversible door | YES |
| Total Net Volume (L) | 143 | Low vibration | YES |
| Total Gross Volume (L) | 1 | Shelves | 5 |
| | | Type of shelves | WOOD |
| Wine cellar capacity (bottles) | 41 | Freezer drawers | 1 |
| Undercounter glass shelf capacity (cans) | 1 | ACCESSORIES | |
| Undercounter drawer capacity (cans) | 1 | Cleaning kit | |
| | | Active carbon filter | |
| Undercounter bottom wooden bottle | 11 | • FLD - Fhiaba Link Device | |
| holder (bottles) | | • 90° Door stop | |
| TECHNICAL DETAILS | | • Wine kit | |
| Voltage (V) | 220-240V | Cheese drawer | |
| Frequency (Hz) | 50-60 Hz | • Cigar drawer | |
| Climatic class | SN/T | Beverage drawer | |
| Noise level (dB) | 41 | Beverage shelf | |
| | • Beverage removable shelf | | |
| EFFICIENCY | | • Set of knives | |
| New Energy Label class | G | • Prosciutteria kit | |
| Energy consumption (kWh/year) | 122 | | |

122

Energy consumption (kWh/year)







UCW601TGM

60 cm, UNDERCOUNTER WINE CELLAR, 1T MODEL GRAN MAESTRO INDOOR


BUILT-IN


UNDERCOUNTER® SERIES





| AESTHETIC | |
|---|--------------------|
| Compressor position | Bottom |
| Front finish | Custom panel ready |
| Handles | NO |
| Interior material finish | Stainless steel |
| Dysplay | TFT |
| PRICE (VAT and delivery charges no | t included) |
| UCW601TGM | 4.140 € |
| (right hinge) | |
| UCW601TGMX (right hinge, MODEL X empty) | 3.820 € |
| (hight hinge, Hobee X empty) | |
| CAPACITY | |
| Volume Compartment 1 (L) | 143 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 1 |
| Total Net Volume (L) | 143 |
| Total Gross Volume (L) | 1 |
| Wine cellar capacity (bottles) | 41 |
| Undercounter glass shelf capacity (cans) | 1 |
| Undercounter drawer capacity (cans) | 1 |
| Undercounter bottom wooden bottle holder (bottles) | 11 |
| TECHNICAL DETAILS | |
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |





ACCESSORIES

- Stainless steel tubular handles
 30mm
- Set of knives
 - Prosciutteria kit
- Stainless steel tubular handles 18mm
- Stainless steel panels
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- PLD Philaba Link De • 90° Door stop
- Wine kit
- Cheese drawer
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

G

122

New Energy Label class

Energy consumption (kWh/year)

Enaha

UNDERCOUNTER: TRIMODE DRAWERS Width: 90/75/60cm







UNDERCOUNTER: TRIMODE DRAWERS Model: 2D Width: 90cm

Two drawers, 1 temperature Single compartment: TriMode (Fridge/Fresco/Freezer)



- Made in Italy.
- Aisi 304 stainless steel body.
- Stainless steel interior finish
- Antibacterial stainless steel interior.
- Optiview: multi LED light array (top and side interior) provides brilliant illumination to the entire interior.
- Soft close door and drawers in all compartments
- Acoustic and visual signals
- Total no frost 100% automatic system
- Insulated variable speed compressors maintains precision temperature control with low vibration.
- Sabbath mode
- Front and rear adjustable feet up to 25 mm.
- Trimode ystem: Fhiaba patented Trimode drawers con be set to 3 different micrclimates: freezer, fresco or fridge.
- Avaible size: 60, 75, 90 cm.
- Chill to serve: you can rapidly lower the temperature to 2°C before serving.
- Fully integrated / bulit-in
- Fully extractable drawers with soft closing guides
- Aisi 304 stainless steel interior
- Low vibration compressor
- Full range of models and configurations.Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.



| GENERAL PROPERTIES | |
|---|-----------------------------------|
| Reversible door | NO |
| Equilance | NO |
| SoftClosing Runner | YES |
| Low vibration | YES |
| Optieview (LED light spots) | YES |
| Shelves | 1 |
| Slide-out shelves | 1 |
| Type of shelves | 1 |
| Fridge drawers type | 1 |
| Fresco/LowTemp Drawers | 1 |
| Bottom drawers | 2 |
| Full Extension shelves 90° door opening | 1 |
| Full Extension drawers 90° door opening | 1 |
| Defrost Process | AUTOMATIC |
| Ice maker with water filter | AVAILABLE ONLY ON GRAN MAESTRO |
| Door Open Alarms | NO |
| Humidity control | NO |
| Active carbon filter | NO |
| Air filter control | NO |
| Shopping Fridge | NO |
| Shopping Freezer | YES |
| Power Failure Function | YES |

UC2D90P 90 cm, UNDERCOUNTER TRIMODE, 2D MODEL PREMIUM INDOOR **BUILT-IN**

UNDERCOUNTER® SERIES



| AESTHETIC | |
|--|--------------------|
| Compressor position | Bottom |
| Front finish | Custom panel ready |
| Handles | NO |
| Interior material finish | Stainless steel |
| Display | OLED |
| PRICE (VAT and delivery charges no | ot included) |
| UC2D90P | 4.990 € |
| | |
| | |
| CAPACITY | |
| Volume Compartment 1 (L) | 175 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 1 |
| Total Net Volume (L) | 175 |
| Total Gross Volume (L) | 1 |
| Wine cellar capacity (bottles) | 1 |
| Undercounter glass shelf capacity (cans) | 1 |
| Undercounter drawer capacity (cans) | 1 |
| Undercounter bottom wooden bottle | |
| holder (bottles) | |
| TECHNICAL DETAILS | |

| TECHNICAL DETAILS | |
|-------------------------------|----------|
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | F |
| Energy consumption (kWh/year) | 276 |
| | |

| DIMENSIONS & WEIGHT | |
|---|---------------|
| Height of the product (closed weels) (mm) | 865 |
| Width of the product (mm) | 898 |
| Depth of Product without handle (mm) | 572 |
| Net Weight (kg) | 79 |
| Gross Weight (kg) | 94 |
| TEMPERATURE RANGES | |
| Climatic compartments | 1 |
| Compartment 1 / Upper temperature (°C) | from 8 to -22 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | NO |
| Compartment 3 / Low temperature (°C) | 1 |
| Dual zone | NO |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 1 |
| Type of shelves | 1 |
| Freezer drawers | 2 |

ACCESSORIES

- Stainless steel tubular handles 30mm
- Stainless steel tubular handles 18mm
- Stainless steel panels
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device



UC2D90P0

90 cm, UNDERCOUNTER TRIMODE, 2D MODEL PREMIUM OUTDOOR **BUILT-IN**

UNDERCOUNTER® SERIES



| AESTHETIC | | DIMENSIONS & WEIGHT | |
|--|------------------------|---|---------------|
| Compressor position | Bottom | Height of the product (closed weels) (mm) | 865 |
| Front finish | Stainless steel | Width of the product (closed weets) (mm) | 898 |
| Handles | Stainless steel Ø 18mm | Depth of Product without handle (mm) | 576 |
| Interior material finish | Stainless steel | Net Weight (kg) | 85 |
| Display | OLED | Gross Weight (kg) | 100 |
| PRICE (VAT and delivery charges no | | TEMPERATURE RANGES | |
| | | Climatic compartments | 1 |
| UC2D90PO | 5.520€ | Compartment 1 / Upper temperature (°C) | from 8 to -22 |
| | | Compartment 2 / Middle temperature (°C) | |
| | | Low temp zone | NO |
| CAPACITY | | Compartment 3 / Low temperature (°C) | |
| Volume Compartment 1 (L) | 175 | Dual zone | NO |
| Volume Compartment 2 (L) | / | | |
| Volume Compartment 3 (L) | | GENERAL PROPERTIES | |
| Total Net Volume (L) | 175 | Reversible door | NO |
| Total Gross Volume (L) | / | Low vibration | YES |
| | | Shelves | 1 |
| Wine cellar capacity (bottles) | 1 | Type of shelves | 1 |
| | - | Freezer drawers | 2 |
| Undercounter glass shelf capacity (cans) | 1 | ACCESSORIES | |
| Undercounter drawer capacity (cans) | 1 | Extra length anti-tipping kit | |
| Undercounter bottom wooden bottle | | Cleaning kit | |
| holder (bottles) | | • FLD - Fhiaba Link Device | |
| | | | |
| TECHNICAL DETAILS | Γ | | |
| Voltage (V) | 220-240V | | |
| Frequency (Hz) | 50-60 Hz | | |
| Climatic class | SN/T | | |
| Noise level (dB) | 41 | | |
| EFFICIENCY | | | |
| New Energy Label class | F | | |
| | | | |



UC2D90GM 90 cm, UNDERCOUNTER TRIMODE, 2D MODEL GRAN MAESTRO INDOOR BUILT-IN



UNDERCOUNTER® SERIES



| AESTHETIC | |
|---|--------------------|
| Compressor position | Bottom |
| Front finish | Custom panel ready |
| Handles | NO |
| Interior material finish | Stainless steel |
| Display | TFT |
| PRICE (VAT and delivery charges no | ot included) |
| UC2D90GM | 5.830 € |
| UC2D90GMI (with ice maleer) | 6.650 € |
| (with ice maker) | |
| CAPACITY | |
| Volume Compartment 1 (L) | 175 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 1 |
| Total Net Volume (L) | 175 |
| Total Gross Volume (L) | 1 |
| Wine cellar capacity (bottles) | 1 |
| Undercounter glass shelf capacity (cans) | 1 |
| Undercounter drawer capacity (cans) | 1 |
| Undercounter bottom wooden bottle holder (bottles) | 1 |
| TECHNICAL DETAILS | |
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |

| TECHNICAL DETAILS | |
|-------------------------------|----------|
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| | |
| EFFICIENCY | |
| New Energy Label class | F |
| Energy consumption (kWh/year) | 276 |
| | |

DIMENSIONS & WEIGHT 865 Height of the product (closed weels) (mm) 898 Width of the product (mm) Depth of Product without handle (mm) 572 Net Weight (kg) 79 94 Gross Weight (kg) TEMPERATURE RANGES Climatic compartments 1 Compartment 1 / Upper temperature (°C) from 8 to -22 Compartment 2 / Middle temperature (°C) 1 NO Low temp zone Compartment 3 / Low temperature (°C) 1 NO Dual zone GENERAL PROPERTIES Reversible door NO Low vibration YES Shelves 1 1 Type of shelves Freezer drawers 2

ACCESSORIES

- Stainless steel tubular handles 30mm
- Stainless steel tubular handles 18mm
- Stainless steel panels
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device

Fhaha



UNDERCOUNTER: TRIMODE DRAWERS Model: 2D Width: 75cm

Two drawers, 1 temperature Single compartment: TriMode (Fridge/Fresco/Freezer)



- Made in Italy.
- Aisi 304 stainless steel body.
- Stainless steel interior finish
- Antibacterial stainless steel interior.
- Optiview: multi LED light array (top and side interior) provides brilliant illumination to the entire interior.
- Soft close door and drawers in all compartments
- Acoustic and visual signals
- Total no frost 100% automatic system
- Insulated variable speed compressors maintains precision temperature control with low vibration.
- Sabbath mode
- Front and rear adjustable feet up to 25 mm.
- Trimode ystem: Fhiaba patented Trimode drawers con be set to 3 different micrclimates: freezer, fresco or fridge.
- Avaible size: 60, 75, 90 cm.
- Chill to serve: you can rapidly lower the temperature to 2°C before serving.
- Fully integrated / built-in
- Fully extractable drawers with soft closing guides
- Aisi 304 stainless steel interior
- Low vibration compressor
- Full range of models and configurations.Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.



| GENERAL PROPERTIES | |
|---|-----------------------------------|
| Reversible door | NO |
| Equilance | NO |
| SoftClosing Runner | YES |
| Low vibration | YES |
| Optieview (LED light spots) | YES |
| Shelves | 1 |
| Slide-out shelves | 1 |
| Type of shelves | 1 |
| Fridge drawers type | 1 |
| Fresco/LowTemp Drawers | 1 |
| Bottom drawers | 2 |
| Full Extension shelves 90° door opening | 1 |
| Full Extension drawers 90° door opening | 1 |
| Defrost Process | AUTOMATIC |
| Ice maker with water filter | AVAILABLE ONLY ON GRAN MAESTRO |
| Door Open Alarms | NO |
| Humidity control | NO |
| Active carbon filter | NO |
| Air filter control | NO |
| Shopping Fridge | NO |
| Shopping Freezer | YES |
| Power Failure Function | YES |

UC2D75P

75 cm, UNDERCOUNTER TRIMODE, 2D MODEL PREMIUM INDOOR

BUILT-IN

UNDERCOUNTER® SERIES



| AESTHETIC | |
|---|--------------------|
| Compressor position | Bottom |
| Front finish | Custom panle ready |
| Handles | NO |
| Interior material finish | Stainless steel |
| Display | OLED |
| PRICE (VAT and delivery charges no | t included) |
| UC2D75P | 4.670 € |
| | |
| | |
| CAPACITY | |
| Volume Compartment 1 (L) | 141 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 1 |
| Total Net Volume (L) | 141 |
| Total Gross Volume (L) | 1 |
| Wine cellar capacity (bottles) | 1 |
| Undercounter glass shelf capacity (cans) | 1 |
| Undercounter drawer capacity (cans) | 1 |
| Undercounter bottom wooden bottle holder (bottles) | 1 |
| | 1 |

| TECHNICAL DETAILS | |
|-------------------------------|----------|
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | F |
| Energy consumption (kWh/year) | 262 |
| | |

| Height of the product (closed weels) (mm) | 865 |
|---|---------------|
| • • | |
| Width of the product (mm) | 748 |
| Depth of Product without handle (mm) | 572 |
| Net Weight (kg) | 69 |
| Gross Weight (kg) | 84 |
| TEMPERATURE RANGES | |
| Climatic compartments | 1 |
| Compartment 1 / Upper temperature (°C) | from 8 to -22 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | NO |
| Compartment 3 / Low temperature (°C) | 1 |
| Dual zone | NO |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 1 |
| Type of shelves | 1 |
| Freezer drawers | 2 |

ACCESSORIES

- Stainless steel tubular handles 30mm
- Stainless steel tubular handles 18mm
- Stainless steel panels
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device



UC2D75P0

75 cm, UNDERCOUNTER TRIMODE, 2D MODEL PREMIUM OUTDOOR **BUILT-IN**

UNDERCOUNTER® SERIES



| AESTHETIC | | DIMENSIONS & WEIGHT | |
|--|------------------------|---|---------------|
| Compressor position | Bottom | Height of the product (closed weels) (mm) | 865 |
| Front finish | Stainless steel | Width of the product (mm) | 748 |
| Handles | Stainless steel Ø 18mm | Depth of Product without handle (mm) | 576 |
| Interior material finish | Stainless steel | Net Weight (kg) | 85 |
| Display | OLED | Gross Weight (kg) | 100 |
| PRICE (VAT and delivery charges no | ot included) | TEMPERATURE RANGES | |
| UC2D75P0 | 5.300 € | Climatic compartments | 1 |
| | | Compartment 1 / Upper temperature (°C) | from 8 to -22 |
| | | Compartment 2 / Middle temperature (°C) | 1 |
| | | Low temp zone | NO |
| CAPACITY | | Compartment 3 / Low temperature (°C) | 1 |
| Volume Compartment 1 (L) | 141 | Dual zone | NO |
| Volume Compartment 2 (L) | 1 | GENERAL PROPERTIES | |
| Volume Compartment 3 (L) | 1 | – Reversible door | NO |
| Total Net Volume (L) | 141 | Low vibration | YES |
| Total Gross Volume (L) | 1 | - Shelves | 1 |
| | | Type of shelves | 1 |
| Wine cellar capacity (bottles) | | Freezer drawers | 2 |
| Undercounter glass shelf capacity (cans) | 1 | ACCESSORIES | · |
| Undercounter drawer capacity (cans) | 1 | • Extra length anti-tipping kit | |
| Undercounter bottom wooden bottle | | Cleaning kit | |
| holder (bottles) | 1 | FLD - Fhiaba Link Device | |
| | | | |
| TECHNICAL DETAILS | | | |
| Voltage (V) | 220-240V | _ | |
| Frequency (Hz) | 50-60 Hz | _ | |
| Climatic class | SN/T | _ | |
| Noise level (dB) | 41 | _ | |
| EFFICIENCY | | | |
| New Energy Label class | F | _ | |
| Energy consumption (kWh/year) | 262 | _ | |



UC2D75GM 75 cm, UNDERCOUNTER TRIMODE, 2D MODEL GRAN MAESTRO INDOOR BUILT-IN



UNDERCOUNTER® SERIES



| AESTHETIC | |
|---|--------------------|
| Compressor position | Bottom |
| Front finish | Custom panel ready |
| Handles | NO |
| Interior material finish | Stainless steel |
| Display | TFT |
| PRICE (VAT and delivery charges no | ot included) |
| UC2D75GM | 5.730 € |
| UC2D75GMI | 6.550 € |
| (with ice maker) | |
| | |
| CAPACITY | 414 |
| Volume Compartment 1 (L) | 141 |
| Volume Compartment 2 (L) | |
| Volume Compartment 3 (L) | 1 |
| Total Net Volume (L) | 141 |
| Total Gross Volume (L) | |
| Wine cellar capacity (bottles) | 1 |
| Undercounter glass shelf capacity (cans) | 1 |
| Undercounter drawer capacity (cans) | 1 |
| Undercounter bottom wooden bottle holder (bottles) | 1 |
| TECHNICAL DETAILS | |
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| | |

| DIMENSIONS & WEIGHT | |
|---|---------------|
| Height of the product (closed weels) (mm) | 865 |
| Width of the product (mm) | 748 |
| Depth of Product without handle (mm) | 572 |
| Net Weight (kg) | 69 |
| Gross Weight (kg) | 84 |
| | |
| TEMPERATURE RANGES | |
| Climatic compartments | 1 |
| Compartment 1 / Upper temperature (°C) | from 8 to -22 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | NO |
| Compartment 3 / Low temperature (°C) | 1 |
| Dual zone | NO |
| | |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 1 |
| Type of shelves | 1 |
| Freezer drawers | 2 |
| | |

ACCESSORIES

- Stainless steel tubular handles 30mm
- Stainless steel tubular handles 18mm
- Stainless steel panels
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device

F 262

EFFICIENCY

New Energy Label class

Energy consumption (kWh/year)

Fhaba



UNDERCOUNTER: TRIMODE DRAWERS Model: 2D Width: 60cm

Two drawers, 1 temperature Single compartment: TriMode (Fridge/Fresco/Freezer)



TRIMODE DRAWERS

- Made in Italy.
- Aisi 304 stainless steel body.
- Stainless steel interior finish
- Antibacterial stainless steel interior.
- Optiview: multi LED light array (top and side interior) provides brilliant illumination to the entire interior.
- Soft close door and drawers in all compartments
- Acoustic and visual signals
- Total no frost 100% automatic system
- Insulated variable speed compressors maintains precision temperature control with low vibration.
- Sabbath mode
- Front and rear adjustable feet up to 25 mm.
- Trimode ystem: Fhiaba patented Trimode drawers con be set to 3 different micrclimates: freezer, fresco or fridge.
- Avaible size: 60, 75, 90 cm.
- Chill to serve: you can rapidly lower the temperature to 2°C before serving.
- Fully integrated / cbuilt-in
- Fully extractable drawers with soft closing guides
- Aisi 304 stainless steel interior
- Low vibration compressor
- Full range of models and configurations.Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.



| GENERAL PROPERTIES | |
|---|-----------|
| Reversible door | NO |
| Equilance | NO |
| SoftClosing Runner | YES |
| Low vibration | YES |
| Optieview (LED light spots) | YES |
| Shelves | 1 |
| Slide-out shelves | 1 |
| Type of shelves | 1 |
| Fridge drawers type | 1 |
| Fresco/LowTemp Drawers | 1 |
| Bottom drawers | 2 |
| Full Extension shelves 90° door opening | 1 |
| Full Extension drawers 90° door opening | 1 |
| Defrost Process | AUTOMATIC |
| Ice maker with water filter | NO |
| Door Open Alarms | NO |
| Humidity control | NO |
| Active carbon filter | NO |
| Air filter control | NO |
| Shopping Fridge | NO |
| Shopping Freezer | YES |
| Power Failure Function | YES |

UC2D60P 60 cm, UNDERCOUNTER TRIMODE, 2D MODEL PREMIUM INDOOR

BUILT-IN

UNDERCOUNTER® SERIES



| AESTHETIC | |
|---|--------------------|
| Compressor position | Bottom |
| Front finish | Custom panel ready |
| Handles | NO |
| Interior material finish | Stainless steel |
| Display | OLED |
| PRICE (VAT and delivery charges no | t included) |
| UC2D60P | 4.560€ |
| | |
| | |
| CAPACITY | |
| Volume Compartment 1 (L) | 107 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 1 |
| Total Net Volume (L) | 107 |
| Total Gross Volume (L) | 1 |
| Wine cellar capacity (bottles) | 1 |
| Undercounter glass shelf capacity (cans) | 1 |
| Undercounter drawer capacity (cans) | 1 |
| Undercounter bottom wooden bottle holder (bottles) | 1 |

| TECHNICAL DETAILS | |
|-------------------------------|----------|
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | F |
| Energy consumption (kWh/year) | 244 |
| | |

| DIMENSIONS & WEIGHT | |
|---|---------------|
| Height of the product (closed weels) (mm) | 865 |
| Width of the product (mm) | 598 |
| Depth of Product without handle (mm) | 572 |
| Net Weight (kg) | 60 |
| Gross Weight (kg) | 75 |
| TEMPERATURE RANGES | |
| Climatic compartments | 1 |
| Compartment 1 / Upper temperature (°C) | from 8 to -22 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | NO |
| Compartment 3 / Low temperature (°C) | 1 |
| Dual zone | NO |
| | |
| GENERAL PROPERTIES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 1 |
| Type of shelves | 1 |
| Freezer drawers | 2 |

ACCESSORIES

- Stainless steel tubular handles 30mm
- Stainless steel tubular handles 18mm
- Stainless steel panels
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device



UC2D60P0

60 cm, UNDERCOUNTER TRIMODE, 2D MODEL PREMIUM OUTDOOR **BUILT-IN**

UNDERCOUNTER® SERIES



| AESTHETIC | | DIMENSIONS & WEIGHT | |
|--|------------------------|---|---------------|
| Compressor position | Bottom | Height of the product (closed weels) (mm) | 865 |
| Front finish | Stainless steel | Width of the product (mm) | 598 |
| Handles | Stainless steel Ø 18mm | Depth of Product without handle (mm) | 576 |
| Interior material finish | Stainless steel | Net Weight (kg) | 66 |
| Display | OLED | Gross Weight (kg) | 81 |
| PRICE (VAT and delivery charges no | ot included) | TEMPERATURE RANGES | |
| UC2D60P0 | 5.090 € | Climatic compartments | 1 |
| | | Compartment 1 / Upper temperature (°C) | from 8 to -22 |
| | | Compartment 2 / Middle temperature (°C) | 1 |
| | | Low temp zone | NO |
| CAPACITY | | Compartment 3 / Low temperature (°C) | 1 |
| Volume Compartment 1 (L) | 107 | Dual zone | NO |
| Volume Compartment 2 (L) | 1 | - GENERAL PROPERTIES | |
| Volume Compartment 3 (L) | 1 | - Reversible door | NO |
| Total Net Volume (L) | 107 | - Low vibration | YES |
| Total Gross Volume (L) | 1 | - Shelves | / |
| Wine coller conscitu (bettles) | , | Type of shelves | 1 |
| Wine cellar capacity (bottles) | | Freezer drawers | 2 |
| Undercounter glass shelf capacity (cans) | 1 | ACCESSORIES | |
| Undercounter drawer capacity (cans) | 1 | Extra length anti-tipping kit | |
| Undercounter bottom wooden bottle | | Cleaning kit | |
| holder (bottles) | 1 | • FLD - Fhiaba Link Device | |
| TECHNICAL DETAILS | | | |
| Voltage (V) | 220-240V | • | |
| Frequency (Hz) | 50-60 Hz | - | |
| Climatic class | SN/T | - | |
| Noise level (dB) | 41 | - | |
| EFFICIENCY | <u> </u> | | |
| New Energy Label class | F | - | |
| Energy consumption (kWh/year) | 244 | _ | |



UC2D60GM 60 cm, UNDERCOUNTER TRIMODE, 2D MODEL GRAN MAESTRO INDOOR BUILT-IN



UNDERCOUNTER® SERIES



| Compressor position | Bottom |
|---|--------------------|
| Front finish | Custom panel ready |
| Handles | NO |
| Interior material finish | Stainless steel |
| Display | TFT |
| PRICE (VAT and delivery charges no | t included) |
| UC2D60GM | 5.620 € |
| | |
| | |
| CAPACITY | |
| Volume Compartment 1 (L) | 107 |
| Volume Compartment 2 (L) | 1 |
| Volume Compartment 3 (L) | 1 |
| Total Net Volume (L) | 107 |
| Total Gross Volume (L) | 1 |
| Wine cellar capacity (bottles) | 1 |
| Undercounter glass shelf capacity (cans) | 1 |
| Undercounter drawer capacity (cans) | 1 |
| Undercounter bottom wooden bottle holder (bottles) | 1 |

| TECHNICAL DETAILS | |
|-------------------------------|----------|
| Voltage (V) | 220-240V |
| Frequency (Hz) | 50-60 Hz |
| Climatic class | SN/T |
| Noise level (dB) | 41 |
| EFFICIENCY | |
| New Energy Label class | F |
| Energy consumption (kWh/year) | 244 |
| | |

| DIMENSIONS & WEIGHT | |
|---|---------------|
| Height of the product (closed weels) (mm) | 865 |
| Width of the product (mm) | 598 |
| Depth of Product without handle (mm) | 572 |
| Net Weight (kg) | 60 |
| Gross Weight (kg) | 75 |
| | |
| TEMPERATURE RANGES | |
| Climatic compartments | 1 |
| Compartment 1 / Upper temperature (°C) | from 8 to -22 |
| Compartment 2 / Middle temperature (°C) | 1 |
| Low temp zone | NO |
| Compartment 3 / Low temperature (°C) | 1 |
| Dual zone | NO |
| GENERAL PROPERTIES | |
| OLNERAL FROFERINES | |
| Reversible door | NO |
| Low vibration | YES |
| Shelves | 1 |
| Type of shelves | 1 |
| Freezer drawers | 2 |
| | |

ACCESSORIES

- Stainless steel tubular handles 30mm
- Stainless steel tubular handles 18mm
- Stainless steel panels
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device

Fhaba

UNDERCOUNTER: ACCESSORIES



| Door hinge opening (revers | sible door) | | | | |
|---------------------------------------|-------------|-------------------|------------------------|--|-------|
| | Code | Series | Model Ref | Description | Price |
| | | INDOOR OUTDOOR | UCW UCB | Right hinge (standard) | FREE |
| | | INDOOR OUTDOOR | UCW UCB | Left hinge (on request) | FREE |
| Tubular handles AISI 304 | | | | | |
| | Code | Series | Model Ref | Description | Price |
| | H08 | Indoor | UC2D90 | Tubular handle, round section Ø30 mm (794 mm/ 31.2 in) | 220€ |
| T II | H07 | Indoor | UC2D75 | Tubular handle, round section Ø30 mm (644 mm/25.3 in) | 210€ |
| | H05 | Indoor | UC2D60 UCW UCB | Tubular handle, round section Ø30 mm (494 mm/ 19.4 in) | 200€ |
| | HCVU | Indoor | UCW UCB | Tubular handle, round section Ø18 mm > standard on OUTDOOR models | 170 € |
| · · · · · · · · · · · · · · · · · · · | HC8 | Indoor | UC2D90 | Tubular handle, round section Ø18 mm > standard on OUTDOOR models | 170 € |
| | HC7 | Indoor | UC2D75 | Tubular handle, round section Ø18 mm > standard on OUTDOOR models | 160€ |
| | HC5 | Indoor | UC2D60 | Tubular handle, round section Ø18 mm > standard on OUTDOOR models | 150€ |
| Pulizia e Igiene | | | | | |
| | Code | Series | Model Ref | Description | Price |
| TAN | RPOOKP | Indoor Outdoor | UC2D UCW UCB | Cleaning kit microfiber cloth and magic sponge | 70€ |
| - y- | RPOOFA | Gran Maestro | UC2D90GMI UC2D75GMI | Water filter cartridge | 90€ |
| | ACF | Indoor Outdoor | UCW UCB | Activated carbon filter | 60€ |

| Fhiaba Link Device | | | | | |
|-----------------------------|--------------------------------|-------------------|--------------------|---|-------|
| | Code | Series | Model Ref | Description | Price |
| | FLDUC | INDOOR OUTDOOR | UC2D UCW UCB | Remote connection to monitor via cloud software; Fhiaba will be able to detect sensor end-of-life or other issues and the consumer will be notified in case of power outage, open doors and more. | 440€ |
| Navigation door lock kit | | | | | |
| | Code | Series | Model Ref | Description | Price |
| | KBN | INDOOR OUTDOOR | UC2D UCW UCB | Navigation door lock kit | 730€ |
| Color box | | | | | |
| | Code | Series | Model Ref | Description | Price |
| | CARTCOL | OUTDOOR PANELS | UC2D UCW UCB | Fhiaba colour chart | 370€ |
| Painting | | | | | |
| | Code | Series | Model Ref | Description | Price |
| | | Indoor Outdoor | UC2D UCW UCB | Front Front Panel | 840€ |
| | | Indoor Outdoor | UC2D UCW UCB | Тор | 170 € |
| | | Indoor Outdoor | UC2D UCW UCB | Handles | 170 € |
| Staintess steel panels (for | ⁻ 0 30 SS Tubular I | handles) | 008 | | |
| | Code | Series | Model Ref | Description | Price |
| | PF62D30MM | Indoor | UC2D60 | Drawer stainless steel panels - 60 cm | 590€ |
| | PF72D30MM | Indoor | UC2D75 | Drawer stainless steel panels - 75 cm | 610 € |
| | PF92D30MM | Indoor | UC2D90 | Drawer stainless steel panels – 90 cm | 630€ |
| | PF6W30MM | Indoor | UCB60 UCW60 | Glass door stainless panel - 60 cm | 670 € |
| Staintess steel panels (for | ⁻ 0 18 SS Tubular I | handles) | | | |
| | Code | Series | Model Ref | Description | Price |
| | PF62D18MM | Indoor | UC2D60 | Drawer stainless steel panels - 60 cm | 590€ |
| | PF72D18MM | Indoor | UC2D75 | Drawer stainless steel panels – 75 cm | 610 € |
| | PF92D18MM | Indoor | UC2D90 | Drawer stainless steel panels - 90 cm | 630€ |
| | PF6W18MM | Indoor | UCB60 UCW60 | Glass door stainless panel - 60 cm | 670 € |



UNDERCOUNTER: ACCESSORIES



| | Code | Series | Model Ref | Description | Price |
|---------------|--------|-------------------|----------------------|---------------------|-------|
| | TIUC60 | Indoor Outdoor | UC2D90 | Stainless steel top | 520€ |
| | TIUC75 | Indoor Outdoor | UC2D75 | Stainless steel top | 550€ |
| | TIUC90 | Indoor Outdoor | UC2D60 UCW UCB | Stainless steel top | 560€ |
| heese drawers | | | | | |
| | Code | Series | Model Ref | Capacity | Price |
| | NCTBUC | Indoor Outdoor | UCB UCW | 28,8 lt | 580€ |
| | NCTSUC | Indoor Outdoor | UCB UCW | 16,3 lt | 560€ |

The drawers for storing the cheese are offered in two heights, they have been designed and made by Friulian artisans in precious okumè wood. With ultra-clear tempered glass front for proper attention to the products to be stored, a sliding cover in ultra-clear tempered glass on "Teflon" guides with a solid wood handle for easy access. On the bottom a perforated steel plate for perfect humidity and hygiene. All fresh food can be stored in the drawer by setting the appropriate temperature in the cellar display.

| Beverage drawers | | | | | |
|------------------|--------|-------------------|------------|--|-------|
| | Code | Series | Model Ref | Description | Price |
| | NBGDUC | Indoor Outdoor | UCB UCW | Full extraction drawer with sandblasted stain- less steel interior, soft closing runners and with 6mm tempered glass (capacity 20,2 L.) | 310€ |

| Beverage shelf | | | | | |
|--------------------------|---------|-------------------|------------|---|-------|
| | Code | Series | Model Ref | Description | Price |
| | NBGSFUC | Indoor Outdoor | UCB UCW | 6mm tempered glass shelves with aluminum edges that can be positioned on side racks (cans capacity: 42 da 33/50 cc) | 230€ |
| Removable Beverage shelf | | | | | |
| | Code | Series | Model Ref | Description | Price |
| | NBGSUC | Indoor Outdoor | UCB UCW | Removable 6mm tempered glass shelves (cans capacity:42 da 33/50 cc) | 290€ |


| Cigar drawers | | | |
|---------------|---------|-------------------|------------|
| | Code | Series | Mode |
| | NCSGBUC | Indoor Outdoor | UCB UCW |
| | NCSGSUC | Indoor Outdoor | UCB UCW |

The drawers for storing the cigar are offered in two heights, they have been designed and made by Friulian artisans in precious okumè wood. With ultra-clear tempered glass front for proper attention to the products to be stored, a sliding cover in ultra-clear tempered glass on "Teflon" guides with a solid wood handle for easy access.

| 3/4 bottle support | | | | | |
|--------------------|--------|-------------------|------------|---|-------|
| | Code | Series | Model Ref | Description | Price |
| | NWSFUC | Indoor Outdoor | UCB UCW | 3/4 length fixed natural oak wooden bottle support installed on the bottom of the appliance | 260€ |
| Wine wooden shelf | | | | | |
| | Code | Series | Model Ref | Description | Price |
| | NWSGUC | Indoor Outdoor | UCB UCW | Wine wooden shelf | 300 € |
| Prosciutteria kit | | | | | |
| | Code | Series | Model Ref | Description | Price |
| | KPUC | Indoor Outdoor | UCB UCW | Prosciutteria kit | 650 € |



| del Ref | Capacity | Price |
|---------|----------|-------|
| 1 | 28,8 lt | 560€ |
| 1 | 16,3 lt | 530€ |









BLAST CHILLER Model: BF Width: 60cm



- The Fhiaba blast chiller is part of an entire system: it integrates with the brand's fridges and undercounter models; it can also be adapted to the dimensions of standard cooking systems, making it possible to transfer food directly from the oven to the blast chiller without changing the pan.
- Built-in
- Flush installation
- Tubular handles in AISI 304 stainless steel 30 mm diameter
- Total black model without handle
- Can be combined with the built-in vacuum sealer drawer
- Polished 304 stainless steel interiors
- Display TFT 4.3" full touch
- Minimum temperature -40°C
- Maximum temperature +75°C
- 11 functions: 8 cold and 3 hot
- Cold functions
- 1. Blast chilling
- 2. Freezing
- 3. Pre-cooling
- 4. Cooling
- 5. Storage at 0°
- 6. Drinks
- 7. Defrosting
- 8. Blast chilling raw fish
- Hot functions
- 9. Proofing
- 10. Ready-to-eat
- 11. Slow cooking
- Temperature probe



| GENERAL PROPERTIES | |
|--------------------|-----|
| Metal racks | 3 |
| Temperature probe | YES |

BF45 60 cm, BLAST CHILLER BUILT-IN BLAST CHILLER[®] SERIES





| PRICE (MAT and delivery charge | s pot included) |
|---|-----------------|
| PRICE (VAT and delivery charges BF451 Display: Stainless Steel Door: Stainless Steel Handle: Stainless steel 0 30mm | 3.710 € |
| BF45B Display: Black glass Door: Black glass Handle: Stainless steel 0 30mm | 3.710 € |
| BF45M Display: Mirror glass Door: Mirror glass Handle: Stainless steel 0 30mm | 3.710 € |
| BF45V Display: custom colour Door: custom colour Handle: Stainless steel 0 30mm | on request |
| BF45HL Display: Black glass Door: Black glass Handle: without handle | 4.030 € |
| CAPACITY | |
| Total Net Volume (L) | 38 |
| TECHNICAL DETAILS | |
| Voltage (V) | 220-240V |

50-60 Hz

| DIMENSIONS & WEIGHT | |
|--|----------------------|
| Internal dimsensions (mm) | 470 x 397 x 210 |
| External dimsensions (mm) | 598 x 570 x 456 |
| Net Weight (kg) | 38 |
| Gross Weight (kg) | 45 |
| TEMPERATURE RANGES | |
| Climatic compartments | 1 |
| Compartment 1 / Upper temperature (°C) | from -35 to 75 |
| GENERAL PROPERTIES | |
| Door finge | Bottom, flap opening |
| Cavity material | STAINLESS STEEL |
| Shelves | 3 |
| Type of shelves | Metal racks |



Total mirror



Total stainless Steel

Frequency (Hz)





Total black - handle less



Total black



VACUUM DRAWER 45cm

VACUUM DRAWER Model: VD Width: 45 and 15 cm



FEATURES

Inspired by professional kitchen equipment, the Vacuum Drawer Fhiaba is a chamber vacuum sealer that is designed to be integrated into your kitchen. Able to reach a vacuum level approaching absolute zero, it is indispensable for sous-vide cooking, and keeping solid food and liquids fresh for up to five times longer.

The Vacuum Drawer Fhiaba comes with a highperformance pump and a virtually indestructible, heavyduty vacuum chamber. The internal tank is designed to hold glass jars and plastic packs.

The Vacuum Drawer Fhiaba comes in two heights: 45 cm (extractable with a handle), and 15 cm with a push-pull opening system.

Fhaba

VD45 45 cm, VACUUM DRAWER BUILT-IN VACUUM DRAWER® SERIES



VD15 15 cm, VACUUM DRAWER BUILT-IN VACUUM DRAWER® SERIES



| PRICE (VAT and delivery charges no | t included) |
|--|----------------------------|
| VD45I Door: Stainless steel Handle: Stainless steel 0 30mm | 4.140 € |
| CAPACITY | |
| Total Net Volume (L) | 17,10 |
| TECHNICAL DETAILS | |
| Voltage (V) | 230 V |
| Frequency (Hz) | 50 Hz |
| Noise level (dB) | 56 |
| DIMENSIONS & WEIGHT | |
| Bar sealer lengths (mm) | 306 |
| Max. pack sizes (mm) | 300 x 400 |
| Net Weight (kg) | 42 |
| Gross Weight (kg) | 64 |
| Dimensions of the recessed - niche height (mm) | 450 |
| GENERAL PROPERTIES | |
| Lid | Bottom, flap opening |
| Maximum lid opening angle | 60° ± 3° |
| Max tray projection during operation (mm) | 510 |
| Controls | 4 capacitive touch sensors |
| Tank material | Technopolymer |
| Exterior shell material | Food safe |
| Cycle time | > 3 minutes |
| Max empty cycle time | 3 minutes |
| Access for maintenance | Side doors |



| PRICE (VAT and delivery charges no | t included) |
|---|--------------------------------|
| VD15I | 3.160 € |
| Door: Stainless Steel | |
| VD15B Door: Total Black | 3.160 € |
| VD15V | |
| Door: Stainless Steel Custom color | on request |
| CAPACITY | |
| Total Net Volume (L) | 7 |
| TECHNICAL DETAILS | |
| Voltage (V) | 230/110 V |
| Frequency (Hz) | 50 - 60 Hz |
| Noise level (dB) | 56 |
| | |
| DIMENSIONS & WEIGHT | |
| Bar sealer lengths (mm) | 260 |
| Max. pack sizes (mm) | 250 x 350 |
| Net Weight (kg) | 32 |
| Gross Weight (kg) | 54 |
| Dimensions of the recessed - niche height (mm) | 136 |
| GENERAL PROPERTIES | |
| | Tempered glass or transparent, |
| Lid | glossy technopolymer |
| Maximum lid opening angle | 60° ± 3° |
| Max tray projection during operation (mm) | 435 |
| Controls | 4 capacitive touch sensors |
| Tank material | Technopolymer |
| | |
| Exterior shell material | Food safe |
| | Food safe < 1,30 minutes |
| Exterior shell material | |

Fhaba

VACUUM DRAWERS: ACCESSORIES



| Vacuum drawers accessories | | | | | |
|----------------------------|--------|----------------|--------------|---|------------|
| | Code | Series | Model Ref | Description | Price |
| | RP20SS | Vacuum drawers | VD45 VD15 | Bags - cm 20x30 | on request |
| | RP25SS | Vacuum drawers | VD45 VD15 | Bags - cm 25x35 | on request |
| | RP20BT | Vacuum drawers | VD45 VD15 | Cooking bags for low temperature - cm 20x30 | on request |
| | RP25BT | Vacuum drawers | VD45 VD15 | Cooking bags for low temperature - cm 25x35 | on request |

Fileba

www.fhiaba.com \cdot sales@fhiaba.com \cdot tel +39 0434 420160