

PRICE LIST 2.1

Information Notes

Fhiaba is constantly researching new ways to improve the features and the design of their products, therefore models are often upgraded and reviewed and this may result in aesthetic and technical changes in respect of what indicated in the pages hereafter. While we endeavour to keep the documentation constantly updated we recommend to always refer to the specific technical documentation for every design and installation requirement.

The Prices here indicated do not include VAT and

transport expenses. At any rate what indicated in this price list has no binding contract value and does not replace the sales conditions agreed with the Fhiaba commercial representatives.

Guarantee: in compliance with the European Law, Fhiaba offer a base guarantee of 2 years on their domestic appliances starting from the purchase date shown on the invoice or other purchase proof document. For information on how to request a service intervention during the period of guarantee do refer to the guarantee certificate which comes together with the appliance. The data relating to power and energy consumption are based on laboratory statistics and may vary in function of the conditions of use and installation environment of every single appliance.



4 FHIABA'S SOLUTIONS

FRIDGES, FREEZER AND WINE CELLARS

- 6 FRIDGES, FREEZER AND WINE CELLARS
- 7 PRODUCT CODE
- 8 SUMMARY PRICES
- 13 WIDTH 90 CM (90)
- 71 WIDTH 75 CM (75)
- 123 WIDTH 60 CM (60)
- 169 WIDTH 45 CM (45)
- 182 ACCESSORIES


UNDERCOUNTER

- 192 PRODUCT CODE
- 193 SUMMARY PRICES
- 195 BEVERAGE CENTER & WINE CELLARS
- 217 TRIMODE DRAWERS
- 236 ACCESSORIES

BLAST CHILLER & VACUUM DRAWERS

- 241 BLAST CHILLER & VACUUM DRAWERS
- 242 BLAST CHILLER
- 246 VACUUM DRAWERS
- 250 ACCESSORIES

FRIDGES | FREEZERS | WINE CELLARS




4 microclimates

FREEZER - 22 / -15°C FRESCO - 2 / + 2 °C FRIDGE +2 / + 8 °C

WINE CELLAR *
+ 4°C / + 18°C


*or a prosciutteria/cheese cabinet

Our patented **TriModeTM** drawers can be set to three different microclimates: freezer, fresco or fridge.



UNDERCOUNTER MODELS


Our undercounter models come in 5 versions, ideal for small spaces and use outdoors!



BLAST CHILLER AND VACUUM SEALER

The Fhiaba blast chiller has a Temperature ranges range from -40°C to +75°C.

With 11 functions, it makes creative, all-encompassing cooking quick and easy. Take food directly out of the oven, without even changing the tray!



THE FOUR DIMENSIONS OF QUALITY

Exclusive Fhiaba technology makes it possible to combine the four "key variables" of refrigeration, to create and maintain perfectly balanced climates.

Temperature ranges

Humidity

Ventilation

Time

Accurate Temperature ranges

Thanks to the numerous built-in sensors, the indicated Temperature ranges is always accurate.

TriPro Refrigeration ™

The triple cooling system ensures each ingredient and dish gets the right microclimate.

Uniform ProVentTM Ventilation

The ProVentTM system uniformly distributes cold air to all parts of the fridge.

Humidity control

Our wine cellars offer three different humidity level settings: low, medium and high.

Fhiaba is the only company in the world today with technology capable of managing three independent climate zones, for unrivalled, high-quality food storage.

Fhiaba systems also feature lateral refrigeration, thereby allowing for maximum use of the full depth of the inner compartments.









PRODUCT CODE

PERSONALIZING YOUR FHIABA

Fhiaba offers a series of solutions to customize the refrigerator and make it a unique and tailor-made product.

- 1. Top compressor model (series: X-Pro, Country) and bottom compressors (series: Classic, Designer, Integrated, Brilliance integrated, Brilliance Classic)
- 2. Fully integrated, integrated and freestanding models
- 3. All the models available in 4 width: 45 / 60 / 75 / 90 cm
- 4. Independent climatic zones for unrivalled high-quality food conservation:
 - 1T: 3 separate Temperature ranges.
 - OT: 2 separate Temperature ranges + Low temp zone.
 - OH: 2 separate Temperature ranges + Low temp zone.
 - OF: 1 separate Temperature ranges + Low temp zone for fridges.
 - OF: 2 separate Temperature ranges for wine cellars.
- 5. 7 lines: X-Pro, Country, Classic, Designer, Integrated, Brilliance Integrated, Brilliance Classic
- 6. Door opening: right or left hinge
- 8. Water dispenser for 0F fridge columns 90 and 75 cm
- 9. Pair of stainless steel sides for freestanding installation
- 10. Glass door
- 11. Single grill and single plinth kit X-Pro Series
- 12. Customized stainless steel door front up to 8 cm
- 13. Built in Kit
- 14. Stainless steel cladding for customer's doors
- 15. Custom RAL color
- 16. Painting of stainless steel doors and panels, sides and handles as per color sample
- 17. Patented separate "EvenliftTM" shelves. Standard on 1T and Country models.
- 18. Door front panel for Integrated Series without handle
- 19. Possibility of installing customer handles on the Integrated Series
- 20. Fhiaba tubular handles diameter 30 mm
- 21. Fhiaba tubular handles diameter 18 mm
- 22. Stainless steel panels with holes for Fhiaba handles
- 23. Elegant central connecting kit & integration strips
- 24. Extra anti-tipping for insertion in structures with depth up to 80 cm
- 25. Anti-condensation kit: Monferlene panel for side-by-side installation of two or more top compressors units (not required for models with compressors at the bottom)
- 26. Alternative energy kits: photovoltaic, geothermal, etc.
- 27. Support for tilting bottles
- 28. Wine exclusive accessories kit:
 - Wine kit
 - Cheese drawers
 - Cigar drawers
 - Set of knives
 - Prosciutteria Kit
- 29. Fhiaba link device: Remote connection to monitor via cloud software: Fhiaba will be able to detect sensor end-of-life or other issues and the consumer will be notified in case of power outage, open doors and more.
- 30. Panel installation to 50mm from ground level. (Integrated Series)
- 31. Front Ventilation kit (Classic and Integrated series)

90 0T ST KS Example:

KS

Digit # 1-> model series

XS = X-Pro (top compressors, stainless steel front)

AS= Country (top compressors, Built-in or Freestanding installation, Custom-colored front and sides, ice maker included)

KS = Classic (bottom compressors, stainless steel front)

RS = Designer (bottom compressors, stainless steel front)

S = Integrated (bottom compressors, flush or built-in)

BS = Brilliance - Integrated ((bottom compressors, flush or built-in, white interiors)

BKS = Brilliance - Classic (bottom compressors, stainless steel front, white interiors)

90

digit # 2 > width

90 cm

75 cm

60 cm 45 cm

0T

digit # 3 > model configuration

1T = One door, one bottom drawer, three separate temperature

OT = One door, one bottom drawer, two separate temperature

OH = One door, two bottom drawers, two separate temperature

OF = One door. Fridge and Freezer one temperature. Wine cellar two separate temperature.

ST

digit # 4 > function and door style

ST = Fridge/Trimode, Solid door

GT = Fridge/Trimode, Glass door

WT = Wine Cellar/Trimode

R = Fridge column

G = Fridge column, Glass door

Z = Freezer column

W = Wine Cellar column

digit # 6 > hinge positioning

3 = Hinge on the left

6 = Hinge on the right

digit # 7 > model options

i = indicate a unit equipped with Ice Maker

(not available on wine cellars, 60 fridges and 0F fridge models)

D = Water dispenser (available only for OF fridge columns 90 and 75 cm)



						Т	on com	pressors									Bot	tom compre	ssors							
			X-Pro XS Country AS			Designer R Clas					assic K			egrated S		Brillianc	e Classic	BK	Brilliance	Integrat	od BS					
Madal	Varaian	Width	Hinna	Ontinnala	Product code	Price	Page	Product code	Price	Page	Codice prodotto	Prezzo	Page		Product code	Price	Page	Product code	Price	Page	Product code	Price	Page	Product code	Price	Page
Model	Version		Hinge	Optionals	XS901TST3	13.890 €	+ -	Froduct code	rrice	raye	RS901TST3	12.620 €			KS901TST3	12.620 €		S901TST3	11.820 €	-	Froduct code	File	raye	Froduct code	File	raye
1T	FRIDGE +FREEZER	90	LH		XS9011S13 XS901TST6	-									KS901TST6		-	S901TST6								+-
			RH	1	XS901TST3I	13.890 €		AS901TST3I	14.630 €	17	RS901TST6 RS901TST3I	12.620 €	-		KS901TST3I	12.620 €	-	S901TST3I	11.820 €	20					-	+
			LH	Ice maker				AS901TST6I	14.630 €	_	RS901TST6I	13.440 €	-				-	S901TST6I	12.640 €							+-
	14/15/15	00	RH	Ice maker	XS901TST6I	14.710 €				-	-				KS901TST6I	13.440 €	-									+-
	WINE CELLAR	90	LH		XS901TWT3	14.630 €		AS901TWT3	15.370 €		RS901TWT3	13.890 €	-		KS901TWT3	13.890 €	-	S901TWT3	13.150 €							+-
	0222		RH		XS901TWT6	14.630 €		AS901TWT6	15.370 €	_	RS901TWT6	13.890 €	-		KS901TWT6	13.890 €	-	S901TWT6	13.150 €							+
		60	LH		XS601TWT3	12.720 €		AS601TWT3	12.940 €	_	RS601TWT3	11.560 €			KS601TWT3	11.560 €		S601TWT3	10.550 €	142						+
			RH		XS601TWT6	12.720 €		AS601TWT6	12.940 €	139	RS601TWT6	11.560 €	-		KS601TWT6	11.560 €	-	S601TWT6	10.550 €	142			ļ			-
OT	FRIDGE + FREEZER	90	LH		XS900TST3	11.820 €					RS900TST3	10.500 €			KS900TST3	10.500 €	-	S900TST3	9.970 €	40	BKS900TST3	8.910 €		BS900TST3	8.270 €	+
	INCLIEN		RH		XS900TST6	11.820 €					RS900TST6	10.500 €			KS900TST6	10.500 €		S900TST6	9.970 €		BKS900TST6	8.910 €		BS900TST6	8.270 €	
			LH	Ice maker	XS900TST3I	12.640 €		AS900TST3I	12.510 €	-	RS900TST3I	11.320 €	-		KS900TST3I	11.320 €	_	S900TST3I	10.790 €		BKS900TST3I	9.730 €	-	BS900TST3I	9.090 €	_
			RH	Ice maker	XS900TST6I	12.640 €		AS900TST6I	12.510 €	34	RS900TST6I	11.320 €			KS900TST6I	11.320 €	-	S900TST6I	10.790 €	40	BKS900TST6I	9.730 €	42	BS900TST6I	9.090 €	€ 43
			LH		XS900TGT3	12.780 €					RS900TGT3	11.450 €			KS900TGT3	11.450 €	39	S900TGT3	10.920 €	41						
			RH		XS900TGT6	12.780 €	33				RS900TGT6	11.450 €	37		KS900TGT6	11.450 €	39	S900TGT6	10.920 €	41						\bot
			LH	Ice maker, glass door	XS900TGT3I	13.590 €	33				RS900TGT3I	12.270 €	37		KS900TGT3I	12.270 €	39	S900TGT3I	11.740 €	41						
			RH	Ice maker, glass door	XS900TGT6I	13.590 €	33				RS900TGT6I	12.270 €	37		KS900TGT6I	12.270 €	39	S900TGT6I	11.740 €	41						
		75	LH		XS750TST3	11.560 €	82				RS750TST3	10.390 €	86		KS750TST3	10.390 €	88	S750TST3	9.860 €	90	BKS750TST3	8.430 €	92	BS750TST3	8.060 €	93
			RH		XS750TST6	11.560 €	82				RS750TST6	10.390 €	86		KS750TST6	10.390 €	88	S750TST6	9.860 €	90	BKS750TST6	8.430 €	92	BS750TST6	8.060 €	93
			LH	Ice maker	XS750TST3I	12.380 €	82	AS750TST3I	12.300 €	84	RS750TST3I	11.210€	86		KS750TST3I	11.210€	88	S750TST3I	10.680 €	90	BKS750TST3I	9.250 €	92	BS750TST3I	8.880 €	ê 93
			RH	Ice maker	XS750TST6I	12.380 €	82	AS750TST6I	12.300€	84	RS750TST6I	11.210€	86		KS750TST6I	11.210€	88	S750TST6I	10.680 €	90	BKS750TST6I	9.250 €	92	BS750TST6I	8.880 €	ê 93
			LH		XS750TGT3	12.510€	83				RS750TGT3	11.350€	87		KS750TGT3	11.350€	89	S750TGT3	10.820 €	91						
			RH		XS750TGT6	12.510€	83				RS750TGT6	11.350€	87		KS750TGT6	11.350€	89	S750TGT6	10.820 €	91						
			LH	Ice maker, glass door	XS750TGT3I	13.330 €	83				RS750TGT3I	12.160€	87		KS750TGT3I	12.160€	89	S750TGT3I	11.630 €	91						
			RH	Ice maker, glass door	XS750TGT6I	13.330 €	83				RS750TGT6I	12.160€	87		KS750TGT6I	12.160€	89	S750TGT6I	11.630 €	91						
		60	LH		XS600TST3	11.350 €	146	AS600TST3	11.770 €	148	RS600TST3	9.970 €	150		KS600TST3	9.970 €	152	S600TST3	9.440 €	154						
			RH		XS600TST6	11.350 €	146	AS600TST6	11.770 €	148	RS600TST6	9.970 €	150		KS600TST6	9.970 €	152	S600TST6	9.440 €	154						
			LH	Glass door	XS600TGT3	12.300 €	147				RS600TGT3	10.920€	151		KS600TGT3	10.920 €	153	S600TGT3	10.390 €	155						
			RH	Glass door	XS600TGT6	12.300 €	147				RS600TGT6	10.920€	151		KS600TGT6	10.920 €	153	S600TGT6	10.390 €	155						
	WINE	75	LH		XS750TWT3	11.660 €	96				RS750TWT3	10.710€	97		KS750TWT3	10.710€	98	S750TWT3	10.290 €	99						
	CELLAR		RH		XS750TWT6	11.660 €	96				RS750TWT6	10.710€	97		KS750TWT6	10.710€	98	S750TWT6	10.290 €	99						
		60	LH		XS600TWT3	10.600 €	158				RS600TWT3	9.650€	159		KS600TWT3	9.650 €	160	S600TWT3	9.330 €	161						
			RH		XS600TWT6	10.600 €	158				RS600TWT6	9.650€	159		KS600TWT6	9.650 €	160	S600TWT6	9.330 €	161						
0H	FRIDGE +	90	LH		XS900HST3	12.510 €	46				RS900HST3	11.560€	47		KS900HST3	11.560 €	48	S900HST3	10.550 €	49						
	FREEZER		RH		XS900HST6	12.510 €	46				RS900HST6	11.560€	47		KS900HST6	11.560 €	48	S900HST6	10.550 €	49						
			LH	Ice maker	XS900HST3I	13.330 €	46				RS900HST3I	12.380 €	47		KS900HST3I	12.380 €	48	S900HST3I	11.370 €	49						
			RH	Ice maker	XS900HST6I	13.330 €	46				RS900HST6I	12.380 €	47		KS900HST6I	12.380 €	48	S900HST6I	11.370 €	49						
		75	LH		XS750HST3	11.660 €	102				RS750HST3	10.710€	103		KS750HST3	10.710 €	104	S750HST3	10.390 €	105						1
			RH		XS750HST6	11.660 €	102				RS750HST6	10.710€	103		KS750HST6	10.710€	104	S750HST6	10.390 €	105						
			LH	Ice maker	XS750HST3I	12.480 €	102				RS750HST3I	11.530 €	103		KS750HST3I	11.530 €	104	S750HST3I	11.210 €	105						+
			RH	Ice maker	XS750HST6I	12.480 €	102				RS750HST6I	11.530 €	103		KS750HST6I	11.530 €	104	S750HST6I	11.210 €	105						+
	WINE	90	LH		XS900HWT3	12.190 €	52				RS900HWT3	11.130 €	53		KS900HWT3	11.130 €	54	S900HWT3	10.500 €	55						+
	CELLAR		RH		XS900HWT6	12.190 €	52				RS900HWT6	11.130 €	53		KS900HWT6	11.130 €	54	S900HWT6	10.500 €	55						+
		75	LH		XS750HWT3	11.350 €	108				RS750HWT3	10.290 €	109		KS750HWT3	10.290 €		S750HWT3	10.290 €	111						+
			RH		XS750HWT6	11.350 €					RS750HWT6	10.290€	-		KS750HWT6	10.290 €	-	S750HWT6	10.290 €	-	+				+	+-



						To	op com	pressors					
					X	-Pro XS					signer R		
/lodel	Version	Width	Hinge	Optionals	Product code	Price	Page	Product code	Price	Page	Product code	Price	Page
ıF	FRIDGE	90	LH		XS900FR3	11.130 €	58				RS900FR3	9.230 €	60
			RH		XS900FR6	11.130 €	58				RS900FR6	9.230 €	60
			LH	Water dispenser	XS900FR3D	11.950 €	58				RS900FR3D	10.040 €	60
			RH	Water dispenser	XS900FR6D	11.950 €	58				RS900FR6D	10.040 €	60
			LH	Glass door	XS900FG3	12.090 €	59				RS900FG3	10.180 €	61
			RH	Glass door	XS900FG6	12.090 €	59				RS900FG6	10.180 €	61
			LH	Glass door, water dispenser	XS900FG3D	12.910 €	59				RS900FG3D	11.000 €	61
			RH	Glass door, water dispenser	XS900FG6D	12.910 €	59				RS900FG6D	11.000 €	61
		75	LH		XS750FR3	10.710 €	114				RS750FR3	8.590 €	116
			RH		XS750FR6	10.710 €	114				RS750FR6	8.590 €	116
			LH	Water dispenser	XS750FR3D	11.530 €	114				RS750FR3D	9.410 €	116
			RH	Water dispenser	XS750FR6D	11.530 €	114				RS750FR6D	9.410 €	116
			LH	Glass door	XS750FG3	11.660 €	115				RS750FG3	9.540 €	117
			RH	Glass door	XS750FG6	11.660 €	115				RS750FG6	9.540 €	117
			LH	Glass door, water dispenser	XS750FG3D	12.480 €	115				RS750FG3D	10.360 €	117
			RH	Glass door, water dispenser	XS750FG6D	12.480 €	115				RS750FG6D	10.360 €	113
		60	LH		XS600FR3	10.500 €	164				RS600FR3	8.170 €	16
			RH		XS600FR6	10.500 €	164				RS600FR6	8.170 €	16
			LH	Glass door	XS600FG3	11.450 €	165				RS600FG3	9.120 €	16
			RH	Glass door	XS600FG6	11.450 €	165				RS600FG6	9.120 €	16
	WINE	90	LH		XS900FW3	11.820 €	68				RS600FW3	10.550 €	69
	CELLAR		RH		XS900FW6	11.820 €	68				RS900FW6	10.550 €	69
		75	LH		XS750FW3	11.560 €	124				RS750FW3	10.290 €	12
			RH		XS750FW6	11.560 €	124				RS750FW6	10.290 €	12
		60	LH		XS600FW3	11.130 €	174				RS600FW3	9.760 €	17
			RH		XS600FW6	11.130 €	174				RS600FW6	9.760 €	17
		45	LH		XS450FW3	10.710 €	190				RS450FW3	9.440 €	19
			RH		XS450FW6	10.710 €	190				RS450FW6	9.440 €	19
	FREEZER	90	LH		XS900FZ3	10.500 €	74				RS900FZ3	9.760 €	75
			RH		XS900FZ6	10.500 €	74				RS900FZ6	9.760 €	75
			LH	Ice maker	XS900FZ3I	11.320 €	74				RS900FZ3I	10.570 €	75
			RH	Ice maker	XS900FZ6I	11.320 €	74				RS900FZ6I	10.570 €	75
		75	LH		XS750FZ3	9.760 €	130				RS750FZ3	8.590 €	13
			RH		XS750FZ6	9.760 €	130				RS750FZ6	8.590 €	13
			LH	Ice maker	XS750FZ3I	10.570 €	130				RS750FZ3I	9.410 €	13
			RH	Ice maker	XS750FZ6I	10.570 €	130				RS750FZ6I	9.410 €	13
		60	LH		XS600FZ3	9.650 €	182				RS600FZ3	8.430 €	18
			RH		XS600FZ6	9.650 €	182		İ		RS600FZ6	8.430 €	18
			LH	Ice maker	XS600FZ3I	10.470 €	182		İ		RS600FZ3I	9.250 €	18
			RH	Ice maker	XS600FZ6I	10.470 €	182		1		RS600FZ6I	9.250 €	18
		45	LH		XS450FZ3	9.540 €	196		1		RS450FZ3	8.380 €	19
			RH		XS450FZ6	9.540 €	196				RS450FZ6	8.380 €	19
			LH	Ice maker	XS450FZ3I	10.360 €	196				RS450FZ3I	9.200 €	-
			RH	Ice maker	XS450FZ6I	10.360 €	196		1	_	RS450FZ6I	9.200 €	_

		Bottom	compressors	5							
Cl	assic K		Inte	grated S		Brillian	ice Classic BK		Brillianc	e Integrated E	BS.
Product code	Price	Page	Product code	Price	Page	Product code	Price	Page	Product code	Price	Page
KS900FR3	9.230 €	62	S900FR3	8.430 €	64						
KS900FR6	9.230 €	62	S900FR6	8.430 €	64						
KS900FR3D	10.040 €	62	S900FR3D	9.250 €	64						
KS900FR6D	10.040 €	62	S900FR6D	9.250 €	64						
KS900FG3	10.180 €	63	S900FG3	9.390 €	65						
KS900FG6	10.180 €	63	S900FG6	9.390 €	65						
KS900FG3D	11.000€	63	S900FG3D	10.200€	65						
KS900FG6D	11.000€	63	S900FG6D	10.200€	65						
KS750FR3	8.590 €	118	S750FR3	8.170 €	120						
KS750FR6	8.590 €	118	S750FR6	8.170 €	120						
KS750FR3D	9.410 €	118	S750FR3D	8.980 €	120						
KS750FR6D	9.410€	118	S750FR6D	8.980 €	120						
KS750FG3	9.540 €	119	S750FG3	9.120€	121						
KS750FG6	9.540 €	119	S750FG6	9.120 €	121						
KS750FG3D	10.360 €	119	S750FG3D	9.940€	121						
KS750FG6D	10.360 €	119	S750FG6D	9.940€	121						
KS600FR3	8.170 €	168	S600FR3	7.740 €	170						
KS600FR6	8.170 €	168	S600FR6	7.740 €	170						
KS600FG3	9.120 €	169	S600FG3	8.700 €	171						
KS600FG6	9.120 €	169	S600FG6	8.700 €	171						
KS900FW3	10.550 €	70	S900FW3	9.760 €	71						
KS900FW6	10.550 €	70	S900FW6	9.760 €	71						
KS750FW3	10.290 €	126	S750FW3	9.440 €	127						
KS750FW6	10.290 €	126	S750FW6	9.440 €	127						
KS600FW3	9.760 €	176	S600FW3	9.010 €	177	BKS600FW3	8.910 €	178	BS600FW3	8.800 €	179
KS600FW6	9.760 €	176	S600FW6	9.010 €	177	BKS600FW6	8.910€	178	BS600FW6	8.800 €	179
KS450FW3	9.440 €	192	S450FW3	8.700 €	193						
KS450FW6	9.440 €	192	S450FW6	8.700 €	193						
KS900FZ3	9.760 €	76	S900FZ3	9.440 €	77						
KS900FZ6	9.760 €	76	S900FZ6	9.440 €	77						
KS900FZ3I	10.570 €	76	S900FZ3I	10.260€	77						
KS900FZ6I	10.570 €	76	S900FZ6I	10.260€	77						
KS750FZ3	8.590 €	132	S750FZ3	8.270 €	133						
KS750FZ6	8.590 €	132	S750FZ6	8.270 €	133						
KS750FZ3I	9.410 €	132	S750FZ3I	9.090 €	133						
KS750FZ6I	9.410 €	132	S750FZ6I	9.090 €	133						
KS600FZ3	8.430 €	184	S600FZ3	8.060€	185						
KS600FZ6	8.430 €	184	S600FZ6	8.060€	185						
KS600FZ3I	9.250 €	184	S600FZ3I	8.880 €	185						
KS600FZ6I	9.250 €	184	S600FZ6I	8.880 €	185						
KS450FZ3	8.380 €	198	S450FZ3	7.950 €							
KS450FZ6	8.380 €	198	S450FZ6	7.950 €							
KS450FZ3I	9.200 €	198	S450FZ3I	8.770 €							
—	1					1			1		

FULL SIZE: FRIDGES/FREEZERS/WINE CELLARS Width: 90cm (899)

V DD0	99
X-PRO ESTABLISHED TO THE REPORT OF THE PROPERTY OF THE PROPERT	
Top compressors XS901TST XS901TWT XS900TST XS900HST XS900HWT XS900FR XS900FW XS Glass Door XS900TGT XS900FG	S900FZ
COUNTRY	
Top compressors AS901TST AS901TWT AS900TST	
DESIGNER Bottom compressors RS901TST RS901TWT RS900TST RS900HST RS900HWT RS900FW KS900FW KS900FW KS900FW	SPOOFZ
Glass Door KS900TGT RS900FG	
CLASSIC Bottom compressors KS901TST KS900TWT KS900TST KS900HWT KS900FR KS900FW KS900FG KS900TGT KS900FG	S900FZ
INTEGRATED FOR THE STATE OF THE	900FZ
Glass Door S900TGT S900FG	
BRILLIANCE	
Bottom compressors BRILLIANCE INTEGRATED BS900TST BS900TST	
BRILLIANCE INTEGRATED BS900TST BRIDDIANCE INTEGRATED	



FULL SIZE: FRIDGE AND FREEZER

Model: 1T

Width: 90cm (899)

One door, one drawer, 3 separate Temperature ranges

Upper compartment: Fridge Middle compartment: Fresco

Lower compartment TriMode: Fridge/Fresco/Freezer



FEATURES

- Made in Italy.
- Galvanized steel body.
- · Anti-bacterial stainless steel interior.
- Evenlift: shelves can slide up and down to be adjusted to any height in the fridge compartment.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides excellent illumination to the entire interior.
- Soft close door and drawers in all compartments
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Three independent climatic zones.
- Tempered glass shelves with aluminium profiles.
- Fresco drawers for multi use preservazion solution. Anti-bacterial stainless steel interior & rounded corners promoting hygiene and easy cleaning.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.

GENERAL PROPERTIES	
Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Double Evenlift Shelves	3+3
Slide-out shelves	NO
Type of shelves	GLASS
Fridge drawers type	FRESCO
Fresco/LowTemp Drawers	2
Bottom drawers	1+1 internal drawer
Full Extension shelves 90° door opening	1
Full Extension drawers 90° door opening	YES
Defrost Process	AUTOMATIC
Ice maker with water filter	AVAILABLE
Door Open Alarms	YES
Humidity control	NO
Active carbon filter	NO
Air filter control	NO
Shopping Fridge	YES
Shopping Freezer	YES
Power Failure Function	YES

XS901TST

90 cm, FRIDGE AND FREEZER, 1T MODEL **BUILT-IN**

X-PRO® SERIES





AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges n	ot included)
XS901TST6 (right hinge)	13.890 €
XS901TST3 (left hinge)	13.890 €
XS901TST6I (right hinge, with ice maker)	14.710 €
XS901TST3I (left hinge, with ice maker)	14.710 €
CAPACITY	
Volume Compartment 1 (L)	268
Volume Compartment 2 (L)	128
Volume Compartment 3 (L)	131
Total Net Volume (L)	527
Total gross volume (L)	651
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	315

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	899
Depth of Product without handle (mm)	635
Net Weight (kg)	217
Gross Weight (kg)	238
TEMPERATURE RANGES	
Climatic compartments	3
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	from -2 to 2
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3+3
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	FRESCO
Fresco/LowTemp Drawers	2
Freezer drawers	1+1 internal drawer
ACCESSORIES	

• Stainless steel sides panels

• Extra length anti-tipping kit

Joining kit

Cleaning kit

 Painting • 90° Door stop

• X-Pro top grill kit

Anti-condensation kit

• FLD - Fhiaba Link Device

Fhaba

AS901TST

90 cm, FRIDGE AND FREEZER, 1T MODEL **FREESTANDING**

COUNTRY® SERIES





AESTHETIC	
Compressor position	Тор
Front and sides finish	Painted Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
AS901TST6I (right hinge, ice maker included)	14.630 €
AS901TST3I (left hinge, ice maker included)	14.630 €
CAPACITY	
Volume Compartment 1 (L)	268
Volume Compartment 2 (L)	128
Volume Compartment 3 (L)	131
Total Net Volume (L)	527
Total gross volume (L)	651
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	315
	1

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	887
Depth of Product without handle (mm)	635
Net Weight (kg)	217
Gross Weight (kg)	238
TEMPERATURE RANGES	
Climatic compartments	3
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	from -2 to 2
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3+3

GLASS

1+1 internal drawer

3 FRESC0

Freezer drawers ACCESSORIES

Fridge drawers type Fresco/LowTemp Drawers

Type of shelves

Door Bins

- Joining kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- 90° Door stop





RS901TST

90 cm, FRIDGE AND FREEZER, 1T MODEL **BUILT-IN**

DESIGNER® SERIES



New Energy Label class

Energy consumption (kWh/year)



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
RS901TST6 (right hinge)	12.620 €
RS901TST3 (left hinge)	12.620 €
RS901TST6I (right hinge, with ice maker)	13.440 €
RS901TST3I (left hinge, with ice maker)	13.440 €
CAPACITY	
Volume Compartment 1 (L)	268
Volume Compartment 2 (L)	128
Volume Compartment 3 (L)	131
Total Net Volume (L)	527
Total gross volume (L)	651
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	I
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	

Ε 315

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	912
Depth of Product without handle (mm)	620
Net Weight (kg)	209
Gross Weight (kg)	230
Temperature ranges	
Climatic compartments	3
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	from -2 to 2
Zona Low Temp	NO NO
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NO NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3+3
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	FRESCO
Fresco/LowTemp Drawers	2
Bottom drawers	1+1 internal drawer
ACCESSORIES	
Stainless steel sides panels	
Joining kit	
• Stainless steel portal for freestanding	
Extra length anti-tipping kit	
Cleaning kit	
• FLD - Fhiaba Link Device	
Front ventilation kit	
Painting	
• 90° Door stop	
•	

KS901TST

90 cm, FRIDGE AND FREEZER, 1T MODEL **BUILT-IN**

CLASSIC® SERIES





AESTHETIC Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
nterior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
KS901TST6 (right hinge)	12.620 €
KS901TST3 (left hinge)	12.620 €
KS901TST6I (right hinge, with ice maker)	13.440 €
KS901TST3I (left hinge, with ice maker)	13.440 €
CAPACITY	
Volume Compartment 1 (L)	268
/olume Compartment 2 (L)	128
/olume Compartment 3 (L)	131
Total Net Volume (L)	527
Total gross volume (L)	651
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
/oltage (V)	220-240V
requency (Hz)	50-60 Hz
Climatic class	SN/T
loise level (dB)	41
EFFICIENCY	
New Energy Label class	E
	I I

315

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	899
Depth of Product without handle (mm)	635
Net Weight (kg)	209
Gross Weight (kg)	230
TEMPERATURE RANGES	
Climatic compartments	3
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	from -2 to 2
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3+3
Type of shelves	Glass
Door Bins	3
Fridge drawers type	FRESCO
Fresco/LowTemp Drawers	2
Freezer drawers	1+1 internal drawe
ACCESSORIES	
Stainless steel sides panels	
Joining kit	

- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop



Energy consumption (kWh/year)

S901TST

90 cm, FRIDGE AND FREEZER, 1T MODEL **FULLY INTEGRATED**

INTEGRATED® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
S901TST6 (right hinge)	11.820 €
S901TST3 (left hinge)	11.820 €
S901TST6l (right hinge, with ice maker)	12.640 €
S901TST3I (left hinge, with ice maker)	12.640 €
CAPACITY	
Volume Compartment 1 (L)	268
Volume Compartment 2 (L)	128
Volume Compartment 3 (L)	131
Total Net Volume (L)	527
Total gross volume (L)	651
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	315

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	899
Depth of Product without handle (mm)	610
Net Weight (kg)	191
Gross Weight (kg)	212
TEMPERATURE RANGES	
Climatic compartments	3
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	from -2 to 2
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NO NO
GENERAL PROPERTIES	
Reversible door	NO NO
Low vibration	YES
Shelves	3+3
Type of shelves	Glass
Door Bins	3
Fridge drawers type	FRESCO
Fresco/LowTemp Drawers	2
Freezer drawers	1+1 internal drawer
ACCESSORIES	
• Stainless steel sides panels • F	ront ventilation kit
• Joining kit	0° Door stop
Stainless steel tubular handles	
Ø 30mm	
Stainless steel tubular handles	
Ø 18mm	
Stainless steel panels	
Stainless steel portal for	
freestanding	
• Extra length anti-tipping kit	
Cleaning kit	
• FLD - Fhiaba Link Device	





FULL SIZE: WINE CELLAR

Model: 1T

Width: 90cm (899)

One door, one drawer, 3 separate Temperature ranges

Upper compartment: Wine cellar Middle compartment: Wine cellar Lower compartment: Wine cellar





FEATURES

- Made in Italy.
- Galvanized steel body
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides excellent. illumination to the entire interior.
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Insulated variable speed compressors maintains precision
 Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Three independent climatic zones.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.
- \bullet Triple-pane, bronzed glass door guarantees maximum protection from harmful UV light rays.
- Soft close mechanisms on every oak wine rack.
- Humidity control

GENERAL PROPERTIES	
Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	9
Slide-out shelves	YES
Type of shelves	WOOD
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	1+1 internal drawer
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity control	YES
Active carbon filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	NO
Power Failure Function	YES

XS901TWT


90 cm, WINE CELLAR, 1T MODEL

BUILT-IN

X-PRO® SERIES







AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges n	ot included)
XS901TWT6 (right hinge)	14.630 €
XS901TWT3 (left hinge)	14.630 €
(
CAPACITY	
Volume Compartment 1 (L)	247
Volume Compartment 2 (L)	128
Volume Compartment 3 (L)	131
Total Net Volume (L)	506
Total gross volume (L)	525
Compartment 1 / Upper wine cellar capacity (bottles)	72
Compartment 2 / Middle wine cellar capacity (bottles)	36
Compartment 2 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	194

Bordeaux Bottle 0,75 lt	m m m	0.0.0.0.0
Burgundy Bottle	0 75 mm	
0,75 lt	296 mm	

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	899
Depth of Product without handle (mm)	635
Net Weight (kg)	205
Gross Weight (kg)	226
TEMPERATURE RANGES	
Climatic compartments	3
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	from 4 to 18
Low temp zone	NO NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	1+1 internal drawer

• Set of knives

• Cigar drawer

• Beverage drawer

• Beverage removable shelf

• Beverage shelf

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Painting
- 90° Door stop
- Wine kit
- Cheese drawer




AS901TWT

90 cm, WINE CELLAR, 1T MODEL **FREESTANDING**

COUNTRY® SERIES







2120

887

635

205 226

3

from 4 to 18

from 4 to 18 NO

from 4 to 18 NO

NO YES

WOOD

• Beverage shelf

1+1 internal drawer

• Beverage removable shelf

AESTHETIC	
Compressor position	Тор
Front and sides finish	Painted Stainless steel
Handles	Stainless steel 030 mm
nterior material finish	Stainless steel
PRICE (VAT and delivery charges i	not included)
AS901TWT6	15.370 €
right hinge)	10.070 0
AS901TWT3	15.370 €
left hinge)	
CAPACITY	
Volume Compartment 1 (L)	247
Volume Compartment 2 (L)	128
/olume Compartment 3 (L)	131
Total Net Volume (L)	506
otal gross volume (L)	525
Compartment 1 / Upper wine cellar	
capacity (bottles)	72
Compartment 2 / Middle wine cellar	
capacity (bottles)	36
Compartment 2 / Lower wine cellar	1
apacity (bottles)	
ECHNICAL DETAILS	
oltage (V)	220-240V
requency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
nergy consumption (kWh/year)	194
· · · · · · · · · · · · · · · · · · ·	

	m
DIMENSIONS & WEIGHT	
Height of the product (closed wheel	ls) (mm)
Width of the product (mm)	
Depth of Product without handle (m	ım)
Net Weight (kg)	
Gross Weight (kg)	
TEMPERATURE RANGES	
Climatic compartments	
Compartment 1 / Upper Temperature ran	ges (°C)
Compartment 2 / Middle Temperature ran	ges (°C)
Low temp zone	
Compartment 3 / Low Temperature rang	ges (°C)
Dual zone	
GENERAL PROPERTIES	
Reversible door	
Low vibration	
Shelves	
Type of shelves	
Door Bins	
Fridge drawers type	
Fresco/LowTemp Drawers	
Freezer drawers	
ACCESSORIES	
Joining kit	• B
• Extra length anti-tipping kit	• B
• Anti-condensation kit	
Cleaning kit	
Active carbon filter	
• FLD - Fhiaba Link Device	
• 90° Door stop	
• Wine kit	
- Chanca drawer	

- nti-tipping kit
- ition kit
- filter
- ink Device
- Cheese drawer
- Set of knives
- Cigar drawer
- Beverage drawer




RS901TWT

90 cm, WINE CELLAR, 1T MODEL **BUILT-IN**

DESIGNER® SERIES







AECTHETIC	
AESTHETIC	Dettem
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
RS901TWT6 (right hinge)	13.890 €
RS901TWT3 (left hinge)	13.890 €
CAPACITY	
Volume Compartment 1 (L)	247
Volume Compartment 2 (L)	128
Volume Compartment 3 (L)	131
Total Net Volume (L)	506
Total gross volume (L)	525
Compartment 1 / Upper wine cellar capacity (bottles)	72
Compartment 2 / Middle wine cellar capacity (bottles)	36
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	194

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	912
Depth of Product without handle (mm)	620
Net Weight (kg)	205
Gross Weight (kg)	226
Temperature ranges	
Climatic compartments	3
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	from 4 to 18
Zona Low Temp	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	1+1 internal drawer

• Cheese drawer

Set of knives

• Cigar drawer

• Beverage drawer

• Beverage removable shelf

• Beverage shelf

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop
- Wine kit

KS901TWT


Fhaba

90 cm, WINE CELLAR, 1T MODEL **BUILT-IN**

CLASSIC® SERIES







2050

899

635

205 226

AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
KS901TWT6	13.890 €
(right hinge)	1.51.57.6
KS901TWT3 (left hinge)	13.890 €
(tert minge)	
CADACITY	
CAPACITY Volume Compartment 1 (L)	247
Volume Compartment 2 (L)	128
Volume Compartment 3 (L)	131
Total Net Volume (L)	506
Total gross volume (L)	525
Compartment 1 / Upper wine cellar	323
	72
capacity (bottles)	
Compartment 2 / Middle wine cellar	36
capacity (bottles)	
Compartment 2 / Lower wine cellar	
capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
	···
EFFICIENCY	
New Energy Label class	G 107
Energy consumption (kWh/year)	194

DIMENSIONS & WEIGHT	
Height of the product (closed wheels)	(mm)
Width of the product (mm)	
Depth of Product without handle (mm)	
Net Weight (kg)	
Gross Weight (kg)	
TEMPERATURE RANGES	
Climatic compartments	
Compartment 1 / Upper Temperature ranges	(°C)
Compartment 2 / Middle Temperature ranges	(°C)
Low temp zone	
Compartment 3 / Low Temperature ranges	(°C)
Dual zone	
GENERAL PROPERTIES	
Reversible door	
Low vibration	
Shelves	
Type of shelves	
Door Bins	
Fridge drawers type	
Fresco/LowTemp Drawers	
Freezer drawers	
ACCESSORIES	
Stainless steel sides panels	• C
Joining kit	• S
Stainless steel portal for	• C
freestanding	• B
Extra length anti-tipping kit	• B
Cleaning kit	• B
• Active carbon filter	

TEMPERATURE RANGES	
Climatic compartments	3
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	from 4 to 18
Low temp zone	NO NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO NO
GENERAL PROPERTIES	
Reversible door	NO NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	1+1 internal drawer

- ides panels
- ortal for
- -tipping kit
- Active carbon filter
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop

- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

S901TWT


90 cm, WINE CELLAR, 1T MODEL **FULLY INTEGRATED**

INTEGRATED® SERIES









AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO NO
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
S901TWT6 (right hinge)	13.150 €
S901TWT3 (left hinge)	13.150 €
CAPACITY	
Volume Compartment 1 (L)	247
Volume Compartment 2 (L)	128
Volume Compartment 3 (L)	131
Total Net Volume (L)	506
Total gross volume (L)	525
Compartment 1 / Upper wine cellar capacity (bottles)	72
Compartment 2 / Middle wine cellar capacity (bottles)	36
Compartment 2 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	194

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	899
Depth of Product without handle (mm)	610
Net Weight (kg)	187
Gross Weight (kg)	208
TEMPERATURE RANGES	
Climatic compartments	3
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	from 4 to 18
Low temp zone	NO NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	1+1 internal drawer
ACCESCADIES	
ACCESSORIES	
- Ctainlage stool sides papels	ID Phiabalink Davida

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter

	1
	1
	1+1 internal drawer
• F	LD - Fhiaba Link Device
• F	ront ventilation kit
• 9	0° Door stop
• V	Vine kit
• (heese drawer
• 5	et of knives
• (igar drawer
• E	Beverage drawer
• E	Beverage shelf

• Beverage removable shelf



FULL SIZE: FRIDGE AND FREEZER

Model: 0T

Width: 90cm (899)

One door, one drawer, 2 separate Temperature ranges

Upper compartment: Fridge Middle compartment: Low Temp

Lower compartment TriMode: Fridge/Fresco/Freezer



FEATURES

FRIDGE

LOW TEMP

TRIMODE®

- Made in Italy.
- Galvanized steel body
- Stainless steel interior finish
- · Anti-bacterial stainless steel interior.
- Evenlift: shelves can slide up and down to be adjusted to any height in the fridge compartment.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides excellent illumination to the entire interior.
- Soft close door and drawers in all compartments
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Two independent climatic zones.
- Tempered glass shelves with aluminium profiles.
- Crisper drawers for multi use preservazion solution. Anti-bacterial stainless steel interior & rounded corners promoting hygiene and easy cleaning.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.

GENERAL PROPERTIES	
Reversible door	NO NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	4 - 1 fixed + 3 adjustable
Slide-out shelves	NO
Type of shelves	GLASS
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom drawers	1
Full Extension shelves 90° door opening	1
Full Extension drawers 90° door opening	YES
Defrost Process	AUTOMATIC
Ice maker with water filter	AVAILABLE
Door Open Alarms	YES
Humidity control	NO
Active carbon filter	NO
Air filter control	NO
Shopping Fridge	YES
Shopping Freezer	YES
Power Failure Function	YES

30 Price list - All specifications are subject to change without notice Price list - All specifications are subject to change without notice 31

XS900TST

90 cm, FRIDGE AND FREEZER, 0T MODEL **BUILT-IN**

X-PRO® SERIES





AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
XS900TST6 (right hinge)	11.820 €
XS900TST3 (left hinge)	11.820 €
XS900TST6I (right hinge, with ice maker)	12.640 €
XS900TST3I (left hinge, with ice maker)	12.640 €
CAPACITY	
Volume Compartment 1 (L)	425
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	131
Total Net Volume (L)	556
Total gross volume (L)	581
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	I
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	273
	I.

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	899
Depth of Product without handle (mm)	635
Net Weight (kg)	214
Gross Weight (kg)	235
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Freezer drawers	1+1 internal drawer
ACCESSORIES	
Stainless steel sides panels	
Joining kit	
• X-Pro top grill kit	
• Extra length anti-tipping kit	
Anti-condensation kit	
Cleaning kit	

- Painting
- 90° Door stop



XS900TGT

90 cm, FRIDGE AND FREEZER, 0T MODEL **BUILT-IN, GLASS DOOR**

X-PRO® SERIES





AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
XS900TGT6 (right hinge)	12.780 €
XS900TGT3 (left hinge)	12.780 €
XS900TGT6I (right hinge, with ice maker)	13.590 €
XS900TGT3I (left hinge, with ice maker)	13.590 €
CAPACITY	
Volume Compartment 1 (L)	425
/olume Compartment 2 (L)	1
Volume Compartment 3 (L)	131
otal Net Volume (L)	556
Total gross volume (L)	581
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
/oltage (V)	220-240V
requency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
	l

273

Energy consumption (kWh/year)

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	899
Depth of Product without handle (mm)	635
Net Weight (kg)	214
Gross Weight (kg)	235
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2

1+1 internal drawer

ACCESSORIES

Freezer drawers

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Painting
- 90° Door stop

AS900TST

90 cm, FRIDGE AND FREEZER, 0T MODEL **FREESTANDING**

COUNTRY® SERIES





AESTHETIC	
Compressor position	Тор
Front and sides finish	Painted Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
AS900TST6I (right hinge, ice maker included)	12.510 €
AS900TST3I (left hinge, ice maker included)	12.510 €
CAPACITY	
Volume Compartment 1 (L)	425
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	131
Total Net Volume (L)	556
Total gross volume (L)	581
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	273

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	887
Depth of Product without handle (mm)	635
Net Weight (kg)	214
Gross Weight (kg)	235
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Freezer drawers	1+1 internal drawer

ACCESSORIES

- Joining kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- 90° Door stop

RS900TST

90 cm, FRIDGE AND FREEZER, 0T MODEL **BUILT-IN**

DESIGNER® SERIES





AESTHETIC		
Compressor position	Bottom	
Front finish	Stainless steel	
Handles	Stainless steel 030 mm	
Interior material finish	Stainless steel	
PRICE (VAT and delivery charges no	t included)	
RS900TST6 (right hinge)	10.500 €	
RS900TST3 (left hinge)	10.500 €	
RS900TST6I (right hinge, with ice maker)	11.320 €	
RS900TST3I (left hinge, with ice maker)	11.320 €	
CAPACITY		
Volume Compartment 1 (L)	425	
Volume Compartment 2 (L)	1	
Volume Compartment 3 (L)	131	
Total Net Volume (L)	556	
Total gross volume (L)	581	
Compartment 1 / Upper wine cellar capacity (bottles)	1	
Compartment 2 / Middle wine cellar capacity (bottles)	1	
Compartment 3 / Lower wine cellar capacity (bottles)	1	
TECHNICAL DETAILS		
Voltage (V)	220-240V	
Frequency (Hz)	50-60 Hz	
Climatic class	SN/T	
Noise level (dB)	41	
EFFICIENCY		

DIMENSIONS & WEIGHT	
Height of the product (slees duckeds) (
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	912
Depth of Product without handle (mm)	620
Net Weight (kg)	214
Gross Weight (kg)	235
Temperature ranges	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Zona Low Temp	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom drawers	1+1 internal drawer
ACCESSORIES	
Stainless steel sides panels	
Joining kit	
• Stainless steel portal for freestanding	
Extra length anti-tipping kit	
Cleaning kit	
• FLD - Fhiaba Link Device	
• Front ventilation kit	
Painting	

RS900TGT

90 cm, FRIGORIFERO E FREEZER, MODEL 0T BUILT-IN, GLASS DOOR

DESIGNER® SERIES





Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
RS900TGT6 (right hinge)	11.450 €
RS900TGT3 (left hinge)	11.450 €
RS900TGT6I (right hinge, with ice maker)	12.270 €
RKS900TGT3I (left hinge, with ice maker)	12.270 €
CAPACITY	
Volume Compartment 1 (L)	425
Volume Compartment 2 (L)	
Volume Compartment 3 (L)	131
Total Net Volume (L)	556
Total gross volume (L)	581
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41

Ε

273

New Energy Label class

Energy consumption (kWh/year)

Height of the product (closed wheels) (mm)	2120
Nidth of the product (mm)	912
Depth of Product without handle (mm)	620
Net Weight (kg)	214
Gross Weight (kg)	235
Femperature ranges	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Zona Low Temp	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
ow vibration	YES
Shelves	4 - 1 fixed + 3 adjustable
Type of shelves	GLSS
Door Bins	0
Fridge drawers type	LOW TEMP
resco/LowTemp Drawers	2
Bottom drawers	1+1 internal drawer
ACCESSORIES	
Stainless steel sides panels	<u> </u>

Stainless steel sides panels

DIMENSIONS & WEIGHT

- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop

Ε

273

New Energy Label class

Energy consumption (kWh/year)

KS900TST

90 cm, FRIDGE AND FREEZER, 0T MODEL **BUILT-IN**

CLASSIC® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	ot included)
KS900TST6 (right hinge)	10.500 €
KS900TST3 (left hinge)	10.500 €
KS900TST6I (right hinge, with ice maker)	11.320 €
KS900TST3I (left hinge, with ice maker)	11.320 €
CAPACITY	
Volume Compartment 1 (L)	425
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	131
Total Net Volume (L)	556
Total gross volume (L)	581
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	273

DIMENSIONS & WEIGHT Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	899
Depth of Product without handle (mm)	635
Net Weight (kg)	214
Gross Weight (kg)	235
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed + 3 adjustable
Type of shelves	Glass
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
I	1+1 internal drawer
Freezer drawers	
ACCESSORIES	
ACCESSORIES • Stainless steel sides panels	
Freezer drawers ACCESSORIES Stainless steel sides panels Joining kit Stainless steel portal for freestanding	
ACCESSORIES • Stainless steel sides panels • Joining kit • Stainless steel portal for freestanding	
ACCESSORIES • Stainless steel sides panels • Joining kit • Stainless steel portal for freestanding • Extra length anti-tipping kit	
ACCESSORIES • Stainless steel sides panels • Joining kit	

- Painting
- 90° Door stop



KS900TGT

90 cm, FRIDGE AND FREEZER, 0T MODEL **BUILT-IN, GLASS DOOR**

CLASSIC® SERIES



Energy consumption (kWh/year)



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
KS900TGT6 (right hinge)	11.450 €
KS900TGT3 (left hinge)	11.450 €
KS900TGT6I (right hinge, with ice maker)	12.270 €
KS900TGT3I (left hinge, with ice maker)	12.270 €
CAPACITY	
Volume Compartment 1 (L)	425
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	131
Total Net Volume (L)	556
Total gross volume (L)	581
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Faces - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	070

273

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	899
Depth of Product without handle (mm)	635
Net Weight (kg)	214
Gross Weight (kg)	235
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed + 3 adjustable
Type of shelves	Glass
Door Bins	0
Fridge drawers type	LOW TEMP

1+1 internal drawer

ACCESSORIES

Freezer drawers

Fresco/LowTemp Drawers

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop

S900TST

90 cm, FRIDGE AND FREEZER, 0T MODEL **FULLY INTEGRATED**

INTEGRATED® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO NO
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
S900TST6	9.970 €
(right hinge)	7.770 G
S900TST3	9.970 €
(left hinge) S900TST6I	
(right hinge, with ice maker)	10.790 €
S900TST3I	10 700 0
(left hinge, with ice maker)	10.790 €
CAPACITY	
Volume Compartment 1 (L)	425
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	131
Total Net Volume (L)	556
Total gross volume (L)	581
Compartment 1 / Upper wine cellar	1
capacity (bottles)	1
Compartment 2 / Middle wine cellar	
capacity (bottles)	1
Compartment 3 / Lower wine cellar	1
capacity (bottles)	
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	273

DIMENSIONS & WEIGHT		
Height of the product (closed wheels) (mm)	2050	
Width of the product (mm)	899	
Depth of Product without handle (mm)	610	
Net Weight (kg)	191	
Gross Weight (kg)	212	
TEMPERATURE RANGES		
Climatic compartments	2	
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8	
Compartment 2 / Middle Temperature ranges (°C)	1	
Low temp zone	YES	
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22	
Dual zone	NO	
GENERAL PROPERTIES		
Reversible door	NO	
Low vibration	YES	
Shelves	4 - 1 fixed + 3 adjustable	
Type of shelves	Glass	
Door Bins	3	
Fridge drawers type	LOW TEMP	
Fresco/LowTemp Drawers	2	
Freezer drawers	1+1 internal drawer	
ACCESSORIES		
Stainless steel sides panels		
Joining kit		
• Stainless steel tubular handles Ø 30mm	m	
• Stainless steel tubular handles Ø 18mm		
Stainless steel panels		
Stainless steel portal for freestanding		
• Extra length anti-tipping kit		
Cleaning kit		
• FLD - Fhiaba Link Device		
Front ventilation kit		
• 90° Door stop		

Fhaba

S900TGT

90 cm, FRIDGE AND FREEZER, 0T MODEL FULLY INTEGRATED, GLASS DOOR

INTEGRATED® SERIES





Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO NO
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
S900TGT6 (right hinge)	10.920 €
S900TGT3 (left hinge)	10.920 €
S900TGT61 (right hinge, with ice maker)	11.740 €
S900TGT3I (left hinge, with ice maker)	11.740 €
CAPACITY	
Volume Compartment 1 (L)	425
Volume Compartment 2 (L)	1
/olume Compartment 3 (L)	131
Total Net Volume (L)	556
Total gross volume (L)	581
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
/oltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	273

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	899
Depth of Product without handle (mm)	610
Net Weight (kg)	191
Gross Weight (kg)	212
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed + 3 adjustable
Type of shelves	Glass
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Freezer drawers	1+1 internal drawer
ACCESSORIES	
Stainless steel sides panels	
Joining kit	

- Stainless steel tubular handles Ø 30mm
- \bullet Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop

BKS900TST

90 cm, FRIDGE AND FREEZER, 0T MODEL **BUILT-IN**

BRILLIANCE® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	White painted aluminium
PRICE (VAT and delivery charges no	t included)
BKS900TST6 (right hinge)	8.910 €
BKS900TST3 (left hinge)	8.910 €
BKS900TST6I (right hinge, with ice maker)	9.730 €
BKS900TST31 (left hinge, with ice maker)	9.730 €
CAPACITY	
Volume Compartment 1 (L)	425
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	131
Total Net Volume (L)	556
Total gross volume (L)	581
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	I
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	273

Fhaba	

2050

899

635

199 220

2

YES

NO

NO

YES

NO

3

GLASS

LOW TEMP

1+1 internal drawer

from 2 to 8

from 8 to -22

4 1 fixed, 3 adjustable

DIMENSIONS & WEIGHT

Width of the product (mm)

TEMPERATURE RANGES Climatic compartments

GENERAL PROPERTIES

Net Weight (kg)

Low temp zone

Reversible door

Evenlift Shelves

Type of shelves

Freezer drawers

Joining kit

• Cleaning kit

Painting

• 90° Door stop

ACCESSORIES

Fridge drawers type Fresco/LowTemp Drawers

Door Bins

Low vibration

Shelves

Dual zone

Gross Weight (kg)

Height of the product (closed wheels) (mm)

Depth of Product without handle (mm)

Compartment 1 / Upper Temperature ranges (°C)

Compartment 2 / Middle Temperature ranges (°C)

Compartment 3 / Low Temperature ranges (°C)

• Stainless steel portal for freestanding

• Extra length anti-tipping kit

• FLD - Fhiaba Link Device • Front ventilation kit

BS900TST

90 cm, FRIDGE AND FREEZER, 0T MODEL **FULLY INTEGRATED**

BRILLIANCE® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO
Interior material finish	White painted aluminium
PRICE (VAT and delivery charges	not included)
BS900TST6 (right hinge)	8.270 €
BS900TST3 (left hinge)	8.270 €
BS900TST6I (right hinge, with ice maker)	9.090 €
BS900TST3I (left hinge, with ice maker)	9.090 €
CAPACITY	
Volume Compartment 1 (L)	425
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	131
Total Net Volume (L)	556
Total gross volume (L)	581
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
	1

273

Energy consumption (kWh/year)

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	899
Depth of Product without handle (mm)	610
Net Weight (kg)	178
Gross Weight (kg)	199
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	41 fixed, 3 adjustable
Evenlift Shelves	NO
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Freezer drawers	1+1 internal drawer

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop

TRIMODE®

FULL SIZE: FRIDGE AND FREEZER

Model: 0H

Width: 90cm (899)

One door, two drawer, 2 separate Temperature ranges

Upper compartment: Fridge Middle compartment: Low Temp

Lower compartment TriMode: Fridge/Fresco/Freezer



FEATURES

- Made in Italy.
- Galvanized steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Evenlift: shelves can slide up and down to be adjusted to any height in the fridge compartment.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides excellent. illumination to the entire interior
- Soft close door and drawers in all compartments
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Two independent climatic zones.
- Tempered glass shelves with aluminium profiles.
- Crisper drawers for multi use preservazion solution. Anti-bacterial stainless steel interior & rounded corners promoting hygiene and easy cleaning.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.

GENERAL PROPERTIES	
Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	4 - 1 fixed 3 adjustable
Slide-out shelves	NO
Type of shelves	GLASS
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	1
Bottom drawers	2
Full Extension shelves 90° door opening	1
Full Extension drawers 90° door opening	YES
Defrost Process	AUTOMATIC
Ice maker with water filter	AVAILABLE
Door Open Alarms	YES
Humidity control	NO
Active carbon filter	NO
Air filter control	NO
Shopping Fridge	YES
Shopping Freezer	YES
Power Failure Function	YES

XS900HST

90 cm, FRIDGE AND FREEZER, 0H MODEL **BUILT-IN**

X-PRO® SERIES





AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
XS900HST6	12.510 €
(right hinge)	
XS900HST3 (left hinge)	12.510 €
XS900HST6I	
(right hinge, with ice maker)	13.330 €
XS900HST3I	13.330 €
(left hinge, with ice maker)	10.000 C
CAPACITY	
Volume Compartment 1 (L)	381
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	167
Total Net Volume (L)	548
Total gross volume (L)	575
Compartment 1 / Upper wine cellar	
capacity (bottles)	
Compartment 2 / Middle wine cellar	
capacity (bottles)	1
Compartment 3 / Lower wine cellar	1
capacity (bottles)	
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	319
	I

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	899
Depth of Product without handle (mm)	635
Net Weight (kg)	212
Gross Weight (kg)	233
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO NO
Low vibration	YES
Shelves	4 - 1 fixed 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	1
Freezer drawers	2
ACCECCODIEC	

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Painting
- 90° Door stop





90 cm, FRIDGE AND FREEZER, 0H MODEL **BUILT-IN**

DESIGNER® SERIES



EFFICIENCY New Energy Label class

Energy consumption (kWh/year)



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
RS900HST6 (right hinge)	11.560 €
RS900HST3 (left hinge)	11.560 €
RS900HST6I (right hinge, with ice maker)	12.380 €
RS900HST3I (left hinge, with ice maker)	12.380 €
CAPACITY	
Volume Compartment 1 (L)	381
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	167
Total Net Volume (L)	548
Total gross volume (L)	575
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	ı
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Climatic class	00 002

	GENERAL PROPERTIE
381	Reversible door
1	Low vibration
167	Shelves
548	Type of shelves
575	Door Bins
	Fridge drawers type
1	Fresco/LowTemp Drawers
	Bottom drawers
1	
I	ACCESSORIES
.	Stainless steel sides page
1	 Joining kit
	Stainless steel portal for
	• Extra length anti-tippin
220-240V	 Cleaning kit
50-60 Hz	• FLD - Fhiaba Link Devi
SN/T	 Front ventilation kit
41	 Painting
	• 90° Door stop
<u>E</u>	
319	

Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	912
Depth of Product without handle (mm)	620
Net Weight (kg)	193
Gross Weight (kg)	215
Temperature ranges	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 8 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Zona Low Temp	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP

2

CESSORIES

tainless steel sides panels

DIMENSIONS & WEIGHT

- oining kit
- tainless steel portal for freestanding
- xtra length anti-tipping kit
- leaning kit
- LD Fhiaba Link Device
- ront ventilation kit
- ainting
- 0° Door stop



KS900HST

90 cm, FRIDGE AND FREEZER, 0H MODEL **BUILT-IN**

CLASSIC® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
KS900HST6	11.560 €
(right hinge)	11.J00 t
KS900HST3	11.560 €
(left hinge)	
KS900HST6I (right hinge, with ice maker)	12.380 €
KS900HST3I	
(left hinge, with ice maker)	12.380 €
CAPACITY	
Volume Compartment 1 (L)	381
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	167
Total Net Volume (L)	548
Total gross volume (L)	575
Compartment 1 / Upper wine cellar	,
capacity (bottles)	1
Compartment 2 / Middle wine cellar	
capacity (bottles)	1
Compartment 3 / Lower wine cellar	
capacity (bottles)	·
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	319

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	899
Depth of Product without handle (mm)	635
Net Weight (kg)	193
Gross Weight (kg)	215
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	1
Freezer drawers	2
ACCESSORIES	
• Stainless steel sides panels	
Joining kit	
\bullet Stainless steel portal for freestanding	
• Extra length anti-tipping kit	
Cleaning kit	
• FLD - Fhiaba Link Device	
 Front ventilation kit 	

Painting

• 90° Door stop

S900HST Fhaha

90 cm, FRIDGE AND FREEZER, 0H MODEL **FULLY INTEGRATED**

INTEGRATED® SERIES





ESTHETIC	Dettern
ompressor position	Bottom Custom panel ready
ont finish	Custom panel ready NO
andles nterior material finish	+ ***
	Stainless steel
RICE (VAT and delivery charges	not included)
9900HST6 right hinge)	10.550 €
3900HST3	
left hinge)	10.550 €
5900HST6I	11 270 £
right hinge, with ice maker)	11.370 €
S900HST3I	11.370 €
left hinge, with ice maker)	
CAPACITY	
/olume Compartment 1 (L)	381
olume Compartment 2 (L)	1
/olume Compartment 3 (L)	167
Total Net Volume (L)	548
Total gross volume (L)	575
Compartment 1 / Upper wine cellar	1
capacity (bottles)	,
Compartment 2 / Middle wine cellar	,
capacity (bottles)	1
Compartment 3 / Lower wine cellar	
capacity (bottles)	1
FECHNICAL DETAILS	
/oltage (V)	220-240V
requency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	319
	1

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	899
Depth of Product without handle (mm)	610
Net Weight (kg)	184
Gross Weight (kg)	205
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed 3 adjustat
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	1
Freezer drawers	2
ACCESSORIES	
- Ctainless steel sides panels	

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop

FULL SIZE: WINE CELLAR

Model: 0H

Width: 90cm (899)

One door, two drawer, 2 separate Temperature ranges

Upper compartment: Wine Cellar Lower compartment: Wine Cellar



FEATURES

- Made in Italy.
- Galvanized steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides excellent illumination to the entire interior.
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Insulated variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Two independent climatic zones.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.
- Triple-pane, bronzed glass door guarantees maximum protection from harmful UV light rays.
- Soft close mechanisms on every oak wine rack.
- Humidity control

GENERAL PROPERTIES	
Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	9
Slide-out shelves	YES
Type of shelves	WOOD
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	2
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity control	YES
Active carbon filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	NO
Power Failure Function	YES

XS900HWT

90 cm, WINE CELLAR, 0H MODEL

BUILT-IN

X-PRO® SERIES








AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
XS900HWT6	12.190 €
(right hinge)	12.170 0
XS900HWT3	12.190 €
(left hinge)	
CAPACITY	
Volume Compartment 1 (L)	357
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	167
Total Net Volume (L)	524
Total gross volume (L)	542
Compartment 1 / Upper wine cellar	400
capacity (bottles)	108
Compartment 2 / Middle wine cellar	
capacity (bottles)	1
Compartment 3 / Lower wine cellar	
capacity (bottles)	
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	197





DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	899
Depth of Product without handle (mm)	635
Net Weight (kg)	212
Gross Weight (kg)	233
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	2

• Cheese drawer

• Prosciutteria kit

• Beverage drawer

• Beverage removable shelf

• Beverage shelf

Set of knives

• Cigar drawer

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Painting
- 90° Door stop
- Wine kit






90 cm, WINE CELLAR, 0H MODEL **BUILT-IN**

DESIGNER® SERIES







Fhaha

AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
RS900HWT6	11.130 €
(right hinge)	11.130 €
RS900HWT3	11.130 €
(left hinge)	
CAPACITY	
Volume Compartment 1 (L)	357
Volume Compartment 2 (L)	
Volume Compartment 3 (L)	167
Total Net Volume (L)	524
Total gross volume (L)	542
Compartment 1 / Upper wine cellar	
capacity (bottles)	108
Compartment 2 / Middle wine cellar	
capacity (bottles)	1
Compartment 3 / Lower wine cellar	1
capacity (bottles)	
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	197
	I

ι	INEL WEIGHT
	Gross Weigh
	Temperat
	Climatic cor
	Compartment
	Compartment
	Zona Low Te
	Compartmen
	Dual zone
	GENERAL
	Reversible o
	Low vibratio
	Shelves
	Type of shel
	Door Bins
	Fridge draw
	Fresco/Low
	Bottom drav
	ACCESSO
	• Stainless
	• Joining ki
	• Stainless
	freestand
	• Extra leng
	• Cleaning I
	 Active car
	• FLD - Fhia

Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	912
Depth of Product without handle (mm)	620
Net Weight (kg)	193
Gross Weight (kg)	215
Temperature ranges	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Zona Low Temp	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	2

RIES

- s steel sides panels
- steel portal for
- igth anti-tipping kit
- arbon filter
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop
- Wine kit

0.1	
Cheese	drawer

- Set of knives
- Kit Prosciutteria
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf


KS900HWT

90 cm, WINE CELLAR, 0H MODEL **BUILT-IN**

CLASSIC® SERIES







Fhaba

AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
KS900HWT6	11.130 €
(right hinge)	
KS900HWT3	11.130 €
(left hinge)	
CAPACITY	
Volume Compartment 1 (L)	357
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	167
Total Net Volume (L)	524
Total gross volume (L)	542
Compartment 1 / Upper wine cellar capacity (bottles)	108
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	197

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm	2050
Width of the product (mm)	899
Depth of Product without handle (mm)	635
Net Weight (kg)	193
Gross Weight (kg)	215
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	2
ACCESSORIES	
• Stainless steel sides panels	Cheese drawer
• Joining kit	Set of knives
• Stainless steel portal for	Prosciutteria kit
freestanding	Cigar drawer
• Extra length anti-tipping kit	Beverage drawer
Cleaning kit	Beverage shelf

• Beverage removable shelf

Active carbon filter

Front ventilation kit

Painting

Wine kit

• 90° Door stop

• FLD - Fhiaba Link Device


S900HWT

90 cm, WINE CELLAR, 0H MODEL **FULLY INTEGRATED**

INTEGRATED® SERIES







AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
S900HWT6	10.500 €
(right hinge)	10.300 C
S900HWT3	10.500 €
(left hinge)	
CAPACITY	
Volume Compartment 1 (L)	357
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	167
Total Net Volume (L)	524
Total gross volume (L)	542
	J42
Compartment 1 / Upper wine cellar	108
capacity (bottles)	
Compartment 2 / Middle wine cellar	
capacity (bottles)	1
Compartment 3 / Lower wine cellar	
capacity (bottles)	1
TECHNICAL DETAILS	
/oltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G

Height of the product (closed wheels) (m	ım) 2050
Width of the product (mm)	899
Depth of Product without handle (mm)	610
Net Weight (kg)	181
Gross Weight (kg)	202
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C	C) /
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	2
ACCESSORIES	
Stainless steel sides panels	• Front ventilation kit
Joining kit	• 90° Door stop
• Stainless steel tubular handles	• Wine kit
Ø 30mm	• Cheese drawer
• Stainless steel tubular handles	 Set of knives

- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Beverage shelf
- Beverage removable shelf

• Prosciutteria kit

• Beverage drawer

• Cigar drawer

- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device

One door, 1 Temperature ranges





Upper compartment: Fridge Lower compartment: Low Temp

FEATURES

- Made in Italy.
- Galvanized steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Evenlift: shelves can slide up and down to be adjusted to any height in the fridge compartment.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides excellent illumination to the entire interior.
- Soft close door and drawers in all compartments
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- One independent climatic zone.
- Tempered glass shelves with aluminium profiles.
- Crisper drawers for multi use preservazion solution. Anti-bacterial stainless steel interior & rounded corners promoting hygiene and easy cleaning.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.

GENERAL PROPERTIES	
Reversible door	NO NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	4 - 1 fixed 3 adjustable
Slide-out shelves	NO NO
Type of shelves	GLASS
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom drawers	1
Full Extension shelves 90° door opening	1
Full Extension drawers 90° door opening	YES
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity control	NO
Active carbon filter	NO NO
Air filter control	NO
Shopping Fridge	YES
Shopping Freezer	NO
Power Failure Function	YES

XS900FR

90 cm, FRIDGE, 0FR MODEL

BUILT-IN

X-PRO® SERIES





AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
XS900FR6 (right hinge)	11.130 €
XS900FR3 (left hinge)	11.130 €
XS900FR6D (right hinge, water dispenser)	11.950 €
XS900FR3D (left hinge, water dispenser)	11.950 €
CAPACITY	
Volume Compartment 1 (L)	619
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	619
Total gross volume (L)	629
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	Е
Energy consumption (kWh/year)	149
	1

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	899
Depth of Product without handle (mm)	635
Net Weight (kg)	200
Gross Weight (kg)	221
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Freezer drawers	1
ACCESSORIES	

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Painting
- 90° Door stop



XS900FG

90 cm, FRIDGE, 0FR MODEL **BUILT-IN, GLASS DOOR**

X-PRO® SERIES



Energy consumption (kWh/year)



	NII.
AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
XS900FG6 (right hinge)	12.090 €
XS900FG3 (left hinge)	12.090 €
XS900FG6D (right hinge, water dispenser)	12.910 €
XS900FG3D (left hinge, water dispenser)	12.910 €
CAPACITY	
Volume Compartment 1 (L)	619
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	619
Total gross volume (L)	629
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
	1

149

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	899
Depth of Product without handle (mm)	635
Net Weight (kg)	200
Gross Weight (kg)	221
•	221
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO

GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Freezer drawers	1

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Painting
- 90° Door stop





90 cm, FRIDGE, 0FR MODEL **BUILT-IN**

DESIGNER® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
RS900FR6 (right hinge)	9.230 €
RS900FR3 (left hinge)	9.230 €
RS900FR6D (cerniera destra, water dispenser)	10.040 €
RS900FR3D (cerniera sinistra, water dispenser)	10.040 €
CAPACITY	
Volume Compartment 1 (L)	619
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	619
Total gross volume (L)	629
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T

DIMENSIONS & MEIGHT	
DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Nidth of the product (mm)	912
Depth of Product without handle (mm)	620
Net Weight (kg)	189
Gross Weight (kg)	210
Temperature ranges	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Zona Low Temp	YES
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO NO
GENERAL PROPERTIES	
Reversible door	NO NO
Low vibration	YES
Shelves	4 - 1 fixed 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom drawers	1
ACCESSORIES	
Stainless steel sides panels	
Joining kit	
• Stainless steel portal for freestanding	
• Extra length anti-tipping kit	
• Cleaning kit	
FLD - Fhiaba Link Device	
ÿ	
FLD - Fhiaba Link Device	

Fhaba RS900FG

90 cm, FRIDGE, 0FR MODEL **BUILT-IN, GLASS DOOR**

DESIGNER® SERIES





Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
RS900FG6 (right hinge)	10.180 €
RS900FG3 (left hinge)	10.180 €
RS900FG6D (cerniera destra, water dispenser)	11.000 €
RS900FG3D (cerniera sinistra, water dispenser)	11.000 €
CAPACITY	
Volume Compartment 1 (L)	619
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	619
Total gross volume (L)	629
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41

capacity (bottles)	
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	149

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	912
Depth of Product without handle (mm)	620
Net Weight (kg)	189
Gross Weight (kg)	210
Temperature ranges	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Zona Low Temp	YES
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
GENERAL PROPERTIES	
Reversible door	NO NO

YES

GLASS

LOW TEMP

4 - 1 fixed 3 adjustable

3 Fresco/LowTemp Drawers **Bottom drawers** ACCESSORIES

- Stainless steel sides panels
- Joining kit

Low vibration Shelves

Type of shelves

Fridge drawers type

Door Bins

- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop



Noise level (dB)

EFFICIENCY New Energy Label class

Energy consumption (kWh/year)

41

Ε 149

KS900FR

90 cm, FRIDGE, 0FR MODEL **BUILT-IN**





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
KS900FR6 (right hinge)	9.230 €
KS900FR3 (left hinge)	9.230 €
KS900FR6D (right hinge, water dispenser)	10.040 €
KS900FR3D (left hinge, water dispenser)	10.040 €
CAPACITY	
Volume Compartment 1 (L)	619
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	619
Total gross volume (L)	629
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	149

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	899
Depth of Product without handle (mm)	635
Net Weight (kg)	189
Gross Weight (kg)	210
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO NO
Low vibration	YES
Shelves	4 - 1 fixed 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Freezer drawers	1

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop



KS900FG

90 cm, FRIDGE, 0FR MODEL **BUILT-IN, GLASS DOOR**

CLASSIC® SERIES



Energy consumption (kWh/year)



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
KS900FG6 (right hinge)	10.180 €
KS900FG3 (left hinge)	10.180 €
KS900FG6D (right hinge, water dispenser)	11.000 €
KS900FG3D (left hinge, water dispenser)	11.000 €
CAPACITY	
Volume Compartment 1 (L)	619
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	619
Total gross volume (L)	629
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
	1

149

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	899
Depth of Product without handle (mm)	635
Net Weight (kg)	189
Gross Weight (kg)	210
TEMPERATURE RANGES	

TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	

OLINLINAL FROFERILS	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Freezer drawers	1

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop

S900FR

90 cm, FRIDGE, 0FR MODEL **FULLY INTEGRATED**

INTEGRATED® SERIES





	(7)
AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO NO
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
S900FR6 (right hinge)	8.430 €
S900FR3 (left hinge)	8.430 €
S900FR6D (right hinge, water dispenser)	9.250 €
S900FR3D (left hinge, water dispenser)	9.250 €
CAPACITY	
Volume Compartment 1 (L)	619
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	619
Total gross volume (L)	629
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	149

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	899
Depth of Product without handle (mm)	610
Net Weight (kg)	168
Gross Weight (kg)	189
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO NO
GENERAL PROPERTIES	
Reversible door	NO NO
Low vibration	YES
Shelves	4 - 1 fixed 3 adjustable
Type of shelves	glass
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Freezer drawers	1
ACCESSORIES	
Stainless steel sides panels	
Joining kit	
• Stainless steel tubular handles Ø 30m	m
• Stainless steel tubular handles Ø 18m	m
Stainless steel panels	
Stainless steel portal for freestanding	
• Extra length anti-tipping kit	
Cleaning kit	
• FLD - Fhiaba Link Device	

Front ventilation kit

• 90° Door stop



S900FG

90 cm, FRIDGE, 0FR MODEL **FULLY INTEGRATED, GLASS DOOR**

INTEGRATED® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO NO
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
S900FG6 (right hinge)	9.390 €
S900FG3 (left hinge)	9.390 €
S900FG6D (right hinge, water dispenser)	10.200 €
S900FG3D (left hinge, water dispenser)	10.200 €
CAPACITY	
Volume Compartment 1 (L)	619
/olume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	619
Total gross volume (L)	629
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
/oltage (V)	220-240V
requency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	149

050
050
050
99
10
58
39
om 2 to 8
ES
0

NO

YES

glass

LOW TEMP

3

3

4 - 1 fixed 3 adjustable

ACCESSORIES

Freezer drawers

Fridge drawers type Fresco/LowTemp Drawers

Reversible door

Type of shelves

Low vibration

Shelves

Door Bins

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop





FULL SIZE: WINE CELLAR

Model: 0F

Width: 90cm (899)

One door, 2 separate Temperature ranges

Upper compartment: Wine Cellar Lower compartment: Wine Cellar





FEATURES

- Made in Italy.
- Galvanized steel body.
- Painted aluminum interior finish
- Anti-bacterial stainless steel interior.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides excellent illumination to the entire interior.
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Two independent climatic zones.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.
- \bullet Triple-pane, bronzed glass door guarantees maximum protection from harmful UV light rays.
- Soft close mechanisms on every oak wine rack.
- Humidity control

GENERAL PROPERTIES	
Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	13
Slide-out shelves	YES
Type of shelves	WOOD
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	1
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity control	YES
Active carbon filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	NO
Power Failure Function	YES

XS900FW

90 cm, WINE CELLAR, 0FW MODEL **BUILT-IN**

X-PRO® SERIES







AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
XS900FW6 (right hinge)	11.820 €
XS900FW3 (left hinge)	11.820 €
CAPACITY	
Volume Compartment 1 (L)	590
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	590
Total gross volume (L)	607
Compartment 1 / Upper wine cellar capacity (bottles)	96
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	60
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	169



0,75 lt 00000000000 **.....** 00000000000 00000000000 000000000000 0,75 lt 00000000000 00000000000

2120
899
635
192
223
2
from 4 to 18
1
NO
from 4 to 18
NO NO
NO
YES
13
WOOD
1
1
I
1

Wine kit

• Cheese drawer

• Prosciutteria kit

• Beverage drawer

• Beverage removable shelf

• Beverage shelf

Set of knives

• Cigar drawer

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Stainless steel tubular handles Ø 30mm
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Painting
- 90° Door stop

RS900FW

90 cm, WINE CELLAR, 0FW MODEL **BUILT-IN**

DESIGNER® SERIES







AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
RS900FW6	10.550 €
(right hinge)	
RS900FW3 (left hinge)	10.550 €
(core mingo)	
CAPACITY	
Volume Compartment 1 (L)	590
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	590
Total gross volume (L)	607
Compartment 1 / Upper wine cellar	96
capacity (bottles)	70
Compartment 2 / Middle wine cellar	
capacity (bottles)	1
Compartment 3 / Lower wine cellar	
capacity (bottles)	60
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	169

-	
	DIME
	Heigh
	Width
030 mm	Depth
	_Net W
	Gross
	Tem
	Clima
	Compa
	Compa
	_Low to
	Compa
	_ Dual z
	GEN
	GEN Rever
	Rever
	Rever Low v
	Low v Shelve Type o
	Rever Low v Shelv Type o Door I Fridge
	Rever Low v Shelve Type o Door I Fridge Fresc
	Rever Low v Shelv Type o Door I Fridge
	Rever Low v Shelve Type o Door I Fridge Fresc
	Rever Low v Shelvi Type o Door I Fridge Fresc Botto
	Rever Low v Shelve Type o Door I Fridge Fresc Botto
	Rever Low v Shelve Type o Door l Fridge Fresc Botto ACCI • Sta • Joir
	Rever Low v Shelve Type of Door I Fridge Fresc Botto ACCI Sta Join Sta free
	Rever Low v Shelve Type o Door l Fridge Fresc Botto ACCI • Sta • Joir

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	912
Depth of Product without handle (mm)	620
Net Weight (kg)	194
Gross Weight (kg)	215
Temperature ranges	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	1

ESSORIES

- ainless steel sides panels
- ining kit
- ainless steel portal for estanding
- tra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop
- Wine kit
- Cheese drawer

Bottle		
0,75 lt		000000000000000000000000000000000000000
	300 mm	000000000000000000000000000000000000000
		000000000000000000000000000000000000000
		000000000000000000000000000000000000000
	1.75	
	nm	000000000000000000000000000000000000000
	1 29	000000000000000000000000000000000000000
	mm 	
Burgundy Bottle		00000000000
0.75 lt		00000000000
U,75 lt	296	000000000000000000000000000000000000000
	mm	OTTO TO
		000000000000
	0.76 mm	

 Set of knives • Kit Prosciutteria

• Cigar drawer

• Beverage drawer

• Beverage removable shelf

• Beverage shelf

KS900FW

90 cm, WINE CELLAR, 0FW MODEL **BUILT-IN**


CLASSIC® SERIES





AESTHETIC		
Compressor position	Bottom	
Front finish	Stainless steel	
Handles	Stainless steel 030 mm	
Interior material finish	Stainless steel	
PRICE (VAT and delivery charges not included)		
KS900FW6	10.550 €	
(right hinge)	10.000 0	
KS900FW3	10.550 €	
(left hinge)		
CAPACITY		
Volume Compartment 1 (L)	590	
Volume Compartment 2 (L)	1	
Volume Compartment 3 (L)	1	
Total Net Volume (L)	590	
Total gross volume (L)	607	
Compartment 1 / Upper wine cellar		
capacity (bottles)	96	
Compartment 2 / Middle wine cellar		
capacity (bottles)	1	
Compartment 3 / Lower wine cellar	60	
capacity (bottles)		
TECHNICAL DETAILS		
Voltage (V)	220-240V	
Frequency (Hz)	50-60 Hz	
Climatic class	SN/T	
Noise level (dB)	41	
EFFICIENCY		
New Energy Label class	G	
Energy consumption (kWh/year)	169	





Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	899
Depth of Product without handle (mm)	635
Net Weight (kg)	194
Gross Weight (kg)	215
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	1

Set of knives

• Cigar drawer

• Prosciutteria kit

• Beverage drawer

• Beverage removable shelf

• Beverage shelf

ACCESSORIES

DIMENSIONS & WEIGHT

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop
- Wine kit
- Cheese drawer

S900FW

90 cm, WINE CELLAR, 0FW MODEL **FULLY INTEGRATED**


INTEGRATED® SERIES




AESTHETIC









AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
S900FW6 (right hinge)	9.760 €
S900FW3 (left hinge)	9.760 €
CAPACITY	
Volume Compartment 1 (L)	590
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	590
Total gross volume (L)	607
Compartment 1 / Upper wine cellar capacity (bottles)	96
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	60
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	169

DIMENSIONS & WEIGHT		
Height of the product (closed wheels) (m	nm) 2050	
Width of the product (mm)	899	
Depth of Product without handle (mm)	610	
Net Weight (kg)	173	
Gross Weight (kg)	194	
TEMPERATURE RANGES		
Climatic compartments	2	
${\tt Compartment 1/Upper Temperature\ ranges\ (°C)}$) from	4 to 1
Compartment 2 / Middle Temperature ranges (°C	C) /	
Low temp zone	NO	
Compartment 3 / Low Temperature ranges (°	C) from	4 to 1
Dual zone	NO	
GENERAL PROPERTIES		
Reversible door	NO	
Low vibration	YES	
Shelves	13	
Type of shelves	W00	D
Door Bins	1	
Fridge drawers type	1	
Fresco/LowTemp Drawers	1	
Freezer drawers	1	
ACCESSORIES		
• Stainless steel sides panels	• Front ve	entila
Joining kit	• 90° Doo	rsto
• Stainless steel tubular handles	• Wine kit	
Ø 30mm	• Cheese	draw
• Stainless steel tubular handles	• Set of k	nives
Ø 18mm	• Prosciu	tteria
0: : : : : : :		

- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter

NU	
NO	
YES	

- ation kit

- wer
- ia kit
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- FLD Fhiaba Link Device



FULL SIZE: FREEZER

Model: 0F

Width: 90cm (899)

One door, 1 Temperature ranges

Single compartment: Freezer

FEATURES

- Made in Italy.
- Galvanized steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Ladder rack shelving: shelves can slide up and down to be adjusted to any height in the fridge compartment.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides excellent illumination to the entire interior.
- \bullet Soft close door and drawers in compartment.
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Single climatic zone.
- Tempered glass shelves with aluminium profiles.
- Crisper drawers for multi use preservazion solution. Anti-bacterial stainless steel interior & rounded corners promoting hygiene and easy cleaning.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.

GENERAL PROPERTIES	
Reversible door	NO
Equilance	YES
SoftClosing Runner	NO
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	3 - 1 fixed and 2 adjustable
Slide-out shelves	NO
Type of shelves	2 Glass & 1 Stainless steel
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	4
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO NO
Defrost Process	AUTOMATIC
Ice maker with water filter	AVAILABLE
Door Open Alarms	YES
Humidity control	NO
Active carbon filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	YES
Power Failure Function	YES

72 Price list - All specifications are subject to change without notice Price list - All specifications are subject to change without notice 73

XS900FZ

90 cm, FREEZER, 0FZ MODEL **BUILT-IN**

X-PRO® SERIES







AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
XS900FZ6 (right hinge)	10.500 €
XS900FZ3 (left hinge)	10.500 €
XS900FZ6I (right hinge, with ice maker)	11.320 €
XS900FZ3I (left hinge, with ice maker)	11.320 €
CAPACITY	
Volume Compartment 1 (L)	570
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	570
Total gross volume (L)	573
Compartment 1 / Upper wine cellar capacity (bottles)	
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	I
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	360
	1

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	899
Depth of Product without handle (mm)	635
Net Weight (kg)	195
Gross Weight (kg)	216
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from -15 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3 - 1 fixed and 2 adjustable
Type of shelves	2 Glass & 1 Stainless steel
Door Bins	2
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	4

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop



RS900FZ

90 cm, FREEZER, MODEL 0FZ **BUILT-IN**

DESIGNER® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
RS900FZ6 (right hinge)	9.760 €
RS900FZ3 (left hinge)	9.760 €
RS900FZ6I (right hinge, with ice maker)	10.570 €
RS900FZ3I (Left hinge, with ice maker)	10.570 €
CAPACITY	
Volume Compartment 1 (L)	570
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	570
Total gross volume (L)	573
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noice Level (dP)	/.1

capacity (bottles)	
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	360

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	912
Depth of Product without handle (mm)	620
Net Weight (kg)	195
Gross Weight (kg)	216
Temperature ranges	

1

•	I .
Compartment 1 / Upper Temperature ranges (°C)	from -15 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3 - 1 fixed and 2 adjustable
Type of shelves	2 Glass & 1 Stainless steel
Door Bins	2
Fridge drawers type	1
Fresco/LowTemp Drawers	1

Bottom drawers ACCESSORIES

Climatic compartments

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop



KS900FZ

90 cm, FREEZER, 0FZ MODEL **BUILT-IN**

CLASSIC® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
KS900FZ6	9.760€
(right hinge)	
KS900FZ3 (left hinge)	9.760 €
KS900FZ6I	
(right hinge, with ice maker)	10.570 €
KS900FZ3I	10.570 €
(left hinge, with ice maker)	10.370 0
CAPACITY	
Volume Compartment 1 (L)	570
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	570
Total gross volume (L)	573
Compartment 1 / Upper wine cellar	,
capacity (bottles)	1
Compartment 2 / Middle wine cellar	
capacity (bottles)	1
Compartment 3 / Lower wine cellar	1
capacity (bottles)	
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	360

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	899
Depth of Product without handle (mm)	640
Net Weight (kg)	195
Gross Weight (kg)	216
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from -15 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3 - 1 fixed and 2 adjustable
Type of shelves	2 Glass & 1 Stainless steel
Door Bins	2
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	4
ACCESSORIES	
• Stainless steel sides panels	

Joining kit

Cleaning kit

Painting

• 90° Door stop

• Stainless steel portal for freestanding

• Extra length anti-tipping kit

• FLD - Fhiaba Link Device

Front ventilation kit

S900FZ Fhaba

90 cm, FREEZER, 0FZ MODEL **FULLY INTEGRATED**

INTEGRATED® SERIES





Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
S900FZ6 (right hinge)	9.440 €
S900FZ3 (left hinge)	9.440 €
S900FZ6I (right hinge, with ice maker)	10.260 €
S900FZ3I (left hinge, with ice maker)	10.260 €
CAPACITY	
Volume Compartment 1 (L)	570
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	570
Total gross volume (L)	573
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	360
	1

Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	899
Depth of Product without handle (mm)	615
Net Weight (kg)	182
Gross Weight (kg)	202
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from -15 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3 - 1 fixed and 2 adjustabl
Type of shelves	2 Glass & 1 Stainless stee
Door Bins	2
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	4
ACCESSORIES	

• Stainless steel sides panels

DIMENSIONS & WEIGHT

- Joining kit
- Stainless steel tubular handles Ø 30mm
- \bullet Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop

FULL SIZE: FRIDGES/FREEZERS/WINE CELLARS Width: 75cm (749)

	75	FRIDGE	WINE CELLAR	FRIDGE	WINE CELLAR	FRIDGE	WINE CELL	AR FREEZER COLUMN
		749	749	749	749	749	749	749
	X-PRO							
ı	Top compressors Glass Door	XS750TST XS750TGT	XS750TWT	XS750HST	XS750HWT	XS750FR XS750FG	XS750FW	XS750FZ
	COUNTRY					X37331 C		
	Top compressors	AS750TST						
	DESIGNER Bottom compressors	RS750TST	RS750TWT	RS750HST	RS750HWT	RS750FR	RS750FW	RS750FZ
	Glass Door	RS750TGT				RS750FG		
	CLASSIC							
	CLASSIC Bottom compressors Glass Door	KS750TST KS750TGT	KS750TWT	KS750HST	KS750HWT	KS750FR KS750FG	KS750FW	KS750FZ
	Bottom compressors Glass Door INTEGRATED	KS750TGT				KS750FG		
	Bottom compressors Glass Door		KS750TWT	KS750HST	KS750HWT		KS750FW	KS750FZ
	Bottom compressors Glass Door INTEGRATED Bottom compressors	KS750TGT				KS750FG		

78 Price list - All specifications are subject to change without notice



FULL SIZE: FRIDGE AND FREEZER

Model: 0T

Width: 75cm (749)

One door, one drawer, 2 separate Temperature ranges

Upper compartment: Fridge Middle compartment: Low Temp

Lower compartment TriMode: Fridge/Fresco/Freezer



FEATURES

FRIDGE

LOW TEMP

TRIMODE®

- Made in Italy.
- Galvanized steel body
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Evenlift: shelves can slide up and down to be adjusted to any height in the fridge compartment.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides excellent illumination to the entire interior.
- Soft close door and drawers in all compartments
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Two independent climatic zones.
- Tempered glass shelves with aluminium profiles.
- Crisper drawers for multi use preservazion solution. Anti-bacterial stainless steel interior & rounded corners promoting hygiene and easy cleaning.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.

GENERAL PROPERTIES	
Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	4 1 fixed + 3 adjustable
Slide-out shelves	NO
Type of shelves	GLASS
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom drawers	1+1 internal drawer
Full Extension shelves 90° door opening	1
Full Extension drawers 90° door opening	YES
Defrost Process	AUTOMATIC
Ice maker with water filter	AVAILABLE
Door Open Alarms	YES
Humidity control	NO
Active carbon filter	NO
Air filter control	NO
Shopping Fridge	YES
Shopping Freezer	YES
Power Failure Function	YES

80 Price list - All specifications are subject to change without notice Price list - All specifications are subject to change without notice 81

XS750TST

75 cm, FRIDGE AND FREEZER, 0T MODEL **BUILT-IN**

X-PRO® SERIES





AESTHETIC		
Compressor position	Тор	
Front finish	Stainless steel	
Handles	Stainless steel 030 mm	
Interior material finish	Stainless steel	
PRICE (VAT and delivery charges not included)		
XS750TST6 (right hinge)	11.560 €	
XS750TST3 (left hinge)	11.560 €	
XS750TST6I (right hinge, with ice maker)	12.380 €	
XS750TST3I (left hinge, with ice maker)	12.380 €	
CAPACITY		
Volume Compartment 1 (L)	335	
Volume Compartment 2 (L)	1	
Volume Compartment 3 (L)	105	
Total Net Volume (L)	440	
Total gross volume (L)	461	
Compartment 1 / Upper wine cellar capacity (bottles)		
Compartment 2 / Middle wine cellar capacity (bottles)	1	
Compartment 3 / Lower wine cellar capacity (bottles)	1	
TECHNICAL DETAILS		
Voltage (V)	220-240V	
Frequency (Hz)	50-60 Hz	
Climatic class	SN/T	
Noise level (dB)	41	
EFFICIENCY		
New Energy Label class	E	
Energy consumption (kWh/year)	259	

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	749
Depth of Product without handle (mm)	635
Net Weight (kg)	191
Gross Weight (kg)	212
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Reversible door Low vibration	NO YES
Low vibration	YES
Low vibration Shelves	YES 41 fixed + 3 adjustable
Low vibration Shelves Type of shelves	YES 41 fixed + 3 adjustable GLASS
Low vibration Shelves Type of shelves Door Bins	YES 41 fixed + 3 adjustable GLASS 3
Low vibration Shelves Type of shelves Door Bins Fridge drawers type	YES 41 fixed + 3 adjustable GLASS 3 LOW TEMP
Low vibration Shelves Type of shelves Door Bins Fridge drawers type Fresco/LowTemp Drawers	YES 41 fixed + 3 adjustable GLASS 3 LOW TEMP 2
Low vibration Shelves Type of shelves Door Bins Fridge drawers type Fresco/LowTemp Drawers Freezer drawers	YES 41 fixed + 3 adjustable GLASS 3 LOW TEMP 2
Low vibration Shelves Type of shelves Door Bins Fridge drawers type Fresco/LowTemp Drawers Freezer drawers ACCESSORIES	YES 41 fixed + 3 adjustable GLASS 3 LOW TEMP 2
Low vibration Shelves Type of shelves Door Bins Fridge drawers type Fresco/LowTemp Drawers Freezer drawers ACCESSORIES • Stainless steel sides panels	YES 41 fixed + 3 adjustable GLASS 3 LOW TEMP 2
Low vibration Shelves Type of shelves Door Bins Fridge drawers type Fresco/LowTemp Drawers Freezer drawers ACCESSORIES • Stainless steel sides panels • Joining kit	YES 41 fixed + 3 adjustable GLASS 3 LOW TEMP 2
Low vibration Shelves Type of shelves Door Bins Fridge drawers type Fresco/LowTemp Drawers Freezer drawers ACCESSORIES • Stainless steel sides panels • Joining kit • X-Pro top grill kit	YES 41 fixed + 3 adjustable GLASS 3 LOW TEMP 2
Low vibration Shelves Type of shelves Door Bins Fridge drawers type Fresco/LowTemp Drawers Freezer drawers ACCESSORIES • Stainless steel sides panels • Joining kit • X-Pro top grill kit • Extra length anti-tipping kit	YES 41 fixed + 3 adjustable GLASS 3 LOW TEMP 2

Painting

• 90° Door stop

75 cm, FRIDGE AND FREEZER, 0T MODEL **BUILT-IN, GLASS DOOR**

X-PRO® SERIES






AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
XS750TGT6 (right hinge)	12.510 €
XS750TGT3 (left hinge)	12.510 €
XS750TGT6I (right hinge, with ice maker)	13.330 €
XS750TGT3I (left hinge, with ice maker)	13.330 €
CAPACITY	
Volume Compartment 1 (L)	335
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	105
Total Net Volume (L)	440
Total gross volume (L)	461
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	259

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	749
Depth of Product without handle (mm)	635
Net Weight (kg)	191
Gross Weight (kg)	212
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Freezer drawers	1+1 internal drawer

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Painting
- 90° Door stop



AS750TST

75 cm, FRIDGE AND FREEZER, 0T MODEL **FREESTANDING**

COUNTRY® SERIES





AESTHETIC	
Compressor position	Тор
Front and sides finish	Painted Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
AS750TST6I (right hinge, with ice maker)	12.300 €
AS750TST3I (left hinge, with ice maker)	12.300 €
CAPACITY	
Volume Compartment 1 (L)	335
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	105
Total Net Volume (L)	440
Total gross volume (L)	461
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	259

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	737
Depth of Product without handle (mm)	635
Net Weight (kg)	191
Gross Weight (kg)	212
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Freezer drawers	1+1 internal drawer
ACCECCODIEC	

ACCESSORIES

- Joining kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- 90° Door stop





RS750TST

75 cm, FRIDGE AND FREEZER, 0T MODEL **BUILT-IN**

DESIGNER® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
RS750TST6 (right hinge)	10.390 €
RS750TST3 (left hinge)	10.390 €
RS750TST61 (right hinge, with ice maker)	11.210 €
RS750TST3I (left hinge, with ice maker)	11.210 €
CAPACITY	
Volume Compartment 1 (L)	335
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	105
Total Net Volume (L)	440
Total gross volume (L)	461
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	762
Depth of Product without handle (mm)	620
Net Weight (kg)	184
Gross Weight (kg)	205
Temperature ranges	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom drawers	1+1 internal drawer
ACCESCADIES	
ACCESSORIES	
Stainless steel sides panels	
Joining kit	
Stainless steel portal for freestanding	
Extra length anti-tipping kit	
Cleaning kit	
• FLD - Fhiaba Link Device	
Front ventilation kit	
• Painting	
• 90° Door stop	

RS750TGT

75 cm, FRIDGE AND FREEZER, 0T MODEL **BUILT-IN, GLASS DOOR**

DESIGNER® SERIES



New Energy Label class

Energy consumption (kWh/year)



Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
RS750TGT6 (right hinge)	11.350 €
RS750TGT3 (left hinge)	11.350 €
RS750TGT6I (right hinge, with ice maker)	12.160 €
RS750TGT3I (left hinge, with ice maker)	12.160 €
CAPACITY	
Volume Compartment 1 (L)	335
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	105
Total Net Volume (L)	440
Total gross volume (L)	461
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41

259

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	762
Depth of Product without handle (mm)	620
Net Weight (kg)	187
Gross Weight (kg)	208
Temperature ranges	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 8 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom drawers	1+1 internal drawer

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop

259

Energy consumption (kWh/year)

KS750TST

75 cm, FRIDGE AND FREEZER, 0T MODEL **BUILT-IN**

CLASSIC® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges n	ot included)
KS750TST6 (right hinge)	10.390 €
KS750TST3 (left hinge)	10.390 €
KS750TST6I (right hinge, with ice maker)	11.210 €
KS750TST3I (left hinge, with ice maker)	11.210 €
CAPACITY	
Volume Compartment 1 (L)	335
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	105
Total Net Volume (L)	440
Total gross volume (L)	461
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	259

	DIMENSIONS & WEIGHT	
	Height of the product (closed wheels) (mm)	2050
teel	Width of the product (mm)	749
teel 030 mm	Depth of Product without handle (mm)	635
teel	Net Weight (kg)	184
	Gross Weight (kg)	205
	TEMPERATURE RANGES	2
	Climatic compartments Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
	Compartment 1 / Upper Temperature ranges (°C) Compartment 2 / Middle Temperature ranges (°C)	1
	Low temp zone	YES
	Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
	Dual zone	NO
	GENERAL PROPERTIES	NO
	Reversible door	NO NEO
	Low vibration	YES
	Shelves	4 1 fixed + 3 adjustable
	Type of shelves	Glass
	Door Bins Fridge drawers type	3 LOW TEMP
	Fridge drawers type Fresco/LowTemp Drawers	2
	Freezer drawers	1+1 internal drawer
	TTGGZGI UIGWGIS	I+1 IIItGi iidt alawei
	ACCESSORIES	
	Stainless steel sides panels	
	Joining kit	
	• Stainless steel portal for freestanding	
	• Extra length anti-tipping kit	
	Cleaning kit	

• FLD - Fhiaba Link Device

Front ventilation kit

Painting

• 90° Door stop

75 cm, FRIDGE AND FREEZER, 0T MODEL **BUILT-IN, GLASS DOOR**

CLASSIC® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
KS750TGT6 (right hinge)	11.350 €
KS750TGT3 (left hinge)	11.350 €
KS750TGT6I (right hinge, with ice maker)	12.160 €
KS750TGT3I (left hinge, with ice maker)	12.160 €
CAPACITY	
Volume Compartment 1 (L)	335
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	105
Total Net Volume (L)	440
Total gross volume (L)	461
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	259

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	749
Depth of Product without handle (mm)	635
Net Weight (kg)	187
Gross Weight (kg)	208
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 1 fixed + 3 adjustable
Type of shelves	Glass
Door Bins	0

LOW TEMP

1+1 internal drawer

ACCESSORIES

Freezer drawers

Fridge drawers type Fresco/LowTemp Drawers

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop






S750TST

75 cm, FRIDGE AND FREEZER, 0T MODEL **FULLY INTEGRATED**

INTEGRATED® SERIES







S750TGT

75 cm, FRIDGE AND FREEZER, 0T MODEL FULLY INTEGRATED, GLASS DOOR

INTEGRATED® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO NO
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
S750TGT6 (right hinge)	10.820 €
S750TGT3 (left hinge)	10.820 €
S750TGT61 (right hinge, with ice maker)	11.630 €
S750TGT3I (left hinge, with ice maker)	11.630 €
CAPACITY	
Volume Compartment 1 (L)	335
/olume Compartment 2 (L)	1
/olume Compartment 3 (L)	105
Total Net Volume (L)	440
Total gross volume (L)	461
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
/oltage (V)	220-240V
requency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	259

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	749
Depth of Product without handle (mm)	610
Net Weight (kg)	169
Gross Weight (kg)	190
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 1 fixed + 3 adjustable
Type of shelves	Glass
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Freezer drawers	1+1 internal drawer
ACCESSORIES	
Stainless steel sides panels	
Labora Lit	

- Joining kit
- Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	749
Depth of Product without handle (mm)	610
Net Weight (kg)	169
Gross Weight (kg)	190
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 1 fixed + 3 adjustable
Type of shelves	Glass
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Freezer drawers	1+1 internal drawer
ACCESSORIES	
Stainless steel sides panels	
 Joining kit 	
• Stainless steel tubular handles Ø 30mm	m
• Stainless steel tubular handles Ø 18mm	
Stainless steel panels	
Stainless steel portal for freestanding	
• Extra length anti-tipping kit	
• Cleaning kit	
• FLD - Fhiaba Link Device	
• Front ventilation kit	
• 90° Door stop	

TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E

BKS750TST

75 cm, FRIDGE AND FREEZER, 0T MODEL **BUILT-IN**

BRILLIANCE® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	White painted aluminium
PRICE (VAT and delivery charges no	t included)
BKS750TST6	8.430 €
(right hinge)	0.100 0
BKS750TST3 (left hinge)	8.430 €
BKS750TST6I	0.050.0
(right hinge, with ice maker)	9.250 €
BKS750TST3I	9.250 €
(left hinge, with ice maker)	
CAPACITY	
Volume Compartment 1 (L)	335
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	105
Total Net Volume (L)	440
Total gross volume (L)	461
Compartment 1 / Upper wine cellar	
capacity (bottles)	1
Compartment 2 / Middle wine cellar	
capacity (bottles)	1
Compartment 3 / Lower wine cellar	
capacity (bottles)	1
TECHNICAL DETAILS	220-240V
Voltage (V)	50-60 Hz
Frequency (Hz) Climatic class	SN/T
Noise level (dB)	41
	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	259

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	749
Depth of Product without handle (mm)	635
Net Weight (kg)	179
Gross Weight (kg)	200
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NO NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	41 fixed + 3 adjustable
EvenLift shelves	NO
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Freezer drawers	1+1 internal drawer
ACCESSORIES	
Joining kit	
Stainless steel nortal for freestanding	

- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop



BS750TST

75 cm, FRIDGE AND FREEZER, 0T MODEL **FULLY INTEGRATED**

BRILLIANCE® SERIES



Energy consumption (kWh/year)



	The state of the s
AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO
Interior material finish	White painted aluminium
PRICE (VAT and delivery charges	not included)
BS750TST6 (right hinge)	8.060 €
BS750TST3 (left hinge)	8.060 €
BS750TST6I (right hinge, with ice maker)	8.880 €
BS750TST3I (left hinge, with ice maker)	8.880 €
CAPACITY	
Volume Compartment 1 (L)	335
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	105
Total Net Volume (L)	440
Total gross volume (L)	461
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Francisco Continue	0.00

259

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	749
Depth of Product without handle (mm)	610
Net Weight (kg)	169
Gross Weight (kg)	190
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NΩ

compartment of Low femporator oranges (of	110111010 22
Dual zone	NO NO
GENERAL PROPERTIES	
Reversible door	NO NO
Low vibration	YES
Shelves	4 1 fixed + 3 adjustable
EvenLift shelves	NO
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Freezer drawers	1+1 internal drawer
	·

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop

Model: 0T

Width: 75cm (749)

One door, one drawer, 2 separate Temperature ranges

Upper compartment: Wine Cellar Lower compartment: Wine Cellar



WINE CELLAR

FEATURES

- Made in Italy.
- Galvanized steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides excellent illumination to the entire interior.
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Insulated variable speed compressors maintains precision
 Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Two independent climatic zones.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.
- Triple-pane, bronzed glass door guarantees maximum protection from harmful UV light rays.
- Soft close mechanisms on every oak wine rack.
- Humidity control

GENERAL PROPERTIES	
Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	9
Slide-out shelves	NO
Type of shelves	WOOD
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	1+1 internal drawer
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity control	YES
Active carbon filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	NO
Power Failure Function	YES

94 Price list - All specifications are subject to change without notice 95

XS750TWT

75 cm, WINE CELLAR AND FREEZER, 0T MODEL

BUILT-IN

X-PRO® SERIES







AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	ot included)
XS750TWT6	11.660 €
(right hinge)	11.000 C
XS750TWT3	11.660 €
(left hinge)	
CAPACITY	
Volume Compartment 1 (L)	320
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	105
Total Net Volume (L)	425
Total gross volume (L)	439
Compartment 1 / Upper wine cellar	81
capacity (bottles)	01
Compartment 2 / Middle wine cellar	
capacity (bottles)	1
Compartment 3 / Lower wine cellar	,
capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	184
·	†

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	749
Depth of Product without handle (mm)	635
Net Weight (kg)	169
Gross Weight (kg)	190
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	1+1 internal drawer

Set of knives

• Cigar drawer

• Prosciutteria kit

• Beverage drawer

• Beverage removable shelf

• Beverage shelf

Fhaba

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Painting
- 90° Door stop
- Wine kit
- Cheese drawer




75 cm, WINE CELLAR AND FREEZER, 0T MODEL **BUILT-IN**

DESIGNER® SERIES







Fhaha

AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
RS750TWT6	10.710 €
(right hinge)	10.710 0
RS750TWT3	10.710 €
(left hinge)	
CAPACITY	000
Volume Compartment 1 (L)	320
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	105
Total Net Volume (L)	425
Total gross volume (L)	439
Compartment 1 / Upper wine cellar	81
capacity (bottles)	
Compartment 2 / Middle wine cellar	
capacity (bottles)	1
Compartment 3 / Lower wine cellar	1
capacity (bottles)	
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	184

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	762
Depth of Product without handle (mm)	620
Net Weight (kg)	182
Gross Weight (kg)	203
Temperature ranges	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	YES
A-11-0-11	
GENERAL PROPERTIES	
Reversible door	NO NO
	NO YES
Reversible door	
Reversible door Low vibration	YES
Reversible door Low vibration Shelves	YES 9
Reversible door Low vibration Shelves Type of shelves	YES 9 WOOD
Reversible door Low vibration Shelves Type of shelves Door Bins	YES 9 W00D /
Reversible door Low vibration Shelves Type of shelves Door Bins Fridge drawers type	YES 9 W00D /
Reversible door Low vibration Shelves Type of shelves Door Bins Fridge drawers type Fresco/LowTemp Drawers	YES 9 WOOD / / / / / / / / / / / / / / / / / /
Reversible door Low vibration Shelves Type of shelves Door Bins Fridge drawers type Fresco/LowTemp Drawers Bottom drawers ACCESSORIES	YES 9 WOOD / / / / / / / / / / / / / / / / / /
Reversible door Low vibration Shelves Type of shelves Door Bins Fridge drawers type Fresco/LowTemp Drawers Bottom drawers **ACCESSORIES** * Stainless steel sides panels * Ch	YES 9 W00D / / / 1+1 internal drawer

- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop
- Wine kit

• Beverage removable shelf

• Cigar drawer

• Beverage drawer


• Beverage shelf


KS750TWT

75 cm, WINE CELLAR AND FREEZER, 0T MODEL **BUILT-IN**









2050

• Cheese drawer

• Prosciutteria kit

• Beverage drawer

• Beverage removable shelf

• Beverage shelf

Set of knives

• Cigar drawer

Fhaha

Width of the product (mm)	749
Depth of Product without handle (mm)	635
Net Weight (kg)	182
Gross Weight (kg)	203
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	1+1 internal drawer

ACCESSORIES

• Stainless steel sides panels

DIMENSIONS & WEIGHT

Height of the product (closed wheels) (mm)

- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop
- Wine kit

S750TWT


75 cm, WINE CELLAR AND FREEZER, 0T MODEL **FULLY INTEGRATED**

INTEGRATED® SERIES









FARMA

AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
S750TWT6 (right hinge)	10.290 €
S750TWT3 (left hinge)	10.290 €
CAPACITY	
Volume Compartment 1 (L)	320
Volume Compartment 2 (L)	020
Volume Compartment 3 (L)	105
Total Net Volume (L)	425
Total gross volume (L)	439
Compartment 1 / Upper wine cellar capacity (bottles)	81
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G

184

Energy consumption (kWh/year)

	mm L
DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	749
Depth of Product without handle (mm)	610
Net Weight (kg)	168
Gross Weight (kg)	190
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	1+1 internal drawer

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- · Beverage shelf
- Beverage removable shelf

Front ventilation kit

• 90° Door stop

• Cheese drawer

• Prosciutteria kit

· Beverage drawer

Set of knives

• Cigar drawer

Wine kit

- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device

Price list - All specifications are subject to change without notice | 99

Model: 0H

Width: 75cm (749)

One door, two drawer, 2 separate Temperature ranges

Upper compartment: Fridge Middle compartment: Low Temp

Lower compartment TriMode: Fridge/Fresco/Freezer



FRIDGE

LOW TEMP

TRIMODE®



- Made in Italy.
- Galvanized steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Evenlift: shelves can slide up and down to be adjusted to any height in the fridge compartment.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides excellent illumination to the entire interior.
- Soft close door and drawers in all compartments
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Two independent climatic zones.
- Tempered glass shelves with aluminium profiles.
- Crisper drawers for multi use preservazion solution. Anti-bacterial stainless steel interior & rounded corners promoting hygiene and easy cleaning.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can
 easily be combined and configured with other Fhiaba fridge, freezer,
 wine cellar models to fit your kitchen needs.

GENERAL PROPERTIES	
Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	4 1 fixed + 3 adjustable
Slide-out shelves	NO NO
Type of shelves	GLASS
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	1
Bottom drawers	2
Full Extension shelves 90° door opening	1
Full Extension drawers 90° door opening	YES
Defrost Process	AUTOMATIC
lce maker with water filter	AVAILABLE
Door Open Alarms	YES
Humidity control	NO NO
Active carbon filter	NO NO
Air filter control	NO NO
Shopping Fridge	YES
Shopping Freezer	YES
Power Failure Function	YES

100 | Price list - All specifications are subject to change without notice | 101

XS750HST

75 cm, FRIDGE AND FREEZER, 0H MODEL **BUILT-IN**

X-PRO® SERIES





AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
XS750HST6 (right hinge)	11.660 €
XS750HST3 (left hinge)	11.660 €
XS750HST6I (right hinge, with ice maker)	12.480 €
XS750HST3I (left hinge, with ice maker)	12.480 €
CAPACITY	
Volume Compartment 1 (L)	300
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	134
Total Net Volume (L)	434
Total gross volume (L)	456
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	I
Compartment 3 / Lower wine cellar capacity (bottles)	I
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	351

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	749
Depth of Product without handle (mm)	635
Net Weight (kg)	200
Gross Weight (kg)	221
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	1
Freezer drawers	2

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Painting
- 90° Door stop



RS750HST

75 cm, FRIDGE AND FREEZER, 0H MODEL **BUILT-IN**

DESIGNER® SERIES





AESTHETIC Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
RS750HST6 (right hinge)	10.710 €
RS750HST3 (left hinge)	10.710 €
RS750HST6l (right hinge, with ice maker)	11.530 €
RS750HST3I (left hinge, with ice maker)	11.530 €
CAPACITY	
Volume Compartment 1 (L)	300
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	134
Total Net Volume (L)	434
Total gross volume (L)	456
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41

TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	351

BINEROIONO & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	762
Depth of Product without handle (mm)	620
Net Weight (kg)	181
Gross Weight (kg)	203
Temperature ranges	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 8 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NO NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
France / Jaw Toma Drawers	1

1

2

ACCESSORIES

Fresco/LowTemp Drawers Bottom drawers

Stainless steel sides panels

DIMENSIONS & WEIGHT

- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop



KS750HST

75 cm, FRIDGE AND FREEZER, 0H MODEL **BUILT-IN**

CLASSIC® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
KS750HST6 (right hinge)	10.710 €
KS750HST3 (left hinge)	10.710 €
KS750HST6l (right hinge, with ice maker)	11.530 €
KS750HST3I (left hinge, with ice maker)	11.530 €
CAPACITY	
Volume Compartment 1 (L)	300
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	134
Total Net Volume (L)	434
Total gross volume (L)	456
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	351

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	749
Depth of Product without handle (mm)	635
Net Weight (kg)	181
Gross Weight (kg)	203
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Reversible door Low vibration	NO YES
	-
Low vibration	YES
Low vibration Shelves	YES 41 fixed + 3 adjustable
Low vibration Shelves Type of shelves Door Bins Fridge drawers type	YES 41 fixed + 3 adjustable GLASS
Low vibration Shelves Type of shelves Door Bins	YES 41 fixed + 3 adjustable GLASS 3
Low vibration Shelves Type of shelves Door Bins Fridge drawers type	YES 41 fixed + 3 adjustable GLASS 3 LOW TEMP
Low vibration Shelves Type of shelves Door Bins Fridge drawers type Fresco/LowTemp Drawers	YES 41 fixed + 3 adjustable GLASS 3 LOW TEMP
Low vibration Shelves Type of shelves Door Bins Fridge drawers type Fresco/LowTemp Drawers Freezer drawers	YES 41 fixed + 3 adjustable GLASS 3 LOW TEMP
Low vibration Shelves Type of shelves Door Bins Fridge drawers type Fresco/LowTemp Drawers Freezer drawers ACCESSORIES	YES 41 fixed + 3 adjustable GLASS 3 LOW TEMP
Low vibration Shelves Type of shelves Door Bins Fridge drawers type Fresco/LowTemp Drawers Freezer drawers ACCESSORIES • Stainless steel sides panels	YES 41 fixed + 3 adjustable GLASS 3 LOW TEMP
Low vibration Shelves Type of shelves Door Bins Fridge drawers type Fresco/LowTemp Drawers Freezer drawers ACCESSORIES • Stainless steel sides panels • Joining kit	YES 41 fixed + 3 adjustable GLASS 3 LOW TEMP
Low vibration Shelves Type of shelves Door Bins Fridge drawers type Fresco/LowTemp Drawers Freezer drawers ACCESSORIES • Stainless steel sides panels • Joining kit • Stainless steel portal for freestanding	YES 41 fixed + 3 adjustable GLASS 3 LOW TEMP
Low vibration Shelves Type of shelves Door Bins Fridge drawers type Fresco/LowTemp Drawers Freezer drawers ACCESSORIES • Stainless steel sides panels • Joining kit • Stainless steel portal for freestanding • Extra length anti-tipping kit	YES 41 fixed + 3 adjustable GLASS 3 LOW TEMP

Painting

• 90° Door stop

S750HST Fhaba

75 cm, FRIDGE AND FREEZER, 0H MODEL **FULLY INTEGRATED**

INTEGRATED® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO NO
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
S750HST6 (right hinge)	10.390 €
S750HST3 (left hinge)	10.390 €
S750HST6I (right hinge, with ice maker)	11.210 €
S750HST3I (left hinge, with ice maker)	11.210 €
CAPACITY	
Volume Compartment 1 (L)	300
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	134
Total Net Volume (L)	434
Total gross volume (L)	456
Compartment 1 / Upper wine cellar capacity (bottles)	I
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	351

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Nidth of the product (mm)	749
Depth of Product without handle (mm)	610
Net Weight (kg)	172
Gross Weight (kg)	193
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
_ow vibration	YES
Shelves	4 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	3
- ridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	1

ACCESSORIES

Freezer drawers

- Stainless steel sides panels
- Joining kit
- \bullet Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop

Model: 0H

Width: 75cm (749)

One door, two drawer, 2 separate Temperature ranges

Upper compartment: Wine Cellar Lower compartment: Wine Cellar





FEATURES

WINE CELLAR

- Made in Italy.
- Galvanized steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides excellent illumination to the entire interior.
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Insulated variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Two independent climatic zones.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.
- Triple-pane, bronzed glass door guarantees maximum protection from harmful UV light rays.
- Soft close mechanisms on every oak wine rack.
- Humidity control

CENEDAL PROPERTIES	
GENERAL PROPERTIES	
Reversible door	NO NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	9
Slide-out shelves	YES
Type of shelves	WOOD
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	2
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity control	YES
Active carbon filter	YES
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	NO
Power Failure Function	YES

106 Price list - All specifications are subject to change without notice 107

XS750HWT


75 cm, WINE CELLAR AND FREEZER, 0H MODEL

BUILT-IN

X-PRO® SERIES







Fhaba

AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
XS750HWT6 (right hinge)	11.350 €
XS750HWT3	11.350 €
(left hinge)	1110000
CAPACITY	
Volume Compartment 1 (L)	283
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	134
Total Net Volume (L)	416
Total gross volume (L)	430
Compartment 1 / Upper wine cellar capacity (bottles)	- 81
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	183

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	749
Depth of Product without handle (mm)	635
Net Weight (kg)	200
Gross Weight (kg)	221
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	2

Set of knives

• Cigar drawer

• Prosciutteria kit

• Beverage drawer

• Beverage removable shelf

• Beverage shelf

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Painting
- 90° Door stop
- Wine kit
- Cheese drawer


RS750HWT

75 cm, WINE CELLAR AND FREEZER, 0H MODEL **BUILT-IN**

DESIGNER® SERIES







Fhaha

compressor position	Bottom
ront finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
RS750HWT6 (right hinge)	10.290 €
RS750HWT3 (left hinge)	10.290 €
CAPACITY	
Volume Compartment 1 (L)	283
Volume Compartment 2 (L)	
Volume Compartment 3 (L)	134
Total Net Volume (L)	416
Total gross volume (L)	430
Compartment 1 / Upper wine cellar capacity (bottles)	- 81
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	183
	I

Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	762
Depth of Product without handle (mm)	620
Net Weight (kg)	187
Gross Weight (kg)	208
Temperature ranges	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	2

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting • 90° Door stop

- Cheese drawer
- Set of knives • Kit Prosciutteria
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

KS750HWT

75 cm, WINE CELLAR AND FREEZER, 0H MODEL

BUILT-IN

CLASSIC® SERIES





AESTHETIC			
Compressor position	Bottom		
Front finish	Stainless steel		
Handles	Stainless steel 030 mm		
Interior material finish	Stainless steel		
PRICE (VAT and delivery charges n	ot included)		
KS750HWT6	10.290 €		
(right hinge)	10.270 t		
KS750HWT3	10.290 €		
(left hinge)			
CAPACITY			
Volume Compartment 1 (L)	283		
Volume Compartment 2 (L)	1		
Volume Compartment 3 (L)	134		
Total Net Volume (L)	416		
Total gross volume (L)	430		
Compartment 1 / Upper wine cellar	01		
capacity (bottles)	- 81		
Compartment 2 / Middle wine cellar			
capacity (bottles)	1		
<u> </u>			
Compartment 3 / Lower wine cellar			
capacity (bottles)			
TECHNICAL DETAILS			
Voltage (V)	220-240V		
Frequency (Hz)	50-60 Hz		
Climatic class	SN/T		
Noise level (dB)	41		
EFFICIENCY			
New Energy Label class	G		
Energy consumption (kWh/year)	183		
	+		



Bordeaux Bottle 0,75 lt	Ø 30 mm 300 mm	
Burgundy Bottle 0,75 lt	Ø 29 mm 296 mm 0 76 mm	

Width of the product (mm)	749
Depth of Product without handle (mm)	635
Net Weight (kg)	187
Gross Weight (kg)	208
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	2

• Cheese drawer

Prosciutteria kit

• Beverage drawer

• Beverage removable shelf

• Beverage shelf

Set of knives

• Cigar drawer

ACCESSORIES

• Stainless steel sides panels

DIMENSIONS & WEIGHT

Height of the product (closed wheels) (mm) 2050

- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop
- Wine kit


S750HWT

75 cm, WINE CELLAR AND FREEZER, 0H MODEL **FULLY INTEGRATED**

INTEGRATED® SERIES







AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO
Interior material finish	Stainless steel
PRICE (VAT and delivery cha	arges not included)
S750HWT6	40.000.0

(right hinge)	10.290 €
S750HWT3 (left hinge)	10.290 €
CAPACITY	
Volume Compartment 1 (L)	283
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	134
Total Net Volume (L)	416
Total gross volume (L)	430
Compartment 1 / Upper wine cellar capacity (bottles)	- 81
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	

TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G

183

Energy consumption (kWh/year)

Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	749
Depth of Product without handle (mm)	610
Net Weight (kg)	167
Gross Weight (kg)	188
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	2

ACCESSORIES

Stainless steel sides panels

DIMENSIONS & WEIGHT

- Joining kit
- Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit

- Beverage shelf • Beverage removable shelf

• Beverage drawer

Front ventilation kit

• 90° Door stop

• Cheese drawer

• Prosciutteria kit

Set of knives

• Cigar drawer

Wine kit

- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device



FULL SIZE: FRIDGE

Model: 0F

Width: 75cm (749)

One door, 1 Temperature ranges

Upper compartment: Fridge Lower compartment: Low Temp



FEATURES

- Made in Italy.
- Galvanized steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Evenlift: shelves can slide up and down to be adjusted to any height in the fridge compartment.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides excellent illumination to the entire interior.
- Soft close door and drawers in all compartments
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- One independent climatic zone.
- Tempered glass shelves with aluminium profiles.
- Crisper drawers for multi use preservazion solution. Anti-bacterial stainless steel interior & rounded corners promoting hygiene and easy cleaning.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.

GENERAL PROPERTIES	
Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	4 - 1 fixed 3 adjustable
Slide-out shelves	NO
Type of shelves	GLASS
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom drawers	1
Full Extension shelves 90° door opening	1
Full Extension drawers 90° door opening	YES
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity control	NO
Active carbon filter	NO
Air filter control	NO
Shopping Fridge	YES
Shopping Freezer	NO
Power Failure Function	YES

112 Price list - All specifications are subject to change without notice Price list - All specifications are subject to change without notice 113

XS750FR

75 cm, FRIDGE, 0FR MODEL

BUILT-IN

X-PRO® SERIES





AESTHETIC			
Compressor position	Тор		
Front finish Stainless steel			
Handles	Stainless steel 030 mm		
Interior material finish	Stainless steel		
PRICE (VAT and delivery charges no	t included)		
XS750FR6 (right hinge)	10.710 €		
XS750FR3 (left hinge)	10.710 €		
XS750FR6D (right hinge, water dispenser)	11.530 €		
XS750FR3D (left hinge, water dispenser)	11.530 €		
CAPACITY			
Volume Compartment 1 (L)	479		
Volume Compartment 2 (L)	1		
Volume Compartment 3 (L)	1		
Total Net Volume (L)	479		
Total gross volume (L)	489		
Compartment 1 / Upper wine cellar capacity (bottles)	1		
Compartment 2/ Middle wine cellar capacity (bottles)	1		
Compartment 3 / Lower wine cellar capacity (bottles)	1		
TECHNICAL DETAILS			
Voltage (V)	220-240V		
Frequency (Hz)	50-60 Hz		
Climatic class	SN/T		
Noise level (dB)	41		
EFFICIENCY			
New Energy Label class	E		
Energy consumption (kWh/year)	132		
	I		

2120		
749		
635		
162		
183		
1		
from 2 to 8		
1		
YES		
1		
NO		
NO NO		
NU		
NO NO		
NO		
NO YES		
NO YES 4 - 1 fixed 3 adjustable		
NO YES 4 - 1 fixed 3 adjustable GLASS		
NO YES 4 - 1 fixed 3 adjustable GLASS 3		
NO YES 4 - 1 fixed 3 adjustable GLASS 3 LOW TEMP		
NO YES 4 - 1 fixed 3 adjustable GLASS 3 LOW TEMP 3		
NO YES 4 - 1 fixed 3 adjustable GLASS 3 LOW TEMP 3		
NO YES 4 - 1 fixed 3 adjustable GLASS 3 LOW TEMP 3		
NO YES 4 - 1 fixed 3 adjustable GLASS 3 LOW TEMP 3		
NO YES 4 - 1 fixed 3 adjustable GLASS 3 LOW TEMP 3		
NO YES 4 - 1 fixed 3 adjustable GLASS 3 LOW TEMP 3		

- FLD Fhiaba Link Device
- Painting
- 90° Door stop



XS750FG

75 cm, FRIDGE, 0FR MODEL **BUILT-IN, GLASS DOOR**

X-PRO® SERIES



Energy consumption (kWh/year)



	199	
AESTHETIC		
Compressor position	Тор	
Front finish	Stainless steel	
Handles	Stainless steel 030 mm	
Interior material finish	Stainless steel	
PRICE (VAT and delivery charges	not included)	
XS750FG6 (right hinge)	11.660 €	
XS750FG3 (left hinge)	11.660 €	
XS750FG6D (right hinge, water dispenser)	12.480 €	
XS750FG3D (left hinge, water dispenser)	12.480 €	
CAPACITY		
Volume Compartment 1 (L)	479	
/olume Compartment 2 (L)	1	
Volume Compartment 3 (L)	1	
Total Net Volume (L)	479	
Total gross volume (L)	489	
Compartment 1 / Upper wine cellar capacity (bottles)	1	
Compartment 2/ Middle wine cellar capacity (bottles)	1	
Compartment 3 / Lower wine cellar capacity (bottles)	1	
TECHNICAL DETAILS		
/oltage (V)	220-240V	
Frequency (Hz)	50-60 Hz	
Climatic class	SN/T	
Noise level (dB)	41	
EFFICIENCY		
New Energy Label class	E	
	400	

132

	7/	E	13

Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	749
Depth of Product without handle (mm)	635
Net Weight (kg)	162
Gross Weight (kg)	183
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3

ACCESSORIES

Freezer drawers

Stainless steel sides panels

DIMENSIONS & WEIGHT

- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Painting
- 90° Door stop



RS750FR

75 cm, FRIDGE, 0FR MODEL **BUILT-IN**

DESIGNER® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
RS750FR6 (right hinge)	8.590 €
RS750FR3 (left hinge)	8.590 €
RS750FR6D (right hinge, water dispenser)	9.410 €
RS750FR3D (left hinge, water dispenser)	9.410 €
CAPACITY	
Volume Compartment 1 (L)	479
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	479
Total gross volume (L)	489
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	ı
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	762
Depth of Product without handle (mm)	620
Net Weight (kg)	162
Gross Weight (kg)	183
Temperature ranges	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom drawers	1
ACCESSORIES	
• Stainless steel sides panels	
Joining kit	
• Stainless steel portal for freestanding	
• Extra length anti-tipping kit	
Cleaning kit	
oteaning tit	
• FLD - Fhiaba Link Device	
3	
• FLD - Fhiaba Link Device	

RS750FG

75 cm, FRIDGE, 0FR MODEL **BUILT-IN, GLASS DOOR**

DESIGNER® SERIES





Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
RS750FG6 (right hinge)	9.540 €
RS750FG3 (left hinge)	9.540 €
RS750FG6D (right hinge, water dispenser)	10.360 €
RS750FG3D (left hinge, water dispenser)	10.360 €
CAPACITY	
Volume Compartment 1 (L)	479
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	479
Total gross volume (L)	489
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41

Ε

132

EFFICIENCY New Energy Label class

Energy consumption (kWh/year)

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	762
Depth of Product without handle (mm)	620
Net Weight (kg)	162
Gross Weight (kg)	183
Temperature ranges	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO NO
GENERAL PROPERTIES	
Reversible door	NO NO
Low vibration	YES
Shelves	4 - 1 fixed 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom drawers	1

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop



Ε

132

New Energy Label class

Energy consumption (kWh/year)

KS750FR

75 cm, FRIDGE, 0FR MODEL **BUILT-IN**

CLASSIC® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
KS750FR6 (right hinge)	8.590 €
KS750FR3 (left hinge)	8.590 €
KS750FR6D (right hinge, water dispenser)	9.410 €
KS750FR3D (left hinge, water dispenser)	9.410 €
CAPACITY	
Volume Compartment 1 (L)	479
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	479
Total gross volume (L)	489
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2/ Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	132
	I

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	749
Depth of Product without handle (mm)	635
Net Weight (kg)	162
Gross Weight (kg)	183
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
	NO YES
Reversible door	
Reversible door Low vibration	YES
Reversible door Low vibration Shelves	YES 4 - 1 fixed 3 adjustable
Reversible door Low vibration Shelves Type of shelves	YES 4 - 1 fixed 3 adjustable glass
Reversible door Low vibration Shelves Type of shelves Door Bins	YES 4 - 1 fixed 3 adjustable glass 3
Reversible door Low vibration Shelves Type of shelves Door Bins Fridge drawers type	YES 4 - 1 fixed 3 adjustable glass 3 LOW TEMP
Reversible door Low vibration Shelves Type of shelves Door Bins Fridge drawers type Fresco/LowTemp Drawers	YES 4 - 1 fixed 3 adjustable glass 3 LOW TEMP 3
Reversible door Low vibration Shelves Type of shelves Door Bins Fridge drawers type Fresco/LowTemp Drawers Freezer drawers	YES 4 - 1 fixed 3 adjustable glass 3 LOW TEMP 3
Reversible door Low vibration Shelves Type of shelves Door Bins Fridge drawers type Fresco/LowTemp Drawers Freezer drawers ACCESSORIES	YES 4 - 1 fixed 3 adjustable glass 3 LOW TEMP 3
Reversible door Low vibration Shelves Type of shelves Door Bins Fridge drawers type Fresco/LowTemp Drawers Freezer drawers ACCESSORIES • Stainless steel sides panels	YES 4 - 1 fixed 3 adjustable glass 3 LOW TEMP 3
Reversible door Low vibration Shelves Type of shelves Door Bins Fridge drawers type Fresco/LowTemp Drawers Freezer drawers ACCESSORIES • Stainless steel sides panels • Joining kit	YES 4 - 1 fixed 3 adjustable glass 3 LOW TEMP 3
Reversible door Low vibration Shelves Type of shelves Door Bins Fridge drawers type Fresco/LowTemp Drawers Freezer drawers ACCESSORIES • Stainless steel sides panels • Joining kit • Stainless steel portal for freestanding	YES 4 - 1 fixed 3 adjustable glass 3 LOW TEMP 3

- Front ventilation kit
- Painting
- 90° Door stop



KS750FG

75 cm, FRIDGE, 0FR MODEL **BUILT-IN, GLASS DOOR**

CLASSIC® SERIES



Energy consumption (kWh/year)



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
nterior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
KS750FG6 (right hinge)	9.540 €
KS750FG3 (left hinge)	9.540 €
KS750FG6D (right hinge, water dispenser)	10.360 €
KS750FG3D (left hinge, water dispenser)	10.360 €
CAPACITY	
/olume Compartment 1 (L)	479
/olume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	479
Total gross volume (L)	489
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2/ Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
oltage (V)	220-240V
requency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E

132

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	749
Depth of Product without handle (mm)	635
Net Weight (kg)	162
Gross Weight (kg)	183

TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed 3 adjustable
Type of shelves	glass

LOW TEMP

3

Freezer drawers ACCESSORIES

Fridge drawers type Fresco/LowTemp Drawers

- Stainless steel sides panels
- Joining kit

Door Bins

- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop



S750FR

75 cm, FRIDGE, 0FR MODEL **FULLY INTEGRATED**

INTEGRATED® SERIES







FITE

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	749
Depth of Product without handle (mm)	610
Net Weight (kg)	154
Gross Weight (kg)	175
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed 3 adjustable
Type of shelves	glass
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Freezer drawers	1

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handle 30mm
- Stainless steel tubular handle 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop



S750FG

75 cm, FRIDGE, 0FR MODEL FULLY INTEGRATED, GLASS DOOR

INTEGRATED® SERIES



Energy consumption (kWh/year)



AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
S750FG6 (right hinge)	9.120 €
S750FG3 (left hinge)	9.120 €
S750FG6D (right hinge, water dispenser)	9.940 €
S750FG3D (left hinge, water dispenser)	9.940 €
CAPACITY	
Volume Compartment 1 (L)	479
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	479
Total gross volume (L)	489
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2/ Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
[1.\A/b./	100

132

	DIMENSIONS & WEIGHT	
	Height of the product (closed wheels) (mm)	2050
nel ready	Width of the product (mm)	749
	Depth of Product without handle (mm)	610
teel	Net Weight (kg)	154
	Gross Weight (kg)	175
	TEMPERATURE RANGES	
	Climatic compartments	1
	Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
	Compartment 2 / Middle Temperature ranges (°C)	1
	Low temp zone	YES
	Compartment 3 / Low Temperature ranges (°C)	1
	Dual zone	NO

FARMA

Freezer drawers ACCESSORIES

Fridge drawers type

Fresco/LowTemp Drawers

• Stainless steel sides panels

GENERAL PROPERTIES

Reversible door

Type of shelves

Low vibration

Shelves

Door Bins

- Glass door
- Joining kit
- Stainless steel tubular handle 30mm
- Stainless steel tubular handle 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop

NO

YES

glass

LOW TEMP

0

3

4 - 1 fixed 3 adjustable



FULL SIZE: WINE CELLAR

Model: 0F

Width: 75cm (749)

One door, 2 separate Temperature ranges

Upper compartment: Wine Cellar Lower compartment: Wine Cellar





FEATURES

- Made in Italy.
- Galvanized steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides excellent illumination to the entire interior.
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Two independent climatic zones.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.
- \bullet Triple-pane, bronzed glass door guarantees maximum protection from harmful UV light rays.
- Soft close mechanisms on every oak wine rack.
- Humidity control

GENERAL PROPERTIES	
Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	13
Slide-out shelves	YES
Type of shelves	WOOD
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	1
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity control	YES
Active carbon filter	YES
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	NO
Power Failure Function	YES

122 | Price list - All specifications are subject to change without notice | 123

XS750FW

75 cm, WINE CELLAR, 0FW MODEL **BUILT-IN**

X-PRO® SERIES



AESTHETIC Compressor position

Front finish

Interior material finish

Handles

XS750FW6

(right hinge) XS750FW3

(left hinge)


CAPACITY





Volume Compartment 1 (L)	467
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	467
Total gross volume (L)	482
Compartment 1 / Upper wine cellar capacity (bottles)	72
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	45
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	169





DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	749
Depth of Product without handle (mm)	635
Net Weight (kg)	153
Gross Weight (kg)	174
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	1

Prosciutteria kit

• Beverage drawer

• Beverage removable shelf

• Beverage shelf

• Cigar drawer

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Painting
- 90° Door stop
- Wine kit
- · Cheese drawer
- Set of knives




75 cm, WINE CELLAR, 0FW MODEL **BUILT-IN**

DESIGNER® SERIES







Fhaha

	- 3
AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
RS750FW6 (right hinge)	10.290 €
RS750FW3 (left hinge)	10.290 €
CAPACITY	
Volume Compartment 1 (L)	467
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	467
Total gross volume (L)	482
Compartment 1 / Upper wine cellar capacity (bottles)	72
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	45
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	169

mm	Depth of Product without h
	Net Weight (kg)
	Gross Weight (kg)
	Temperature ranges
	Climatic compartments
	Compartment 1 / Upper Temper
	Compartment 2 / Middle Tempe
	Low temp zone
	Compartment 3 / Low Tempera
	Dual zone
	GENERAL PROPERTI
	Reversible door
	Low vibration
	Shelves
	Type of shelves
	Door Bins
	Fridge drawers type
	Fresco/LowTemp Drawers
	Bottom drawers
	ACCESSORIES
	Stainless steel sides p
	Joining kit
	• Stainless steel portal
	freestanding
	• Extra length anti-tippi
	 Cleaning kit
	• Active carbon filter
	• FLD - Fhiaba Link Dev
	 Front ventilation kit

SS0RIES	
nless steel sides panels	• Cheese drawe

ng kit

less steel portal for tanding

length anti-tipping kit

Fhiaba Link Device

Front ventilation kit

Painting

• 90° Door stop

Wine kit

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	762
Depth of Product without handle (mm)	620
Net Weight (kg)	159
Gross Weight (kg)	180
Temperature ranges	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO NO
GENERAL PROPERTIES	
Reversible door	NO NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD

 Cheese drawer 	
-----------------------------------	--

Set of knives

• Kit Prosciutteria

• Cigar drawer

• Beverage drawer

• Beverage shelf

• Beverage removable shelf


KS750FW

75 cm, WINE CELLAR, 0FW MODEL **BUILT-IN**


CLASSIC® SERIES











DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	749
Depth of Product without handle (mm)	635
Net Weight (kg)	159
Gross Weight (kg)	180
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	1

• Cheese drawer

• Prosciutteria kit

· Beverage drawer

• Beverage removable shelf

· Beverage shelf

Set of knives

• Cigar drawer

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- · Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting • 90° Door stop
- Wine kit

S750FW Fhaha

75 cm, WINE CELLAR, 0FW MODEL **FULLY INTEGRATED**

INTEGRATED® SERIES



AESTHETIC

Front finish

Handles

S750FW6

S750FW3

(left hinge)

CAPACITY

Volume Compartment 1 (L)

Volume Compartment 2 (L)

Volume Compartment 3 (L)

Compartment 1 / Upper wine cellar

Compartment 2 / Middle wine cellar

Compartment 3 / Lower wine cellar

Total Net Volume (L)

capacity (bottles)

capacity (bottles)

capacity (bottles)

Voltage (V)

Frequency (Hz)

Climatic class

Noise level (dB)

EFFICIENCY

New Energy Label class

Energy consumption (kWh/year)

TECHNICAL DETAILS

Total gross volume (L)

(right hinge)

Compressor position

Interior material finish

PRICE (VAT and delivery charges not included)





Bottom

9.440€

9.440€

467

467

482

72

45

220-240V

50-60 Hz

SN/T

41

G

169


NO

Custom panel ready

Stainless steel







DIMENSIONS
 Height of the prod
Width of the prod
 Depth of Product
Net Weight (kg)
Gross Weight (kg)
TEMPERATUR
Climatic compart
 Compartment 1 / Upp
Compartment 2 / Mid
 Low temp zone
 Compartment 3 / Lo
Dual zone
GENERAL PRO
 Reversible door
 Low vibration
 Shelves
 Type of shelves
 Door Bins
Fridge drawers ty
 Fresco/LowTemp
Freezer drawers
 ACCESSORIES
• Stainless stee
 Joining kit
• Stainless stee
30mm
 Stainless stee
 18mm
 Stainless stee
 Stainless stee
freestanding
• Eytra longth a

DIMENSIONS & WEIGHT			
Height of the product (closed wheels) (mm	1) 2050		
Width of the product (mm)	749		
Depth of Product without handle (mm)	610		
Net Weight (kg)	153		
Gross Weight (kg)	174		
TEMPERATURE RANGES			
Climatic compartments	2		
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18		
Compartment 2 / Middle Temperature ranges (°C)	1		
Low temp zone	NO		
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18		
Dual zone	NO		
GENERAL PROPERTIES			
Reversible door	NO NO		
Low vibration	YES		
Shelves	13		
Type of shelves	WOOD		
Door Bins	1		
Fridge drawers type	1		
Fresco/LowTemp Drawers	1		
Freezer drawers	1		
ACCESSORIES			
 Stainless steel sides panels 	• Front ventilation k		
Joining kit	• 90° Door stop		
• Stainless steel tubular handle	• Wine kit		
30mm	• Cheese drawer		
• Stainless steel tubular handle	 Set of knives 		
18mm • Prosciutteria			
 Stainless steel panels 	Cigar drawer		

- steel panels
- steel portal for
- Extra length anti-tipping kit
- Beverage removable shelf
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device

300 mm	
Ø 75	
mm	
Ø 29 mm	00000000
, 🖺 –	
	00000000
296 mm	00000000
	00000000
	00000000
Ø 76 mm	

G

169

EFFICIENCY

New Energy Label class

Energy consumption (kWh/year)

Beverage drawer

• Beverage shelf



FULL SIZE: FREEZER

Model: 0F

Width: 75cm (749)

One door, 1 Temperature ranges

Single compartment: Freezer

FEATURES

FREEZER

- Made in Italy.
- Galvanized steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Ladder rack shelving: shelves can slide up and down to be adjusted to any height in the fridge compartment.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides excellent illumination to the entire interior.
- Soft close door and drawers in all compartments
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Single climatic zone.
- Tempered glass shelves with aluminium profiles.
- Freezer drawers for multi use preservation solution. Anti-bacterial stainless steel interior & rounded corners promoting hygiene and easy cleaning.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.

GENERAL PROPERTIES			
Reversible door	NO		
Equilance	YES		
SoftClosing Runner	NO		
Low vibration	YES		
Optieview (LED light spots)	YES		
Shelves	3 - 1 Fixed & 2 adjustable		
Slide-out shelves	NO		
Type of shelves	GLASS		
Fridge drawers type	1		
Fresco/LowTemp Drawers	1		
Bottom drawers	4		
Full Extension shelves 90° door opening	YES		
Full Extension drawers 90° door opening	NO		
Defrost Process	AUTOMATIC		
Ice maker with water filter	AVAILABLE		
Door Open Alarms	YES		
Humidity control	NO		
Active carbon filter	NO		
Air filter control	NO		
Shopping Fridge	NO		
Shopping Freezer	YES		
Power Failure Function	YES		

128 | Price list - All specifications are subject to change without notice | 129

XS750FZ

75 cm, FREEZER, 0FZ MODEL **BUILT-IN**

X-PRO® SERIES





AESTHETIC			
Compressor position	Тор		
Front finish	Stainless steel		
Handles	Stainless steel 030 mm		
Interior material finish	Stainless steel		
PRICE (VAT and delivery charges no	t included)		
XS750FZ6 (right hinge)	9.760 €		
XS750FZ3 (left hinge)	9.760 €		
XS750FZ6I (right hinge, with ice maker)	10.570 €		
XS750FZ3I (left hinge, with ice maker)	10.570 €		
CAPACITY			
Volume Compartment 1 (L)	452		
Volume Compartment 2 (L)	1		
Volume Compartment 3 (L)	1		
Total Net Volume (L)	452		
Total gross volume (L)	455		
Compartment 1 / Upper wine cellar capacity (bottles)			
Compartment 2 / Middle wine cellar capacity (bottles)	1		
Compartment 3 / Lower wine cellar capacity (bottles)	1		
TECHNICAL DETAILS			
Voltage (V)	220-240V		
Frequency (Hz)	50-60 Hz		
Climatic class	SN/T		
Noise level (dB)	41		
EFFICIENCY			
New Energy Label class	E		
Energy consumption (kWh/year)	318		

DIMENSIONS & WEIGHT			
Height of the product (closed wheels) (mm)	2120		
Width of the product (mm)	749		
Depth of Product without handle (mm)	635		
Net Weight (kg)	167		
Gross Weight (kg)	188		
TEMPERATURE RANGES			
Climatic compartments	1		
Compartment 1 / Upper Temperature ranges (°C)	from -15 to -22		
Compartment 2 / Middle Temperature ranges (°C)	1		
Low temp zone	NO		
Compartment 3 / Low Temperature ranges (°C)	1		
Dual zone	NO NO		
GENERAL PROPERTIES			
Reversible door	NO		
Low vibration	YES		
Shelves	3 - 1 Fixed & 2 adjustable		
Type of shelves	GLASS		
Door Bins	2		
Fridge drawers type	1		
Fresco/LowTemp Drawers	1		
Freezer drawers	4		

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Painting
- 90° Door stop





75 cm, FREEZER, MODEL 0FZ **BUILT-IN**

DESIGNER® SERIES



EFFICIENCY

New Energy Label class

Energy consumption (kWh/year)



	925
AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
KS750FZ6 (right hinge)	8.590 €
KS750FZ3 (left hinge)	8.590 €
KS750FZ6I (right hinge, with ice maker)	9.410 €
KS750FZ3I (left hinge, with ice maker)	9.410 €
CAPACITY	
Volume Compartment 1 (L)	452
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	452
Total gross volume (L)	455
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41

Ε 318

DIMENSIONS & WEIGHT			
Height of the product (closed wheels) (mm)	2120		
Width of the product (mm)	762		
Depth of Product without handle (mm)	620		
Net Weight (kg)	167		
Gross Weight (kg)	188		
Temperature ranges			
Climatic compartments	1		
Compartment 1 / Upper Temperature ranges (°C)	from -15 to -22		
Compartment 2 / Middle Temperature ranges (°C)	1		
Low temp zone	NO		
Compartment 3 / Low Temperature ranges (°C)	1		
Dual zone	NO NO		
GENERAL PROPERTIES			
Reversible door	NO		
Low vibration	YES		
Shelves	3 - 1 Fixed & 2 adjus		
Type of shelves	GLASS		
Door Bins	2		
Fridge drawers type	1		
Fresco/LowTemp Drawers	1		
Bottom drawers	4		
ACCESSORIES			
Stainless steel sides panels			
1.1.1.1.1.1.1			

- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop



KS750FZ

75 cm, FREEZER, 0FZ MODEL **BUILT-IN**

CLASSIC® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
KS750FZ6 (right hinge)	8.590 €
KS750FZ3 (left hinge)	8.590 €
KS750FZ6I (right hinge, with ice maker)	9.410 €
KS750FZ3I (left hinge, with ice maker)	9.410 €
CAPACITY	
Volume Compartment 1 (L)	452
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	452
Total gross volume (L)	455
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	318
	l .

DIMENSIONS & WEIGHT			
Height of the product (closed wheels) (mm)	2050		
Width of the product (mm)	749		
Depth of Product without handle (mm)	635		
Net Weight (kg)	167		
Gross Weight (kg)	188		
TEMPERATURE RANGES			
Climatic compartments	1		
Compartment 1 / Upper Temperature ranges (°C)	from -15 to -22		
Compartment 2 / Middle Temperature ranges (°C)	1		
Low temp zone	NO		
Compartment 3 / Low Temperature ranges (°C)	1		
Dual zone	NO		
GENERAL PROPERTIES			
Reversible door	NO		
	110		
Low vibration	YES		
	YES		
Low vibration	YES		
Low vibration Shelves	YES 3 - 1 Fixed & 2 adjustable		
Low vibration Shelves Type of shelves	YES 3 - 1 Fixed & 2 adjustable glass		
Low vibration Shelves Type of shelves Door Bins	YES 3 - 1 Fixed & 2 adjustable glass 2		
Low vibration Shelves Type of shelves Door Bins Fridge drawers type	YES 3 - 1 Fixed & 2 adjustable glass 2		
Low vibration Shelves Type of shelves Door Bins Fridge drawers type Fresco/LowTemp Drawers	YES 3 - 1 Fixed & 2 adjustable glass 2 /		
Low vibration Shelves Type of shelves Door Bins Fridge drawers type Fresco/LowTemp Drawers Freezer drawers	YES 3 - 1 Fixed & 2 adjustable glass 2 /		
Low vibration Shelves Type of shelves Door Bins Fridge drawers type Fresco/LowTemp Drawers Freezer drawers ACCESSORIES	YES 3 - 1 Fixed & 2 adjustable glass 2 /		
Low vibration Shelves Type of shelves Door Bins Fridge drawers type Fresco/LowTemp Drawers Freezer drawers ACCESSORIES • Stainless steel sides panels	YES 3 - 1 Fixed & 2 adjustable glass 2 /		
Low vibration Shelves Type of shelves Door Bins Fridge drawers type Fresco/LowTemp Drawers Freezer drawers ACCESSORIES • Stainless steel sides panels • Joining kit	YES 3 - 1 Fixed & 2 adjustable glass 2 /		
Low vibration Shelves Type of shelves Door Bins Fridge drawers type Fresco/LowTemp Drawers Freezer drawers ACCESSORIES • Stainless steel sides panels • Joining kit • Stainless steel portal for freestanding	YES 3 - 1 Fixed & 2 adjustable glass 2 /		
Low vibration Shelves Type of shelves Door Bins Fridge drawers type Fresco/LowTemp Drawers Freezer drawers ACCESSORIES • Stainless steel sides panels • Joining kit • Stainless steel portal for freestanding • Extra length anti-tipping kit	YES 3 - 1 Fixed & 2 adjustable glass 2 /		

Painting

• 90° Door stop



S750FZ

75 cm, FREEZER, 0FZ MODEL **FULLY INTEGRATED**

INTEGRATED® SERIES



Energy consumption (kWh/year)



AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO NO
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
S750FZ6 (right hinge)	8.270 €
S750FZ3 (left hinge)	8.270 €
S750FZ6I (right hinge, with ice maker)	9.090 €
S750FZ3I (left hinge, with ice maker)	9.090 €
CAPACITY	
Volume Compartment 1 (L)	452
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	452
Total gross volume (L)	455
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
	1

318

DIMENSIONS & WEIGHT			
Height of the product (closed wheels) (mm)	2050		
Width of the product (mm)	749		
Depth of Product without handle (mm)	610		
Net Weight (kg)	154		
Gross Weight (kg)	175		
TEMPERATURE RANGES			
Climatic compartments	1		
Compartment 1 / Upper Temperature ranges (°C)	from -15 to -22		
Compartment 2 / Middle Temperature ranges (°C)	1		
Low temp zone	NO NO		
Compartment 3 / Low Temperature ranges (°C)	1		
Dual zone	NO NO		
GENERAL PROPERTIES			
Reversible door	NO		
Low vibration	YES		
Shelves	3 - 1 Fixed & 2 adjustable		
Type of shelves	glass		
Door Bins	2		
Fridge drawers type	1		
Fresco/LowTemp Drawers	1		
Freezer drawers	4		

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handle 30mm
- Stainless steel tubular handle 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop

FULL SIZE: FRIDGES/FREEZERS/WINE CELLARS Width: 60cm (599)

W	idth: 60cm (59°						
	60	WINE CELLAR	FRIDGE	WINE CELLAR	FRIDGE	WINE CELL	AR FREEZER COLUMN
		599	599	599	599	599	599
	X-PRO	MANITHH ACT					
	Top compressors	XS601TWT	XS600TST	XS600TWT	XS600FR	XS600FW	XS600FZ
	Glass Door		XS600TGT		XS600FG		
	COUNTRY Top compressors	AS601TWT	AS600TST				
		A30011111	A3000131				
	DESIGNER						
	Bottom compressors	RS601TWT	RS600TST	RS600TWT	RS600FR	RS600FW	RS600FZ
	Glass Door CLASSIC	WHIHITH I	RS600TGT		RS600FG		
	Bottom compressors Glass Door	KS601TWT	KS600TST KS600TGT	KS600TWT	KS600FR KS600FG	KS600FW	KS600FZ
	INTEGRATED				NS000FG		
	Bottom compressors	S601TWT	S600TST	S600TWT	S600FR	S600FW	S600FZ
	Glass Door		S600TGT		S600FG		
	BRILLIANCE					BKS600FW	
	Bottom compressors 1NTEGRATED					BS600FW	

134 Price list - All specifications are subject to change without notice 135



FULL SIZE: WINE CELLAR

Model: 1T

Width: 60cm (599)

One door, one drawer, 3 separate Temperature ranges

Upper compartment: Wine cellar Middle compartment: Wine cellar Lower compartment: Wine cellar

FEATURES

WINE CELLAR

- Made in Italy.
- Galvanized steel body
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides excellent illumination to the entire interior.
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Insulated variable speed compressors maintains precision
 Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Three independent climatic zones.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.
- \bullet Triple-pane, bronzed glass door guarantees maximum protection from harmful UV light rays.
- Soft close mechanisms on every oak wine rack.
- Humidity control

GENERAL PROPERTIES	
Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	9
Slide-out shelves	YES
Type of shelves	WOOD
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	1+1 internal drawer
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity control	YES
Active carbon filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	NO
Power Failure Function	YES

Price list - All specifications are subject to change without notice 137


XS601TWT

60 cm, WINE CELLAR AND FREEZER, 1T MODEL **BUILT-IN**









AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges r	not included)
XS601TWT6 (right hinge)	12.720 €
XS601TWT3 (left hinge)	12.720 €
CAPACITY	
Volume Compartment 1 (L)	147
Volume Compartment 2 (L)	76
Volume Compartment 3 (L)	77
Total Net Volume (L)	300
Total gross volume (L)	315
Compartment 1 / Upper wine cellar capacity (bottles)	36
Compartment 2 / Middle wine cellar capacity (bottles)	18
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	599
Depth of Product without handle (mm)	635
Net Weight (kg)	162
Gross Weight (kg)	182
TEMPERATURE RANGES	
Climatic compartments	3
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	from 4 to 18
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	1+1 internal drawer

• Cigar drawer

• Beverage drawer

• Beverage removable shelf

• Beverage shelf

• Chocolate kit


AS601TWT Fhaha

60 cm, WINE CELLAR AND FREEZER, 1T MODEL **FREESTANDING**

COUNTRY® SERIES







Compressor position	Тор
Front and sides finish	Painted Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
AS601TWT6	not included)
(right hinge)	12.940 €
AS601TWT3	400400
(left hinge)	12.940 €
CAPACITY	
Volume Compartment 1 (L)	147
Volume Compartment 2 (L)	76
Volume Compartment 3 (L)	77
Total Net Volume (L)	300
Total gross volume (L)	315
Compartment 1 / Upper wine cellar capacity (bottles)	36
Compartment 2 / Middle wine cellar capacity (bottles)	18
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G

169

Energy consumption (kWh/year)

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm) 2120
Width of the product (mm)	587
Depth of Product without handle (mm)	635
Net Weight (kg)	162
Gross Weight (kg)	182
TEMPERATURE RANGES	
Climatic compartments	3
Compartment 1 / Upper Temperature ranges (°	C) from 4 to 18
Compartment 2 / Middle Temperature ranges (°C) from 4 to 18
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C) from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	1+1 internal drawer
ACCESSORIES	
Joining kit	Beverage shelf
• Extra length anti-tipping kit	Beverage removable sh
Anti-condensation kit	Chocolate kit
Cleaning kit	
• Active carbon filter	

- FLD Fhiaba Link Device
- 90° Door stop
- Wine kit
- Cheese drawer
- Set of knives
- Cigar drawer
- Beverage drawer

Burn Bottl 0,75		
n)	2120	

Joining kit

ACCESSORIES

• X-Pro top grill kit

- Active carbon filter
- FLD Fhiaba Link Device

Stainless steel sides panels

Extra length anti-tipping kit

- Painting
- 90° Door stop
- Wine kit
- Cheese drawer
- Set of knives



RS601TWT

60 cm, WINE CELLAR AND FREEZER, 1T MODEL **BUILT-IN**

DESIGNER® SERIES







AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
RS601TWT6	11.560 €
(right hinge)	11.300 €
RS601TWT3	11.560 €
(left hinge)	
CAPACITY	
Volume Compartment 1 (L)	147
Volume Compartment 2 (L)	76
Volume Compartment 3 (L)	77
Total Net Volume (L)	300
Total gross volume (L)	315
Compartment 1 / Upper wine cellar	
capacity (bottles)	36
Compartment 2 / Middle wine cellar	18
capacity (bottles)	
Compartment 3 / Lower wine cellar	
capacity (bottles)	'
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
INOW FILEI AN FORMAT (1972)	U

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	608
Depth of Product without handle (mm)	620
Net Weight (kg)	158
Gross Weight (kg)	178
Tanananahuna nanana	
Temperature ranges	
Climatic compartments	3
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	from 4 to 18
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO NO
OFMERAL RESPECTIVE	
GENERAL PROPERTIES	
Reversible door	NO NO
Low vibration	YES

WOOD

Set of knives

• Cigar drawer

• Beverage drawer

• Beverage shelf

• Chocolate kit

1+1 internal drawer

• Beverage removable shelf

ACCESSORIES

Bottom drawers

Fridge drawers type Fresco/LowTemp Drawers

- Stainless steel sides panels
- Joining kit

Shelves Type of shelves

Door Bins

- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop
- Wine kit
- Cheese drawer

KS601TWT

60 cm, WINE CELLAR AND FREEZER, 1T MODEL **BUILT-IN**


CLASSIC® SERIES



New Energy Label class

Energy consumption (kWh/year)





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges n	ot included)
KS601TWT6	11.560 €
(right hinge)	11.000 0
KS601TWT3 (left hinge)	11.560 €
(tert fillige)	
CAPACITY	
Volume Compartment 1 (L)	147
Volume Compartment 2 (L)	76
Volume Compartment 3 (L)	77
Total Net Volume (L)	300
Total gross volume (L)	315
Compartment 1 / Upper wine cellar	2/
capacity (bottles)	36
Compartment 2 / Middle wine cellar	
capacity (bottles)	18
<u> </u>	
Compartment 3 / Lower wine cellar	
capacity (bottles)	
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
LITICILING	

G

169

DIMENSIONS & WEIGHT
Height of the product (closed v
Width of the product (mm)
Depth of Product without hand
Net Weight (kg)
Gross Weight (kg)
TEMPERATURE RANGES
Climatic compartments
 Compartment 1 / Upper Temperature
Compartment 2 / Middle Temperatur
 Low temp zone
Compartment 3 / Low Temperature
Dual zone
GENERAL PROPERTIES
 Reversible door
 Low vibration
 Shelves
 Type of shelves
 Door Bins
Fridge drawers type
 Fresco/LowTemp Drawers
Freezer drawers
ACCECCODIES
 ACCESSORIES
Stainless steel sides pane
Joining kit
Stainless steel portal for
 freestanding
 • Extra length anti-tipping k
 Cleaning kit
 Active carbon filter
• FLD - Fhiaba Link Device
Front ventilation kit
 Painting

Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	599
· · · · · · · · · · · · · · · · · · ·	
Depth of Product without handle (mm)	635
Net Weight (kg)	158
Gross Weight (kg)	178
TEMPERATURE RANGES	
Climatic compartments	3
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	from 4 to 18
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	1+1 internal drawer

Set of knives

• Cigar drawer

• Beverage drawer

• Beverage removable shelf

• Beverage shelf

• Chocolate kit

RIES

- steel sides panels
- steel portal for ding
 - gth anti-tipping kit
- kit
- rbon filter
- aba Link Device
- itilation kit
- 90° Door stop
- Wine kit

Price list - All specifications are subject to change without notice | 141

Energy consumption (kWh/year)

169


S601TWT

60 cm, WINE CELLAR AND FREEZER, 1T MODEL **FULLY INTEGRATED**

INTEGRATED® SERIES







AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO NO
Interior material finish	Stainless steel
DDICE (VAT and delivery charges not included)	

PRICE (VAT and delivery charges not included)	
S601TWT6 (right hinge)	10.550 €
S601TWT3 (left hinge)	10.550 €
CAPACITY	

CAPACITY	
Volume Compartment 1 (L)	147
Volume Compartment 2 (L)	76
Volume Compartment 3 (L)	77
Total Net Volume (L)	300
Total gross volume (L)	315
Compartment 1 / Upper wine cellar capacity (bottles)	36
Compartment 2 / Middle wine cellar capacity (bottles)	18
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	

TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EEE/O/EN/OV	
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	169

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	599
Depth of Product without handle (mm)	610
Net Weight (kg)	148
Gross Weight (kg)	168
TEMPERATURE RANGES	
011	•

TEMPERATURE RANGES	
Climatic compartments	3
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	from 4 to 18
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO

Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	1+1 internal drawer

Front ventilation kit

• 90° Door stop

Cheese drawer

Set of knives

• Cigar drawer • Beverage drawer

• Beverage shelf

• Chocolate kit

• Beverage removable shelf

Wine kit

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device

Net weight (kg)	148
Gross Weight (kg)	168
TEMPERATURE RANGES	
Climatic compartments	3
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	from 4 to 18
Low temp zone	NO NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Dana Dian	,



FULL SIZE: FRIDGE AND FREEZER

Model: 0T

Width: 60cm (599)

One door, one drawer, 2 separate Temperature ranges

Upper compartment: Fridge Middle compartment: Low Temp

Lower compartment TriMode: Fridge/Fresco/Freezer



FEATURES

FRIDGE

LOW TEMP

TRIMODE®

- Made in Italy.
- Galvanized steel body
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Evenlift: shelves can slide up and down to be adjusted to any height in the fridge compartment.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides excellent illumination to the entire interior.
- Soft close door and drawers in all compartments
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Two independent climatic zones.
- Tempered glass shelves with aluminium profiles.
- Crisper drawers for multi use preservazion solution. Anti-bacterial stainless steel interior & rounded corners promoting hygiene and easy cleaning.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.

GENERAL PROPERTIES	
Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	4 - 1 fixed + 3 adjustable
Slide-out shelves	NO
Type of shelves	GLASS
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom drawers	1+1 internal drawer
Full Extension shelves 90° door opening	1
Full Extension drawers 90° door opening	YES
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity control	NO NO
Active carbon filter	NO NO
Air filter control	NO
Shopping Fridge	YES
Shopping Freezer	YES
Power Failure Function	YES

144 | Price list - All specifications are subject to change without notice | 145


XS600TST

60 cm, FRIDGE AND FREEZER, 0T MODEL **BUILT-IN**

X-PRO® SERIES







DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	599
Depth of Product without handle (mm)	635
Net Weight (kg)	170
Gross Weight (kg)	190
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO NO
Low vibration	YES
Shelves	4 - 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Freezer drawers	1
ACCESSORIES	
Stainless steel sides panels	
Joining kit	
• X-Pro top grill kit	
• Extra length anti-tipping kit	
Anti-condensation kit	
Cleaning kit	
• FLD - Fhiaba Link Device	
Painting	
• 90° Door stop	

FARDA

XS600TGT

60 cm, FRIDGE AND FREEZER, 0T MODEL **BUILT-IN, GLASS DOOR**

X-PRO® SERIES



Energy consumption (kWh/year)



AESTHETIC Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
XS600TGT6	
(right hinge)	12.300 €
XS600TGT3	12.300 €
(left hinge)	12.000 0
CAPACITY	
Volume Compartment 1 (L)	251
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	77
Total Net Volume (L)	328
Total gross volume (L)	348
Compartment 1 / Upper wine cellar	
capacity (bottles)	1
Compartment 2 / Middle wine cellar	
capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
capacity (buttles)	
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
	1

169

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	599
Depth of Product without handle (mm)	635
Net Weight (kg)	170
Gross Weight (kg)	190
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Freezer drawers	1+1 internal drawer
ACCESSORIES	

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Painting
- 90° Door stop

AS600TST

60 cm, FRIDGE AND FREEZER, 0T MODEL **FREESTANDING**



COUNTRY® SERIES



AESTHETIC



AESTRETIC	
Compressor position	Тор
Front and sides finish	Painted Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
AS600TST6	11.770 €
(right hinge)	11.770 C
AS600TST3	11.770 €
(left hinge)	
CAPACITY	
Volume Compartment 1 (L)	251
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	77
Total Net Volume (L)	328
Total gross volume (L)	348
Compartment 1 / Upper wine cellar	
capacity (bottles)	1
Compartment 2 / Middle wine coller	
Compartment 2 / Middle wine cellar	1
capacity (bottles)	
Compartment 3 / Lower wine cellar	
capacity (bottles)	'
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
- 0,	110

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	587
Depth of Product without handle (mm)	635
Net Weight (kg)	170
Gross Weight (kg)	190
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Freezer drawers	1+1 internal drawer
ACCESSORIES	

- Joining kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- 90° Door stop

148 Price list - All specifications are subject to change without notice

Energy consumption (kWh/year)

169



RS600TST

60 cm, FRIDGE AND FREEZER, 0T MODEL **BUILT-IN**

DESIGNER® SERIES



AESTHETIC



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
RS600TST6	
(right hinge)	9.970 €
RS600TST3	0.070.0
(left hinge)	9.970 €
CAPACITY	
Volume Compartment 1 (L)	251
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	77
Total Net Volume (L)	328
Total gross volume (L)	348
Compartment 1 / Upper wine cellar	
capacity (bottles)	
Compartment 2 / Middle wine cellar	1
capacity (bottles)	,
Compartment 3 / Lower wine cellar	
capacity (bottles)	
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	Е
Energy consumption (kWh/year)	169

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	608
Depth of Product without handle (mm)	620
Net Weight (kg)	158
Gross Weight (kg)	178
Temperature ranges	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom drawers	1+1 internal drawer
ACCESSORIES	
Stainless steel sides panels	
Joining kit	
• Stainless steel portal for freestanding	
• Extra length anti-tipping kit	
Cleaning kit	
• FLD - Fhiaba Link Device	
Front ventilation kit	
Painting	
• 90° Door stop	

RS600TGT

60 cm, FRIDGE AND FREEZER, 0T MODEL **BUILT-IN, GLASS DOOR**

DESIGNER® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
RS600TGT6 (right hinge)	10.920 €
RS600TGT3 (left hinge)	10.920 €
CAPACITY	
Volume Compartment 1 (L)	251
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	77
Total Net Volume (L)	328
Total gross volume (L)	348
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	169

	DIMENSIONS & WEIGHT
	Height of the product (closed w
_	Width of the product (mm)
	Depth of Product without handle
	Net Weight (kg)
	Gross Weight (kg)
	Temperature ranges
	•
	Climatic compartments
	Compartment 1 / Upper Temperature
	Compartment 2 / Middle Temperature
	Low temp zone
	Compartment 3 / Low Temperature ra
	Dual zone
	GENERAL PROPERTIES
	Reversible door
	Low vibration
	Shelves
	Type of shelves
	Door Bins
	Fridge drawers type
	Fresco/LowTemp Drawers
	Bottom drawers
	ACCESSORIES
	Stainless steel sides panel
	Joining kit
	Stainless steel portal for fi
	Extra length anti-tipping ki
	• Cleaning kit
	• FLD - Fhiaba Link Device
	E
	 Front ventilation kit

SIMEROIONO & MEIOTH		
Height of the product (closed wheels) (mm)	2120	
Nidth of the product (mm)	608	
Depth of Product without handle (mm)	620	
Net Weight (kg)	158	
Gross Weight (kg)	178	
Temperature ranges		
Climatic compartments	2	
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8	
Compartment 2 / Middle Temperature ranges (°C)	1	
Low temp zone	YES	
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22	
Dual zone	YES	
GENERAL PROPERTIES		
Reversible door	NO	
_ow vibration	YES	
Shelves	4 - 1 fixed + 3 adjustable	
Type of shelves	GLASS	
Door Bins	0	
-ridge drawers type	LOW TEMP	
Fresco/LowTemp Drawers 2		
Bottom drawers 1+1 internal drawer		
ACCESSORIES		
Stainless steel sides panels		
Joining kit		
Stainless steel portal for freestanding		
Extra length anti-tipping kit		

• 90° Door stop

KS600TST

60 cm, FRIDGE AND FREEZER, 0T MODEL **BUILT-IN**

CLASSIC® SERIES



Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
KS600TST6 (right hinge)	9.970 €
KS600TST3 (left hinge)	9.970 €
CAPACITY	
Volume Compartment 1 (L)	251
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	77
Total Net Volume (L)	328
Total gross volume (L)	348
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	169

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	599
Depth of Product without handle (mm)	635
Net Weight (kg)	158
Gross Weight (kg)	178
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from -15 to -22
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Freezer drawers	1+1 internal drawer
ACCESSORIES	
 Stainless steel sides panels Joining kit Stainless steel portal for freestanding Extra length anti-tipping kit Cleaning kit FLD - Fhiaba Link Device Front ventilation kit Painting 	
• 90° Door stop	

Fhaba

60 cm, FRIDGE AND FREEZER, 0T MODEL **BUILT-IN, GLASS DOOR**

CLASSIC® SERIES



New Energy Label class

Energy consumption (kWh/year)



Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
KS600TGT6 (right hinge)	10.920 €
KS600TGT3 (left hinge)	10.920 €
CAPACITY	
Volume Compartment 1 (L)	251
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	77
Total Net Volume (L)	328
Total gross volume (L)	348
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41

Ε 169

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	599
Depth of Product without handle (mm)	635
Net Weight (kg)	158
Gross Weight (kg)	178
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from -15 to -22
Dual zone	YES
GENERAL PROPERTIES	
	NO
Reversible door	NO NO
Low vibration	YES
Shelves	4 - 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Freezer drawers	1+1 internal drawer

ACCESSORIES

- Stainless steel sides panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop



S600TST

60 cm, FRIDGE AND FREEZER, 0T MODEL **FULLY INTEGRATED**

INTEGRATED® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO NO
Interior material finish	Stainless steel
PRICE (VAT and delivery charges n	not included)
S600TST6	9.440 €
(right hinge)	7.440 0
S600TST3	9.440 €
(left hinge)	
CAPACITY	
Volume Compartment 1 (L)	251
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	77
Total Net Volume (L)	328
Total gross volume (L)	348
Compartment 1 / Upper wine cellar	
capacity (bottles)	1
Compartment 2 / Middle wine cellar	
capacity (bottles)	1
Compartment 3 / Lower wine cellar	
capacity (bottles)	1
TECHNICAL DETAILS	000 0101
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	169

DIMENSIONS & WEIGHT		
Height of the product (closed wheels) (mm)	2050	
Width of the product (mm)	599	
Depth of Product without handle (mm)	610	
Net Weight (kg)	148	
Gross Weight (kg)	168	
TEMPERATURE RANGES		
Climatic compartments	2	
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8	
Compartment 2 / Middle Temperature ranges (°C)	1	
Low temp zone	YES	
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22	
Dual zone	YES	
GENERAL PROPERTIES		
Reversible door	NO	
Low vibration	YES	
Shelves	4 - 1 fixed + 3 adjustable	
Type of shelves	GLASS	
Door Bins	3	
Fridge drawers type	LOW TEMP	
Fresco/LowTemp Drawers	2	
Freezer drawers	1+1 internal drawer	
ACCESSORIES		
Stainless steel sides panels		
Joining kit		
• Stainless steel tubular handles Ø 30mm		
• Stainless steel tubular handles Ø 18mm		
Stainless steel panels		
Stainless steel portal for freestanding		
otanitodo otode por tar for in ocotanianing		
• Extra length anti-tipping kit		
,		
• Extra length anti-tipping kit		
• Extra length anti-tipping kit • Cleaning kit		

Fhaha

S600TGT

60 cm, FRIDGE AND FREEZER, 0T MODEL FULLY INTEGRATED, GLASS DOOR

INTEGRATED® SERIES





ompressor position	Bottom
Front finish	Custom panel ready
Handles	NO NO
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
S600TGT6	10.390 €
(right hinge)	
S600TGT3 (left hinge)	10.390 €
(core iiiigo)	
CAPACITY	
Volume Compartment 1 (L)	251
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	77
Total Net Volume (L)	328
Total gross volume (L)	348
Compartment 1 / Upper wine cellar	
capacity (bottles)	/
Compartment 2 / Middle wine cellar	
capacity (bottles)	1
Compartment 3 / Lower wine cellar	1
capacity (bottles)	
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Fraggi concumption (I/Mb/voor)	169
Energy consumption (kWh/year)	107

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	599
Depth of Product without handle (mm)	610
Net Weight (kg)	148
Gross Weight (kg)	168
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	from 8 to -22
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO

YES

GLASS

LOW TEMP

1+1 internal drawer

0

4 - 1 fixed + 3 adjustable

Freezer drawers ACCESSORIES

Fridge drawers type Fresco/LowTemp Drawers

Low vibration

Type of shelves Door Bins

Shelves

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop



FULL SIZE: WINE CELLAR

Model: 0T

Width: 60cm (599)

One door, one drawer, 2 separate Temperature ranges

Upper compartment: Wine Cellar Lower compartment: Wine Cellar

FEATURES

WINE CELLAR

- Made in Italy.
- Galvanized steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides excellent illumination to the entire interior.
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Insulated variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Two independent climatic zones.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can
 easily be combined and configured with other Fhiaba fridge, freezer,
 wine cellar models to fit your kitchen needs.
- Triple-pane, bronzed glass door guarantees maximum protection from harmful UV light rays.
- Soft close mechanisms on every oak wine rack.
- Humidity control

GENERAL PROPERTIES	
Reversible door	NO
Equilance	YES
SoftClosing Runner	NO
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	9
Slide-out shelves	NO
Type of shelves	WOOD
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	1+1 internal drawer
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	NO NO
Door Open Alarms	YES
Humidity control	YES

Active carbon filter

Air filter control

Shopping Fridge

Shopping Freezer

Power Failure Function

NO

NO

NO

NO

YES

Price list - All specifications are subject to change without notice | 157

XS600TWT


60 cm, WINE CELLAR AND FREEZER, 0T MODEL **BUILT-IN**







AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
XS600TWT6 (right hinge)	10.600 €
XS600TWT3	10.600 €
(left hinge)	1
CAPACITY	
Volume Compartment 1 (L)	240
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	77
Total Net Volume (L)	317
Total gross volume (L)	332
Compartment 1 / Upper wine cellar	54
capacity (bottles)	J4
Compartment 2 / Middle wine cellar	
capacity (bottles)	1
Compartment 3 / Lower wine cellar	1
capacity (bottles)	
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	171
<u> </u>	-



Fhaha

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	599
Depth of Product without handle (mm)	635
Net Weight (kg)	157
Gross Weight (kg)	177
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	1+1 internal drawer

Set of knives

• Cigar drawer

• Prosciutteria kit

• Beverage drawer

• Beverage removable shelf

• Beverage shelf

• Chocolate kit

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Painting
- 90° Door stop
- Wine kit
- Cheese drawer




60 cm, WINE CELLAR AND FREEZER, 0T MODEL **BUILT-IN**

DESIGNER® SERIES







AESTHETIC Compressor position Front finish Handles	Bottom Stainless steel Stainless steel 030 mm
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Hullutoo	
Interior material finish	Stainless steel
PRICE (VAT and delivery charges not	t included)
RS600TWT6 (right hinge)	9.650 €
RS600TWT3 (left hinge)	9.650 €
CAPACITY	
Volume Compartment 1 (L)	240
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	77
Total Net Volume (L)	317
Total gross volume (L)	332
Compartment 1 / Upper wine cellar capacity (bottles)	54
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	171

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	608
Depth of Product without handle (mm)	620
Net Weight (kg)	155
Gross Weight (kg)	175
Temperature ranges	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	1+1 internal drawer

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop

- Wine kit
- Cheese drawer
- Set of knives Kit Prosciutteria
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Chocolate kit

Price list - All specifications are subject to change without notice | 159 158 Price list - All specifications are subject to change without notice

KS600TWT


60 cm, WINE CELLAR AND FREEZER, 0T MODEL **BUILT-IN**

CLASSIC® SERIES





AESTHETIC	
	Bottom
Compressor position Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
KS600TWT6 (right hinge)	9.650 €
KS600TWT3	
(left hinge)	9.650 €
-	
CAPACITY	
Volume Compartment 1 (L)	240
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	77
Total Net Volume (L)	317
Total gross volume (L)	332
Compartment 1 / Upper wine cellar capacity (bottles)	54
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	171



Fnaha

BINEROIONO & NEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	599
Depth of Product without handle (mm)	635
Net Weight (kg)	155
Gross Weight (kg)	175
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	1+1 internal drawer

ACCESSORIES

DIMENSIONS & WEIGHT

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting

- Wine kit
- Cheese drawer
- Set of knives
- Prosciutteria kit
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Chocolate kit

• 90° Door stop

S600TWT

60 cm, WINE CELLAR AND FREEZER, 0T MODEL **FULLY INTEGRATED**


INTEGRATED® SERIES



New Energy Label class

Energy consumption (kWh/year)





Fhaha

AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
S600TWT6 (right hinge)	9.330 €
S600TWT3 (left hinge)	9.330 €
CAPACITY	
Volume Compartment 1 (L)	240
Volume Compartment 2 (L)	
Volume Compartment 3 (L)	77
Total Net Volume (L)	317
Total gross volume (L)	332
Compartment 1 / Upper wine cellar capacity (bottles)	54
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	

G

171

DIMENSIONS & WEIGHT		
Height of the product (closed wh	neels) (mm)	2050
Width of the product (mm)		599
Depth of Product without handle	(mm)	610
let Weight (kg)		142
Gross Weight (kg)		162
TEMPERATURE RANGES		
Climatic compartments		2
Compartment 1 / Upper Temperature ra	anges (°C)	from 4
ompartment 2 / Middle Temperature	ranges (°C)	1
_ow temp zone		NO
Compartment 3 / Low Temperature ra	nges (°C)	from 4
Dual zone		YES
GENERAL PROPERTIES		
Reversible door		NO
Low vibration		YES
Shelves		9
Type of shelves		WOOD
Door Bins		1
Fridge drawers type		1
Fresco/LowTemp Drawers		1
Freezer drawers		1+1 int
ACCESSORIES		
Stainless steel sides panels	s • F	ront vei
 Joining kit 	• 9	0° Door
Stainless steel tubular han	dles • V	Vine kit
Ø 30mm	• (heese c
Stainless steel tubular han	dles • S	Set of kn
Ø 18mm	• F	rosciut
Stainless steel panels	• (igar dra
Stainless steel portal for	• E	Beverage
freestanding	• [Beverage
• Extra length anti-tipping kit	• E	Beverage
Cleaning kit	• (Chocolat

neight of the product (closed wheels) (him)	2030
Width of the product (mm)	599
Depth of Product without handle (mm)	610
Net Weight (kg)	142
Gross Weight (kg)	162
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	1+1 internal drawer

RIES

- steel sides panels
- steel tubular handles
- steel tubular handles
- steel panels
- steel portal for ling
- gth anti-tipping kit

- Beverage removable shelf

Front ventilation kit

• 90° Door stop

• Cheese drawer

• Prosciutteria kit


• Beverage drawer

• Beverage shelf

Set of knives

• Cigar drawer

- Chocolate kit
- Active carbon filter
- FLD Fhiaba Link Device



FULL SIZE: FRIDGE

Model: 0F

Width: 60cm (599)

One door, 1 Temperature ranges

Upper compartment: Fridge Lower compartment: Low Temp



FEATURES

- Made in Italy.
- Galvanized steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Evenlift: shelves can slide up and down to be adjusted to any height in the fridge compartment.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides excellent illumination to the entire interior.
- Soft close door and drawers in all compartments
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- One independent climatic zone.
- Tempered glass shelves with aluminium profiles.
- Crisper drawers for multi use preservazion solution. Anti-bacterial stainless steel interior & rounded corners promoting hygiene and easy cleaning.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.

GENERAL PROPERTIES	
Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	4 - 1 fixed + 3 adjustable
Slide-out shelves	NO
Type of shelves	GLASS
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom drawers	1
Full Extension shelves 90° door opening	1
Full Extension drawers 90° door opening	YES
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity control	NO
Active carbon filter	NO
Air filter control	NO
Shopping Fridge	YES
Shopping Freezer	NO
Power Failure Function	YES

162 Price list - All specifications are subject to change without notice Price list - All specifications are subject to change without notice 163

XS600FR

60 cm, FRIDGE, 0FR MODEL **BUILT-IN**

X-PRO® SERIES







AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
XS600FR6 (right hinge)	10.500 €
XS600FR3 (left hinge)	10.500 €
CAPACITY	
Volume Compartment 1 (L)	368
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	368
Total gross volume (L)	378
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	118
	1

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	599
Depth of Product without handle (mm)	635
Net Weight (kg)	134
Gross Weight (kg)	156
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
OLIVELI IVOI LIVIILO	
Reversible door	NO
	NO YES
Reversible door	
Reversible door Low vibration	YES
Reversible door Low vibration Shelves	YES 4 - 1 fixed + 3 adjustable
Reversible door Low vibration Shelves Type of shelves	YES 4 - 1 fixed + 3 adjustable GLASS
Reversible door Low vibration Shelves Type of shelves Door Bins	YES 4 - 1 fixed + 3 adjustable GLASS 3
Reversible door Low vibration Shelves Type of shelves Door Bins Fridge drawers type	YES 4 - 1 fixed + 3 adjustable GLASS 3 LOW TEMP
Reversible door Low vibration Shelves Type of shelves Door Bins Fridge drawers type Fresco/LowTemp Drawers	YES 4 - 1 fixed + 3 adjustable GLASS 3 LOW TEMP 3
Reversible door Low vibration Shelves Type of shelves Door Bins Fridge drawers type Fresco/LowTemp Drawers Freezer drawers	YES 4 - 1 fixed + 3 adjustable GLASS 3 LOW TEMP 3
Reversible door Low vibration Shelves Type of shelves Door Bins Fridge drawers type Fresco/LowTemp Drawers Freezer drawers ACCESSORIES	YES 4 - 1 fixed + 3 adjustable GLASS 3 LOW TEMP 3
Reversible door Low vibration Shelves Type of shelves Door Bins Fridge drawers type Fresco/LowTemp Drawers Freezer drawers ACCESSORIES • Stainless steel sides panels	YES 4 - 1 fixed + 3 adjustable GLASS 3 LOW TEMP 3
Reversible door Low vibration Shelves Type of shelves Door Bins Fridge drawers type Fresco/LowTemp Drawers Freezer drawers ACCESSORIES • Stainless steel sides panels • Joining kit	YES 4 - 1 fixed + 3 adjustable GLASS 3 LOW TEMP 3
Reversible door Low vibration Shelves Type of shelves Door Bins Fridge drawers type Fresco/LowTemp Drawers Freezer drawers ACCESSORIES • Stainless steel sides panels • Joining kit • X-Pro top grill kit	YES 4 - 1 fixed + 3 adjustable GLASS 3 LOW TEMP 3
Reversible door Low vibration Shelves Type of shelves Door Bins Fridge drawers type Fresco/LowTemp Drawers Freezer drawers ACCESSORIES • Stainless steel sides panels • Joining kit • X-Pro top grill kit • Extra length anti-tipping kit	YES 4 - 1 fixed + 3 adjustable GLASS 3 LOW TEMP 3

Painting

• 90° Door stop

Fhaba

XS600FG

60 cm, FRIDGE, 0FR MODEL **BUILT-IN, GLASS DOOR**

X-PRO® SERIES





	-
AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
XS600FG6	11.450 €
(right hinge)	11.400 0
XS600FG3	11.450 €
(left hinge)	
CAPACITY	
Volume Compartment 1 (L)	368
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	368
Total gross volume (L)	378
Compartment 1 / Upper wine cellar	
capacity (bottles)	1
Compartment 2 / Middle wine cellar	
capacity (bottles)	1
Compartment 3 / Lower wine cellar	1
capacity (bottles)	
FECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	118

2120
599
635
134
156
1
from 2 to 8
1
YES
1
NO
NO
YES
4 - 1 fixed + 3 adjustable
GLASS

0

3

LOW TEMP

ACCESSORIES

Freezer drawers

Fridge drawers type Fresco/LowTemp Drawers

Door Bins

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Painting
- 90° Door stop



RS600FR

60 cm, FRIDGE, 0FR MODEL **BUILT-IN**

DESIGNER® SERIES



AESTHETIC



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	ot included)
RS600FR6 (right hinge)	8.320 €
RS600FR3 (left hinge)	8.320 €
CAPACITY	
Volume Compartment 1 (L)	368
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	368
Total gross volume (L)	378
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	118

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	608
Depth of Product without handle (mm)	620
Net Weight (kg)	134
Gross Weight (kg)	156
Temperature ranges	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom drawers	1
ACCESSORIES	

Stainless steel sides panels

• Extra length anti-tipping kit

• FLD - Fhiaba Link Device

Front ventilation kit

• Stainless steel portal for freestanding

Joining kit

Cleaning kit

Painting

• 90° Door stop

RS600FG

60 cm, FRIDGE, 0FR MODEL **BUILT-IN, GLASS DOOR**

DESIGNER® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
RS600FG6 (right hinge)	9.270 €
RS600FG3 (left hinge)	9.270 €
CAPACITY	
Volume Compartment 1 (L)	368
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	368
Total gross volume (L)	378
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E

118

Energy consumption (kWh/year)

Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	608
Depth of Product without handle (mm)	620
Net Weight (kg)	134
Gross Weight (kg)	156
Temperature ranges	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO NO
GENERAL PROPERTIES	
Reversible door	NO NO
Low vibration	YES
Shelves	4 - 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom drawers	1

ACCESSORIES

Stainless steel sides panels

DIMENSIONS & WEIGHT

- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop

KS600FR

60 cm, FRIDGE, 0FR MODEL **BUILT-IN**





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	ot included)
KS600FR6	8.170 €
(right hinge)	0.170 0
KS600FR3	8.170 €
(left hinge)	
CAPACITY	
Volume Compartment 1 (L)	368
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	368
Total gross volume (L)	378
Compartment 1 / Upper wine cellar	
capacity (bottles)	1
Compartment 2 / Middle wine cellar	
·	1
capacity (bottles)	
Compartment 3 / Lower wine cellar	
capacity (bottles)	,
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	118

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	599
Depth of Product without handle (mm)	635
Net Weight (kg)	134
Gross Weight (kg)	156
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Freezer drawers	1
ACCESSORIES	
Stainless steel sides panels	
 Joining kit 	
 Joining kit Stainless steel portal for freestanding	
Stainless steel portal for freestanding	
Stainless steel portal for freestandingExtra length anti-tipping kit	

 Painting • 90° Door stop

KS600FG

60 cm, FRIDGE, 0FR MODEL **BUILT-IN, GLASS DOOR**

CLASSIC® SERIES





	· ·
AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
KS600FG6 (right hinge)	9.120 €
KS600FG3 (left hinge)	9.120 €
CAPACITY	
Volume Compartment 1 (L)	368
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	368
Total gross volume (L)	378
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	118

Fhaba

Height of the product (closed wheels) (mm)	2050
Nidth of the product (mm)	599
Depth of Product without handle (mm)	635
Net Weight (kg)	134
Gross Weight (kg)	156
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
omportant conference of the second conference	'

YES

Dual zone	NO NO
GENERAL PROPERTIES	
GENERAL PROPERTIES	
Reversible door	NO NO
Low vibration	YES
Shelves	4 - 1 fixed + 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Freezer drawers	1

ACCESSORIES

Low temp zone

Stainless steel sides panels

DIMENSIONS & WEIGHT

- Joining kit
- Stainless steel portal for freestanding

Compartment 3 / Low Temperature ranges (°C)

- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop

S600FR

60 cm, FRIDGE, 0FR MODEL **FULLY INTEGRATED**

INTEGRATED® SERIES





Bottom
Custom panel ready
NO
Stainless steel
t included)
7.740 €
7.740 €
368
1
1
368
378
1
1
1
220-240V
50-60 Hz
SN/T
41
E
118

2050
599
610
132
152
1
from 2 to 8
1
YES
1
NO
NO NO
YES
4 - 1 fixed + 3 adjustable
4 - 1 fixed + 3 adjustable GLASS
GLASS
GLASS 3
GLASS 3 LOW TEMP
GLASS 3 LOW TEMP 3
GLASS 3 LOW TEMP 3 /
GLASS 3 LOW TEMP 3 /
GLASS 3 LOW TEMP 3 /

• FLD - Fhiaba Link Device

Front ventilation kit

• 90° Door stop

Fhaba

S600FG

60 cm, FRIDGE, 0FR MODEL FULLY INTEGRATED, GLASS DOOR

INTEGRATED® SERIES





nel ready
steel
)

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	599
Depth of Product without handle (mm)	610
Net Weight (kg)	132
Gross Weight (kg)	152
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	YES
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO NO
GENERAL PROPERTIES	
Reversible door	NO

YES

GLASS

LOW TEMP

0

3

4 - 1 fixed + 3 adjustable

ACCESSORIES

Freezer drawers

Fridge drawers type Fresco/LowTemp Drawers

Low vibration

Type of shelves Door Bins

Shelves

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop



WINE CELLAR



Model: 0F

Width: 60cm (599)

One door, 2 separate Temperature ranges

Upper compartment: Wine Cellar Lower compartment: Wine Cellar





FEATURES

- Made in Italy.
- Galvanized steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (side interior) provides excellent illumination to the entire interior.
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Two independent climatic zones.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.
- \bullet Triple-pane, bronzed glass door guarantees maximum protection from harmful UV light rays.
- Soft close mechanisms on every oak wine rack.
- Humidity control

GENERAL PROPERTIES	
Reversible door	NO NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	13
Slide-out shelves	YES
Type of shelves	WOOD
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	1
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	NO NO
Door Open Alarms	YES
Humidity control	YES
Active carbon filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	NO
Power Failure Function	YES
	·

172 Price list - All specifications are subject to change without notice Price list - All specifications are subject to change without notice 173

XS600FW

60 cm, WINE CELLAR, 0FW MODEL **BUILT-IN**

X-PRO® SERIES








AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	ot included)
XS600FW6	11.130 €
(right hinge)	11.130 €
XS600FW3 (left hinge)	11.130 €
(tert innige)	
CAPACITY	
Volume Compartment 1 (L)	352
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	352
Total gross volume (L)	364
Compartment 1 / Upper wine cellar	
capacity (bottles)	48
Compartment 2 / Middle wine cellar	
capacity (bottles)	1
<u> </u>	
Compartment 3 / Lower wine cellar	30
capacity (bottles)	
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	169
	1





DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	599
Depth of Product without handle (mm)	635
Net Weight (kg)	134
Gross Weight (kg)	156
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO NO
GENERAL PROPERTIES	
Reversible door	NO NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	1

Prosciutteria kit

• Beverage drawer

• Beverage removable shelf

• Beverage shelf

• Chocolate kit

• Cigar drawer

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Painting
- 90° Door stop
- Wine kit
- · Cheese drawer
- Set of knives

RS600FW

60 cm, WINE CELLAR, 0FW MODEL **BUILT-IN**


DESIGNER® SERIES



New Energy Label class

Energy consumption (kWh/year)





Fhaha

AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
DDICE (VAT and delivery charges no	tinaludad\
PRICE (VAT and delivery charges no RS600FW6	
(right hinge)	9.760 €
RS600FW3	9.760 €
(left hinge)	7.700 C
CAPACITY	
Volume Compartment 1 (L)	352
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	352
Total gross volume (L)	364
Compartment 1 / Upper wine cellar	48
capacity (bottles)	40
Compartment 2 / Middle wine cellar	
capacity (bottles)	1
Compartment 3 / Lower wine cellar	30
capacity (bottles)	
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	

G

169

Diritation & Training	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	608
Depth of Product without handle (mm)	620
Net Weight (kg)	152
Gross Weight (kg)	172
Temperature ranges	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	1

ACCESSORIES

Stainless steel sides panels

DIMENSIONS & WEIGHT

- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop
- Wine kit
- Cheese drawer

	<u> </u>	,		
•	Set	01	knives	

- Kit Prosciutteria • Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Chocolate kit


KS600FW

60 cm, WINE CELLAR, 0FW MODEL **BUILT-IN**


CLASSIC® SERIES











2050

599

Set of knives

· Cigar drawer

• Prosciutteria kit

• Beverage drawer

• Beverage removable shelf

· Beverage shelf

• Chocolate kit

Depth of Product without handle (mm)	635
Net Weight (kg)	152
Gross Weight (kg)	172
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	13
	เง
Type of shelves	WOOD
Type of shelves Door Bins	
Door Bins	
Door Bins Fridge drawers type	

DIMENSIONS & WEIGHT

Width of the product (mm)

ACCESSORIES

freestanding

• Cleaning kit

Painting

Wine kit

• 90° Door stop

· Cheese drawer

• Active carbon filter

Front ventilation kit

Joining kit

• Stainless steel sides panels

• Stainless steel portal for

• Extra length anti-tipping kit

• FLD - Fhiaba Link Device

Height of the product (closed wheels) (mm)

S600FW

60 cm, WINE CELLAR, 0FW MODEL **FULLY INTEGRATED**


INTEGRATED® SERIES



New Energy Label class

Energy consumption (kWh/year)





2050

599

Fhaha

AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
S600FW6 (right hinge)	9.010 €
S600FW3	0 N1N £

(right hinge)	9.010 €
S600FW3 (left hinge)	9.010 €
CAPACITY	
Volume Compartment 1 (L)	352
Volume Compartment 2 (L)	1
•	1
Volume Compartment 3 (L) Total Net Volume (L)	352
	364
Total gross volume (L)	304
Compartment 1 / Upper wine cellar	48
capacity (bottles)	
Compartment 2 / Middle wine cellar	
capacity (bottles)	
Compartment 3 / Lower wine cellar	
•	30
capacity (bottles)	
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41

G

169

DIMENSIONS & W	/EIGHT
Height of the product	(closed wheels) (mm)
Width of the product	(mm)
Depth of Product with	out handle (mm)
Net Weight (kg)	
Gross Weight (kg)	
TEMPERATURE R	ANGES
Climatic compartmer	its
Compartment 1 / Upper T	emperature ranges (°C)
Compartment 2 / Middle 1	ſemperature ranges (°C)
Low temp zone	
Compartment 3 / Low Te	emperature ranges (°C)
Dual zone	
GENERAL PROPE	RTIES
Reversible door	
Low vibration	
Shelves	
Type of shelves	
Door Bins	
Fridge drawers type	
Fresco/LowTemp Drav	wers
Freezer drawers	
ACCESSORIES	
Stainless steel significant	des panels • F
 Joining kit 	• 9
• Stainless steel tu	bular handle • V
30mm	• (
• Stainless steel tu	bular handle • S
18mm	• F
• Stainless steel pa	nnels • C
• Stainless steel po	ortal for • E
freestanding	• E
• Extra length anti-	tipping kit • E
01	

width of the product (illin)	J//
Depth of Product without handle (mm)	610
Net Weight (kg)	133
Gross Weight (kg)	153
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO NO
GENERAL PROPERTIES	
GENERAL PROPERTIES Reversible door	NO
	NO YES
Reversible door	-
Reversible door Low vibration	YES
Reversible door Low vibration Shelves	YES 13
Reversible door Low vibration Shelves Type of shelves	YES 13
Reversible door Low vibration Shelves Type of shelves Door Bins	YES 13
Reversible door Low vibration Shelves Type of shelves Door Bins Fridge drawers type	YES 13

IES

- steel sides panels
- steel tubular handle
- steel tubular handle
- steel panels
- steel portal for
- ng
 - th anti-tipping kit
- Cleaning kit
- Chocolate kit

• Beverage shelf

Front ventilation kit

• 90° Door stop

• Cheese drawer

• Prosciutteria kit

· Beverage drawer

• Beverage removable shelf

Set of knives

• Cigar drawer

• Wine kit

- Active carbon filter

BKS600FW

60 cm, WINE CELLAR, 0FW MODEL **BUILT-IN**

BRILLIANCE® SERIES








AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	White painted aluminium
PRICE (VAT and delivery charges i	not included)
BKS600FW6	8.910 €
(right hinge) BKS600FW3	
(left hinge)	8.910 €
CAPACITY	
Volume Compartment 1 (L)	352
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	352
Total gross volume (L)	364
Compartment 1 / Upper wine cellar	40
capacity (bottles)	48
Compartment 2 / Middle wine cellar	
capacity (bottles)	1
Compartment 3 / Lower wine cellar	30
capacity (bottles)	
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	169





Width of the product (mm)	599
Depth of Product without handle (mm)	635
Net Weight (kg)	152
Gross Weight (kg)	172
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	1
ACCECCODIEC	

• Cheese drawer

• Prosciutteria kit

· Beverage drawer • Beverage shelf

• Beverage removable shelf

Set of knives

• Cigar drawer

• Chocolate kit

ACCESSORIES

Stainless steel sides panels

DIMENSIONS & WEIGHT

Height of the product (closed wheels) (mm) 2050

- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- · Anti-condensation kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop
- Wine kit

BS600FW


60 cm, WINE CELLAR, 0FW MODEL **FULLY INTEGRATED**

BRILLIANCE® SERIES









Fhaha

AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO
Interior material finish	Whited painted aluminium
PRICE (VAT and delivery charges no	t included)
BS600FW6	8.800€

BS600FW6	0 000 €
(right hinge)	8.800 €
BS600FW3	8.800 €
(left hinge)	
CAPACITY	
Volume Compartment 1 (L)	352
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	352
Total gross volume (L)	364
Compartment 1 / Upper wine cellar	
capacity (bottles)	48
Compartment 2 / Middle wine cellar	
capacity (bottles)	1
Compartment 3 / Lower wine cellar	
capacity (bottles)	30
capacity (buttles)	
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G

TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	169
New Energy Label class	

Width of the product (mm)	599
Depth of Product without handle (mm)	610
Net Weight (kg)	133
Gross Weight (kg)	153
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low temperature ranges (°C)	from 4 to 18
Dual zone	NO NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	1

ACCESSORIES

Stainless steel sides panels

DIMENSIONS & WEIGHT

Height of the product (closed wheels) (mm) 2050

- Joining kit
- Stainless steel tubular handle 30mm
- Stainless steel tubular handle 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Beverage removable shelf
 - Chocolate kit

• Beverage shelf

Front ventilation kit

• 90° Door stop

• Cheese drawer

• Prosciutteria kit

• Beverage drawer

Set of knives

• Cigar drawer

Wine kit

- Active carbon filter

Width: 60cm (599)

One door, 1 Temperature ranges

Single compartment: Freezer





FEATURES

FREEZER

- Made in Italy.
- Galvanized steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Ladder rack shelving: shelves can slide up and down to be adjusted to any height in the fridge compartment.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides excellent illumination to the entire interior.
- Soft close door and drawers in all compartments
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Single climatic zone.
- Tempered glass shelves with aluminium profiles.
- Freezer drawers for multi use preservazion solution. Anti-bacterial stainless steel interior & rounded corners promoting hygiene and easy cleaning.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can
 easily be combined and configured with other Fhiaba fridge, freezer,
 wine cellar models to fit your kitchen needs.

GENERAL PROPERTIES	
Reversible door	NO
Equilance	YES
SoftClosing Runner	NO
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	3 - 1 Fixed & 2 adjustable
Slide-out shelves	NO
Type of shelves	GLASS
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	4
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	AVAILABLE
Door Open Alarms	YES
Humidity control	NO
Active carbon filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	YES
Power Failure Function	YES

180 Price list - All specifications are subject to change without notice Price list - All specifications are subject to change without notice

XS600FZ

60 cm, FREEZER, 0FZ MODEL **BUILT-IN**

X-PRO® SERIES





AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
XS600FZ6	
(right hinge)	9.650 €
XS600FZ3	9.650 €
(left hinge)	7.000 0
XS600FZ61	10.470 €
(right hinge, with ice maker)	
XS600FZ3I (left hinge, with ice maker)	10.470 €
CAPACITY	
Volume Compartment 1 (L)	342
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	342
Total gross volume (L)	344
Compartment 1 / Upper wine cellar	
capacity (bottles)	
Compartment 2 / Middle wine cellar	
capacity (bottles)	1
Compartment 3 / Lower wine cellar	1
capacity (bottles)	
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	271

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	599
Depth of Product without handle (mm)	635
Net Weight (kg)	160
Gross Weight (kg)	180
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from -15 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3 - 1 Fixed & 2 adjustable
Type of shelves	GLASS
Door Bins	2
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	4

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Painting
- 90° Door stop





60 cm, FREEZER, MODEL 0FZ **BUILT-IN**

DESIGNER® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
RS600FZ6 (right hinge)	8.430 €
RS600FZ3 (left hinge)	8.430 €
RS600FZ6I (right hinge, with ice maker)	9.250 €
RS600FZ31 (left hinge, with ice maker)	9.250 €
CAPACITY	
Volume Compartment 1 (L)	342
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	342
Total gross volume (L)	344
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41

capacity (bottles)	
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	271

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	608
Depth of Product without handle (mm)	620
Net Weight (kg)	151
Gross Weight (kg)	171

Compartment 1 / Upper Temperature ranges (°C)	from -15 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3 - 1 Fixed & 2 adjustable
Type of shelves	GLASS
Door Bins	2
Fridge drawers type	

4

ACCESSORIES

Fresco/LowTemp Drawers Bottom drawers

• Stainless steel sides panels

TEMPERATURE RANGES Climatic compartments

- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop



KS600FZ

60 cm, FREEZER, 0FZ MODEL **BUILT-IN**

CLASSIC® SERIES

AESTHETIC



ALSTITLITO	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
KS600FZ6 (right hinge)	8.430 €
KS600FZ3 (left hinge)	8.430 €
KS600FZ6I (right hinge, with ice maker)	9.250 €
KS600FZ3I (left hinge, with ice maker)	9.250 €
CAPACITY	
Volume Compartment 1 (L)	342
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	342
Total gross volume (L)	344
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	271

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	599
Depth of Product without handle (mm)	635
Net Weight (kg)	151
Gross Weight (kg)	171
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from -15 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3 - 1 Fixed & 2 adjustable
Type of shelves	GLASS
Door Bins	2
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	4

ACCESSORIES

Joining kit

Cleaning kit

Painting

• 90° Door stop

• Stainless steel sides panels

• Extra length anti-tipping kit

• FLD - Fhiaba Link Device

Front ventilation kit

• Stainless steel portal for freestanding

Fhaba

S600FZ 60 cm, FREEZER, 0FZ MODEL

FULLY INTEGRATED

INTEGRATED® SERIES



AESTHETIC	
Compressor position	Bottom
ront finish	Custom panel ready
Handles	NO .
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
S600FZ6	8.060 €
(right hinge)	0.000
S600FZ3	8.060€
(left hinge)	
S600FZ61 (right hinge, with ice maker)	8.880 €
S600FZ3I	
(left hinge, with ice maker)	8.880 €
CAPACITY	
Volume Compartment 1 (L)	342
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	342
Total gross volume (L)	344
Compartment 1 / Upper wine cellar	
capacity (bottles)	1
Compartment 2 / Middle wine cellar	1
capacity (bottles)	
Compartment 3 / Lower wine cellar	1
capacity (bottles)	'
TECHNICAL DETAILS	
/oltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
	71
EFFICIENCY	
New Energy Label class	E
Francisco de la constanta de l	1 074

271

Energy consumption (kWh/year)

Fhaba

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	599
Depth of Product without handle (mm)	610
Net Weight (kg)	141
Gross Weight (kg)	161
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from -15 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO NO

GENERAL PROPERTIES	
Reversible door	NO NO
Low vibration	YES
Shelves	3 - 1 Fixed & 2 adjustable
Type of shelves	GLASS
Door Bins	2
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	4

• Front ventilation kit

• 90° Door stop

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handle 30mm
- Stainless steel tubular handle 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device

FULL SIZE: FREEZERS/WINE CELLARS

Width: 45cm (449)



Price list - All specifications are subject to change without notice 187



WINE CELLAR



Model: 0F

Width: 45cm (449)

One door, 2 separate Temperature ranges

Upper compartment: Wine Cellar Lower compartment: Wine Cellar





FEATURES

- Made in Italy.
- Galvanized steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides excellent illumination to the entire interior.
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Two independent climatic zones.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.
- Triple-pane, bronzed glass door guarantees maximum protection from harmful UV light rays.
- Soft close mechanisms on every oak wine rack.
- Humidity control

GENERAL PROPERTIES	
Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	13
Slide-out shelves	YES
Type of shelves	WOOD
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	1
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity control	YES
Active carbon filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	NO
Power Failure Function	YES

188 | Price list - All specifications are subject to change without notice | 189

XS450FW6

45 cm, WINE CELLAR, 0FW MODEL **BUILT-IN**


X-PRO® SERIES





	12
	41
AESTHETIC	
Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
XS450FW6 (right hinge)	10.710 €
XS450FW3	10.710 €
(left hinge)	
CAPACITY	
Volume Compartment 1 (L)	229
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	229
Total gross volume (L)	239
Compartment 1 / Upper wine cellar	
capacity (bottles)	32
Compartment 2 / Middle wine cellar	
capacity (bottles)	1
Compartment 3 / Lower wine cellar	20
capacity (bottles)	
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	169
	I I





DIMENSIONS & WEIGHT		
Height of the product (closed wheels) (mm)	2120	
Width of the product (mm)	449	
Depth of Product without handle (mm)	635	
Net Weight (kg)	141	
Gross Weight (kg)	161	
TEMPERATURE RANGES		
Climatic compartments	2	
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18	
Compartment 2 / Middle Temperature ranges (°C)	1	
Low temp zone	NO	
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18	
Dual zone	NO	
GENERAL PROPERTIES		
Reversible door	NO	
Low vibration	YES	
Shelves	13	
Type of shelves	WOOD	
Door Bins	1	
Fridge drawers type	1	
Fresco/LowTemp Drawers	1	
Freezer drawers	1	

Wine kit

• Cheese drawer

• Beverage drawer

• Beverage removable shelf

• Beverage shelf

Prosciutteria kit

• Cigar drawer

ACCESSORIES

- Stainless steel sides panels
- Glass door
- Joining kit
- X-Pro top grill kit
- Stainless steel tubular handles Ø 30mm
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Painting
- 90° Door stop




45 cm, WINE CELLAR, 0FW MODEL **BUILT-IN**

DESIGNER® SERIES







AESTHETIC		DIMENSIONS & WEIGHT
Compressor position	Bottom	Height of the product (closed w
Front finish	Stainless steel	Width of the product (mm)
Handles	Stainless steel 030 mm	Depth of Product without handle
Interior material finish	Stainless steel	Net Weight (kg)
		Gross Weight (kg)
PRICE (VAT and delivery charges	not included)	Temperature ranges
RS450FW6	9.440 €	Climatic compartments
(right hinge) RS450FW3		Compartment 1 / Upper Temperature r
(left hinge)	9.440 €	Compartment 2 / Middle Temperature
(tore mingo)		Low temp zone
		Compartment 3 / Low Temperature ra
A. D. O. D. V		
CAPACITY		Dual zone
Volume Compartment 1 (L)	229	GENERAL PROPERTIES
Volume Compartment 2 (L)	1	Reversible door
Volume Compartment 3 (L)	1	Low vibration
Total Net Volume (L)	229	Shelves
Total gross volume (L)	239	Type of shelves
Compartment 1 / Upper wine cellar	32	Door Bins
capacity (bottles)	32	Fridge drawers type
Compartment 2 / Middle wine cellar		Fresco/LowTemp Drawers
capacity (bottles)	1	Bottom drawers
		ACCESSORIES
Compartment 3 / Lower wine cellar	20	Stainless steel sides panel
capacity (bottles)		Joining kit
TECHNICAL DETAILS		Stainless steel portal
Voltage (V)	220-240V	freestanding
Frequency (Hz)	50-60 Hz	Extra length anti-tipping ki
Climatic class	SN/T	Cleaning kit
Noise level (dB)	41	Active carbon filter
	41	FLD - Fhiaba Link Device
EFFICIENCY		Front ventilation kit
New Energy Label class	G	Painting
Energy consumption (kWh/year)	169	• Pallitilly
chergy consumption (kwn/year)	107	• 90° Door stop

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	455
Depth of Product without handle (mm)	620
Net Weight (kg)	141
Gross Weight (kg)	161
Temperature ranges	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	1

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop
- Wine kit
- Cheese drawer

• Cigar drawer

• Beverage drawer


• Beverage removable shelf

• Beverage shelf


•Prosciutteria Kit

KS450FW6

45 cm, WINE CELLAR, 0FW MODEL **BUILT-IN**







Fhaha

AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
KS450FW6	9.440 €
(right hinge) KS450FW3	
(left hinge)	9.440 €
<u> </u>	
CAPACITY	
Volume Compartment 1 (L)	229
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	229
Total gross volume (L)	239
Compartment 1 / Upper wine cellar	
capacity (bottles)	32
<u> </u>	
Compartment 2 / Middle wine cellar	1
capacity (bottles)	
Compartment 3 / Lower wine cellar	20
capacity (bottles)	20
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	169

	0.76
	mm
DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	449
Depth of Product without handle (mm)	635
Net Weight (kg)	141
Gross Weight (kg)	161
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD
Door Bins	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	1

• Cheese drawer

• Beverage drawer

• Beverage removable shelf

• Beverage shelf

• Prosciutteria kit

• Cigar drawer

ACCESSORIES

• Glass door

Joining kit

freestanding

• Cleaning kit

Painting

Wine kit

• 90° Door stop

• Active carbon filter

Front ventilation kit

• Stainless steel sides panels

• Stainless steel portal for

• Extra length anti-tipping kit


• FLD - Fhiaba Link Device

S450FW6

45 cm, WINE CELLAR, 0FW MODEL **FULLY INTEGRATED**

INTEGRATED® SERIES






AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO NO
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
S450FW6	8.700 €
(right hinge) S450FW3	0.7000
(left hinge)	8.700 €
CAPACITY	
Volume Compartment 1 (L)	229
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	229
Total gross volume (L)	239
Compartment 1 / Upper wine cellar	
capacity (bottles)	32
Compartment 2 / Middle wine cellar	
capacity (bottles)	1
Compartment 3 / Lower wine cellar	20
capacity (bottles)	
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	169

mm) 2050
449
610
128
148
2
C) from 4 to 18
(°C) /
NO
) from 4 to 18
NO
NO
YES
13
WOOD
1
1
1
1
• FLD - Fhiaba Link Device
Front ventilation kit
• 90° Door stop
·
Wine kit Cheese drawer

- 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit

- Active carbon filter



Fhaha

• Beverage drawer

• Beverage removable shelf

• Beverage shelf

Prosciutteria kit



FULL SIZE: FREEZER

Model: 0F

Width: 45cm (449)

One door, 1 Temperature ranges

Single compartment: Freezer

FEATURES

FREEZER

- Made in Italy.
- Galvanized steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- 3 1 Fixed & 2 adjustable: shelves can slide up and down to be adjusted to any height in the fridge compartment.
- Provent ventilation system encourages uniform distribution of cold air in all fridge compartments by lateral air circulation.
- Equilance: dual movement patented hinge with self balancing movement ensures stability and resistance.
- Optiview: multi LED light array (top and side interior) provides excellent illumination to the entire interior.
- Soft close door and drawers in all compartments
- Smart touch TFT display
- Acoustic and visual signals
- Total no frost 100% automatic system
- Variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Single climatic zone.
- Tempered glass shelves with aluminium profiles.
- Freezer drawers for multi use preservazion solution. Anti-bacterial stainless steel interior & rounded corners promoting hygiene and easy cleaning.
- Deep capacity within a standard depth is achieved by side, mounted evaporators, which leaves greater interior space.
- Full range of models and configurations (45, 60, 75 and 90 cm). Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.

GENERAL PROPERTIES	
Reversible door	NO
Equilance	YES
SoftClosing Runner	NO
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	3 - 1 Fixed & 2 adjustable
Slide-out shelves	NO
Type of shelves	GLASS
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	3
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO NO
Defrost Process	AUTOMATIC
Ice maker with water filter	AVAILABLE
Door Open Alarms	YES
Humidity control	NO NO
Active carbon filter	NO NO
Air filter control	NO
Shopping Fridge	NO NO
Shopping Freezer	YES
Power Failure Function	YES

194 | Price list - All specifications are subject to change without notice | 195

XS450FZ

45 cm, FREEZER, 0FZ MODEL **BUILT-IN**

X-PRO® SERIES





AESTHETIC



Compressor position	Тор
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges no	t included)
XS450FZ6 (right hinge)	9.540 €
XS450FZ3 (left hinge)	9.540 €
XS450FZ6I (right hinge, with ice maker)	10.360 €
XS450FZ3I (left hinge, with ice maker)	10.360 €
CAPACITY	
Volume Compartment 1 (L)	223
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	223
Total gross volume (L)	225
Compartment 1 / Upper wine cellar capacity (bottles)	
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	238

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	449
Depth of Product without handle (mm)	635
Net Weight (kg)	131
Gross Weight (kg)	151
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from -15 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3 - 1 Fixed & 2 adjustable
Type of shelves	GLASS
Door Bins	2
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	3

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning kit
- FLD Fhiaba Link Device
- Painting
- 90° Door stop







45 cm, FREEZER, MODEL 0FZ **BUILT-IN**

DESIGNER® SERIES



	3
AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 030 mm
Interior material finish	Stainless steel
PRICE (VAT and delivery charges	not included)
RS450FZ6	8.380 €
(right hinge)	0.000
RS450FZ3 (left hinge)	8.380 €
RS450FZ6I	0.200.0
(right hinge, with ice maker)	9.200 €
RS450FZ3I	9.200 €
(left hinge, with ice maker)	
CAPACITY	
Volume Compartment 1 (L)	223
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	223
Total gross volume (L)	225
Compartment 1 / Upper wine cellar capacity (bottles)	1
Compartment 2 / Middle wine cellar capacity (bottles)	1
Compartment 3 / Lower wine cellar capacity (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
- (1.140.7.)	

238

Energy consumption (kWh/year)

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2120
Width of the product (mm)	455
Depth of Product without handle (mm)	620
Net Weight (kg)	131
Gross Weight (kg)	151
Temperature ranges	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from -15 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3 - 1 Fixed & 2 adjustable
Type of shelves	GLASS
Door Bins	2
Fridge drawers type	1

3

ACCESSORIES

Bottom drawers

Fresco/LowTemp Drawers

- Stainless steel sides panels
- Joining kit
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- Painting
- 90° Door stop




KS450FZ

45 cm, FREEZER, 0FZ MODEL **BUILT-IN**

CLASSIC® SERIES







S450FZ 45 cm, FREEZER, 0FZ MODEL **BUILT-IN**

INTEGRATED® SERIES



Handles Interior material finish Interior mate	om
Interior material finish PRICE (VAT and delivery charges not inclusured S450FZ6 (right hinge) S450FZ3 (left hinge) S450FZ6 (right hinge) S450FZ6 (right hinge) S450FZ6 (right hinge, with ice maker) S450FZ6 (right hinge, with ice maker) S450FZ3 (left hinge, with ice maker) S450FZ3 (left hinge, with ice maker) CAPACITY Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) Iotal Net Volume (L) Iotal gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) 50-66	om panel ready
PRICE (VAT and delivery charges not inclu S450FZ6 (right hinge) S450FZ3 (left hinge) S450FZ6I (right hinge, with ice maker) S450FZ3I (left hinge, with ice maker) S450FZ3I (left hinge, with ice maker) S450FZ3I (left hinge, with ice maker) CAPACITY Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) I Total Net Volume (L) I Total Gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) 50-66	
S450FZ6 (right hinge) S450FZ3 (left hinge) S450FZ6I (right hinge, with ice maker) S450FZ3I (left hinge, with ice maker) S450FZ3I (left hinge, with ice maker) S450FZ3I (left hinge, with ice maker) CAPACITY Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) Iotal Net Volume (L) Iotal Net Volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) 50-66	less steel
(right hinge) S450FZ3 (left hinge) S450FZ6I (right hinge, with ice maker) S450FZ3I (left hinge, with ice maker) S450FZ3I (left hinge, with ice maker) CAPACITY Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) Iotal Net Volume (L) Iotal gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) 7.950 8.770 7.950	ded)
(left hinge) S450FZ6I (right hinge, with ice maker) S450FZ3I (left hinge, with ice maker) CAPACITY Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) Iotal Net Volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) 8.770 8.770 8.770 9.77	€
(right hinge, with ice maker) S450FZ3I (left hinge, with ice maker) CAPACITY Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) Total Net Volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) 8.770 8.770 1. 223 1. 224 1. 225 225 225 225 226 227 227 227	€
(left hinge, with ice maker) CAPACITY Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) Total Net Volume (L) Total gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) S23 / Z24 Z25 Z25 Z25 Z25 Z26 Z27 Z27 Z27 Z27 Z27 Z27 Z28 Z27 Z27	€
Volume Compartment 1 (L) Volume Compartment 2 (L) Volume Compartment 3 (L) Total Net Volume (L) Total gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) 223 / 224 / 225 // Compartment 2 / Middle wine cellar / // // Z26 // Z27 Z27 Z28 Z28 Z29 Z20 Z20 Z20 Z20 Z20 Z20 Z20	€
Volume Compartment 2 (L) Volume Compartment 3 (L) Total Net Volume (L) Total gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz)	
Volume Compartment 3 (L) Total Net Volume (L) Total gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz)	
Total Net Volume (L) Total gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) 223 / 225 / 226 / 227 257 268 278 288 298 208 208 208 208 208 20	
Total gross volume (L) Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) 225	
Compartment 1 / Upper wine cellar capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) 50-66	
capacity (bottles) Compartment 2 / Middle wine cellar capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz)	
capacity (bottles) Compartment 3 / Lower wine cellar capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz)	
capacity (bottles) TECHNICAL DETAILS Voltage (V) Frequency (Hz) 7 220-2	
Voltage (V) 220-2 Frequency (Hz) 50-60	
Frequency (Hz) 50-60	
	240V
Climatic class SN/T) Hz
Noise level (dB) 41	

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	2050
Width of the product (mm)	449
Depth of Product without handle (mm)	610
Net Weight (kg)	121
Gross Weight (kg)	141
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from -15 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3 - 1 Fixed & 2 adjustable
Type of shelves	GLASS
Door Bins	2
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Freezer drawers	3

ACCESSORIES

- Stainless steel sides panels
- Joining kit
- Stainless steel tubular handle 30mm
- Stainless steel tubular handle 18mm
- Stainless steel panels
- Stainless steel portal for freestanding
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device
- Front ventilation kit
- 90° Door stop

Width of the product (mm)	449
Depth of Product without handle (mm)	635
Net Weight (kg)	131
Gross Weight (kg)	151
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from -15 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO NO
Low vibration	YES
Shelves	3 - 1 Fixed & 2 adjustable
Type of shelves	GLASS

2050

2

3

• 90° Door stop

DIMENSIONS & WEIGHT

Door Bins

Fridge drawers type

Freezer drawers

ACCESSORIES

Joining kit

freestanding

Cleaning kit

Painting

Fresco/LowTemp Drawers

Stainless steel sides panels

• Ice maker with water filter

• Water filtration system

Stainless steel portal for

• Extra length anti-tipping kit

Water filter cartridge

• Front ventilation kit

• FLD - Fhiaba Link Device

Height of the product (closed wheels) (mm)

TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	238





Door opening hinge					
	Code	Series	Model Ref	Description	Price
	6	Integrated Classic Desinger Brilliance XPro Country	90 75 60 45	Right hinge	FREE
	3	Integrated Classic Desinger Brilliance XPro Country	90 75 60 45	Left hinge	FREE
Stainless steel sides					
	Code	Series	Model Ref	Description	Price
	FKK65T	Integrated, Classic, Brilliance	90 1T/OT 75 OT	Stainless steel sides	570 €
	FKK65H	Integrated, Classic, Brilliance	90 OH 75 OH	Stainless steel sides	570 €
	FKK65T599	Integrated, Classic, Brilliance	60 1T/0T	Stainless steel sides	570 €
	FKK65F	Integrated, Classic, Brilliance	90 OF 75 OF	Stainless steel sides	570 €
	FKK65F599	Integrated, Classic, Brilliance	60 OF 45 OF	Stainless steel sides	570 €
	FMX65T	X-Pro	90 1T/OT 75 OT	Stainless steel sides	570 €
	FMX65H	X-Pro	90 OH 75 OH	Stainless steel sides	570 €
	FMX65T599	X-Pro	60 1T/0T	Stainless steel sides	570 €
	FMX65F	X-Pro	90 OF 75 OF	Stainless steel sides	570 €
	FMX65F599	X-Pro	60 OF 45 OF	Stainless steel sides	570 €

The sides will be pre-installed in the factory and are not removable.

At the end of the zip code, add 3 to the left and 6 for the right hinge.
For the installation of 2 or more units, indicate the model and where you want to apply the stainless steel sides.

Joining kit - Xpro and Coun							
	Code	Series	Model Ref	Description	Price		
	KCCMTF	XPro	901T/0T/0H/0F 751T/0T/0H/0F 601T/0T/0H/0F 450F	Joining kit – central (Joining brackets, airflow separation included)	170 €		
	кссмтх	XPro Country	901T/0T/0H/0F 751T/0T/0H/0F 601T/0T/0H/0F 450F	Joining kit - central models with stainless steel sides (Joining brackets, airflow separation included +Anti-condensation kit)	200€		
XPro top ventilation grille							
	Code	Series	Model Ref	Description	Price		
	XPR090TOP	XPro	XS45 + XS45	Kit grill + single socket	670 €		
	XPR0105TOP	XPro	XS45 + XS60	Kit grill + single socket	690€		
	XPR0120T0P	XPro	XS60 + XS60 XS75 + XS45	Kit grill + single socket	720 €		
	XPR0135T0P	XPro	XS75 + XS60 XS90 + XS45	Kit grill + single socket	770 €		
	XPR0150TOP	XPro	XS75 + XS75 XS90 + XS60	Kit grill + single socket	820 €		
	XPR0165TOP	XPro	XS75 + XS90	Kit grill + single socket	880 €		
	XPR0180TOP	XPro	XS90 + XS90	Kit grill + single socket	930 €		
	XPR0195TOP	XPro	XS75 + XS60 + XS60	Kit grill + single socket	950€		
	XPRO210TOP	XPro	XS75 + XS75 + XS60	Kit grill + single socket	980€		
	XPRO225TOP	XPro	XS75 + XS75 + XS75	Kit grill + single socket	1.000 €		
	XPRO240TOP	XPro	XS90 + XS90 + XS60	Kit grill + single socket	1.020 €		
	XPRO255TOP	XPro	XS90 + XS90 + XS75	Kit grill + single socket	1.040 €		

Kit grill + single socket (free kit if required when ordering the equipment)



ACCESSORIES					
Joining kit - Integrated and	Brilliance Series				
	Code	Series	Model Ref	Description	Price
	KCCITF	Integrated	90 1T/0T/0H/0F 75 1T/0T/0H/0F 60 1T/0T/0H/0F 45 0F	Joining kit (Joining brackets, airflow separation included)	170 €
	KCCITFW	Brilliance Integrated	90 1T/0T/0H/0F 75 1T/0T/0H/0F 60 1T/0T/0H/0F 45 0F	Joining kit - central white (Joining brackets, airflow separation included)	170 €
Joining kit - Classic and Br	illiance Series				
	Code	Series	Model Ref	Description	Price
	KCCKTF	Classic	90 1T/0T/0H/0F 75 1T/0T/0H/0F 60 1T/0T/0H/0F 45 0F	Joining kit (Joining brackets, airflow separation included)	200€
	KCCKTFW	Brilliance Classic	90 1T/0T/0H/0F 75 1T/0T/0H/0F 60 1T/0T/0H/0F 45 0F	Joining kit - central white (Joining brackets, airflow separation included)	200€
Joining kit - Designer Serie	es .				
to III	Code	Series	Model Ref	Description	Price
	кссктғи	Designer	90 1T/0T/0H/0F 75 1T/0T/0H/0F 60 1T/0T/0H/0F 45 0F	Joining kit (Joining brackets, airflow separation included)	200€
Single lower grill kit					
	Code	Series	Model Ref	Description	Price
		Classic	90/75 60/45	Single lower grille kit	on request
Tubular handles AISI 304					
	Code	Series	Model Ref	Description	Price
	HV	Integrated	90 75 60	Vertical tubular handle, round section Ø30 mm (1104 mm/43,4 in)	220€
	HVF	Integrated	90 75 60 45	Vertical tubular handle, round section Ø30 mm to join OF and OH models	260 €
u) u	Н08	Integrated	90	Horizontal tubular handle, round section Ø30 mm (794 mm/ 31.2 in)	220 €
	H07	Integrated	75	Horizontal tubular handle, round section Ø30 mm (644 mm/25.3 in)	210 €
	H05	Integrated	60	Horizontal tubular handle, round section Ø30 mm (494 mm/ 19.4 in)	200€
	HCV	Integrated	90 75 60 45	Vertical tubular handle, round section Ø18 mm	190 €
and the same of th	HC8	Integrated	90	Horizontal tubular handle, round section Ø18 mm	170 €
	HC7	Integrated	75	Horizontal tubular handle, round section Ø18 mm	160 €
	HC5	Integrated	60	Horizontal tubular handle, round section Ø18 mm	150 €
	HPROV	Designer	90/75/60/45	Vertical tubular handle, round section Ø30 mm Ø30 mm	265 €
	HPRO8	Designer	90	Horizontal tubular handle, round section Ø30 mm	265 €

75

60

Horizontal tubular handle, round section Ø30 mm 265 €

Horizontal tubular handle, round section Ø30 mm 265 €

Designer

Designer

HPR07

HPR05



Extra Tilting kit					
	Code	Series	Model Ref	Description	Price
	B04000900	Integrated Classic / Designer Brilliance XPro Country	90 75 60 45	Extra Length Anti-tipping Kit (allows the installation in units with depth of 80 cm)	FREE
Anti-condensation kit					
	Code	Series	Model Ref	Description	Price
	KAC16	XPro Country	90 75 60 45	Anti-condensation Kit adhesive 1,6 cm thick for side-by-side installation of two or more top compressors units (not required for models with compressors at the bottom)	50€
Fhiaba Link Device					
	Code	Series	Model Ref	Description	Price
	FLD	Integrated Classic / Designer Brilliance XPro Country	90 75 60 45	Remote connection to monitor via cloud software; Fhiaba will be able to detect sensor end-of-life or other issues and the consumer will be notified in case of power outage, open doors and more.	560 €
Color box					
	Code	Series	Model Ref	Description	Price
	CARTCOL	Classic Brilliance XPro Country Designer	90 75 60 45	Fhiaba colour chart	370 €
Painting					
	Code	Series	Model Ref	Description	Price
		XPro	90 75 60 45	Front	€ 1.350
		XPro	90 75 60 45	Sides	€ 870
		Classic Designer Brilliance Designer	90 75 60 45	Front	€ 1.250
		Classic Designer Brilliance	90 75 60 45	Sides	€ 870
		Integrated Classic Designer Brilliance XPro	90 75 60 45	Vertical handle	€ 170
		Integrated Classic Designer	90 75 60	Horizontal handle	€ 170

Price list - All specifications are subject to change without notice 203





Cleaning and hygiene					
	Code	Series	Model Ref	Description	Price
	RP00KP	Integrated Classic /Designer Brilliance XPro Country	90 75 60 45	Cleaning kit microfiber cloth and magic sponge	70€
W-	RP00FA	Integrated Classic /Designer Brilliance XPro Country	90 75 60 45	Water filter cartridge (for models with Ice Maker and Water Dispenser)	90€
	ACF	Integrated Classic Classic /Designer XPro Country	90 75 60 45	Activated carbon filter	60€
90° door stop					
	Code	Series	Model Ref	Description	Price
		Integrated Classic Brilliance XPro Country	90 75 60 45	90° door stop	210€
Air front kit					
	Code	Series	Model Ref	Description	Price
	ESPKIT	Integrated Classic /Designer Brilliance XPro Country	90 75	Air front kit	490 €
Stainless steel panels					
·	Code	Series	Model Ref	Description	Price
		Series No. 1		Stainless steel panels	on request
Stainless steel portal for fr					
	Code	Series	Model Ref	Description	Price
		Integrated Classic	90 75 60 45	Stainless steel portal for freestandig installation	on request

Wine Kit					
	Code	Series	Model Ref	Description	Price
	NBK45	Integrated Classic Designer Brilliance XPro	45	Support made of solid oak wood for 4 bottles 750ml or 2 magnum bottles 1,5 liters with corkscrewand 2 prestige stopper caps	370 €
	NBK60	Integrated Classic Designer Brilliance XPro	60	Support made of solid oak wood for 8 bottles 750ml or 4 magnum bottles 1,5 liters with corkscrew and 2 prestige stopper caps	400€
0-0-0-	NBK75	Integrated Classic Designer Brilliance XPro	75	Support made of solid oak wood for 10 bottles 750ml or 6 magnum bottles 1,5 liters with corkscrew and 3 prestige stopper caps	460€
	NBK90	Integrated Classic Designer Brilliance XPro	90	Support made of solid oak wood for 10 bottles 750ml or 6 magnum bottles 1,5 liters with corkscrew and 3 prestige stopper caps	520 €
Cheese drawers					
	Code	Series	Model Ref	Capacity	Price
	NCTB45	Integrated Classic Designer Brilliance XPro	45	13,9 lt	510 €
	NCTB60	Integrated Classic Designer Brilliance XPro	60	23,8 lt	560 €
	NCTB75	Integrated Classic Designer Brilliance XPro	75	33,1 lt	630 €
	NCTB90	Integrated Classic Designer Brilliance XPro	90	43 lt	660 €
	NCTS45	Integrated Classic Designer Brilliance XPro	45	8,8 lt	490 €
	NCTS60	Integrated Classic Designer Brilliance XPro	60	15 lt	530 €
	NCTS75	Integrated Classic Designer Brilliance XPro	75	20,9 lt	610 €
	NCTS90	Integrated Classic Designer Brilliance XPro	90	27,1 lt	630 €

ACCESSORIES





The drawers for storing the cheese are offered in two heights, they have been designed and made by Friulian artisans in precious okumè wood.

With ultra-clear tempered glass front for proper attention to the products to be stored, a sliding cover in ultra-clear tempered glass on "Teflon" guides with a solid wood handle for easy access. On the bottom a perforated steel plate for perfect humidity and hygiene. All fresh food can be stored in the drawer by setting the appropriate Temperature ranges in the cellar display.

emperature ranges in the cellar d Bottle kit	ізріаў.				
	Code	Series	Model Ref	Description	Price
		Integrated Classic Designer Brilliance XPro Country	60	Bottle kit	590€
Beverage drawers					
	Code	Series	Model Ref	Description	Price
	NBGD45	Integrated Classic Designer Brilliance XPro	45	Full extraction drawer with sandblasted stain- less steel interior, soft closing runners and with 6mm tempered glass (capacity 10,5 L.)	300€
	NBGD60	Integrated Classic Designer Brilliance XPro Country	60	Full extraction drawer with sandblasted stain- less steel interior, soft closing runners and with 6mm tempered glass (capacity 18,4 L.)	310 €
	NBGD75	Integrated Classic Designer Brilliance XPro Country	75	Full extraction drawer with sandblasted stain- less steel interior, soft closing runners and with 6mm tempered glass (capacity25,9 L.)	320 €
	NBGD90	Integrated Classic Designer Brilliance XPro Country	90	Full extraction drawer with sandblasted stain- less steel interior, soft closing runners and with 6mm tempered glass (capacity 33,8 L.)	330 €
Beverage shelf		, 000,			
	Code	Series	Model Ref	Description	Price
	NBGSF45	Integrated Classic Designer Brilliance XPro	45	6mm tempered glass shelves with aluminum edges that can be positioned on side racks (cans capacity: 21 da 33/50 cc)	210 €
	NBGSF60	Integrated Classic Designer Brilliance XPro Country	60	6mm tempered glass shelves with aluminum edges that can be positioned on side racks (cans capacity: 42 da 33/50 cc)	230 €
	NBGSF75	Integrated Classic Designer Brilliance XPro Country	75	6mm tempered glass shelves with aluminum edges that can be positioned on side racks (cans capacity: 56 da 33/50 cc)	240€
	NBGSF90	Integrated Classic Designer Brilliance XPro Country	90	6mm tempered glass shelves with aluminum edges that can be positioned on side racks (cans capacity: 70 da 33/50 cc)	250 €


Removable Beverage shelf	:				_
Removable Beverage shell	Code	Series	Model Ref	Description	Price
	NBGS45	Integrated Classic Designer Brilliance XPro	45	Removable 6mm tempered glass shelves (cans capacity:21 da 33/50 cc)	280 €
	NBGS60	Integrated Classic Designer Brilliance XPro Country	60	Removable 6mm tempered glass shelves (cans capacity: 42 da 33/50 cc)	290 €
	NBGS75	Integrated Classic Designer Brilliance XPro Country	75	Removable 6mm tempered glass shelves (cans capacity:: 56 da 33/50 cc)	300 €
	NBGS90	Integrated Classic Designer Brilliance XPro Country	90	Removable 6mm tempered glass shelves (cans capacity:70 da 33/50 cc)	310 €
Chocolate kit					
	Code	Series	Model Ref	Description	Price
	NCK60	Integrated Classic Designer Brilliance XPro Country	60	Support made of solid oak wood	480€
Cigar drawers					
	Code	Series	Model Ref	Capacity	Price
	NCSGB45	Integrated Classic Designer Brilliance XPro	45	13,9 lt	490 €
	NCSGB60	Integrated Classic Designer Brilliance XPro Country	60	23,8 lt	530 €
	NCSGB75	Integrated Classic Designer Brilliance XPro Country	75	33,1 lt	610 €
	NCSGB90	Integrated Classic Designer Brilliance XPro Country	90	43 lt	630 €

ACCESSORIES

Set of knives







The drawers for storing the cigar are offered in two heights, they have been designed and made by Friulian artisans in precious okumè wood.

With ultra-clear tempered glass front for proper attention to the products to be stored, a sliding cover in ultra-clear tempered glass on "Teflon" guides with a solid wood handle for easy access.

	Code	Series	Model Ref	Description	Price
	NCP60	Integrated Classic Designer Brilliance XPro Country	60	Wooden tray made of Russian oak-plated birch wood, kitchen knife 20cm, bread knife 22cm, ham knife 26cm all with olive wood handle, wooden base for the knives storage	520 €
	NCP75	Integrated Classic Designer Brilliance XPro Country	75	Wooden tray made of Russian oak-plated birch wood, kitchen knife 20cm, bread knife 22cm, ham knife 26cm all with olive wood handle, wooden base for the knives storage	560 €
A CHARLES	NCP90	Integrated Classic Designer Brilliance XPro Country	90	Wooden tray made of Russian oak-plated birch wood, kitchen knife 20cm, bread knife 22cm, ham knife 26cm all with olive wood handle, wooden base for the knives storage	600€
Prosciutteria kit					
	Code	Series	Model Ref	Description	Price
	KP4	Integrated Classic Designer XPro	45 0FW	Prosciutteria kit	630 €
	KP5	Integrated Classic Designer Brilliance XPro Country	60 OTW 60 OFW	Prosciutteria kit	650€
	KP7	Integrated Classic Designer Brilliance XPro Country	75 OTW 75 OHW 75 OFW	Prosciutteria kit	670 €
	KP9	Integrated Classic Designer Brilliance XPro Country	90 OHW 90 OFW	Prosciutteria kit	700 €

Evenlift separate shelves					
	Code	Series	Model Ref	Description	Price
	EL33	Integrated Classic Designer Brilliance XPro Country	90 OT/OH/OF	3+3 double EvenLift shelves in aluminium and glass	730 €
	EL33_75	Integrated Classic Designer Brilliance XPro Country	75 OT/OH/OF	3+3 double EvenLift shelves in aluminium and glass	730 €
Navigation door lock kit					
	Code	Series	Model Ref	Description	Price
	KBN	Integrated Classic Designer Brilliance XPro Country	90 75 60 45	Navigation door lock kit	730 €
Gastronorm trays					
	Code	Series	Model Ref	Description	Price
		Integrated Classic Designer Brilliance XPro Country	90 OT/OF	Gastronorm trays	on request

UNDERCOUNTER PRODUCT CODE SPECIFICATIONS

UC W 60 Χ Ρ 0

digit # 1 > model series

UC = UNDERCOUNTER

digit # 2 > model type B = beverage center

W= wine

UC

W

60

1 T

2D = TriMode drawers

digit # 3 > width

90 = 90 cm

75 = 75 cm60 = 60 cm

digit # 4 >beverage center and wine cellar configuration

1T = 1 Temperature ranges

2T = 2separate microclimates

digit # 5 > series

P = Premium

GM = Gran Maestro

digit # 6 > outdoor 0

empty = indoor

0 = premium outdoor

digit # 7 > optional Χ X = Model X - empty

I = To indicate a unit equipped with Ice Maker (available only on 90 and 75cm GranMaestro drawers models)






Export Price list 2.1/2024

					Premiu	ım indoor P		Premiun	n outdoor P	0
Version	Mod.	Width	Hinge opening	Optionals	Product code	Price	Page	Product code	Price	Page
BEVERAGE/FRIDGE	2T	60	DX		UCB602TP	3.820 €	216	UCB602TP0	4.140 €	217
			DX	MODEL X	UCB602TPX	3.500 €	216	UCB602TP0X	3.820 €	217
	1T	60	DX		UCB601TP	3.160 €	222	UCB601TP0	3.820 €	223
			DX	MODEL X	UCB601TPX	2.810 €	222	UCB601TP0X	3.500 €	223
WINE CELLAR	2T 6	60	DX		UCW602TP	4.030 €	228	UCW602TP0	4.240 €	229
			DX	MODEL X	UCW602TPX	3.710 €	228	UCW602TP0X	3.930 €	229
	1T	60	DX		UCW601TP	3.400 €	234	UCW601TP0	3.930 €	235
			DX	MODEL X	UCW601TPX	3.040 €	234	UCW601TP0X	3.610 €	235
TRIMODE	2D	90			UC2D90P	4.990 €	242	UC2D90P0	5.520 €	243
DRAWERS				ICE MAKER						
		75			UC2D75P	4.670 €	248	UC2D75P0	5.300 €	249
				ICE MAKER						
		60			UC2D60P	4.560 €	254	UC2D60P0	5.090 €	255

Reversible door: Right hinge > standard Left hinge > on request

Gran Maes	stro indoor G	SM .	Gran Maestro Outdoor GM		
Product code	Price	Page	Product code	Price	Page
UCB602TGM	4.510 €	218	UCB602TGM0	4.780 €	219
UCB602TGMX	4.030 €	218	UCB602TGM0X	4.250 €	219
UCB601TGM	3.850 €	224	UCB601TGM0	4.250 €	225
UCB601TGMX	3.500 €	224	UCB601TGMOX	3.720 €	225
UCW602TGM	4.720 €	230	UCW602TGM0	4.990 €	231
UCW602TGMX	4.240 €	230	UCW602TGMOX	4.460 €	231
UCW601TGM	4.140 €	236	UCW601TGM0	4.460 €	237
UCW601TGMX	3.820 €	236	UCW601TGMOX	4.040 €	237
UC2D90GM	5.830 €	244	UC2D90GM0	6.050 €	245
UC2D90GMI	6.650 €	244	UC2D90GM0I	6.870 €	245
UC2D75GM	5.730 €	250	UC2D75GM0	5.950 €	251
UC2D75GMI	6.550 €	250	UC2D75GM0I	6.760 €	251
UC2D60GM	5.620 €	256	UC2D60GM0	5.730 €	257

UNDERCOUNTER: FRIDGE/BEVERAGES/WINE CELLARS Width: 60cm



Price list - All specifications are subject to change without notice 213



UNDERCOUNTER: FRIDGE/BEVERAGE

Model: 2T

Width: 60cm

One door, 2 separate Temperature ranges

Upper compartment: Fridge/Beverage Lower compartment: Fridge/Beverage





FEATURES

- Made in Italy.
- Aisi 304 stainless steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Optiview: multi LED light array (side interior) provides excellent illumination to the entire interior.
- Soft close door and drawers in all compartments
- Acoustic and visual signals
- Total no frost 100% automatic system
- Insulated variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Two independent climatic zones.
- Tempered glass shelves with aluminium profiles.
- Chill to serve: you can rapidly lower the Temperature ranges to 2°C before serving.
- Fully integrated / built-in
- Bronzed glass door and Argon gas guarantee maximum protection from harmful UV light rays.
- Reversible door.
- Low vibration compressor
- Full range of models and configurations. Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.

OFNER AL PROPERTIES	
GENERAL PROPERTIES	
Reversible door	YES
Equilance	NO
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	5
Slide-out shelves	YES
Type of shelves	GLASS/WOOD
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	1
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity control	NO
Active carbon filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	NO
Power Failure Function	YES

Price list - All specifications are subject to change without notice 215

UCB602TP

60 cm, UNDERCOUNTER BEVERAGE/FRIDGE, 2T MODEL PREMIUM INDOOR

BUILT-IN

UNDERCOUNTER® SERIES





AESTHETIC		
Compressor position	Bottom	
Front finish	Custom panel ready	
Handles	NO NO	
Interior material finish	Stainless steel	
Dysplay	OLED	
PRICE (VAT and delivery charges not included)		
UCB602TP	3.820 €	
(right hinge)	J.020 €	
UCB602TPX (right hinge, MODEL X empty)	3.500 €	
(right hinge, Model & empty)		
CAPACITY		
Volume Compartment 1 (L)	143	
Volume Compartment 2 (L)	/	
Volume Compartment 3 (L)	1	
Total Net Volume (L)	143	
Total gross volume (L)	/	
Total 91055 volume (L)	1	
CAPACITY wine cellar (bottles)	23	
Undercounter glass shelf capacity (cans)	42	
Undercounter drawer capacity (cans)	1	
	1	
Undercounter bottom wooden bottle	11	
holder (bottles)		
TECHNICAL DETAILS		
Voltage (V)	220-240V	
Frequency (Hz)	50/60 Hz	
Climatic class	SN/T	
Noise level (dB)	41	
EFFICIENCY		
New Energy Label class	G	
Energy consumption (kWh/year)	122	

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	598
Depth of Product without handle (mm)	572
Net Weight (kg)	60
Gross Weight (kg)	75
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	from 2 to 8
Low temp zone	NO NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO NO
GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
	_
Shelves	5
Shelves Type of shelves	
	5
Type of shelves Freezer drawers	5 GLASS/WOOD
Type of shelves Freezer drawers ACCESSORIES	5 GLASS/WOOD
Type of shelves Freezer drawers ACCESSORIES • Stainless steel tubular handles • S	5 GLASS/WOOD /
Type of shelves Freezer drawers ACCESSORIES • Stainless steel tubular handles • S	5 GLASS/W00D / Set of knives
Type of shelves Freezer drawers ACCESSORIES • Stainless steel tubular handles Ø 30mm • F	5 GLASS/W00D / Set of knives
Type of shelves Freezer drawers ACCESSORIES • Stainless steel tubular handles Ø 30mm • Stainless steel tubular handles	5 GLASS/W00D / Set of knives
Type of shelves Freezer drawers ACCESSORIES • Stainless steel tubular handles Ø 30mm • Stainless steel tubular handles Ø 18mm	5 GLASS/W00D / Set of knives
Type of shelves Freezer drawers ACCESSORIES • Stainless steel tubular handles Ø 30mm • Stainless steel tubular handles Ø 18mm • Stainless steel panels	5 GLASS/W00D / Set of knives
Type of shelves Freezer drawers ACCESSORIES • Stainless steel tubular handles Ø 30mm • Stainless steel tubular handles Ø 18mm • Stainless steel panels • Cleaning kit	5 GLASS/W00D / Set of knives
Type of shelves Freezer drawers ACCESSORIES • Stainless steel tubular handles Ø 30mm • Stainless steel tubular handles Ø 18mm • Stainless steel panels • Cleaning kit • Active carbon filter	5 GLASS/W00D / Set of knives
Type of shelves Freezer drawers ACCESSORIES • Stainless steel tubular handles Ø 30mm • Stainless steel tubular handles Ø 18mm • Stainless steel panels • Cleaning kit • Active carbon filter • FLD - Fhiaba Link Device	5 GLASS/W00D / Set of knives
Type of shelves Freezer drawers ACCESSORIES • Stainless steel tubular handles Ø 30mm • Stainless steel tubular handles Ø 18mm • Stainless steel panels • Cleaning kit • Active carbon filter • FLD - Fhiaba Link Device • 90° Door stop	5 GLASS/W00D / Set of knives
Type of shelves Freezer drawers ACCESSORIES • Stainless steel tubular handles Ø 30mm • Stainless steel tubular handles Ø 18mm • Stainless steel panels • Cleaning kit • Active carbon filter • FLD - Fhiaba Link Device • 90° Door stop • Wine kit	5 GLASS/W00D / Set of knives
Type of shelves Freezer drawers ACCESSORIES • Stainless steel tubular handles Ø 30mm • Stainless steel tubular handles Ø 18mm • Stainless steel panels • Cleaning kit • Active carbon filter • FLD - Fhiaba Link Device • 90° Door stop • Wine kit • Cheese drawer	5 GLASS/W00D / Set of knives

• Beverage removable shelf

UCB602TP0 Fhaha



UNDERCOUNTER® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel @ 18mm
Interior material finish	Stainless steel
Dysplay	OLED
PRICE (VAT and delivery charges no	ot included)
UCB602TPO	4.140 €
(right hinge)	4.140 €
UCB602TPOX	3.820 €
(right hinge, MODEL X empty)	
CAPACITY	
Volume Compartment 1 (L)	143
Volume Compartment 2 (L)	143
Volume Compartment 3 (L)	1
Total Net Volume (L)	143
Total gross volume (L)	143
Total gross volume (L)	1
CAPACITY wine cellar (bottles)	23
Undercounter glass shelf capacity (cans)	42
Undercounter drawer capacity (cans)	1
Undercounter bottom wooden bottle	11
holder (bottles)	11
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	122

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	598
Depth of Product without handle (mm)	576
Net Weight (kg)	63
Gross Weight (kg)	78
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	from 2 to 8
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
Shelves	5
Type of shelves	GLASS/WOOD
Freezer drawers	1
ACCECCODIEC	
ACCESSORIES	
· Cleaning kit	
• Active carbon filter	
• FLD - Fhiaba Link Device	
• 90° Door stop	
• Wine kit	
• Cheese drawer	
• Cigar drawer	
Beverage drawer	
Beverage shelf Poverage removable shelf	
Beverage removable shelf	

 Set of knives • Prosciutteria kit



UCB602TGM

60 cm, UNDERCOUNTER BEVERAGE/FRIDGE, 2T MODEL **GRAN MAESTRO INDOOR BUILT-IN**

UNDERCOUNTER® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO NO
Interior material finish	Stainless steel
Display	TFT
PRICE (VAT and delivery charges no	t included)
UCB602TGM	4.350 €
(right hinge) UCB602TGMX	
(right hinge, MODEL X empty)	- 3.820 €
CAPACITY	
	143
Volume Compartment 1 (L)	
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	143
Total gross volume (L)	1
Capacity wine cellar (bottles)	23
Undercounter glass shelf capacity (cans)	42
Undercounter drawer capacity (cans)	1
Undercounter bottom wooden bottle holder (bottles)	11
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	122

DIMENSIONS & WEIGHT		
Height of the product (closed wheels) (mm)	865	
Width of the product (mm)	598	
Depth of Product without handle (mm)	572	
Net Weight (kg)	60	
Gross Weight (kg)	75	
Temperature ranges		
Climatic compartments	2	
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8	
Compartment 2 / Middle Temperature ranges (°C) from 2 to 8		
Low temp zone NO		
Compartment 3 / Low Temperature ranges (°C)	1	
Dual zone	NO	
GENERAL PROPERTIES		
Reversible door	YES	
Low vibration	YES	
Shelves	5	
Type of shelves	GLASS/W00D	
Bottom drawers /		
ACCECCODIEC		
ACCESSORIES		
Stanitess steet tabatar	 Set of knives 	
Hariates & John H	 Prosciutteria Kit 	
Stainless steel tubular		
handles Ø 18mm		
 Stainless steel panels 		

Cleaning kit

• 90° Door stop

• Cheese drawer • Cigar drawer • Beverage drawer • Beverage shelf

Wine kit

• Active carbon filter

• FLD - Fhiaba Link Device

• Beverage removable shelf

UCB602TPGM0



GRAN MAESTRO OUTDOOR **BUILT-IN**

UNDERCOUNTER® SERIES





AESTHETIC		DIMENSIONS & \
Compressor position	Bottom	Height of the produc
Front finish	Stainless steel	Width of the product
Handles	Stainless steel 0 18mm	Depth of Product wit
Interior material finish	Stainless steel	Net Weight (kg)
Display	TFT	Gross Weight (kg)
PRICE (VAT and delivery charges n	ot included)	Temperature rai
UCB602TGM0	4.780 €	Climatic compartme
(right hinge) UCB602TGMOX		Compartment 1 / Upper
(right hinge, MODEL X empty)	4.250 €	Compartment 2 / Middle
		Low temp zone
CAPACITY		Compartment 3 / Low
	1/ 2	Dual zone
Volume Compartment 1 (L)	143	GENERAL PROP
Volume Compartment 2 (L) Volume Compartment 3 (L)	1	Reversible door
Total Net Volume (L)	143	Low vibration
Total gross volume (L)	143	Shelves
locat gross vocolile (L)	1	Type of shelves
Capacity wine cellar (bottles)	23	Bottom drawers
Undercounter glass shelf capacity (cans)	42	ACCESSORIES
Undercounter drawer capacity (cans)	1	• Cleaning kit
Undercounter bottom wooden bottle		Active carbon fill
holder (bottles)	11	• FLD - Fhiaba Lin
Hotter (buttles)		• 90° Door stop
TECHNICAL DETAILS		• Wine kit
Voltage (V)	220-240V	Cheese drawer
Frequency (Hz)	50/60 Hz	• Cigar drawer
Climatic class	SN/T	Beverage drawe
Noise level (dB)	41	Beverage shelf
EFFICIENCY		Beverage remov
New Energy Label class	G	 Set of knives
Energy consumption (kWh/year)	122	 Prosciutteria Kit
Life 193 Collonii brion (kwin year)	122	Painting

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	598
Depth of Product without handle (mm)	576
Net Weight (kg)	63
Gross Weight (kg)	78
Temperature ranges	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	from 2 to 8
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
Shelves	5
Type of shelves	GLASS/WOOD
Bottom drawers	1

CCESSORIES

- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- 90° Door stop
- Wine kit
- Cheese drawer
- Cigar drawer
- Beverage drawer
- Beverage removable shelf
- Set of knives
- Prosciutteria Kit



UNDERCOUNTER: FRIDGE/BEVERAGE

Model: 1T

Width: 60cm

One door, 1 Temperature range Single compartment: Fridge/Beverage





FEATURES

- Made in Italy.
- Aisi 304 stainless steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Optiview: multi LED light array (top and side interior) provides excellent illumination to the entire interior.
- Soft close door and drawers in all compartments
- Acoustic and visual signals
- Total no frost 100% automatic system
- Insulated variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- One independent climatic zone.
- Tempered glass shelves with aluminium profiles.
- Chill to serve: you can rapidly lower the Temperature ranges to 2°C before serving.
- Fully integrated /built-in
- Bronzed glass door and Argon gas guarantee maximum protection from harmful UV light rays.
- Reversible door.
- Low vibration compressor
- Full range of models and configurations. Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.

GENERAL PROPERTIES	
Reversible door	YES
Equilance	NO
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	4
Slide-out shelves	YES
Type of shelves	GLASS/WOOD
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	1
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity control	NO
Active carbon filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	NO
Power Failure Function	YES

UCB601TP

60 cm, UNDERCOUNTER BEVERAGE/FRIDGE, 1T MODEL PREMIUM INDOOR



UNDERCOUNTER® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO NO
Interior material finish	Stainless steel
Dysplay	OLED
PRICE (VAT and delivery charges no	t included)
UCB601TP	3.160 €
(right hinge)	J.100 t
UCB601TPX (right hinge, MODEL X empty)	2.810 €
(right hinge, MODEL & empty)	
CADACITY	
CAPACITY	1/0
Volume Compartment 1 (L)	143
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	143
Total gross volume (L)	1
Capacity wine cellar (bottles)	23
Undercounter glass shelf capacity (cans)	42
Undercounter drawer capacity (cans)	1
Undercounter bottom wooden bottle holder (bottles)	11
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	122
	†

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	598
Depth of Product without handle (mm)	572
Net Weight (kg)	55
Gross Weight (kg)	70
TEMPERATURE RANGE	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
Shelves	4
Type of shelves	GLASS/WOOD
Freezer drawers	
ACCESSORIES	
• Stainless steel tubular handle • S	set of knives
30mm • P	Prosciutteria kit
Stainless steel tubular handle	
18mm	
Stainless steel panels	
Cleaning kit	
Active carbon filter	
• FLD - Fhiaba Link Device	
• 90° Door stop	
• Wine kit	
Cheese drawer	
Cigar drawer	
Beverage drawer	

Beverage shelf

• Beverage removable shelf

Fhiana UCB601TP0



UNDERCOUNTER® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 0 18mm
Interior material finish	Stainless steel
Dysplay	OLED
PRICE (VAT and delivery charges no	ot included)
UCB601TPO	3.820 €
(right hinge) UCB601TPOX	
(right hinge, MODEL X empty)	3.500 €
CAPACITY	
Volume Compartment 1 (L)	143
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	143
Total gross volume (L)	1
Capacity wine cellar (bottles)	23
Undercounter glass shelf capacity (cans)	42
Undercounter drawer capacity (cans)	1
Undercounter bottom wooden bottle holder (bottles)	11
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	122

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	598
Depth of Product without handle (mm)	576
Net Weight (kg)	59
Gross Weight (kg)	74
TEMPERATURE RANGE	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
Shelves	4
Type of shelves	GLASS/WOOD
Freezer drawers	1

ACCESSORIES

- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- 90° Door stop
- Wine kit
- Cheese drawer
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Set of knives
- Prosciutteria kit



UCB601TGM

60 cm, UNDERCOUNTER BEVERAGE/FRIDGE, 1T MODEL **GRAN MAESTRO INDOOR BUILT-IN**

UNDERCOUNTER® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO NO
Interior material finish	Stainless steel
Display	TFT
PRICE (VAT and delivery charges no	t included)
UCB601TGM	3.820 €
(right hinge) UCB601TGMX	
(right hinge, MODEL X empty)	€ 3.290
CAPACITY	
Volume Compartment 1 (L)	143
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	143
Total gross volume (L)	1
Capacity wine cellar (bottles)	23
Undercounter glass shelf capacity (cans)	42
Undercounter drawer capacity (cans)	1
Undercounter bottom wooden bottle holder (bottles	11
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	122
	I .

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	598
Depth of Product without handle (mm)	572
Net Weight (kg)	55
Gross Weight (kg)	70
Temperature ranges	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
	-
Shelves	4
Shelves Type of shelves	4 GLASS/WOOD
	· · · · · · · · · · · · · · · · · · ·
Type of shelves Bottom drawers	GLASS/WOOD
Type of shelves Bottom drawers ACCESSORIES	GLASS/WOOD /
Type of shelves Bottom drawers ACCESSORIES • Stainless steel tubular • Se	GLASS/W00D / t of knives
Type of shelves Bottom drawers ACCESSORIES • Stainless steel tubular • Se	GLASS/WOOD /
Type of shelves Bottom drawers ACCESSORIES • Stainless steel tubular • Se	GLASS/W00D / t of knives
Type of shelves Bottom drawers ACCESSORIES • Stainless steel tubular • See handle 30mm • Kit	GLASS/W00D / t of knives
Type of shelves Bottom drawers ACCESSORIES • Stainless steel tubular handle 30mm • Kit	GLASS/W00D / t of knives
Type of shelves Bottom drawers ACCESSORIES • Stainless steel tubular handle 30mm • Kit • Stainless steel tubular handle 18mm	GLASS/W00D / t of knives
Type of shelves Bottom drawers ACCESSORIES • Stainless steel tubular handle 30mm • Stainless steel tubular handle 18mm • Stainless steel panels	GLASS/W00D / t of knives
Type of shelves Bottom drawers ACCESSORIES • Stainless steel tubular handle 30mm • Stainless steel tubular handle 18mm • Stainless steel panels • Cleaning kit	GLASS/W00D / t of knives
Type of shelves Bottom drawers ACCESSORIES • Stainless steel tubular handle 30mm • Stainless steel tubular handle 18mm • Stainless steel panels • Cleaning kit • Active carbon filter	GLASS/W00D / t of knives
Type of shelves Bottom drawers ACCESSORIES • Stainless steel tubular handle 30mm • Kit • Stainless steel tubular handle 18mm • Stainless steel panels • Cleaning kit • Active carbon filter • FLD - Fhiaba Link Device	GLASS/W00D / t of knives
Type of shelves Bottom drawers ACCESSORIES • Stainless steel tubular handle 30mm • Stainless steel tubular handle 18mm • Stainless steel panels • Cleaning kit • Active carbon filter • FLD - Fhiaba Link Device • 90° Door stop	GLASS/W00D / t of knives
Type of shelves Bottom drawers ACCESSORIES • Stainless steel tubular handle 30mm • Stainless steel tubular handle 18mm • Stainless steel panels • Cleaning kit • Active carbon filter • FLD - Fhiaba Link Device • 90° Door stop • Wine kit	GLASS/W00D / t of knives
Type of shelves Bottom drawers ACCESSORIES Stainless steel tubular Stainless steel tubular handle 30mm Stainless steel tubular handle 18mm Stainless steel panels Cleaning kit Active carbon filter FLD - Fhiaba Link Device 90° Door stop Wine kit Cheese drawer	GLASS/W00D / t of knives

• Beverage removable shelf





60 cm, UNDERCOUNTER BEVERAGE/FRIDGE, 1T MODEL **GRAN MAESTRO OUTDOOR BUILT-IN**

UNDERCOUNTER® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 0 18mm
Interior material finish	Stainless steel
Display	TFT
PRICE (VAT and delivery charges no	ot included)
UCB601TGMO (right hinge)	4.250 €
UCB601TGMOX (right hinge, MODEL X empty)	3.720 €
CAPACITY	
Volume Compartment 1 (L)	143
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	143
Total gross volume (L)	1
Capacity wine cellar (bottles)	23
Undercounter glass shelf capacity (cans)	42
Undercounter drawer capacity (cans)	1
Undercounter bottom wooden bottle holder (bottles	11
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	122

DIMENSIONS & MEIOTH	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	598
Depth of Product without handle (mm)	576
Net Weight (kg)	59
Gross Weight (kg)	74
Temperature ranges	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 2 to 8
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
Shelves	4
Type of shelves	GLASS/WOOD
Bottom drawers	1
ACCESSORIES	
Cleaning kit	
Active carbon filter	
- ELD Ebiaha Link Davida	

- FLD Fhiaba Link Device

DIMENSIONS & WEIGHT

- 90° Door stop
- Wine kit
- Cheese drawer
- Cigar drawer • Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Set of knives
- Kit Prosciutteria
- Painting





Model: 2T Width: 60cm

One door, 2 separate Temperature ranges

Upper compartment: Wine cellar Lower compartment: Wine cellar





FEATURES

- Made in Italy.
- Aisi 304 stainless steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Optiview: multi LED light array (side interior) provides excellent illumination to the entire interior.
- Soft close door and drawers in all compartments
- Acoustic and visual signals
- Total no frost 100% automatic system
- Insulated variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Two independent climatic zones.
- Wood sliding shelves with soft closing runner.
- Chill to serve: you can rapidly lower the Temperature ranges to 2°C before serving.
- Fully integrated / built-in
- Bronzed glass door and Argon gas guarantee maximum protection from harmful UV light rays.
- Reversible door.
- Low vibration compressor
- Full range of models and configurations. Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.

Reversible door YES Equilance NO SoftClosing Runner YES Low vibration YES Optieview (LED light spots) YES Shelves 5 Slide-out shelves YES Type of shelves W00D Fridge drawers type I Fresco/LowTemp Drawers I Bottom drawers I Full Extension shelves 90° door opening YES Full Extension drawers 90° door opening NO Defrost Process AUTOMATIC Ice maker with water filter NO Door Open Alarms YES Humidity control YES Active carbon filter YES Air filter control YES	CENEDAL DEODERTIES	
Equilance SoftClosing Runner YES Low vibration Optieview (LED light spots) YES Shelves Slide-out shelves Type of shelves WOOD Fridge drawers type I Fresco/LowTemp Drawers Bottom drawers I Buttom drawers Full Extension shelves 90° door opening Perost Process Low Tomatham Automatic Ice maker with water filter No Door Open Alarms Humidity control Active carbon filter Air filter control YES NO YES Air filter control	GENERAL PROPERTIES	
SoftClosing Runner Low vibration Optieview (LED light spots) Shelves Shelves Slide-out shelves Type of shelves W00D Fridge drawers type I Fresco/LowTemp Drawers Full Extension shelves 90° door opening Prull Extension drawers 90° door opening Defrost Process Humidity control Active carbon filter Air filter control YES YES YES W00D AVES Reversible door	YES	
Low vibration YES Optieview (LED light spots) YES Shelves 5 Slide-out shelves YES Type of shelves W00D Fridge drawers type / Fresco/LowTemp Drawers / Bottom drawers / Full Extension shelves 90° door opening YES Full Extension drawers 90° door opening NO Defrost Process AUTOMATIC Ice maker with water filter NO Door Open Alarms YES Humidity control YES Active carbon filter YES Air filter control YES	Equilance	NO
Optieview (LED light spots) Shelves Shelves Slide-out shelves Type of shelves WOOD Fridge drawers type I Fresco/LowTemp Drawers Bottom drawers I Full Extension shelves 90° door opening Full Extension drawers 90° door opening NO Defrost Process AUTOMATIC Ice maker with water filter NO Door Open Alarms Humidity control Active carbon filter Air filter control YES Air filter control	SoftClosing Runner	YES
Shelves 5 Slide-out shelves YES Type of shelves W00D Fridge drawers type / Fresco/LowTemp Drawers / Bottom drawers / Full Extension shelves 90° door opening YES Full Extension drawers 90° door opening NO Defrost Process AUTOMATIC Ice maker with water filter NO Door Open Alarms YES Humidity control YES Active carbon filter YES Air filter control YES	Low vibration	YES
Slide-out shelves Type of shelves W00D Fridge drawers type I Fresco/LowTemp Drawers Bottom drawers I Full Extension shelves 90° door opening Full Extension drawers 90° door opening NO Defrost Process Lee maker with water filter Door Open Alarms Humidity control Active carbon filter Air filter control YES YES Arifilter control YES	Optieview (LED light spots)	YES
Type of shelves W00D Fridge drawers type / Fresco/LowTemp Drawers / Bottom drawers / Full Extension shelves 90° door opening YES Full Extension drawers 90° door opening N0 Defrost Process AUTOMATIC Ice maker with water filter N0 Door Open Alarms YES Humidity control YES Active carbon filter YES Air filter control YES	Shelves	5
Fridge drawers type Fresco/LowTemp Drawers Bottom drawers Full Extension shelves 90° door opening Full Extension drawers 90° door opening NO Defrost Process Lice maker with water filter Door Open Alarms Humidity control Active carbon filter Air filter control YES Air filter control	Slide-out shelves	YES
Fresco/LowTemp Drawers Bottom drawers / Full Extension shelves 90° door opening YES Full Extension drawers 90° door opening NO Defrost Process AUTOMATIC Ice maker with water filter NO Door Open Alarms YES Humidity control Active carbon filter Air filter control YES	Type of shelves	WOOD
Bottom drawers / Full Extension shelves 90° door opening YES Full Extension drawers 90° door opening NO Defrost Process AUTOMATIC Ice maker with water filter NO Door Open Alarms YES Humidity control YES Active carbon filter YES Air filter control YES	Fridge drawers type	1
Full Extension shelves 90° door opening Full Extension drawers 90° door opening NO Defrost Process AUTOMATIC Ice maker with water filter NO Door Open Alarms YES Humidity control Active carbon filter Air filter control YES	Fresco/LowTemp Drawers	1
Full Extension drawers 90° door opening NO Defrost Process AUTOMATIC Ice maker with water filter NO Door Open Alarms YES Humidity control YES Active carbon filter YES Air filter control YES	Bottom drawers	1
Defrost Process Ice maker with water filter NO Door Open Alarms Humidity control Active carbon filter Air filter control YES YES YES	Full Extension shelves 90° door opening	YES
Ice maker with water filter NO Door Open Alarms YES Humidity control YES Active carbon filter YES Air filter control YES	Full Extension drawers 90° door opening	NO
Door Open Alarms YES Humidity control YES Active carbon filter YES Air filter control YES	Defrost Process	AUTOMATIC
Humidity control Active carbon filter Air filter control YES YES	Ice maker with water filter	NO
Active carbon filter YES Air filter control YES	Door Open Alarms	YES
Air filter control YES	Humidity control	YES
	Active carbon filter	YES
Shonning Fridge NO	Air filter control	YES
	Shopping Fridge	NO
Shopping Freezer NO	Shopping Freezer	NO NO
Power Failure Function YES	Power Failure Function	YES

UCW602TP

60 cm, UNDERCOUNTER WINE CELLAR, 2T MODEL PREMIUM INDOOR

BUILT-IN

UNDERCOUNTER® SERIE








AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO NO
Interior material finish	Stainless steel
Dysplay	OLED
PRICE (VAT and delivery charges no	ot included)
UCW602TP	4.030 €
(right hinge) UCW602TPX	
(right hinge, MODEL X empty)	3.710 €
CAPACITY	
Volume Compartment 1 (L)	143
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	143
Total gross volume (L)	1
CAPACITY wine cellar (bottles)	41
Undercounter glass shelf capacity (cans)	1
Undercounter drawer capacity (cans)	1
Undercounter bottom wooden bottle holder (bottles)	11
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	128









DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	598
Depth of Product without handle (mm)	572
Net Weight (kg)	60
Gross Weight (kg)	75
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	from 4 to 18
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
Shelves	5
Type of shelves	WOOD
Freezer drawers	1
ACCESSORIES	

- Stainless steel tubular handle 30mm
- Stainless steel tubular handle 18mm
- Stainless steel panels
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- 90° Door stop
- Wine kit
- Cheese drawer
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

UCW602TP0

60 cm, UNDERCOUNTER WINE CELLAR, 2T MODEL PREMIUM OUTDOOR **BUILT-IN**

UNDERCOUNTER®




EFFICIENCY


New Energy Label class

Energy consumption (kWh/year)









Burgundy Bottle	Ø 29 mm	
0,75 lt		296 mm
	Ø 76 mm	

AESTHETIC		
Compressor position	Bottom	
Front finish	Stainless steel	
Handles	Stainless steel Ø 18mm	
Interior material finish	Stainless steel	
Dysplay	OLED	
DDIOE (VIT. 1.1.1)		

PRICE (VAT and delivery charge	s not included)
UCW602TPO (right hinge)	4.240 €
UCW602TPOX (right hinge, MODEL X empty)	3.930 €
CAPACITY	
Volume Compartment 1 (L)	1/0
votonic compartinent i (L)	143
Volume Compartment 2 (L)	143

Total Net Volume (L)	143
Total gross volume (L)	1
CAPACITY wine cellar (bottles)	41
Undercounter glass shelf capacity (cans)	1
Undercounter drawer capacity (cans)	1
Undercounter bottom wooden bottle holder (bottles)	11
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41

G

128

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	598
Depth of Product without handle (mm)	576
Net Weight (kg)	63
Gross Weight (kg)	78
TEMPERATURE RANGES	
TEMPERATURE RANGES Climatic compartments	2
	2 from 4 to 18
Climatic compartments	
Climatic compartments Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Climatic compartments Compartment 1 / Upper Temperature ranges (°C) Compartment 2 / Middle Temperature ranges (°C)	from 4 to 18 from 4 to 18

Dual zone	NO
GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
Shelves	5
Type of shelves	WOOD
Freezer drawers	1

ACCESSORIES

- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- 90° Door stop
- Wine kit
- Cheese drawer
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Set of knives
- Prosciutteria kit

Set of knives

• Prosciutteria kit

UCW602TGM

60 cm, UNDERCOUNTER WINE CELLAR, 2T MODEL PREMIUM GRAN MAESTRO INDOOR BUILT-IN

UNDERCOUNTER® SERIES







AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO
Interior material finish	Stainless steel
Dysplay	TFT
PRICE (VAT and delivery charges no	t included)
UCW602TGM	
(right hinge)	4.720 €
UCW602TGMX	4.240 €
(right hinge, MODEL X empty)	
CAPACITY	
Volume Compartment 1 (L)	143
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	143
Total gross volume (L)	1
Capacity wine cellar (bottles)	41
Undercounter glass shelf capacity (cans)	1
Undercounter drawer capacity (cans)	1
Undercounter bottom wooden bottle holder (bottles)	11
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	128
· · · · · · · · · · · · · · · · · · ·	

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	598
Depth of Product without handle (mm)	572
Net Weight (kg)	60
Gross Weight (kg)	75
TEMPERATURE RANGES	
	2
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	from 4 to 18
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
CENERAL PROPERTIES	
GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES

WOOD

Set of knives

• Prosciutteria kit

Fhaba

ACCESSORIES

Type of shelves

Freezer drawers

Shelves

- Stainless steel tubular handle 30mm
- Stainless steel tubular handle 18mm
- Stainless steel panels
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- 90° Door stop
- Wine kit
- Cheese drawer
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf




60 cm, UNDERCOUNTER WINE CELLAR, 2T MODEL GRAN MAESTRO OUTDOOR BUILT-IN

UNDERCOUNTER® SERIES









Fhaha



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel @ 18mm
Interior material finish	Stainless steel
Display	TFT
DDIOE (VAT. 1.1.1)	

PRICE (VAT and delivery charges not included)		
UCW602TGMO (right hinge)	4.990 €	
UCW602TGMOX (right hinge, MODEL X empty)	4.460 €	
CAPACITY		
Volume Compartment 1 (L)	143	

CAPACITY	
Volume Compartment 1 (L)	143
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	143
Total gross volume (L)	1
Capacity wine cellar (bottles)	41
Undercounter glass shelf capacity (cans)	1
Undercounter drawer capacity (cans)	1
Undercounter bottom wooden bottle holder (bottles)	11
TECHNICAL DETAILS	
-	

TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	128

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	598
Depth of Product without handle (mm)	576
Net Weight (kg)	63
Gross Weight (kg)	78

Terriperature ranges	
Climatic compartments	2
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	from 4 to 18
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO NO
GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
Shelves	5
Type of shelves	WOOD
Bottom drawers	1

ACCESSORIES

- Cleaning kit
- Active carbon filter

Temperature ranges

- FLD Fhiaba Link Device
- 90° Door stop
- Wine kit
- Cheese drawer
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Set of knives
- Prosciutteria Kit
- Painting



UNDERCOUNTER: WINE CELLAR

Model: 1T Width: 60cm

One door, 1 Temperature ranges

Single compartment: Wine cellar





FEATURES

- Made in Italy.
- Aisi 304 stainless steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Optiview: multi LED light array (top and side interior) provides excellent illumination to the entire interior.
- Soft close door and drawers in all compartments
- Acoustic and visual signals
- Total no frost 100% automatic system
- Insulated variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- One independent climatic zone.
- Tempered glass shelves with aluminium profiles.
- Chill to serve: you can rapidly lower the Temperature ranges to 2°C before serving.
- Fully integrated / built-in
- Bronzed glass door and Argon gas guarantee maximum protection from harmful UV light rays.
- Reversible door.
- Low vibration compressor
- Full range of models and configurations. Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.

GENERAL PROPERTIES	
Reversible door	YES
Equilance	NO
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	5
Slide-out shelves	YES
Type of shelves	WOOD
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	1
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO NO
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity control	NO
Active carbon filter	NO NO
Air filter control	NO
Shopping Fridge	NO NO
Shopping Freezer	NO NO
Power Failure Function	YES

UCW601TP


60 cm, UNDERCOUNTER WINE CELLAR, 1T MODEL PREMIUM INDOOR

BUILT-IN

UNDERCOUNTER® SERIES









AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO
Interior material finish	Stainless steel
Dysplay	OLED
PRICE (VAT and delivery charges no	ot included)
UCW601TP	3.400 €
(right hinge) UCW601TPX	
(right hinge, MODEL X empty)	3.040 €
CAPACITY	
Volume Compartment 1 (L)	143
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	143
Total gross volume (L)	1
Capacity wine cellar (bottles)	41
Undercounter glass shelf capacity (cans)	1
Undercounter drawer capacity (cans)	1
Undercounter bottom wooden bottle holder (bottles)	11
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	122

$\bigcirc \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc$ $\bigcirc \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc$

Height of the product (closed wheels) (mm)	865
Width of the product (mm)	598
Depth of Product without handle (mm)	572
Net Weight (kg)	55
Gross Weight (kg)	70
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO NO
GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
Shelves	5
Type of shelves	WOOD
Freezer drawers	1
1005000000	

Set of knives

Prosciutteria kit

ACCESSORIES

• Stainless steel tubular handle

DIMENSIONS & WEIGHT

- Stainless steel tubular handle 18mm
- Stainless steel panels
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- 90° Door stop
- Wine kit
- Cheese drawer
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

UCW601TP0 Fhaha

60 cm, UNDERCOUNTER WINE CELLAR, 1T MODEL PREMIUM OUTDOOR **BUILT-IN**

UNDERCOUNTER® SERIES



AESTHETIC

TECHNICAL DETAILS

Voltage (V)

Frequency (Hz)

Climatic class

Noise level (dB)


EFFICIENCY

New Energy Label class

Energy consumption (kWh/year)







Fhaha



865 598

ALSTITLITO		Dill
Compressor position	Bottom	Hei
Front finish	Stainless steel	Wid
Handles	Stainless steel 0 18mm	Dep
Interior material finish	Stainless steel	Net
Dysplay	OLED	Gro
PRICE (VAT and delivery charges no	ot included)	TE
UCW601TPO (right hinge)	3.930 €	Clin - Com
UCW601TPOX (right hinge, MODEL X empty)	3.610 €	Com
		_ Low
CAPACITY		Com Dua
Volume Compartment 1 (L)	143	
Volume Compartment 2 (L)	1	GE
Volume Compartment 3 (L)	1	Rev
Total Net Volume (L)	143	Low
Total gross volume (L)	1	She
Capacity wine cellar (bottles)	41	Typ: Free
Undercounter glass shelf capacity (cans)	1	AC
Undercounter drawer capacity (cans)	1	• C
Undercounter bottom wooden bottle holder (bottles)	11	• Aı

220-240V

50/60 Hz

SN/T

41

G

122

	DIMENSIONS & WEIGHT
	Height of the product (closed wheels) (mm)
	Width of the product (mm)
	Depth of Product without handle (mm)
	Net Weight (kg)
	Gross Weight (kg)
	TEMPERATURE RANGES
	Climatic compartments
_	Compartment 1 / Upper Temperature ranges (°C)
	Compartment 2 / Middle Temperature ranges (°C)
	Low temp zone
	Compartment 3 / Low Temperature ranges (°C)
	Dual zone
	GENERAL PROPERTIES
	Reversible door
	Low vibration
	Shelves
	Type of shelves
	Freezer drawers
	ACCECCODIEC
	ACCESSORIES
	Cleaning kit
	Active carbon filter
	• FLD - Fhiaba Link Device
	• 90° Door stop
	Wine kit
	Cheese drawer
	• Cigar drawer
	Beverage drawer
	Beverage shelf
	Beverage removable shelf
	Sat of knives

Depth of Product without handle (mm)	576
Net Weight (kg)	59
Gross Weight (kg)	74
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO NO
GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
Shelves	5
Type of shelves	WOOD
Freezer drawers	1

RIES

- kit
- rbon filter
- aba Link Device
- stop
- awer
- ver
- drawer
- shelf
- removable shelf
- Set of knives
- Prosciutteria kit


UCW601TGM

60 cm, UNDERCOUNTER WINE CELLAR, 1T MODEL **GRAN MAESTRO INDOOR BUILT-IN**

UNDERCOUNTER® SERIES







Fhaha

AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO NO
Interior material finish	Stainless steel
Dysplay	TFT
PRICE (VAT and delivery charges no	ot included)
UCW601TGM	4.140 €
(right hinge) UCW601TGMX	
(right hinge, MODEL X empty)	3.820 €
CAPACITY	
Volume Compartment 1 (L)	143
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	143
Total gross volume (L)	1
Capacity wine cellar (bottles)	41
Undercounter glass shelf capacity (cans)	1
Undercounter drawer capacity (cans)	1
Undercounter bottom wooden bottle holder (bottles)	11
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	122

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	598
Depth of Product without handle (mm)	572
Net Weight (kg)	55
Gross Weight (kg)	70
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
Shelves	5
Type of shelves	WOOD
Freezer drawers	1

Set of knives

• Prosciutteria kit

ACCESSORIES

- Stainless steel tubular handle
- Stainless steel tubular handle 18mm
- Stainless steel panels
- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- 90° Door stop
- Wine kit
- Cheese drawer
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf




60 cm, UNDERCOUNTER WINE CELLAR, 1T MODEL **GRAN MAESTRO OUTDOOR BUILT-IN**

UNDERCOUNTER® SERIES







AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel Ø 18mm
Interior material finish	Stainless steel
Display	TFT
PRICE (VAT and delivery charges n	ot included)
UCW601TGMO (right hinge)	4.460 €
UCW601TGMOX (right hinge, MODEL X empty)	4.040 €
CAPACITY	
Volume Compartment 1 (L)	143
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	143
Total gross volume (L)	1
Capacity wine cellar (bottles)	41
Undercounter glass shelf capacity (cans)	1
Undercounter drawer capacity (cans)	1
Undercounter bottom wooden bottle holder (bottles)	11
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	G
Energy consumption (kWh/year)	122


DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	598
Depth of Product without handle (mm)	576
Net Weight (kg)	59
Gross Weight (kg)	74
Temperature ranges	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 4 to 18
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO NO
GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
Shelves	5
Type of shelves	WOOD

ACCESSORIES

Bottom drawers


- Cleaning kit
- Active carbon filter
- FLD Fhiaba Link Device
- 90° Door stop
- Wine kit
- Cheese drawer
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Set of knives
- Prosciutteria Kit
- Painting

Fhaha



UNDERCOUNTER: TRIMODE DRAWERS

Width: 90/75/60cm





TRIMODE DRAWERS

UNDERCOUNTER: TRIMODE DRAWERS

Model: 2D Width: 90cm



Single compartment: TriMode (Fridge/Fresco/Freezer)





FEATURES

- Made in Italy.
- Aisi 304 stainless steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Optiview: multi LED light array provides excellent illumination to the entire interior.
- Soft close door and drawers in all compartments
- Acoustic and visual signals
- Total no frost 100% automatic system
- Insulated variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Trimode system: Fhiaba patented Trimode drawers con be set to 3 different microclimates: freezer, fresco or fridge.
- Avaible size: 60, 75, 90 cm.
- Chill to serve: you can rapidly lower the Temperature ranges to 2°C before serving.
- Fully integrated / bulit-in
- Fully extractable drawers with soft closing guides
- Aisi 304 stainless steel interior
- Low vibration compressor
- Full range of models and configurations. Can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.

GENERAL PROPERTIES	
Reversible door	NO
Equilance	NO
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	1
Slide-out shelves	1
Type of shelves	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	2
Full Extension shelves 90° door opening	1
Full Extension drawers 90° door opening	1
Defrost Process	AUTOMATIC
Ice maker with water filter	AVAILABLE ONLY ON GRAN MAESTRO
Door Open Alarms	NO
Humidity control	NO
Active carbon filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	YES
Power Failure Function	YES

UC2D90P

90 cm, UNDERCOUNTER TRIMODE, 2D MODEL PREMIUM INDOOR **BUILT-IN**

UNDERCOUNTER® SERIES





90 cm, UNDERCOUNTER TRIMODE, 2D MODEL PREMIUM OUTDOOR **BUILT-IN**

UNDERCOUNTER® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO
Interior material finish	Stainless steel
Display	OLED
PRICE (VAT and delivery charges no	ot included)
UC2D90P	4.990 €
CAPACITY	
Volume Compartment 1 (L)	175
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	175
Total gross volume (L)	1
CAPACITY wine cellar (bottles)	1
Undercounter glass shelf capacity (cans)	1
Undercounter drawer capacity (cans)	1
Undercounter bottom wooden bottle holder (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	219

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	898
Depth of Product without handle (mm)	572
Net Weight (kg)	79
Gross Weight (kg)	94
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 8 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	1
Type of shelves	1
Freezer drawers	2

ACCESSORIES

- Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device

AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel Ø 18mm
Interior material finish	Stainless steel
Display	OLED
PRICE (VAT and delivery charges no	t included)
UC2D90P0	5.520 €
CAPACITY	
Volume Compartment 1 (L)	175
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	175
Total gross volume (L)	1
CAPACITY wine cellar (bottles)	1
Undercounter glass shelf capacity (cans)	1
Undercounter drawer capacity (cans)	1
Undercounter bottom wooden bottle holder (bottles)	I
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	219

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	898
Depth of Product without handle (mm)	576
Net Weight (kg)	85
Gross Weight (kg)	100
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 8 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	1
Type of shelves	1
Freezer drawers	2
ACCECCODIEC	

ACCESSORIES

- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device

UC2D90GM

90 cm, UNDERCOUNTER TRIMODE, 2D MODEL **GRAN MAESTRO INDOOR BUILT-IN**

UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO
Interior material finish	Stainless steel
Display	TFT
PRICE (VAT and delivery charges no	ot included)
UC2D90GM	5.830 €
UC2D90GMI	6.650 €
(with ice maker)	0.000 0
OADACITY.	
CAPACITY Volume Comportment 1 (L)	175
Volume Compartment 1 (L)	175
Volume Compartment 2 (L)	
Volume Compartment 3 (L) Total Net Volume (L)	175
Total gross volume (L)	1/5
Capacity wine cellar (bottles)	1
Undercounter glass shelf capacity (cans)	1
Undercounter drawer capacity (cans)	1
Undercounter bottom wooden bottle holder (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	219

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	898
Depth of Product without handle (mm)	572
Net Weight (kg)	79
Gross Weight (kg)	94
TEMPERATURE	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 8 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	1
Type of shelves	1
Freezer drawers	2
ACCESSORIES	

- Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device





90 cm, UNDERCOUNTER TRIMODE, 2D MODEL GRAN MAESTRO OUTDOOR **BUILT-IN**

UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 0 18mm
Interior material finish	Stainless steel
Display	TFT
PRICE (VAT and delivery charges no	ot included)
UC2D90GM0	6.050 €
UC2D90GMOI	6.870 €
(with ice maker)	0.070 0
CAPACITY	
Volume Compartment 1 (L)	175
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	175
Total gross volume (L)	1
Capacity wine cellar (bottles)	1
Undercounter glass shelf capacity (cans)	1
Undercounter drawer capacity (cans)	1
Undercounter bottom wooden bottle holder (bottles	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	219

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	898
Depth of Product without handle (mm)	576
Net Weight (kg)	85
Gross Weight (kg)	100
Temperature ranges	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 8 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	1
Type of shelves	1
Bottom drawers	2

ACCESSORIES

- Cleaning kit
- FLD Fhiaba Link Device
- Painting





TRIMODE DRAWERS

UNDERCOUNTER: TRIMODE DRAWERS

Model: 2D

Width: 75cm

Two drawers, 1 Temperature ranges

Single compartment: TriMode (Fridge/Fresco/Freezer)



FEATURES

- Made in Italy.
- Aisi 304 stainless steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Optiview: multi LED light array provides excellent illumination to the entire interior.
- Soft close door and drawers in all compartments
- Acoustic and visual signals
- Total no frost 100% automatic system
- Insulated variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Trimode system: Fhiaba patented Trimode drawers con be set to 3 different microclimates: freezer, fresco or fridge.
- Avaible size: 60, 75, 90 cm.
- Chill to serve: you can rapidly lower the Temperature ranges to 2°C before serving.
- Fully integrated / built-in
- Fully extractable drawers with soft closing guides
- Low vibration compressor
- Full range of models and configurations can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.

GENERAL PROPERTIES	
Reversible door	NO
Equilance	NO
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	1
Slide-out shelves	1
Type of shelves	1
Fridge drawers type	1
Fresco/LowTemp Drawers	1
Bottom drawers	2
Full Extension shelves 90° door opening	1
Full Extension drawers 90° door opening	1
Defrost Process	AUTOMATIC
ce maker with water filter	AVAILABLE ONLY ON GRAN MAESTRO
Door Open Alarms	NO
Humidity control	NO
Active carbon filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	YES
Power Failure Function	YES

UC2D75P

75 cm, UNDERCOUNTER TRIMODE, 2D MODEL PREMIUM INDOOR **BUILT-IN**

Fhaha

UC2D75P0

75 cm, UNDERCOUNTER TRIMODE, 2D MODEL PREMIUM OUTDOOR **BUILT-IN**

UNDERCOUNTER® SERIES





UNDERCOUNTER® SERIES

AESTHETIC	
Compressor position	Bottom
Front finish	Custom panle ready
Handles	NO
Interior material finish	Stainless steel
Display	OLED
PRICE (VAT and delivery charges no	t included)
UC2D75P	4.670 €
	4.0/0 €
CAPACITY	
Volume Compartment 1 (L)	141
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	141
Total gross volume (L)	1
CAPACITY wine cellar (bottles)	1
Undercounter glass shelf capacity (cans)	1
Undercounter drawer capacity (cans)	1
Undercounter bottom wooden bottle holder (bottles)	I
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	207

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	748
Depth of Product without handle (mm)	572
Net Weight (kg)	69
Gross Weight (kg)	84
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 8 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	1
Type of shelves	1
Freezer drawers	2

- Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device

AESTHETIC	

AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel Ø 18mm
Interior material finish	Stainless steel
Display	OLED
PRICE (VAT and delivery charges no	ot included)
UC2D75PO	5.300 €
CAPACITY	
Volume Compartment 1 (L)	141
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	141
Total gross volume (L)	1
CAPACITY wine cellar (bottles)	1
Undercounter glass shelf capacity (cans)	1
Undercounter drawer capacity (cans)	1
Undercounter bottom wooden bottle holder (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	207

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	748
Depth of Product without handle (mm)	576
Net Weight (kg)	85
Gross Weight (kg)	100
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 8 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	1
Type of shelves	1
Freezer drawers	2

ACCESSORIES

- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device

UC2D75GM

75 cm, UNDERCOUNTER TRIMODE, 2D MODEL **GRAN MAESTRO INDOOR BUILT-IN**

UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO
Interior material finish	Stainless steel
Display	TFT
PRICE (VAT and delivery charges no	t included)
UC2D75GM	5.730 €
UC2D75GMI	6.550 €
(with ice maker)	0.330 €
CAPACITY	
Volume Compartment 1 (L)	141
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	141
Total gross volume (L)	1
Capacity wine cellar (bottles)	1
Undercounter glass shelf capacity (cans)	1
Undercounter drawer capacity (cans)	1
Undercounter bottom wooden bottle holder (bottles)	I
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	207

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	748
Depth of Product without handle (mm)	572
Net Weight (kg)	69
Gross Weight (kg)	84
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 8 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	1
Type of shelves	1
Freezer drawers	2
ACCESSORIES	
• Stainless steel tubular handles Ø 30m	m
• Stainless steel tubular handles Ø 18m	m
• Stainless steel panels	
• Extra length anti-tipping kit	
Cleaning kit	
• FLD - Fhiaba Link Device	



75 cm, UNDERCOUNTER TRIMODE, 2D MODEL **GRAN MAESTRO OUTDOOR BUILT-IN**

UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 0 18mm
Interior material finish	Stainless steel
Display	TFT
PRICE (VAT and delivery charges no	t included)
UC2D75GMO	5.950 €
UC2D75GMIO	6.760 €
(with ice maker)	
CADACITY	
CAPACITY Volume Compartment 1 (L)	141
Volume Compartment 2 (L)	141
Volume Compartment 3 (L)	1
Total Net Volume (L)	141
Total gross volume (L)	1
Capacity wine cellar (bottles)	1
Undercounter glass shelf capacity (cans)	1
Undercounter drawer capacity (cans)	1
Undercounter bottom wooden bottle holder (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	207

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	748
Depth of Product without handle (mm)	576
Net Weight (kg)	85
Gross Weight (kg)	100
Temperature ranges	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 8 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	1
Type of shelves	1
Bottom drawers	2
ACCESSORIES	

- Cleaning kit
- FLD Fhiaba Link Device
- Painting





UNDERCOUNTER: TRIMODE DRAWERS

Model: 2D

Width: 60cm

Two drawers, 1 Temperature ranges

Single compartment: TriMode (Fridge/Fresco/Freezer)



TRIMODE DRAWERS

FEATURES

- Made in Italy.
- Aisi 304 stainless steel body.
- Stainless steel interior finish
- Anti-bacterial stainless steel interior.
- Optiview: multi LED light array provides excellent illumination to the entire interior.
- Soft close door and drawers in all compartments
- Acoustic and visual signals
- Total no frost 100% automatic system
- Insulated variable speed compressors maintains precision Temperature ranges control with low vibration.
- Sabbath mode
- Front feet & rear rollers adjustable up to 25mm.
- Trimode system: Fhiaba patented Trimode drawers con be set to 3 different microclimates: freezer, fresco or fridge.
- Avaible size: 60, 75, 90 cm.
- Chill to serve: you can rapidly lower the Temperature ranges to 2°C before serving.
- Fully integrated / built-in
- Fully extractable drawers with soft closing guides
- Low vibration compressor
- Full range of models and configurations can easily be combined and configured with other Fhiaba fridge, freezer, wine cellar models to fit your kitchen needs.

NO
NO
YES
YES
YES
1
1
1
1
1
2
1
1
AUTOMATIC
NO
NO
NO
NO
NO
NO
YES
YES

UC2D60P

UNDERCOUNTER® SERIES

60 cm, UNDERCOUNTER TRIMODE, 2D MODEL PREMIUM INDOOR **BUILT-IN**

UC2D60P0

60 cm, UNDERCOUNTER TRIMODE, 2D MODEL PREMIUM OUTDOOR **BUILT-IN**

UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom panel ready
Handles	NO NO
Interior material finish	Stainless steel
Display	OLED
PRICE (VAT and delivery charges n	ot included)
UC2D60P	4.560 €
CAPACITY	
Volume Compartment 1 (L)	107
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	107
Total gross volume (L)	1
Capacity wine cellar (bottles)	1
Undercounter glass shelf capacity (cans)	1
Undercounter drawer capacity (cans)	1
Undercounter bottom wooden bottle holder (bottles)	ı
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	194

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	598
Depth of Product without handle (mm)	572
Net Weight (kg)	60
Gross Weight (kg)	75
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 8 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	1
Type of shelves	1
Freezer drawers	2
ACCESCODIES	

- Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device

AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 0 18mm
Interior material finish	Stainless steel
Display	OLED
PRICE (VAT and delivery charges n	ot included)
UC2D60PO	5.090 €
CAPACITY	
Volume Compartment 1 (L)	107
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	107
Total gross volume (L)	1
Capacity wine cellar (bottles)	1
Undercounter glass shelf capacity (cans)	1
Undercounter drawer capacity (cans)	1
Undercounter bottom wooden bottle holder (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	194


Height of the product (closed wheels) (mm)	865
Width of the product (mm)	598
Depth of Product without handle (mm)	576
Net Weight (kg)	66
Gross Weight (kg)	81
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 8 to -2
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	1
Type of shelves	1
Freezer drawers	2
ACCESSORIES	
Extra length anti-tipping kit	
Cleaning kit	
• FLD - Fhiaba Link Device	

UC2D60GM

60 cm, UNDERCOUNTER TRIMODE, 2D MODEL **GRAN MAESTRO INDOOR BUILT-IN**

UNDERCOUNTER® SERIES





DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	598
Depth of Product without handle (mm)	572
Net Weight (kg)	60
Gross Weight (kg)	75
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 8 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	1
Type of shelves	1
Freezer drawers	2

ACCESSORIES

- Stainless steel tubular handles Ø 30mm
- Stainless steel tubular handles Ø 18mm
- Stainless steel panels
- Extra length anti-tipping kit
- Cleaning kit
- FLD Fhiaba Link Device





60 cm, UNDERCOUNTER TRIMODE, 2D MODEL **GRAN MAESTRO OUTDOOR BUILT-IN**

UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless steel
Handles	Stainless steel 0 18mm
Interior material finish	Stainless steel
Display	TFT
PRICE (VAT and delivery charges n	ot included)
UC2D60GM	5.730 €
CAPACITY	
Volume Compartment 1 (L)	107
Volume Compartment 2 (L)	1
Volume Compartment 3 (L)	1
Total Net Volume (L)	107
Total gross volume (L)	1
Capacity wine cellar (bottles)	1
Undercounter glass shelf capacity (cans)	1
Undercounter drawer capacity (cans)	1
Undercounter bottom wooden bottle holder (bottles)	1
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
New Energy Label class	E
Energy consumption (kWh/year)	262

DIMENSIONS & WEIGHT	
Height of the product (closed wheels) (mm)	865
Width of the product (mm)	748
Depth of Product without handle (mm)	598
Net Weight (kg)	60
Gross Weight (kg)	75
Temperature ranges	
Climatic compartments	1
Compartment 1 / Upper Temperature ranges (°C)	from 8 to -22
Compartment 2 / Middle Temperature ranges (°C)	1
Low temp zone	NO
Compartment 3 / Low Temperature ranges (°C)	1
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	1
Type of shelves	1
Bottom drawers	2

ACCESSORIES

- Cleaning kit
- FLD Fhiaba Link Device
- Painting



UNDERCOUNTER: ACCESSORIES





	Code	Series	Model Ref	Description	Price
		INDOOR OUTDOOR	UCW	Right hinge (standard)	FREE
		INDOOR OUTDOOR	UCW UCB	Left hinge (on request)	FREE
ubular handles AISI 304					
	Code	Series	Model Ref	Description	Price
	H08	Indoor	UC2D90	Tubular handle, round section Ø30 mm (794 mm/ 31.2 in)	220 €
TI TI	H07	Indoor	UC2D75	Tubular handle, round section Ø30 mm (644 mm/25.3 in)	210 €
	H05	Indoor	UC2D60 UCW UCB	Tubular handle, round section Ø30 mm (494 mm/ 19.4 in)	200€
	HCVU	Indoor	UCW UCB	Tubular handle, round section Ø18 mm > standard on OUTDOOR models	170 €
	HC8	Indoor	UC2D90	Tubular handle, round section Ø18 mm > standard on OUTDOOR models	170 €
	HC7	Indoor	UC2D75	Tubular handle, round section Ø18 mm > standard on OUTDOOR models	160 €
	HC5	Indoor	UC2D60	Tubular handle, round section Ø18 mm > standard on OUTDOOR models	150 €
Pulizia e Igiene					
	Code	Series	Model Ref	Description	Price
FREE	RP00KP	Indoor Outdoor	UC2D UCW UCB	Cleaning kit microfiber cloth and magic sponge	70 €
No.	RP00FA	Gran Maestro	UC2D90GMI UC2D75GMI	Water filter cartridge	90 €
	ACF	Indoor Outdoor	UCW UCB	Activated carbon filter	60€

Fhiaba Link Device					
	Code	Series	Model Ref	Description	Price
	FLDUC	INDOOR OUTDOOR	UC2D UCW UCB	Remote connection to monitor via cloud software; Fhiaba will be able to detect sensor end-of-life or other issues and the consumer will be notified in case of power outage, open doors and more.	440 €
Navigation door lock kit					
	Code	Series	Model Ref	Description	Price
	KBN	INDOOR OUTDOOR	UC2D UCW UCB	Navigation door lock kit	730 €
Color box					
	Code	Series	Model Ref	Description	Price
	CARTCOL	OUTDOOR PANELS	UC2D UCW UCB	Fhiaba colour chart	370 €
Painting					
	Code	Series	Model Ref	Description	Price
		Indoor Outdoor	UC2D UCW UCB	Front Front Panel	840 €
		Indoor Outdoor	UC2D UCW UCB	Тор	170 €
		Indoor Outdoor	UC2D UCW UCB	Handles	170 €
Staintess steel panels (for	0 30 SS Tubular h	andles)			
	Code	Series	Model Ref	Description	Price
	PF62D30MM	Indoor	UC2D60	Drawer stainless steel panels - 60 cm	590 €
	PF72D30MM	Indoor	UC2D75	Drawer stainless steel panels - 75 cm	610 €
	PF92D30MM	Indoor	UC2D90	Drawer stainless steel panels - 90 cm	630€
	PF6W30MM	Indoor	UCB60 UCW60	Glass door stainless panel - 60 cm	670 €
Staintess steel panels (for	0 18 SS Tubular h	andles)			
	Code	Series	Model Ref	Description	Price
	PF62D18MM	Indoor	UC2D60	Drawer stainless steel panels - 60 cm	590 €
	PF72D18MM	Indoor	UC2D75	Drawer stainless steel panels - 75 cm	610 €
	PF92D18MM	Indoor	UC2D90	Drawer stainless steel panels - 90 cm	630€
	PF6W18MM	Indoor	UCB60 UCW60	Glass door stainless panel - 60 cm	670 €

UNDERCOUNTER: ACCESSORIES





Stainless steel top					
	Code	Series	Model Ref	Description	Price
	TIUC60	Indoor Outdoor	UC2D90	Stainless steel top	520 €
	TIUC75	Indoor Outdoor	UC2D75	Stainless steel top	550€
	TIUC90	Indoor Outdoor	UC2D60 UCW UCB	Stainless steel top	560€
Cheese drawers					
	Code	Series	Model Ref	Capacity	Price
	NCTBUC	Indoor Outdoor	UCB UCW	28,8 lt	580 €
	NCTSUC	Indoor Outdoor	UCB UCW	16,3 lt	560€

The drawers for storing the cheese are offered in two heights, they have been designed and made by Friulian artisans in precious okumè wood.

With ultra-clear tempered glass front for proper attention to the products to be stored, a sliding cover in ultra-clear tempered glass on "Teflon" guides with a solid wood handle for easy access. On the bottom a perforated steel plate for perfect humidity and hygiene. All fresh food can be stored in the drawer by setting the appropriate Temperature ranges in the cellar display

Temperature ranges in the cellar dis	play.			·	
Beverage drawers					
	Code	Series	Model Ref	Description	Price
	NBGDUC	Indoor Outdoor	UCW	Full extraction drawer with sandblasted stain- less steel interior, soft closing runners and with 6mm tempered glass (capacity 20,2 L.)	310 €
Beverage shelf					
	Code	Series	Model Ref	Description	Price
	NBGSFUC	Indoor Outdoor	UCW	6mm tempered glass shelves with aluminum edges that can be positioned on side racks (cans capacity: 42 da 33/50 cc)	230 €
Removable Beverage shelf					
	Code	Series	Model Ref	Description	Price
	NBGSUC	Indoor Outdoor	UCW	Removable 6mm tempered glass shelves (cans capacity:42 da 33/50 cc)	290 €

Cigar drawers					
	Code	Series	Model Ref	Capacity	Price
	NCSGBUC	Indoor Outdoor	UCW UCW	28,8 lt	560 €
	NCSGSUC	Indoor Outdoor	UCW UCB	16,3 lt	530 €

The drawers for storing the cigar are offered in two heights, they have been designed and made by Friulian artisans in precious okumè wood.
With ultra-clear tempered glass front for proper attention to the products to be stored, a sliding cover in ultra-clear tempered glass on "Teflon" guides with a solid wood handle for easy access.

wood handle for easy access.					
3/4 bottle support					
	Code	Series	Model Ref	Description	Price
	NWSFUC	Indoor Outdoor	UCB UCW	3/4 length fixed natural oak wooden bottle support installed on the bottom of the appliance	260€
Wine wooden shelf					
	Code	Series	Model Ref	Description	Price
	NWSGUC	Indoor Outdoor	UCB	Wine wooden shelf	300 €
Prosciutteria kit					
	Code	Series	Model Ref	Description	Price
	KPUC	Indoor Outdoor	UCW UCB	Prosciutteria kit	650 €

260 Price list - All specifications are subject to change without notice Price list - All specifications are subject to change without notice 261



blast chiller	45				
VERSIONS	STAINLESS STEE	L BLACK	MIRROR	CUSTOM COLOR	BLACK HANDLE LESS
		· □	·	•	•□
	BF45I	BF45B	BF45M	BF45V	BF45HL

vacuum drawers 4	45 l	15		
VERSIONS S	TAINLESS STEEL	STAINLESS STEEL HANDLE LESS	BLACK HANDLE LESS	CUSTOM COLOR HANDLE LESS
C				
VP)/FI	VD1EL	VD1ER	VD1EV



BLAST CHILLER
Model: BF
Width: 60cm





FEATURES

- The Fhiaba blast chiller is part of an entire system: it integrates with the brand's fridges and undercounter models; it can also be adapted to the dimensions of standard cooking systems, making it possible to transfer food directly from the oven to the blast chiller without changing the pan.
- Built-in
- Flush installation
- Tubular handles in AISI 304 stainless steel 30 mm diameter
- Total black model without handle
- Can be combined with the built-in vacuum sealer drawer
- Polished 304 stainless steel interiors
- Display TFT 4.3" full touch
- Minimum Temperature ranges -40°C
- Maximum Temperature ranges +75°C
- 11 functions: 8 cold and 3 hot
- Cold functions
- 1. Blast chilling
- 2. Freezing
- 3. Pre-cooling
- 4. Cooling
- 5. Storage at 0°
- 6. Drinks7. Defrosting
- 8. Blast chilling raw fish
- Hot functions
- 9. Proofing
- 10. Ready-to-eat
- 11. Slow cooking
- Temperature ranges probe

GENERAL PROPERTIES	
Metal racks	3
Temperature ranges probe	YES

BUILT-IN

BLAST CHILLER® SERIES







PRICE (VAT and delivery charges no	t included)
BF451 Display: Stainless Steel Door: Stainless Steel Handle: Stainless steel 0 30mm	3.710 €
BF45B Display: Black glass Door: Black glass Handle: Stainless steel 0 30mm	3.710 €
BF45M Display: Mirror glass Door: Mirror glass Handle: Stainless steel 0 30mm	3.710 €
BF45V Display: custom colour Door: custom colour Handle: Stainless steel 0 30mm	on request
BF45HL Display: Black glass Door: Black glass Handle: without handle	4.030 €
CAPACITY	
Total Net Volume (L)	38
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz

DIMENSIONS & WEIGHT					
Internal dimensions (mm)	470 x 397 x 210				
External dimensions (mm)	598 x 570 x 456				
Net Weight (kg)	38				
Gross Weight (kg)	45				
TEMPERATURE RANGES					
Climatic compartments	1				
Compartment 1 / Upper Temperature ranges (°C)	from -35 to 75				
GENERAL PROPERTIES					
Door finge	Bottom, flap opening				
Cavity material	STAINLESS STEEL				
Shelves	3				
Type of shelves	Metal racks				





Total mirror

Total black - handle less



Total stainless Steel



Total black



VACUUM DRAWER
Model: VD
Width: 45 and 15 cm





VACUUM DRAWER 45cm

FEATURES

Inspired by professional kitchen equipment, the Vacuum Drawer Fhiaba is a chamber vacuum sealer that is designed to be integrated into your kitchen. Able to reach a vacuum level approaching absolute zero, it is indispensable for sous-vide cooking, and keeping solid food and liquids fresh for up to five times longer.

The Vacuum Drawer Fhiaba comes with a high-performance pump and a virtually indestructible, heavy-duty vacuum chamber. The internal tank is designed to hold glass jars and plastic packs.

The Vacuum Drawer Fhiaba comes in two heights: 45 cm (extractable with a handle), and 15 cm with a push-pull opening system.

45 cm, VACUUM DRAWER **BUILT-IN**

Fhaba VD15 15 cm, VACUUM DRAWER **BUILT-IN**



VACUUM DRAWER® SERIES



PRICE (VAT and delivery charges not included)				
VD45I Door: Stainless steel Handle: Stainless steel 0 30mm	4.140 €			
CAPACITY				
Total Net Volume (L)	17,10			
TECHNICAL DETAILS				
Voltage (V)	230 V			
Frequency (Hz)	50 Hz			
Noise level (dB)	56			
DIMENSIONS & WEIGHT				
Bar sealer lengths (mm)	306			
Max. pack sizes (mm)	300 x 400			
Net Weight (kg)	42			
Gross Weight (kg)	64			
Dimensions of the recessed - niche height (mm)	450			
GENERAL PROPERTIES				
Lid	Bottom, flap opening			
Maximum lid opening angle	60° ± 3°			
Max tray projection during operation (mm)	510			
Controls	4 capacitive touch sensors			
Tank material	Technopolymer			
Exterior shell material	Food safe			
Cycle time	> 3 minutes			
Max empty cycle time	3 minutes			
Access for maintenance	Side doors			



VACUUM DRAWER® SERIES

PRICE (VAT and delivery charges no	ot included)
VD15I	3.160 €
Door: Stainless Steel VD15R	
Door: Total Black	3.160 €
VD15V Door: Stainless Steel Custom color	on request
CAPACITY	
Total Net Volume (L)	7
TECHNICAL DETAILS	
Voltage (V)	230/110 V
Frequency (Hz)	50 - 60 Hz
Noise level (dB)	56
DIMENSIONS & WEIGHT	
Bar sealer lengths (mm)	260
Max. pack sizes (mm)	250 x 350
Net Weight (kg)	32
Gross Weight (kg)	54
Dimensions of the recessed - niche height (mm)	136
GENERAL PROPERTIES	
Lid	Tempered glass or transparent glossy technopolymer
Maximum lid opening angle	60° ± 3°
Max tray projection during operation (mm)	435
Controls	4 capacitive touch sensors
Tank material	Technopolymer
Exterior shell material	Food safe
Cycle time	< 1,30 minutes
Max empty cycle time	1 minute
Access for maintenance	Bottom-hinged

VACUUM DRAWERS: ACCESSORIES





Vacuum drawers ACCESSORIES					
	Code	Series	Model Ref	Description	Price
	RP20SS	Vacuum drawers	VD45 VD15	Bags - cm 20x30	on request
	RP25SS	Vacuum drawers	VD45 VD15	Bags - cm 25x35	on request
	RP20BT	Vacuum drawers	VD45 VD15	Cooking bags for low Temperature ranges - cm 20x30	on request
	RP25BT	Vacuum drawers	VD45 VD15	Cooking bags for low Temperature ranges - cm 25x35	on request