

ELBA

Italian Taste Experience



Freestanding Cookers

Table of contents

04 Introduction

04 Our history

06 Made in Italy

08 Know-how

10 Freestanding Lines

10 Features

12 Excellence

22 Bassano 1950

28 Technical data sheets

Italian Taste Experience.

The history of future.

Expertise, design, and technology: the signature ingredients behind every Elba freestanding cooker, hob, and oven.

A distinctive journey of passion and progress, from Veneto to the world.

From concept to completion

Our production process delivers excellence at every step.

The highlights below offer a closer look at how we make it happen.

Since 1950,
we have been
sharing
our heritage,
our
achievements,
our strengths,
and our
expertise
with the world.





The art of craftsmanship,
shaped by our experience,
in the heart of your kitchen.





The Italian touch

Every stage of our production takes place in the Veneto region of northeastern Italy - a deliberate choice that preserves the added value generated by the synergy of refined processes, creative expertise, and deep-rooted know-how.

This approach ensures meticulous attention to detail, premium materials, and cutting-edge technology in everything we create.





MADE IN ITALY. BUILT TO STAND OUT.

A culture where technology meets craftsmanship.



At the heart of our products is the distinctive moulding of the front panel - the result of a process that combines precision laser cutting with carefully engineered mould-based forming.

Each design features its own dedicated mould, conceived and produced entirely in-house at our Italian facility. Thanks to the hands-on expertise of our Italian craftsmen, this signature detail is brought to life through a forming process that achieves an exceptional level of execution, built on years of refined expertise and significant investment.

These are more than aesthetic choices - they are a true expression of cutting-edge design, meticulous execution, and a proud heritage of artisanship.



ITALIAN KNOW-HOW FOR GLOBAL CULINARY EXCELLENCE



Everything for the best cooking quality

Cooking is a matter of quality and passion. We have known since ever. This perfect match is the key to our success all over the world, providing steady, reliable and inspiring cooking appliances.

For us, 'Made in Italy' is not just about design but also takes shape in products and technologies that enhance every kind of cuisine from around the world through the highest cooking quality.



Advanced cooking features



TRUE FAN COOKING

With the heating element located around the fan, you can cook a variety of dishes on different levels without mixing flavors and smells. This function is great for food elements that need to be well cooked but at the same time need to stay tender and moist.



BOOSTER

This special function allows a fast pre-heating of the cavity by a combination. The special booster function allows the cavity to preheat in less time than traditional functions. By combining the circular heating element, the fan, and the upper heating element, heat is released at high intensity, swiftly bringing the cavity to the desired temperature.





AIR FRY

Thanks to the **Air Fry** function, you can cook **crispy, light dishes in a healthy way** — without adding oils or fats. The combined action of the circular heating element, fan, and upper element, together with the specially designed perforated tray, allows you to prepare frozen or pre-cooked foods, as well as healthy, seasoning-free meals.



EASY STEAM


The **Easy Steam** function allows **water to evaporate inside the oven cavity**, improving and speeding up the cooking process.

The nutritional properties of food remain intact, preserving the flavor, appearance, and texture of the dishes. This way, it delivers better and more even cooking results compared to traditional methods.



MASTER PIZZA 300°C

Turn on the upper and lower heating elements along with the fan. The heat coming from the top and bottom is diffused by forced convection. The temperature must be regulated between 40°C and 300°C with the thermostat knob. Recommended for pizza and large-volume foods that require a uniform degree of cooking inside and outside (rolled roasts, turkey legs, joints of meat, etc.).



ROTISSERIE

The **Rotisserie** function allows you to **roast meat evenly by rotating it on a spit**, ensuring juicy and flavorful results. This cooking function is ideal for cooking a variety of dishes, from crispy roasted chicken to succulent kebabs, making it a must-have for any cooking enthusiast.



Excellence Line

Where Modern Design Meets
Culinary Imagination



This collection brings precision and passion to everyday cooking. From leavening at 40°C to baking pizza at 300°C, every detail supports your creativity in the kitchen. Choose gas or induction, enjoy the ease of dual cavities, and cook with confidence behind layered glass doors designed for both safety and style.



EX 965T IMAA - Electric multifunction oven

ANTHRACITE - 90 CM



Dimensions

Width: 900 mm
Depth: 600 mm
Height: 887-938 mm

Cooktop

Anthracite enamelled squared h40mm cooktop
Induction hob 5 zones - 1 bridge
Other hob features: end of cooking for each zone, child lock, power management, melt, keep warm, simmer, pause, pan quality check
Touch control digital programmer

Main Oven

76 net liters cavity with 5 levels side racks
Electric multifunction oven 12 functions
Cooling fan
Thermostat 40-300°C
Idroclean function
Booster fast preheating
40°C leavening - 300°C pizza function

Auxiliary Oven

47 net liters cavity with 5 levels side racks
Electric static oven 6 functions
Rotisserie
Cooling fan
Thermostat 50-250°C

Design

Black soft touch finishing knobs
External anthracite bezels
Brushed black aluminum handle
Anthracite painted door frame with see through glass
Triple glass door with removable inner glass

Accessories

2 trays
1 shelf
1 dishwarmer/flat shelf
1 telescopic sliding guides set
1 rotisserie kit

Flip down storage compartment
Adjustable feet



SCAN ME
To discover data sheet

FUNCTIONS

- | | |
|--------------------------------|--------------------------|
| Defrosting | Leavening |
| Convection cooking | Double electric grilling |
| Fan assisted cooking | True fan cooking |
| Base-heat fan assisted | Pizza |
| Easy steam | Base heat only |
| Fan assisted electric grilling | Air Fry |
| Top-heat only | Plate warmer |


FUNCTIONS (AUX OVEN)

- | |
|--|
| Oven light |
| Convection cooking |
| Top-heat only |
| Base heat only |
| Double electric grilling with rotisserie |
| Top-heat only |

CLEANINGSYSTEMS

- | |
|----------------------|
| easy to clean enamel |
| click and clean door |
| |

INSTALLATION DRAWING



EX 965T MAA - Electric multifunction oven

ANTHRACITE - 90 CM



Dimensions

Width: 900 mm
Depth: 600 mm
Height: 887-938 mm

Cooktop

Anthracite enamelled squared h40mm cooktop
6 gas burners of which 1 double crown
Cast iron pan supports

Main Oven

76 net liters cavity with 5 levels side racks
Electric multifunction oven 11 functions
Touch control digital programmer
Cooling fan
Thermostat 40-300°C
Easy steam function
Idroclean function
Booster fast preheating
40°C leavening - 300°C pizza function

Auxiliary Oven

47 net liters cavity with 5 levels side racks
Electric static oven 6 functions
Rotisserie
Cooling fan
Thermostat 50-250°C

Design

Black soft touch finishing knobs
External anthracite bezels
Brushed black aluminum handle
Anthracite painted door frame with see through glass
Triple glass door with removable inner glass

Accessories

2 tray
1 shelf
1 dishwarmer/flat shelf
1 telescopic sliding guides set
1 rotisserie kit
Flip down storage compartment
Adjustable feet



SCAN ME
To discover data sheet

FUNCTIONS (MAIN OVEN)

- | | |
|--------------------------------|--------------------------|
| Defrosting | Leavening |
| Convection cooking | Double electric grilling |
| Fan assisted cooking | True fan cooking |
| Base-heat fan assisted | Pizza |
| Easy steam | Base heat only |
| Fan assisted electric grilling | Air Fry |
| Top-heat only | Plate warmer |


FUNCTIONS (AUX OVEN)

- | |
|--|
| Oven light |
| Convection cooking |
| Top-heat only |
| Base heat only |
| Double electric grilling with rotisserie |
| Top-heat only |

CLEANINGSYSTEMS

- | |
|----------------------|
| easy to clean enamel |
| click and clean door |
| |

INSTALLATION DRAWING



EX 965 IMLAA - Electric multifunction oven
ANTHRACITE - 90 CM



Dimensions
 Width: 900 mm
 Depth: 600 mm
 Height: 854-906 mm

Cooktop
 Anthracite enamelled squared h40mm cooktop
 Induction hob with 5 zones – 2 bridges

Design
 Black soft touch finishing knobs
 External anthracite bezels
 Anthracite painted door frame with see through glass

Oven
 Triple glass door with removable inner glass
 Brushed black aluminum handle
 120 net liters cavity with side racks
 Electric multifunction double fan oven for a full 3D cooking experience - 11 functions
 40-300°C thermostat
 2 oven lamps
 Cooling fan

Accessories
 2 sliding guides sets
 1 tray
 2 shelves
 glass scraper




FUNCTIONS

- Booster
- True fan cooking plus top element
- True fan cooking
- Plate warmer
- Fan assisted electric grilling
- Electric grilling
- Top-heat only
- Leavening
- Fan assisted cooking
- Pizza
- Base heat only
- Convection cooking
- Defrosting
- Oven light

CLEANING SYSTEMS

- easy to clean enamel
- click and clean door

INSTALLATION DRAWING



EX 966 MLAA - Electric multifunction oven

ANTHRACITE- 90 CM



Dimensions

Width: 900 mm
Depth: 600 mm
Height: 854-906 mm

experience - 11 functions
40-300°C thermostat
2 oven lamps
Cooling fan

Cooktop

Anthracite enamelled squared h40mm cooktop
6 gas burners of which 1 double crown
Cast iron pan supports

Design

Black soft touch finishing knobs
External anthracite bezels
Anthracite painted door frame with see through glass

Oven

Touch control digital programmer
Triple glass door with removable inner glass
Brushed black aluminum handle
120 net liters cavity with side racks
Electric multifunction double fan oven for a full 3D cooking

Accessories

2 sliding guides sets
1 tray
2 shelves
cast iron wok support
Flip down compartment
Adjustable feet




FUNCTIONS (MAIN OVEN)

- Booster
- True fan cooking plus top element
- True fan cooking
- Plate warmer
- Fan assisted electric grilling
- Electric grilling
- Top-heat only
- Leavening
- Fan assisted cooking
- Pizza
- Base heat only
- Convection cooking
- Defrosting
- Oven light

CLEANING SYSTEMS

- easy to clean enamel
- click and clean door

INSTALLATION DRAWING





EAA 664 IML - Electric multifunction oven

ANTHRACITE- 90 CM



Dimensions

Width: 600 mm
Depth: 600 mm
Height: 860-910 mm

Cooktop

Enamelled splashback
Anthracite enamelled squared h40mm cooktop
Induction hob with 4 zones
9 levels of power
Booster function
Child lock
Power control 2800W

Oven

Touch control digital programmer
Electric multifunction oven (11F)
Double glass door with removable inner glass
74 net liters cavity with side

racks

Easy steam function
Idroclean function
1 oven lamp
Cooling fan

Design

Black soft touch finishing knobs
External anthracite bezels
Anthracite painted door frame with see through glass

Accessories

2 sliding guides sets
1 tray
2 shelves

Drawer compartment
Adjustable feet



SCAN ME
To discover data sheet

FUNCTIONS (MAIN OVEN)


- Defrosting
- True fan cooking plus bottom element
- Fan assisted grilling
- Base-heat fan assisted
- Base heat only
- Leavening
- Electric grilling
- Top-heat only
- Convection cooking
- True fan cooking plus bottom element

- Booster
- True fan cooking
- Fan assisted cooking
- Easy steam

CLEANING SYSTEMS

- Idroclean
- easy to clean enamel
- click and clean door

INSTALLATION DRAWING



AVAILABLE COLOURS



EXX 664 IML
Stainless steel





Dimensions

Width: 600 mm
 Depth: 600 mm
 Height: 860-910 mm

Cooktop

Stainless steel splashback
 Stainless steel squared h40mm cooktop
 4 gas burners of which 1 double crown
 Cast iron pan supports

Oven

Touch control digital programmer
 Electric multifunction oven (11F)
 Double glass door with removable inner glass
 74 net liters cavity with side racks
 Easy steam function

Idroclean function
 1 oven lamp
 Cooling fan

Design

Brushed metal finishing knobs
 External bezels
 Stainless steel door frame with see through glass

Accessories

2 sliding guides sets
 1 tray
 2 shelves

Drawer compartment
 Adjustable feet



FUNCTIONS


- Defrosting
- Fan assisted grilling
- Base heat only
- Electric grilling
- Convection cooking
- True fan cooking plus bottom element
- Base-heat fan assisted
- Leavening
- Top-heat only
- True fan cooking plus bottom element

- Booster
- True fan cooking
- Fan assisted cooking
- Easy steam

CLEANING SYSTEMS

- Idroclean
- easy to clean enamel
- click and clean door

INSTALLATION DRAWING



AVAILABLE COLOURS



EXX 664 ML
Anthracite



EX 48T IMXX - Electric multifunction oven
STAINLESS STEEL- 120 CM



Dimensions

Width: 1220 mm
 Depth: 641 mm
 Height: 908-957 mm

Cooktop

Stainless steel backguard
 Squared stainless steel hob
 6 induction zone octa (3 bridge) + 1 circular
 Cast iron griddle

Main Oven

Electric multifunction
 Net volume 4,3 cu.ft. with side racks
 Touch control electronic programmer
 3 glasses
 2 round heating elements
 Back catalytic panel
 4 lights (25W)
 Soft close experience - 11 functions

Accessories (main oven)

1 air fry tray
 1 set of telescopic sliding guides
 1 shelf
 1 tray

Aux Oven

Electric multifunction
 Net volume 1.5 cu.ft. with 5 racks
 3 glasses
 1 round heating element
 2 lights (25W)
 Soft close

Accessories (aux oven)

1 set of telescopic sliding guides
 1 shelf
 1 tray

Design

Black soft touch finishing k
 External anthracite bezels
 Anthracite painted door frame with see through glass

Accessories

2 sliding guides sets
 1 tray
 2 shelves
 cast iron wok support

Drawer

Metal telescopic adjustable feet



SCAN ME
 To discover data sheet


FUNCTIONS (MAIN OVEN)

- Oven light
- Defrosting
- Convection cooking
- True fan cooking
- Electric grilling
- Top heat fan assisted
- Fan assisted grilling
- Fan assisted cooking

FUNCTIONS (AUX OVEN)

- Oven light
- Defrosting
- Convection cooking
- True fan cooking
- Electric grilling
- Double grilling
- Fan assisted grilling
- Fan assisted cooking

INSTALLATION DRAWING



CLEANING SYSTEMS

- Idroclean
- easy to clean enamel
- click and clean door



EX 48T MXX - Electric multifunction oven

STAINLESS STEEL - 120 CM



Dimensions

Width: 1220 mm
Depth: 641 mm
Height: 905-957 mm

Cooktop

Stainless steel backguard
Squared stainless steel hob
6 gas burners
Cast iron pan supports
Brass burners

Main Oven

Electric multifunction
Net volume 4,3 cu.ft. with side racks
Touch control electronic programmer
3 glasses
2 round heating elements
Back catalytic panel
4 lights (25W)
Soft close experience - 11 functions

Accessories (main oven)

1 airfry tray
1 set of telescopic sliding guides
1 shelf
1 tray

Aux Oven

Electric multifunction
Net volume 1.5 cu.ft. with racks
3 glasses
1 round heating element
2 lights (25W)
Soft close

Accessories (aux oven)

1 set of telescopic sliding guides
1 shelf
1 tray

Design

Black soft touch finishing
External anthracite bezels
Anthracite painted door frame with see through glass

Accessories

2 sliding guides sets
1 tray
2 shelves
cast iron wok support

Drawer

Metal telescopic adjustable feet



SCAN ME
To discover data sheet


FUNCTIONS

- Oven light
- Defrosting
- Convection cooking
- True fan cooking
- Electric grilling
- Top heat fan assisted
- Fan assisted grilling
- Fan assisted cooking

FUNCTIONS (AUX OVEN)

- Oven light
- Defrosting
- Convection cooking
- True fan cooking
- Electric grilling
- Double grilling
- Fan assisted grilling
- Fan assisted cooking

INSTALLATION DRAWING



CLEANING SYSTEMS

- Idroclean
- easy to clean enamel
- click and clean door



Bassano 1950

Classic Style, Modern Innovation



Rooted in the iconic designs of the 1950s, this updated collection blends vintage aesthetics with advanced technology. Classic retro lines meet modern features like true fan, master pizza at 300°C, booster, rotisserie, and easy steam. With main and auxiliary ovens, retro-style knobs, and a dish warmer, these cookers bring timeless character and cutting-edge performance to any kitchen.



EBS 965T IMAA - Electric multifunction oven

ANTHRACITE- 90 CM



Dimensions
 Width: 900 mm
 Depth: 600 mm
 Height: 904-1207 mm

Idroclean function
 Booster fast preheating
 40°C leavening - 300°C pizza function

Cooktop
 Anthracite enamelled moulded h30mm cooktop
 Induction hob 5 zones with 1 bridge
 Other hob features: end of cooking for each zone, child lock, power management, melt, keep warm, simmer, pause, pan quality check

Auxiliary Oven
 47 net liters cavity with 5 levels side racks
 Electric static oven 6 functions
 Rotisserie
 Cooling fan
 Thermostat 50-250°C

Main Oven
 76 net liters cavity with 5 levels side racks
 Electric multifunction oven
 12 functions
 Cooling fan
 Thermostat 40-300°C
 Easy steam function

Accessories
 2 tray
 1 shelf
 1 dishwarmer/flat shelf
 1 telescopic sliding guides set
 1 rotisserie kit

Flip down storage compartment
 Adjustable feet



SCAN ME
 To discover data sheet

FUNCTIONS

- | | |
|--------------------------------|--------------------------|
| Defrosting | Leavening |
| Convection cooking | Double electric grilling |
| Fan assisted cooking | True fan cooking |
| Easy steam | Pizza |
| Base-heat fan assisted | Base heat only |
| Fan assisted electric grilling | Booster |
| Top-heat only | Plate warmer |


FUNCTIONS (AUX OVEN)

- Oven light
- Convection cooking
- Top-heat only
- Base heat only
- Base heat only
- Electric grilling

CLEANING SYSTEMS

- Idroclean
- easy to clean enamel
- click and clean door

INSTALLATION DRAWING



AVAILABLE COLOURS



EBS 965T IMXX
 Stainless steel



EBS 965T MXX - Electric multifunction oven

STAINLESS STEEL- 90 CM



Dimensions
 Width: 900 mm
 Depth: 600 mm
 Height: 904-1207 mm

Cooktop
 Stainless steel moulded
 h30mm cooktop
 5 gas burners of which 1
 double crown
 Cast iron pan supports

Main Oven
 76 net liters cavity with
 5 levels side racks
 Electric multifunction oven
 11 functions
 Touch control digital
 programmer
 Cooling fan
 Thermostat 40-300°C
 Easy steam function
 Idroclean function
 Booster fast preheating
 40°C leavening - 300°C pizza
 function

Triple glass door
 with removable inner glass

Auxiliary Oven
 47 net liters cavity with
 5 levels side racks
 Electric static oven 6 functions
 Rotisserie
 Cooling fan
 Thermostat 50-250°C

Design
 Retro Pop style knobs,
 handle and hand rail
 Stainless steel door frame
 with see through glass

Accessories
 2 tray
 1 shelf
 1 dishwarmer/flat shelf
 1 telescopic sliding guides set
 1 rotisserie kit
 1 rotisserie kit



SCAN ME
 To discover
 data sheet

FUNCTIONS (MAIN OVEN)

- Defrosting
- Convection cooking
- Fan assisted cooking
- Easy steam
- Base-heat fan assisted
- Fan assisted grilling
- Top-heat only
- Leavening
- Double electric grilling
- True fan cooking
- Pizza
- Base heat only
- Booster


FUNCTIONS (AUX OVEN)

- Oven light
- Convection cooking
- Top-heat only
- Base heat only
- Double electric grilling
- Electric grilling

CLEANING SYSTEMS

- Idroclean
- easy to clean enamel
- click and clean door

INSTALLATION DRAWING



AVAILABLE COLOURS



EBS 965T MAA
 Anthracite



EBS 965 IMLXX - Electric multifunction oven
STAINLESS STEEL - 90 CM



Dimensions
Width: 900 mm
Depth: 600 mm
Height: 900-967 mm

Cooktop
Stainless steel moulded
h30mm cooktop
Induction hob with 5 zones – 2 bridges

Oven
Triple glass door
with removable inner glass
120 net liters cavity with side racks
Electric multifunction double fan oven for a full 3D cooking experience 11 functions
40-300°C thermostat
Touch control digital programmer

2 oven lamps
Cooling fan

Design
Retro Pop style knobs,
handle and hand rail
Stainless steel door frame
with see through glass

Accessories
2 sliding guides sets
1 tray
2 shelves
glass scraper



SCAN ME
To discover data sheet

FUNCTIONS


- Oven light
- Defrosting
- Convection cooking
- Pizza
- Base heat only
- Fan assisted cooking
- Top-heat only
- Leavening
- Electric grilling
- Fan assisted grilling

- Plate warmer
- True fan cooking
- True fan cooking plus top element
- Booster

CLEANING SYSTEMS

- Idroclean
- easy to clean enamel
- click and clean door

INSTALLATION DRAWING



AVAILABLE COLOURS



EBS 965 IMLAA
Anthracite



EBS 965 MLAA - Fan gas oven

ANTHRACITE - 90 CM



Dimensions

Width: 900 mm
Depth: 600 mm
Height: 900-967 mm

Cooktop

Anthracite enamelled moulded h30mm cooktop
5 gas burners of which 1 double crown
Cast iron pan supports

Oven

Triple glass door with removable inner glass
121 net liters cavity with side racks
Electric multifunction double fan oven for a full 3D cooking

experience - 11 functions

40-300°C thermostat
Touch control digital programmer
2 oven lamps
Cooling fan

Design

Retro Pop style knobs, handle and hand rail
Anthracite door frame with see through glass

Accessories

2 sliding guides sets
1 tray
2 shelves
1 cast iron wok support



SCAN ME
To discover data sheet


FUNCTIONS (MAIN OVEN)

- | | | |
|--------------------|-----------------------|-----------------------------------|
| Oven light | Fan assisted cooking | Plate warmer |
| Defrosting | Top-heat only | True fan cooking |
| Convection cooking | Leavening | True fan cooking plus top element |
| Pizza | Electric grilling | True fan cooking |
| Base heat only | Fan assisted grilling | |

CLEANING SYSTEMS

- easy to clean enamel
- click and clean door

INSTALLATION DRAWING



AVAILABLE COLOURS



EBS 965 MLXX
Stainless steel





Technical Specifications



Excellence Line

p. 29



Bassano 1950 Line

p. 31



MODEL	EX 965T IMAA	EX 965T MAA	EX 965 IMLAA	EX 966 MLAA	EAA 664 IML
Line	Excellence	Excellence	Excellence	Excellence	Excellence
Color	anthracite	anthracite	anthracite	anthracite	anthracite
COOKTOP					
Fuel	induction	gas	induction	gas	gas
N° zones	5	6	5	6	4
Double ring	-	•	-	•	•
Dual burner	-	-	-	-	-
Electronic ignition	-	•	-	•	•
Pan supports material	-	cast iron	-	cast iron	ghisa
OVEN					
Cavity type	electric multifunction	electric multifunction	electric multifunction	electric multifunction	electric multifunction
Function switch position	12	12	11	11	11
True fan cooking	•	•	•	•	•
Electric grilling	•	•	•	•	•
Thermostat	•	•	•	•	•
Safety device	-	-	-	-	-
Electronic ignition	-	-	-	-	-
Net volume (lit.)	76	76	121	121	74
Cooling fan	•	•	•	•	•
Interior light	1	1	2	2	1
Door glass panes	2	2	3	3	2
Removable inner glass door	•	•	•	•	•
Shelf	1	1	2	2	2
Tray	1	1	1	1	1
Rotisserie	-	-	-	-	-
Interior cavity dimensions (WxHxD) mm	480×386×408	480×386×408	773×380×412	773×380×412	475×385×407
AUX OVEN					
Cavity type	electric static	electric static	-	-	-
Function switch position	6	6	-	-	-
Electric grilling	•	•	-	-	-
Thermostat	•	•	-	-	-
Safety device	-	-	-	-	-
Electronic ignition	-	-	-	-	-
Net volume (lit.)	47	47	-	-	-
Cooling fan	•	•	-	-	-
Interior light	1	1	-	-	-
Door glass panes	2	2	-	-	-
Removable inner glass door	•	•	-	-	-
Shelf	-	-	-	-	-
Tray	1	1	-	-	-
Rotisserie	•	•	-	-	-
Griglia scaldapiatti	1	1	-	-	-
Interior cavity dimensions (WxHxD) mm	265×380×465	265×380×465	-	-	-
FEATURES					
Splashback	-	-	-	-	-
Glass lid	-	-	-	-	-
Wok cast iron pan support	-	-	-	•	-
Pan support adapter	-	-	-	-	-
Fat filter	-	-	-	-	-
Telescopic sliding shelf supports	•	•	•	-	-
Pizza stone	-	-	-	-	-
Touch control programmer	•	•	•	•	•
Minute minder 60'	-	-	-	-	-
Minute minder 120'	-	-	-	-	-
Drawer/Flaptype storage compartment	•	•	•	•	•
Replacement injectors	-	-	-	-	•
Adjustable feet	•	•	•	•	•
SPECIFICATIONS					
Dimensions (wxdxh) cm	90×60×88,7/93,8	90×60×88,7/93,8	90×60×85,4/90,6	90×60×85,4/90,6	60×60×86/91
Energy Efficiency Class - Main / Auxiliary Oven (*)	A/A	A/A	A	A	A
Energy Efficiency Index (EEI cavity) %	90,7	90,7	95,3	95,3	95,3
Energy Consumption per Cycle - Forced Convection (Main Oven) ² kW/h	0,82	0,82	1,01	1,01	0,82
Energy Consumption per Cycle - Natural Convection Mode (Main Oven) ² kW/h	0,92	0,92	1,38	1,38	0,92
Energy Consumption per Cycle - Forced Convection Mode (Auxiliary Oven) ² kW/h	-	-	-	-	-
Energy Consumption per Cycle - Natural Convection Mode (Auxiliary Oven) ² kW/h	0,68	0,68	-	-	-
Energy Consumption per Cycle - Forced Convection M J	-	-	-	-	-
Energy Consumption per Cycle - Natural Convection M J	-	-	-	-	-
Total electric absorption (W)	12150	12150	10610	3210	9200
Electric connection	220-240 V ac				
Cable	-	-	•	•	•



MODEL	EXX 664 IML	EXX 664 ML	EAX 664 ML	EX 48T IMXX	EX 48T MXX
Line	Excellence	Excellence	Excellence	Excellence	Excellence
Color	stainless steel	stainless steel	anthracite	stainless steel	stainless steel
COOKTOP					
Fuel	induction	gas	gas	induction	gas
N° zones	4	4	4	6	6
Double ring	-	•	•	-	•
Dual burner	-	-	-	-	-
Electronic ignition	-	•	•	-	•
Pan supports material	-	cast iron	cast iron	-	cast iron
OVEN					
Cavity type	electric multifunction	electric multifunction	electric multifunction	electric multifunction	electric multifunction
Function switch position	11	11	11	11	11
True fan cooking	•	•	•	•	•
Electric grilling	•	•	•	•	•
Thermostat	•	•	•	•	•
Safety device	-	-	-	-	-
Electronic ignition	-	-	-	-	-
Net volume (lit.)	74	74	74	121	121
Cooling fan	•	•	•	•	•
Interior light	1	1	1	2	2
Door glass panes	2	2	2	2	2
Removable inner glass door	•	•	•	•	•
Shelf	2	2	2	2	2
Tray	1	1	1	1	1
Rotisserie	-	-	-	-	-
Interior cavity dimensions (WxHxD) mm	475x385x407	475x385x407	475x385x407	773x380x412	773x380x412
AUX OVEN					
Cavity type	-	-	-	electric multifunction	electric multifunction
Function switch position	-	-	-	8	8
Electric grilling	-	-	-	•	•
Thermostat	-	-	-	•	•
Safety device	-	-	-	-	-
Electronic ignition	-	-	-	-	-
Net volume (lit.)	-	-	-	47	47
Cooling fan	-	-	-	•	•
Interior light	-	-	-	2	2
Door glass panes	-	-	-	3	3
Removable inner glass door	-	-	-	•	•
Shelf	-	-	-	1	1
Tray	-	-	-	1	1
Rotisserie	-	-	-	-	-
Griglia scaldapiatti	-	-	-	-	-
Interior cavity dimensions (WxHxD) mm	-	-	-	265x380x465	265x380x465
FEATURES					
Splashback	•	•	•	-	-
Glass lid	-	-	-	-	-
Wok cast iron pan support	-	-	-	-	•
Pan support adapter	-	-	-	-	-
Fat filter	-	-	-	-	-
Telescopic sliding shelf supports	•	•	•	•	•
Pizza stone	-	-	-	-	-
Touch control programmer	•	•	•	•	•
Minute minder 60'	-	-	-	-	-
Minute minder 120'	-	-	-	-	-
Drawer/Flaptype storage compartment	•	•	•	•	•
Replacement injectors	-	-	-	-	-
Adjustable feet	•	•	•	•	•
SPECIFICATIONS					
Dimensions (wxdxh) cm	60x60x86/91	60x60x86/91	60x60x86/91	122x64,1x90,8/95,76	122x64,1x90,8/95,76
Energy Efficiency Class - Main / Auxiliary Oven (*)	A	A	A	A/A	A/A
Energy Efficiency Index (EEI cavity) %	95,3	95,3	95,3	95,3	95,3
Energy Consumption per Cycle - Forced Convection (Main Oven) ² kW/h	0,82	0,82	0,82	1,01	1,01
Energy Consumption per Cycle - Natural Convection Mode (Main Oven) ² kW/h	0,92	0,92	0,92	1,38	1,38
Energy Consumption per Cycle - Forced Convection Mode (Auxiliary Oven) ² kW/h	-	-	-	-	-
Energy Consumption per Cycle - Natural Convection Mode (Auxiliary Oven) ² kW/h	-	-	-	0,68	0,68
Energy Consumption per Cycle - Forced Convection M J	-	-	-	-	-
Energy Consumption per Cycle - Natural Convection M J	-	-	-	-	-
Total electric absorption (W)	9200	2900	2900	20000	5426
Electric connection	220-240 V ac				
Cable	-	-	•	•	•



MODEL	EBS 965T IMAA	EBS 965T IMXX	EBS 965T MXX	EBS 965T MLAA	EBS 965 IMLXX
Line	Bassano 1950				
Color	anthracite	stainless steel	stainless steel	anthracite	stainless steel
COOKTOP					
Fuel	induction	induction	gas	gas	induction
N° zones	5	5	5	5	5
Double ring	-	-	•	•	-
Dual burner	-	-	-	-	-
Electronic ignition	-	-	•	•	-
Pan supports material	-	-	cast iron	cast iron	-
OVEN					
Cavity type	electric multifunction				
Function switch position	12	12	12	12	11
True fan cooking	•	•	•	•	•
Electric grilling	•	•	•	•	•
Thermostat	•	•	•	•	•
Safety device	-	-	-	-	-
Electronic ignition	-	-	-	-	-
Net volume (lit.)	76	76	76	76	120
Cooling fan	•	•	•	•	•
Interior light	1	1	1	1	2
Door glass panes	2	2	2	2	2
Removable inner glass door	•	•	•	•	•
Shelf	1	1	1	1	2
Tray	1	1	1	1	1
Rotisserie	-	-	-	-	-
Interior cavity dimensions (WxHxD) mm	480×386×408	480×386×408	480×386×408	480×386×408	773×380×412
AUX OVEN					
Cavity type	electric static	elettrico static	elettrico static	elettrico static	-
Function switch position	6	6	6	6	-
Electric grilling	•	•	•	•	-
Thermostat	•	•	•	•	-
Safety device	-	-	-	-	-
Electronic ignition	-	-	-	-	-
Net volume (lit.)	47	47	47	47	-
Cooling fan	•	•	•	•	-
Interior light	1	1	1	1	-
Door glass panes	2	2	2	2	-
Removable inner glass door	•	•	•	•	-
Shelf	-	-	-	-	-
Tray	1	1	1	1	-
Rotisserie	•	•	•	•	-
Griglia scaldapiatti	1	1	1	1	-
Interior cavity dimensions (WxHxD) mm	265×380×465	265×380×465	265×380×465	265×380×465	-
FEATURES					
Splashback	-	-	-	-	-
Glass lid	-	-	-	-	-
Wok cast iron pan support	-	-	-	-	-
Pan support adapter	-	-	-	-	-
Fat filter	-	-	-	-	-
Telescopic sliding shelf supports	•	•	•	•	•
Pizza stone	-	-	-	-	-
Touch control programmer	•	•	•	•	•
Minute minder 60'	-	-	-	-	-
Minute minder 120'	-	-	-	-	-
Drawer/Flaptype storage compartment	•	•	•	•	•
Replacement injectors	•	-	•	•	•
Adjustable feet	•	•	•	•	•
SPECIFICATIONS					
Dimensions (wxdxh) cm	90×60×90,4/120,7	90×60×90,4/120,7	90×60×90,4/120,7	90×60×90,4/120,7	90×60×90/96,7
Energy Efficiency Class - Main / Auxiliary Oven (*)	A/A	A/A	A/A	A/A	A
Energy Efficiency Index (EEI cavity) %	90,7	90,7	90,7	90,7	95,8
Energy Consumption per Cycle - Forced Convection (Main Oven) ² kW/h	0,82	0,82	0,82	0,82	1,01
Energy Consumption per Cycle - Natural Convection Mode (Main Oven) ² kW/h	0,92	0,92	0,92	0,92	1,38
Energy Consumption per Cycle - Forced Convection Mode (Auxiliary Oven) ² kW/h	-	-	-	-	-
Energy Consumption per Cycle - Natural Convection Mode (Auxiliary Oven) ² kW/h	0,68	0,68	0,68	0,68	-
Energy Consumption per Cycle - Forced Convection M J	-	-	-	-	-
Energy Consumption per Cycle - Natural Convection M J	-	-	-	-	-
Total electric absorption (W)	10450	12150	4850	4850	10610
Electric connection	220-240 V ac				
Cable	-	-	•	•	•



MODEL	EBS 965 IMLAA	EBS 965 MLAA	EBS 965 MLXX
Line	Bassano 1950	Bassano 1950	Bassano 1950
Color	anthracite	anthracite	stainless steel
COOKTOP			
Fuel	induction	gas	gas
N° zones	4	5	5
Double ring	-	•	•
Dual burner	-	-	-
Electronic ignition	-	•	•
Pan supports material	-	cast iron	cast iron
OVEN			
Cavity type	electric multifunction	electric multifunctione	electric multifunction
Function switch position	11	11	11
True fan cooking	•	•	•
Electric grilling	•	•	•
Thermostat	•	•	•
Safety device	-	-	-
Electronic ignition	-	-	-
Net volume (lit.)	121	121	121
Cooling fan	•	•	•
Interior light	2	2	2
Door glass panes	2	2	2
Removable inner glass door	•	•	•
Shelf	2	2	2
Tray	1	1	1
Rotisserie	-	-	-
Interior cavity dimensions (WxHxD) mm	773×380×412	773×380×412	773×380×412
AUX OVEN			
Cavity type	-	-	-
Function switch position	-	-	-
Electric grilling	-	-	-
Thermostat	-	-	-
Safety device	-	-	-
Electronic ignition	-	-	-
Net volume (lit.)	-	-	-
Cooling fan	-	-	-
Interior light	-	-	-
Door glass panes	-	-	-
Removable inner glass door	-	-	-
Shelf	-	-	-
Tray	-	-	-
Rotisserie	-	-	-
Griglia scaldapiatti	-	-	-
Interior cavity dimensions (WxHxD) mm	-	-	-
FEATURES			
Splashback	-	-	-
Glass lid	-	-	-
Wok cast iron pan support	-	•	•
Pan support adapter	-	-	-
Fat filter	-	-	-
Telescopic sliding shelf supports	-	-	-
Pizza stone	-	-	-
Touch control programmer	•	•	•
Minute minder 60'	-	-	-
Minute minder 120'	-	-	-
Drawer/Flaptype storage compartment	•	•	•
Replacement injectors	-	-	-
Adjustable feet	•	•	•
SPECIFICATIONS			
Dimensions (wxdxh) cm	90×60×90/96,7	90×60×90/96,7	90×60×90/96,7
Energy Efficiency Class - Main / Auxiliary Oven (*)	A	A	A
Energy Efficiency Index (EEI cavity) %	95,3	95,3	95,3
Energy Consumption per Cycle - Forced Convection (Main Oven) ² kW/h	1,01	1,01	1,01
Energy Consumption per Cycle - Natural Convection Mode (Main Oven) ² kW/h	1,38	1,38	1,38
Energy Consumption per Cycle - Forced Convection Mode (Auxiliary Oven) ² kW/h	-	-	-
Energy Consumption per Cycle - Natural Convection Mode (Auxiliary Oven) ² kW/h	-	-	-
Energy Consumption per Cycle - Forced Convection M J	-	-	-
Energy Consumption per Cycle - Natural Convection M J	-	-	-
Total electric absorption (W)	10610	3210	3210
Electric connection	220-240 V ac	220-240 V ac	220-240 V ac
Cable	-	-	•





Elba Italy SpA

Via Fabbian Matteo 7
Borso del Grappa TV 31030
ITALY

Important Notice of Disclaimer

Our brochure contains information on a wide subject of products which we manufacture and / or sell internationally. Some particular products, models or sizes which are detailed in this brochure may not be available for sale and purchase in your area or country, if available the product may have different options to those depicted in the brochure. Before agreeing to purchase a particular product by reference to this brochure please check its availability and accuracy of its description.

Copyright © Elba Italy SpA.

All Rights Reserved. The product dimensions and specifications in this brochure apply to the specific products and models described at the date of issue. Under our policy of continuous product improvement, these dimensions and may change at any time. You should therefore check with your local dealer to ensure this brochure correctly describes the products currently available.

Reference: 582517 | 2025

ELBA

www.elba-cookers.com