

***Fhiaba***

**Export Price List 2.2**

# INDEX

---

|     |   |
|-----|---|
| 4   | FHIABA'S SOLUTIONS                                |
|     | FULL SIZE: FRIDGES, FREEZER AND WINE CELLARS      |
| 6   | PERSONALISING YOUR FHIABA                         |
| 7   | PRODUCT CODE                                      |
| 8   | FHIABA COLLECTION: FULL SIZE                      |
| 10  | SUMMARY PRICES                                    |
| 15  | FRENCH DOOR WIDTH 120 CM                          |
| 23  | FRENCH DOOR WIDTH 105 CM                          |
| 31  | FRENCH DOOR WIDTH 90 CM                           |
| 38  | WIDTH 90 CM                                       |
| 104 | WIDTH 75 CM                                       |
| 161 | WIDTH 60 CM                                       |
| 213 | WIDTH 45 CM                                       |
| 226 | ACCESSORIES                                       |
|     | UNDERCOUNTER                                      |
| 237 | PRODUCT CODE                                      |
| 238 | FHIABA COLLECTION: UNDERCOUNTER INDOOR & OUTDOOR  |
| 240 | SUMMARY PRICES                                    |
| 242 | FRIDGES, BEVERAGE CENTRE, WINE CELLARS & HUMODORS |
| 279 | TRIMODE DRAWERS                                   |
| 298 | ACCESSORIES                                       |
|     | BLAST CHILLER & VACUUM DRAWERS                    |
| 303 | BLAST CHILLER & VACUUM DRAWERS                    |
| 304 | BLAST CHILLER                                     |
| 308 | VACUUM DRAWERS                                    |
| 312 | ACCESSORIES                                       |

## Information Notes

### Product Updates

Fhiaba is continuously committed to enhancing the performance and design of its appliances. As a result, models may be updated over time, and certain aesthetic or technical details may differ from those shown in the following pages. Although we strive to keep all documentation current, we recommend referring to the specific technical sheets for all design and installation requirements

### Prices and Conditions

All prices listed exclude VAT and transportation costs. This price list is not a contractual document and does not replace the commercial terms agreed upon with Fhiaba's authorized sales representatives.

### Warranty

In compliance with European regulations, Fhiaba offers a standard 2 year warranty on domestic appliances, starting from the purchase date indicated on the invoice or other valid proof of purchase.

For information on how to request service during the warranty period, please refer to the warranty certificate supplied with the appliance.

### Technical Data

Power and energy consumption values are based on laboratory testing and may vary depending on usage conditions and the installation environment of each appliance..


# FHIABA'S SOLUTIONS

## FULL SIZE: FRIDGES | FREEZERS | WINE CELLARS

6 lines

6 widths: 45, 60, 75, 90, 105, 120 cm

5 models




D = door BD = bottom drawer M = separate microclimates

### 4 microclimates




\*or a prosciutteria/cheese cabinet

Our patented TriMode™ drawers can be set to three different microclimates: freezer, fresco or fridge.



## UNDERCOUNTER MODELS


Undercounter units are available in 8 versions, ideal for small indoor spaces or outdoor use.



## BLAST CHILLER AND VACUUM SEALER





The Fhiaba blast chiller has a Temperature ranges range from -40°C to +75°C.

With 11 functions, it makes creative, all-encompassing cooking quick and easy. Take food directly out of the oven, without even changing the tray!



## THE FOUR DIMENSIONS OF QUALITY

Exclusive Fhiaba technology makes it possible to combine the four “key variables” of refrigeration, to create and maintain perfectly balanced climates.

-  Temperature ranges
-  Humidity
-  Ventilation
-  Time

### Accurate Temperature ranges

Thanks to the numerous built-in sensors, the indicated Temperature ranges is always accurate.

### Uniform ProVent™ Ventilation

The ProVent™ system uniformly distributes cold air to all parts of the fridge.

### TriPro Refrigeration™

The triple cooling system ensures each ingredient and dish gets the right microclimate.

### Humidity control

Our wine cellars offer three different humidity level settings: low, medium and high.

Fhiaba is the only company in the world today with technology capable of managing three independent climate zones, for unrivalled, high-quality food storage. Fhiaba systems also feature lateral refrigeration, thereby allowing for maximum use of the full depth of the inner compartments.



# PERSONALISING YOUR FHIABA

Your Fhiaba, Exactly as You Want It

Every space is unique. Every project requires balance, character, and proportion.

Fhiaba offers one of the most extensive customisation platforms in the high end refrigeration sector: over 30 configuration options to transform each model into a bespoke design element.

## Installation Options

Inset / Flush / Integrated / Freestanding

## Model Types

- Full Size and Undercounter units for indoor and outdoor installations
- Top compressor Full Size (XPro, Country)
- Bottom compressor Full Size (Designer, Classic, Integrated, Brilliance Integrated, Brilliance Classic)
- Panel ready, fully integrated, and freestanding versions

## Available Sizes

- Full Size widths: 45 / 60 / 75 / 90 / 105 / 120 cm
- Full Size heights: 2050 mm (Classic, Brilliance Classic) | 2120 mm (XPro, Country, Designer, Integrated, Brilliance Integrated)
- Undercounter widths: 60 / 75 / 90 cm

## Climate Configurations

- 1T — 3 independent climate zones
- 0T — 2 independent climate zones + low temperature zone
- 0H — 2 independent climate zones + low temperature zone
- 0F (refrigerators) — 1 climate zone + low temperature zone
- 0F (wine cellars) — 2 independent climate zones
- FD (french door): 2 independent climate zones + low temperature zone

## Series

- X Pro
- Designer
- Country
- Classic
- Integrated
- Brilliance Integrated
- Brilliance Classic

## FUNCTIONAL Customisation

- Door swing: right or left hinge
- Ice Maker with water filter
- Water Dispenser with water filter (0F fridge columns 75–90 cm)
- Center joining kit for side by side installations
- Stainless steel side panels for freestanding units (XPro, Classic, Brilliance)
- Glass door option
- Single grille + single toe kick kit (XPro Series)
- Single toe kick kit (Classic Series)
- Extra anti tip kit for structures up to 80 cm deep
- Anti condensation kit for top compressor models
- Front ventilation kit (Classic and Integrated Series)
- 90° hinge stop
- Push/Pull opening (Integrated 0F models)
- Panel installation down to 5 cm from the floor (Integrated Series)

## AESTHETIC CUSTOMISATION

- AISI 304 stainless steel fronts and handles
- AISI 316 Marine Grade stainless steel fronts and handles
- Stainless steel panels with drilling for Ø30 mm or Ø18 mm handles
- Handle less front panel (Integrated Series)
- Painted fronts, sides, and handles in Fhiaba palette or RAL scale
- Customer supplied handles (Integrated Series)
- Fhiaba tubular handles in AISI 304 stainless steel: Ø30 mm Classic/Pro, Ø18 mm

## INTERNAL CUSTOMISATION — REFRIGERATORS

- EvenLift™ adjustable shelves (standard on 1T and Country models)
- Gastronorm trays (90 cm fridge columns)
- Pull out beverage drawers

## EXCLUSIVE ACCESSORIES — WINE CELLARS

- Enoteca kit
- Cheese preservation drawers
- Cigar preservation drawers
- Knife set
- Prosciutto kit
- Chocolate kit
- Pull out beverage drawers

# PRODUCT CODE

example:

KS 90 0T ST 6 i

KS

Digit # 1-> model Series

XS = X-Pro (top compressors, stainless steel front)

AS= Country (top compressors, Built-in or Freestanding installation, Custom-colored front and sides, ice maker included)

KS = Classic (bottom compressors, stainless steel front)

RS = Designer (bottom compressors, stainless steel front)

S = Integrated (bottom compressors, flush or built-in)

BS = Brilliance - Integrated ((bottom compressors, flush or built-in, white interiors)

BKS = Brilliance - Classic (bottom compressors, stainless steel front, white interiors)

90

digit # 2 > width

120 cm

105 cm

90 cm

75 cm

60 cm

45 cm

0T

digit # 3 > model configuration

1T = One door, one bottom drawer, three separate temperature

0T = One door, one bottom drawer, two separate temperature

0H = One door, two bottom drawers, two separate temperature

0F = One door. Fridge and Freezer one temperature. Wine cellar two separate temperature

FD = French Door, two doors, one bottom drawer, two separate temperature

ST

digit # 4 > function and door style

ST = Fridge/Trimode, Solid door

GT = Fridge/Trimode, Glass door

WT = Wine Cellar/Trimode

R = Fridge column

G = Fridge column, Glass door

Z = Freezer column

W = Wine Cellar column

6

digit # 6 > hinge positioning

3 = Hinge on the left

6 = Hinge on the right

i

digit # 7 > model options

i = indicate a unit equipped with Ice Maker

(not available on wine cellars, 60 fridges and 0F fridge models)

D

D = Water dispenser (available only for 0F fridge columns 90 and 75 cm)

# Fhiaba Collection: Full Size

|   | French-Door<br>Fridges |           |          | 1T<br>Fridges Wine Cellars |          |          | 0T<br>Fridges Wine Cellars |           |          |          |          |
|---|------------------------|-----------|----------|----------------------------|----------|----------|----------------------------|-----------|----------|----------|----------|
|   | 120                    | 105       | 90       | 90                         | 90       | 60       | 90                         | 75        | 60       | 75       | 60       |
| <b>X-PRO</b><br>Top compressors         |                        |           |          |                            |          |          |                            |           |          |          |          |
|   | XS120FDST              | XS105FDST | XS90FDST | XS901TST                   | XS901TWT | XS601TWT | XS900TST                   | XS750TST  | XS600TST | XS750TWT | XS600TWT |
| Glass Door                              |                        |           |          |                            |          |          | XS900TGT                   | XS750TGT  | XS600TGT |          |          |
| <b>DESIGNER</b><br>Bottom compressors   |                        |           |          |                            |          |          |                            |           |          |          |          |
|   | RS120FDST              | RS105FDST | RS90FDST | RS901TST                   | RS901TWT | RS601TWT | RS900TST                   | RS750TST  | RS600TST | RS750TWT | RS600TWT |
| Glass Door                              |                        |           |          |                            |          |          | RS900TGT                   | RS750TGT  | RS600TGT |          |          |
| <b>CLASSIC</b><br>Bottom compressors    |                        |           |          |                            |          |          |                            |           |          |          |          |
|   | S120FDST               | S105FDST  | S90FDST  | KS901TST                   | KS901TWT | KS601TWT | KS900TST                   | KS750TST  | KS600TST | KS750TWT | KS600TWT |
| Glass Door                              |                        |           |          |                            |          |          | KS900TGT                   | KS750TGT  | KS600TGT |          |          |
| <b>INTEGRATED</b><br>Bottom compressors |                        |           |          |                            |          |          |                            |           |          |          |          |
|   | S120FDST               | S105FDST  | S90FDST  | S901TST                    | S901TWT  | S601TWT  | S900TST                    | S750TST   | S600TST  | S750TWT  | S600TWT  |
| Glass Door                              |                        |           |          |                            |          |          | S900TGT                    | S750TGT   | S600TGT  |          |          |
| <b>COUNTRY</b><br>Top compressors       |                        |           |          |                            |          |          |                            |           |          |          |          |
|   |                        |           |          | AS901TST                   | AS901TWT | AS601TWT | AS900TST                   | AS750TST  | AS600TST |          |          |
| <b>BRILLIANCE</b><br>Bottom compressors |                        |           |          |                            |          |          |                            |           |          |          |          |
|   |                        |           |          |                            |          |          | BS900TST                   | BS750TST  |          |          |          |
| BRILLIANCE CLASSIC                      |                        |           |          |                            |          |          | BKS900TST                  | BKS750TST |          |          |          |

|   | 0H<br>Fridges Wine Cellars |          |          |          | 0F<br>Fridges Wine Cellars Freezer |         |         |    |         |         |         |         |
|---|----------------------------|----------|----------|----------|------------------------------------|---------|---------|----|---------|---------|---------|---------|
|   | 90                         | 75       | 90       | 75       | 90                                 | 75      | 60      | 45 | 90      | 75      | 60      | 45      |
| <b>X-PRO</b><br>Top compressors         |                            |          |          |          |                                    |         |         |    |         |         |         |         |
|   | XS900HST                   | XS750HST | XS900HWT | XS750HWT | XS900FR                            | XS750FR | XS600FR |    | XS900FW | XS750FW | XS600FW | XS450FW |
| Glass Door                              |                            |          |          |          | XS900FG                            | XS750FG | XS600FG |    |         |         |         |         |
| <b>DESIGNER</b><br>Bottom compressors   |                            |          |          |          |                                    |         |         |    |         |         |         |         |
|   | RS900HST                   | RS750HST | RS900HWT | RS750HWT | RS900FR                            | RS750FR | RS600FR |    | RS900FW | RS750FW | RS600FW | RS450FW |
| Glass Door                              |                            |          |          |          | RS900FG                            | RS750FG | RS600FG |    |         |         |         |         |
| <b>CLASSIC</b><br>Bottom compressors    |                            |          |          |          |                                    |         |         |    |         |         |         |         |
|   | KS900HST                   | KS750HST | KS900HWT | KS750HWT | KS900FR                            | KS750FR | KS600FR |    | KS900FW | KS750FW | KS600FW | KS450FW |
| Glass Door                              |                            |          |          |          | KS900FG                            | KS750FG | KS600FG |    |         |         |         |         |
| <b>INTEGRATED</b><br>Bottom compressors |                            |          |          |          |                                    |         |         |    |         |         |         |         |
|   | S900HST                    | S750HST  | S900HWT  | S750HWT  | S900FR                             | S750FR  | S600FR  |    | S900FW  | S750FW  | S600FW  | S450FW  |
| Glass Door                              |                            |          |          |          | S900FG                             | S750FG  | S600FG  |    |         |         |         |         |
| <b>COUNTRY</b><br>Top compressors       |                            |          |          |          |                                    |         |         |    |         |         |         |         |
|   |                            |          |          |          |                                    |         |         |    |         |         |         |         |
| <b>BRILLIANCE</b><br>Bottom compressors |                            |          |          |          |                                    |         |         |    |         |         |         |         |
|   |                            |          |          |          |                                    |         |         |    |         |         |         |         |
| BRILLIANCE CLASSIC                      |                            |          |          |          |                                    |         |         |    |         |         |         |         |

|              |                  |                  |              |                            |                          |             |            |            |            |           |             |            |          | Bottom compressors |       |      |              |       |      |                       |       |      |                          |       |      |
|--------------|------------------|------------------|--------------|----------------------------|--------------------------|-------------|------------|------------|------------|-----------|-------------|------------|----------|--------------------|-------|------|--------------|-------|------|-----------------------|-------|------|--------------------------|-------|------|
|              |                  |                  |              |                            |                          |             |            |            |            |           |             |            |          | Classic K          |       |      | Integrated S |       |      | Brilliance Classic BK |       |      | Brilliance Integrated BS |       |      |
|              |                  |                  |              |                            |                          |             |            |            |            |           |             |            |          | Product code       | Price | Page | Product code | Price | Page | Product code          | Price | Page | Product code             | Price | Page |
|              |                  |                  |              |                            |                          |             |            |            |            |           |             |            |          | Product code       | Price | Page | Product code | Price | Page | Product code          | Price | Page | Product code             | Price | Page |
| FD           | FRENCH DOOR      | 120              |              | Water dispenser, ice maker | XS120FDSTID              | 16.950 €    | 18         |            |            |           | RS120FDSTID | 15.760 €   | 19       |                    |       |      |              |       |      |                       |       |      |                          |       |      |
|              |                  | 105              |              | Water dispenser, ice maker | XS105FDSTID              | 16.330 €    | 26         |            |            |           | RS105FDSTID | 15.010 €   | 27       |                    |       |      |              |       |      |                       |       |      |                          |       |      |
|              |                  | 90               |              | Water dispenser, ice maker | XS90FDSTID               | 14.890 €    | 34         |            |            |           | RS90FDSTID  | 13.570 €   | 35       |                    |       |      |              |       |      |                       |       |      |                          |       |      |
| 1T           | FRIDGE + FREEZER | 90               | SX           |                            | XS901TST3                | 14.180 €    | 42         |            |            |           | RS901TST3   | 12.980 €   | 44       |                    |       |      |              |       |      |                       |       |      |                          |       |      |
|              |                  |                  | DX           |                            | XS901TST6                | 14.180 €    | 42         |            |            |           | RS901TST6   | 12.980 €   | 44       |                    |       |      |              |       |      |                       |       |      |                          |       |      |
|              |                  | SX               | Ice maker    | XS901TST3I                 | 15.020 €                 | 42          | AS901TST3I | 17.420 €   | 43         |           | RS901TST3I  | 13.820 €   | 44       |                    |       |      |              |       |      |                       |       |      |                          |       |      |
|              |                  | DX               | Ice maker    | XS901TST6I                 | 15.020 €                 | 42          | AS901TST6I | 17.420 €   | 43         |           | RS901TST6I  | 13.820 €   | 44       |                    |       |      |              |       |      |                       |       |      |                          |       |      |
|              | WINE CELLARS     | 90               | SX           |                            | XS901TWT3                | 15.550 €    | 50         | AS901TWT3  | 17.950 €   | 51        |             | RS901TWT3  | 14.350 € | 52                 |       |      |              |       |      |                       |       |      |                          |       |      |
|              |                  |                  | DX           |                            | XS901TWT6                | 15.550 €    | 50         | AS901TWT6  | 17.950 €   | 51        |             | RS901TWT6  | 14.350 € | 52                 |       |      |              |       |      |                       |       |      |                          |       |      |
|              |                  | 60               | SX           |                            | XS601TWT3                | 12.870 €    | 164        | AS601TWT3  | 15.270 €   | 165       |             | RS601TWT3  | 11.670 € | 166                |       |      |              |       |      |                       |       |      |                          |       |      |
|              |                  |                  | DX           |                            | XS601TWT6                | 12.870 €    | 164        | AS601TWT6  | 15.270 €   | 165       |             | RS601TWT6  | 11.670 € | 166                |       |      |              |       |      |                       |       |      |                          |       |      |
| OT           | FRIDGE + FREEZER | 90               | SX           |                            | XS900TST3                | 12.270 €    | 58         |            |            |           | RS900TST3   | 11.070 €   | 62       |                    |       |      |              |       |      |                       |       |      |                          |       |      |
|              |                  |                  | DX           |                            | XS900TST6                | 12.270 €    | 58         |            |            |           | RS900TST6   | 11.070 €   | 62       |                    |       |      |              |       |      |                       |       |      |                          |       |      |
|              |                  |                  | SX           | Ice maker                  | XS900TST3I               | 13.120 €    | 58         | AS900TST3I | 15.520 €   | 60        |             | RS900TST3I | 11.920 € | 62                 |       |      |              |       |      |                       |       |      |                          |       |      |
|              |                  |                  | DX           | Ice maker                  | XS900TST6I               | 13.120 €    | 58         | AS900TST6I | 15.520 €   | 60        |             | RS900TST6I | 11.920 € | 62                 |       |      |              |       |      |                       |       |      |                          |       |      |
|              |                  |                  | SX           |                            | XS900TGT3                | 13.250 €    | 59         |            |            |           | RS900TGT3   | 12.050 €   | 63       |                    |       |      |              |       |      |                       |       |      |                          |       |      |
|              |                  |                  | DX           |                            | XS900TGT6                | 13.250 €    | 59         |            |            |           | RS900TGT6   | 12.050 €   | 63       |                    |       |      |              |       |      |                       |       |      |                          |       |      |
|              |                  |                  | SX           | Ice maker, Glass Door      | XS900TGT3I               | 14.100 €    | 59         |            |            |           | RS900TGT3I  | 12.900 €   | 63       |                    |       |      |              |       |      |                       |       |      |                          |       |      |
|              |                  |                  | DX           | Ice maker, Glass Door      | XS900TGT6I               | 14.100 €    | 59         |            |            |           | RS900TGT6I  | 12.900 €   | 63       |                    |       |      |              |       |      |                       |       |      |                          |       |      |
|              |                  | 75               | SX           |                            | XS750TST3                | 12.160 €    | 108        |            |            |           | RS750TST3   | 10.960 €   | 112      |                    |       |      |              |       |      |                       |       |      |                          |       |      |
|              |                  |                  | DX           |                            | XS750TST6                | 12.160 €    | 108        |            |            |           | RS750TST6   | 10.960 €   | 112      |                    |       |      |              |       |      |                       |       |      |                          |       |      |
|              |                  |                  | SX           | Ice maker                  | XS750TST3I               | 13.010 €    | 108        | AS750TST3I | 15.410 €   | 110       |             | RS750TST3I | 11.810 € | 112                |       |      |              |       |      |                       |       |      |                          |       |      |
|              |                  |                  | DX           | Ice maker                  | XS750TST6I               | 13.010 €    | 108        | AS750TST6I | 15.410 €   | 110       |             | RS750TST6I | 11.810 € | 112                |       |      |              |       |      |                       |       |      |                          |       |      |
|              |                  |                  | SX           |                            | XS750TGT3                | 13.150 €    | 109        |            |            |           | RS750TGT3   | 11.950 €   | 113      |                    |       |      |              |       |      |                       |       |      |                          |       |      |
|              |                  |                  | DX           |                            | XS750TGT6                | 13.150 €    | 109        |            |            |           | RS750TGT6   | 11.950 €   | 113      |                    |       |      |              |       |      |                       |       |      |                          |       |      |
|              |                  |                  | SX           | Ice maker, Glass Door      | XS750TGT3I               | 13.980 €    | 109        |            |            |           | RS750TGT3I  | 12.780 €   | 113      |                    |       |      |              |       |      |                       |       |      |                          |       |      |
|              |                  |                  | DX           | Ice maker, Glass Door      | XS750TGT6I               | 13.980 €    | 109        |            |            |           | RS750TGT6I  | 12.780 €   | 113      |                    |       |      |              |       |      |                       |       |      |                          |       |      |
|              | 60               | SX               |              | XS600TST3                  | 11.730 €                 | 172         | AS600TST3  | 14.130 €   | 174        |           | RS600TST3   | 10.530 €   | 176      |                    |       |      |              |       |      |                       |       |      |                          |       |      |
|              |                  | DX               |              | XS600TST6                  | 11.730 €                 | 172         | AS600TST6  | 14.130 €   | 174        |           | RS600TST6   | 10.530 €   | 176      |                    |       |      |              |       |      |                       |       |      |                          |       |      |
|              |                  | SX               | Glass Door   | XS600TGT3                  | 12.710 €                 | 173         |            |            |            | RS600TGT3 | 11.510 €    | 177        |          |                    |       |      |              |       |      |                       |       |      |                          |       |      |
|              |                  | DX               | Glass Door   | XS600TGT6                  | 12.710 €                 | 173         |            |            |            | RS600TGT6 | 11.510 €    | 177        |          |                    |       |      |              |       |      |                       |       |      |                          |       |      |
|              | WINE CELLARS     | 75               | SX           |                            | XS750TWT3                | 12.600 €    | 122        |            |            |           | RS750TWT3   | 11.400 €   | 123      |                    |       |      |              |       |      |                       |       |      |                          |       |      |
|              |                  |                  | DX           |                            | XS750TWT6                | 12.600 €    | 122        |            |            |           | RS750TWT6   | 11.400 €   | 123      |                    |       |      |              |       |      |                       |       |      |                          |       |      |
|              |                  | 60               | SX           |                            | XS600TWT3                | 11.610 €    | 184        |            |            |           | RS600TWT3   | 10.410 €   | 185      |                    |       |      |              |       |      |                       |       |      |                          |       |      |
|              |                  |                  | DX           |                            | XS600TWT6                | 11.610 €    | 184        |            |            |           | RS600TWT6   | 10.410 €   | 185      |                    |       |      |              |       |      |                       |       |      |                          |       |      |
|              | OH               | FRIDGE + FREEZER | 90           | SX                         |                          | XS900HST3   | 12.870 €   | 72         |            |           |             | RS900HST3  | 11.670 € | 73                 |       |      |              |       |      |                       |       |      |                          |       |      |
|              |                  |                  |              | DX                         |                          | XS900HST6   | 12.870 €   | 72         |            |           |             | RS900HST6  | 11.670 € | 73                 |       |      |              |       |      |                       |       |      |                          |       |      |
|              |                  |                  |              | SX                         | Ice maker                | XS900HST3I  | 13.720 €   | 72         |            |           |             | RS900HST3I | 12.520 € | 73                 |       |      |              |       |      |                       |       |      |                          |       |      |
|              |                  |                  |              | DX                         | Ice maker                | XS900HST6I  | 13.720 €   | 72         |            |           |             | RS900HST6I | 12.520 € | 73                 |       |      |              |       |      |                       |       |      |                          |       |      |
|              |                  |                  | 75           | SX                         |                          | XS750HST3   | 12.710 €   | 126        |            |           |             | RS750HST3  | 11.510 € | 129                |       |      |              |       |      |                       |       |      |                          |       |      |
|              |                  |                  |              | DX                         |                          | XS750HST6   | 12.710 €   | 128        |            |           |             | RS750HST6  | 11.510 € | 129                |       |      |              |       |      |                       |       |      |                          |       |      |
|              |                  |                  |              | SX                         | Ice maker                | XS750HST3I  | 13.550 €   | 128        |            |           |             | RS750HST3I | 12.350 € | 129                |       |      |              |       |      |                       |       |      |                          |       |      |
|              |                  |                  |              | DX                         | Ice maker                | XS750HST6I  | 13.550 €   | 128        |            |           |             | RS750HST6I | 12.350 € | 129                |       |      |              |       |      |                       |       |      |                          |       |      |
| WINE CELLARS |                  | 90               | SX           |                            | XS900HWT3                | 12.820 €    | 78         |            |            |           | RS900HWT3   | 11.620 €   | 79       |                    |       |      |              |       |      |                       |       |      |                          |       |      |
|              |                  |                  | DX           |                            | XS900HWT6                | 12.820 €    | 78         |            |            |           | RS900HWT6   | 11.620 €   | 79       |                    |       |      |              |       |      |                       |       |      |                          |       |      |
|              |                  |                  | 75           | SX                         |                          | XS750HWT3   | 12.600 €   | 134        |            |           |             | RS750HWT3  | 11.400 € | 135                |       |      |              |       |      |                       |       |      |                          |       |      |
|              |                  |                  |              | DX                         |                          | XS750HWT6   | 12.600 €   | 134        |            |           |             | RS750HWT6  | 11.400 € | 135                |       |      |              |       |      |                       |       |      |                          |       |      |
|              |                  | Classic K        | Integrated S | Brilliance Classic BK      | Brilliance Integrated BS | KS901TST3   | 12.980 €   | 45         | S901TST3   | 12.180 €  | 46          |            |          |                    |       |      |              |       |      |                       |       |      |                          |       |      |
|              |                  |                  |              |                            |                          | KS901TST6   | 12.980 €   | 45         | S901TST6   | 12.180 €  | 46          |            |          |                    |       |      |              |       |      |                       |       |      |                          |       |      |
|              |                  |                  |              |                            |                          | KS901TST3I  | 13.820 €   | 45         | S901TST3I  | 13.020 €  | 46          |            |          |                    |       |      |              |       |      |                       |       |      |                          |       |      |
|              |                  |                  |              |                            |                          | KS901TST6I  | 13.820 €   | 45         | S901TST6I  | 13.020 €  | 46          |            |          |                    |       |      |              |       |      |                       |       |      |                          |       |      |
| KS901TWT3    | 14.350 €         | 53               | S901TWT3     | 13.550 €                   | 54                       |             |            |            |            |           |             |            |          |                    |       |      |              |       |      |                       |       |      |                          |       |      |
| KS901TWT6    | 14.350 €         | 53               | S901TWT6     | 13.550 €                   | 54                       |             |            |            |            |           |             |            |          |                    |       |      |              |       |      |                       |       |      |                          |       |      |
| KS601TWT3    | 11.670 €         | 167              | S601TWT3     | 10.870 €                   | 168                      |             |            |            |            |           |             |            |          |                    |       |      |              |       |      |                       |       |      |                          |       |      |
| KS601TWT6    | 11.670 €         | 167              | S601TWT6     | 10.870 €                   | 168                      |             |            |            |            |           |             |            |          |                    |       |      |              |       |      |                       |       |      |                          |       |      |
| KS900TST3    | 11.070 €         | 64               | S900TST3     | 10.270 €                   | 66                       | BKS900TST3  | 9.180 €    | 68         | BS900TST3  | 8.520 €   | 69          |            |          |                    |       |      |              |       |      |                       |       |      |                          |       |      |
| KS900TST6    | 11.070 €         | 64               | S900TST6     | 10.270 €                   | 66                       | BKS900TST6  | 9.180 €    | 68         | BS900TST6  | 8.520 €   | 69          |            |          |                    |       |      |              |       |      |                       |       |      |                          |       |      |
| KS900TST3I   | 11.920 €         | 64               | S900TST3I    | 11.120 €                   | 66                       | BKS900TST3I | 10.030 €   | 68         | BS900TST3I | 9.370 €   | 69          |            |          |                    |       |      |              |       |      |                       |       |      |                          |       |      |
| KS900TST6I   | 11.920 €         | 64               | S900TST6I    | 11.120 €                   | 66                       | BKS900TST6I | 10.030 €   | 68         | BS900TST6I | 9.370 €   | 69          |            |          |                    |       |      |              |       |      |                       |       |      |                          |       |      |
| KS900TGT3    | 12.050 €         | 65               | S900TGT3     | 11.250 €                   | 67                       |             |            |            |            |           |             |            |          |                    |       |      |              |       |      |                       |       |      |                          |       |      |
| KS900TGT6    | 12.050 €         | 65               | S900TGT6     | 11.250 €                   | 67                       |             |            |            |            |           |             |            |          |                    |       |      |              |       |      |                       |       |      |                          |       |      |
| KS900TGT3I   | 12.900 €         | 65               | S900TGT3I    | 12.100 €                   | 67                       |             |            |            |            |           |             |            |          |                    |       |      |              |       |      |                       |       |      |                          |       |      |
| KS900TGT6I   | 12.900 €         | 65               | S900TGT6I    | 12.100 €                   | 67                       |             |            |            |            |           |             |            |          |                    |       |      |              |       |      |                       |       |      |                          |       |      |
| KS750TST3    | 10.960 €         | 114              | S750TST3     | 10.160 €                   | 116                      | BKS750TST3  | 8.690 €    | 118        | BS750TST3  | 8.310 €   | 119         |            |          |                    |       |      |              |       |      |                       |       |      |                          |       |      |
| KS750TST6    | 10.960 €         | 114              | S750TST6     | 10.160 €                   | 116                      | BKS750TST6  | 8.690 €    | 118        | BS750TST6  | 8.310 €   | 119         |            |          |                    |       |      |              |       |      |                       |       |      |                          |       |      |
| KS750TST3I   | 11.810 €         | 114              | S750TST3I    | 11.010 €                   | 116                      | BKS750TST3I | 9.530 €    | 118        | BS750TST3I | 9.150 €   | 119         |            |          |                    |       |      |              |       |      |                       |       |      |                          |       |      |
| KS750TST6I   | 11.810 €         | 114              | S750TST6I    | 11.010 €                   | 116                      | BKS750TST6I | 9.530 €    | 118        | BS750TST6I | 9.150 €   | 119         |            |          |                    |       |      |              |       |      |                       |       |      |                          |       |      |
| KS750TGT3    | 11.950 €         | 115              | S750TGT3     | 11.150 €                   | 117                      |             |            |            |            |           |             |            |          |                    |       |      |              |       |      |                       |       |      |                          |       |      |
| KS750TGT6    | 11.950 €         | 115              | S750TGT6     | 11.150 €                   | 117                      |             |            |            |            |           |             |            |          |                    |       |      |              |       |      |                       |       |      |                          |       |      |
| KS750TGT3I   | 12.780 €         | 115              | S750TGT3I    | 11.980 €                   | 117                      |             |            |            |            |           |             |            |          |                    |       |      |              |       |      |                       |       |      |                          |       |      |
| KS750TGT6I   | 12.780 €         | 115              | S750TGT6I    | 11.980 €                   | 117                      |             |            |            |            |           |             |            |          |                    |       |      |              |       |      |                       |       |      |                          |       |      |
| KS600TST3    | 10.530 €         | 178              | S600TST3     | 9.730 €                    | 180                      |             |            |            |            |           |             |            |          |                    |       |      |              |       |      |                       |       |      |                          |       |      |
| KS600TST6    | 10.530 €         | 178              | S600TST6     | 9.730 €                    | 180                      |             |            |            |            |           |             |            |          |                    |       |      |              |       |      |                       |       |      |                          |       |      |
| KS600TGT3    | 11.510 €         | 179              | S600TGT3     | 10.710 €                   | 181                      |             |            |            |            |           |             |            |          |                    |       |      |              |       |      |                       |       |      |                          |       |      |
| KS600TGT6    | 11.510 €         | 179              | S600TGT6     | 10.710 €                   | 181                      |             |            |            |            |           |             |            |          |                    |       |      |              |       |      |                       |       |      |                          |       |      |
| KS750TWT3    | 11.400 €         | 124              | S750TWT3     | 10.600 €                   | 125                      |             |            |            |            |           |             |            |          |                    |       |      |              |       |      |                       |       |      |                          |       |      |
| KS750TWT6    | 11.400 €         | 124              | S750TWT6     | 10.600 €                   | 125                      |             |            |            |            |           |             |            |          |                    |       |      |              |       |      |                       |       |      |                          |       |      |
| KS600TWT3    | 10.410 €         | 186              | S600TWT3     | 9.610 €                    | 187                      |             |            |            |            |           |             |            |          |                    |       |      |              |       |      |                       |       |      |                          |       |      |
| KS600TWT6    | 10.410 €         | 186              | S600TWT6     | 9.610 €                    | 187                      |             |            |            |            |           |             |            |          |                    |       |      |              |       |      |                       |       |      |                          |       |      |
| KS900HST3    | 11.670 €         | 74               | S900HST3     | 10.870 €                   | 75                       |             |            |            |            |           |             |            |          |                    |       |      |              |       |      |                       |       |      |                          |       |      |
| KS900HST6    | 11.670 €         | 74               | S900HST6     | 10.870 €                   | 75                       |             |            |            |            |           |             |            |          |                    |       |      |              |       |      |                       |       |      |                          |       |      |
| KS900HST3I   | 12.520 €         | 74               | S900HST3I    | 11.720 €                   | 75                       |             |            |            |            |           |             |            |          |                    |       |      |              |       |      |                       |       |      |                          |       |      |
| KS900HST6I   | 12.520 €         | 74               | S900HST6I    | 11.720 €                   | 75                       |             |            |            |            |           |             |            |          |                    |       |      |              |       |      |                       |       |      |                          |       |      |
| KS750HST3    | 11.510 €         | 130              | S750HST3     | 10.710 €                   | 1                        |             |            |            |            |           |             |            |          |                    |       |      |              |       |      |                       |       |      |                          |       |      |

|           |          |              |          | Top compressors             |                       |                          |              |              |           | Bottom compressors |              |          |              |              |           |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|-----------|----------|--------------|----------|-----------------------------|-----------------------|--------------------------|--------------|--------------|-----------|--------------------|--------------|----------|--------------|--------------|-----------|--------------|--------------|-------|-----------------------|--------------|-------|--------------------------|--------------|-------|--------------|-------|------|--|--|--|--|
|           |          |              |          | X-Pro XS                    |                       |                          | Country AS   |              |           | Designer R         |              |          | Classic K    |              |           | Integrated S |              |       | Brilliance Classic BK |              |       | Brilliance Integrated BS |              |       |              |       |      |  |  |  |  |
| Model     | Version  | Width        | Hinge    | Optionals                   | Product code          | Price                    | Page         | Product code | Price     | Page               | Product code | Price    | Page         | Product code | Price     | Page         | Product code | Price | Page                  | Product code | Price | Page                     | Product code | Price | Page         |       |      |  |  |  |  |
| OF        | FRIDGE   | 90           | SX       |                             | XS900FR3              | 10.690 €                 | 84           |              |           |                    | RS900FR3     | 9.490 €  | 86           |              |           |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          |              | DX       |                             | XS900FR6              | 10.690 €                 | 84           |              |           |                    |              | RS900FR6 | 9.490 €      | 86           |           |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          |              | SX       | Water dispenser             | XS900FR3D             | 11.530 €                 | 84           |              |           |                    |              |          | RS900FR3D    | 10.330 €     | 86        |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          |              | DX       | Water dispenser             | XS900FR6D             | 11.530 €                 | 84           |              |           |                    |              |          | RS900FR6D    | 10.330 €     | 86        |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          |              | SX       | Glass Door                  | XS900FG3              | 11.680 €                 | 85           |              |           |                    |              |          | RS900FG3     | 10.480 €     | 87        |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          |              | DX       | Glass Door                  | XS900FG6              | 11.680 €                 | 85           |              |           |                    |              |          | RS900FG6     | 10.480 €     | 87        |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          |              | SX       | Glass Door, water dispenser | XS900FG3D             | 12.510 €                 | 85           |              |           |                    |              |          | RS900FG3D    | 11.310 €     | 87        |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          |              | DX       | Glass Door, water dispenser | XS900FG6D             | 12.510 €                 | 85           |              |           |                    |              |          | RS900FG6D    | 11.310 €     | 87        |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          | 75           | SX       |                             |                       |                          | XS750FR3     | 10.420 €     | 140       |                    |              |          | RS750FR3     | 9.220 €      | 142       |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          |              | DX       |                             |                       |                          | XS750FR6     | 10.420 €     | 140       |                    |              |          | RS750FR6     | 9.220 €      | 142       |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          |              | SX       | Water dispenser             |                       |                          | XS750FR3D    | 11.250 €     | 140       |                    |              |          | RS750FR3D    | 10.050 €     | 142       |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          |              | DX       | Water dispenser             |                       |                          | XS750FR6D    | 11.250 €     | 140       |                    |              |          | RS750FR6D    | 10.050 €     | 142       |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          |              | SX       | Glass Door                  |                       |                          | XS750FG3     | 11.400 €     | 141       |                    |              |          | RS750FG3     | 10.200 €     | 143       |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          |              | DX       | Glass Door                  |                       |                          | XS750FG6     | 11.400 €     | 141       |                    |              |          | RS750FG6     | 10.200 €     | 143       |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          |              | SX       | Glass Door, water dispenser |                       |                          | XS750FG3D    | 12.240 €     | 141       |                    |              |          | RS750FG3D    | 11.040 €     | 143       |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          |              | DX       | Glass Door, water dispenser |                       |                          | XS750FG6D    | 12.240 €     | 141       |                    |              |          | RS750FG6D    | 11.040 €     | 143       |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          | 60           | SX       |                             |                       |                          | XS600FR3     | 9.980 €      | 190       |                    |              |          | RS600FR3     | 8.780 €      | 192       |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          |              | DX       |                             |                       |                          | XS600FR6     | 9.980 €      | 190       |                    |              |          | RS600FR6     | 8.780 €      | 192       |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          |              | SX       | Glass Door                  |                       |                          | XS600FG3     | 10.970 €     | 191       |                    |              |          | RS600FG3     | 9.770 €      | 193       |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          |              | DX       | Glass Door                  |                       |                          | XS600FG6     | 10.970 €     | 191       |                    |              |          | RS600FG6     | 9.770 €      | 193       |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          | WINE CELLARS | 90       | SX                          |                       |                          | XS900FW3     | 12.060 €     | 94        |                    |              |          | RS900FW3     | 10.860 €     | 95        |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          |              |          | DX                          |                       |                          | XS900FW6     | 12.060 €     | 94        |                    |              |          | RS900FW6     | 10.860 €     | 95        |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          |              | 75       | SX                          |                       |                          | XS750FW3     | 11.730 €     | 150       |                    |              |          | RS750FW3     | 10.530 €     | 151       |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          |              |          | DX                          |                       |                          | XS750FW6     | 11.730 €     | 150       |                    |              |          | RS750FW6     | 10.530 €     | 151       |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          |              | 60       | SX                          |                       |                          | XS600FW3     | 11.290 €     | 200       |                    |              |          | RS600FW3     | 10.090 €     | 201       |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          |              |          | DX                          |                       |                          | XS600FW6     | 11.290 €     | 200       |                    |              |          | RS600FW6     | 10.090 €     | 201       |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          |              | 45       | SX                          |                       |                          | XS450FW3     | 10.970 €     | 216       |                    |              |          | RS450FW3     | 9.770 €      | 217       |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          |              |          | DX                          |                       |                          | XS450FW6     | 10.970 €     | 216       |                    |              |          | RS450FW6     | 9.770 €      | 217       |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          |              | FREEZER  | 90                          | SX                    |                          |              | XS900FZ3     | 11.730 €  | 100                |              |          |              | RS900FZ3     | 10.530 €  | 101          |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          |              |          |                             | DX                    |                          |              | XS900FZ6     | 11.730 €  | 100                |              |          |              | RS900FZ6     | 10.530 €  | 101          |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          |              |          |                             | SX                    | Ice maker                |              |              | XS900FZ3I | 12.570 €           | 100          |          |              |              | RS900FZ3I | 11.370 €     | 101          |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          |              |          |                             | DX                    | Ice maker                |              |              | XS900FZ6I | 12.570 €           | 100          |          |              |              | RS900FZ6I | 11.370 €     | 101          |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          | 75           |          |                             | SX                    |                          |              |              | XS750FZ3  | 10.520 €           | 156          |          |              |              | RS750FZ3  | 9.320 €      | 157          |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          |              |          |                             | DX                    |                          |              |              | XS750FZ6  | 10.520 €           | 156          |          |              |              | RS750FZ6  | 9.320 €      | 157          |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          |              |          |                             | SX                    | Ice maker                |              |              | XS750FZ3I | 11.370 €           | 156          |          |              |              | RS750FZ3I | 10.170 €     | 157          |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          |              |          |                             | DX                    | Ice maker                |              |              | XS750FZ6I | 11.370 €           | 156          |          |              |              | RS750FZ6I | 10.170 €     | 157          |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          | 60           |          | SX                          |                       |                          |              | XS600FZ3     | 10.310 €  | 208                |              |          |              | RS600FZ3     | 9.110 €   | 209          |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          |              |          | DX                          |                       |                          |              | XS600FZ6     | 10.310 €  | 208                |              |          |              | RS600FZ6     | 9.110 €   | 209          |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          |              |          | SX                          | Ice maker             |                          |              | XS600FZ3I    | 11.150 €  | 208                |              |          |              | RS600FZ3I    | 9.950 €   | 209          |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          |              |          | DX                          | Ice maker             |                          |              | XS600FZ6I    | 11.150 €  | 208                |              |          |              | RS600FZ6I    | 9.950 €   | 209          |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          |              |          | 45                          | SX                    |                          |              |              | XS450FZ3  | 10.190 €           | 222          |          |              |              | RS450FZ3  | 8.990 €      | 223          |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          |              |          |                             | DX                    |                          |              |              | XS450FZ6  | 10.190 €           | 222          |          |              |              | RS450FZ6  | 8.990 €      | 223          |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          | SX           |          |                             | Ice maker             |                          |              | XS450FZ3I    | 11.040 €  | 222                |              |          |              | RS450FZ3I    | 9.840 €   | 223          |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          | DX           |          |                             | Ice maker             |                          |              | XS450FZ6I    | 11.040 €  | 222                |              |          |              | RS450FZ6I    | 9.840 €   | 223          |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          | Classic K    |          | Integrated S                | Brilliance Classic BK | Brilliance Integrated BS | Product code | Price        | Page      | Product code       | Price        | Page     | Product code | Price        | Page      | Product code | Price        | Page  | Product code          | Price        | Page  | Product code             | Price        | Page  | Product code | Price | Page |  |  |  |  |
|           |          |              |          |                             |                       |                          | KS900FR3     | 9.490 €      | 88        | S900FR3            | 8.690 €      | 90       |              |              |           |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          |              |          |                             |                       |                          | KS900FR6     | 9.490 €      | 88        | S900FR6            | 8.690 €      | 90       |              |              |           |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
|           |          |              |          |                             |                       |                          | KS900FR3D    | 10.330 €     | 88        | S900FR3D           | 9.530 €      | 90       |              |              |           |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
| KS900FR6D | 10.330 € |              |          |                             |                       |                          | 88           | S900FR6D     | 9.530 €   | 90                 |              |          |              |              |           |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
| KS900FG3  | 10.480 € |              |          |                             |                       |                          | 89           | S900FG3      | 9.680 €   | 91                 |              |          |              |              |           |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
| KS900FG6  | 10.480 € |              |          |                             |                       |                          | 89           | S900FG6      | 9.680 €   | 91                 |              |          |              |              |           |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
| KS900FG3D | 11.310 € |              |          |                             |                       |                          | 89           | S900FG3D     | 10.510 €  | 91                 |              |          |              |              |           |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
| KS900FG6D | 11.310 € |              | 89       |                             |                       |                          | S900FG6D     | 10.510 €     | 91        |                    |              |          |              |              |           |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
| KS750FR3  | 9.220 €  |              | 144      |                             |                       |                          | S750FR3      | 8.420 €      | 146       |                    |              |          |              |              |           |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
| KS750FR6  | 9.220 €  |              | 144      |                             |                       |                          | S750FR6      | 8.420 €      | 146       |                    |              |          |              |              |           |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
| KS750FR3D | 10.050 € |              | 144      |                             |                       |                          | S750FR3D     | 9.250 €      | 146       |                    |              |          |              |              |           |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
| KS750FR6D | 10.050 € |              | 144      |                             |                       |                          | S750FR6D     | 9.250 €      | 146       |                    |              |          |              |              |           |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
| KS750FG3  | 10.200 € |              | 145      |                             |                       |                          | S750FG3      | 9.400 €      | 147       |                    |              |          |              |              |           |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
| KS750FG6  | 10.200 € |              | 145      |                             |                       |                          | S750FG6      | 9.400 €      | 147       |                    |              |          |              |              |           |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
| KS750FG3D | 11.040 € |              | 145      |                             |                       |                          | S750FG3D     | 10.240 €     | 147       |                    |              |          |              |              |           |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
| KS750FG6D | 11.040 € | 145          | S750FG6D | 10.240 €                    | 147                   |                          |              |              |           |                    |              |          |              |              |           |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
| KS600FR3  | 8.780 €  | 194          | S600FR3  | 7.980 €                     | 196                   |                          |              |              |           |                    |              |          |              |              |           |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
| KS600FR6  | 8.780 €  | 194          | S600FR6  | 7.980 €                     | 196                   |                          |              |              |           |                    |              |          |              |              |           |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
| KS600FG3  | 9.770 €  | 195          | S600FG3  | 8.970 €                     | 197                   |                          |              |              |           |                    |              |          |              |              |           |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
| KS600FG6  | 9.770 €  | 195          | S600FG6  | 8.970 €                     | 197                   |                          |              |              |           |                    |              |          |              |              |           |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |
| KS900FW3  | 10.860 € | 96           | S900FW3  | 10.060 €                    | 97                    |                          |              |              |           |                    |              |          |              |              |           |              |              |       |                       |              |       |                          |              |       |              |       |      |  |  |  |  |

# FULL SIZE: FRENCH DOOR

## Width: 120cm

### French-Door

Fridges

120

#### **X-PRO**

Top compressors



XS120FDST

#### **DESIGNER**

Bottom compressors



RS120FDST

#### **INTEGRATED**

Bottom compressors



S120FDST



FRIDGE

LOW TEMP

TRIMODE®

## FULL SIZE: FRENCH DOOR

Model: FD

Width: 120cm

Two doors, one drawer, 2 separate temperatures

Upper compartment: Fridge

Middle compartment: LowTemp

Lower compartment TriMode: Fridge/Fresco/Freezer

### FEATURES

**Made in Italy:** Designed and built entirely in Italy with artisanal precision.

**Long Term Reliability:** Premium materials and rigorous testing ensure consistent, durable performance.

**Galvanized Steel Structure:** Strength and stability engineered to last.

**Antibacterial Interior:** Hygienic surfaces preserving freshness and food quality.

### Technology and Functionality

**EventLift™:** Shelves adjustable to any height without removal.

**ProVent™:** Uniform cold air distribution across every zone.

**EquiLance™:** Patented variable pivot hinge for silent, stable movement.

**OptiView™:** Diffuse, uniform LED lighting.

**Full Color TFT Display:** Clear, intuitive, high definition interface.

**100% Total No Frost:** Automatic system preventing ice formation.

**Variable Speed Compressors:** Precise temperature control and reduced vibrations.

**Sabbath Mode:** Dedicated function for observance needs.

**Easy Installation:** Adjustable feet and rear wheels.

### Conservation Performance

**Two Independent Climate Zones:** Professional grade temperature and humidity management

**Low Temperature Zone:** Dedicated area with a temperature 2°C lower than the refrigerator compartment, ideal for meat, fish, and vegetables.

**Tempered Glass Shelves:** With aluminum profiles

**TriMode™:** Lower drawer configurable as refrigerator, fresh zone, or freezer.

### GENERAL PROPERTIES

|   |                         |
|---|-------------------------|
| Reversible door                         | NO                      |
| Equilance                               | YES                     |
| SoftClosing Runner                      | YES                     |
| Low vibration                           | YES                     |
| OptiView (LED light spots)              | YES                     |
| Shelves                                 | 3+3 adjustable, 1 fixed |
| Slide-out shelves                       | NO                      |
| Type of shelves                         | GLASS                   |
| Fridge drawers type                     | LOW TEMP                |
| Fresco/LowTemp Drawers                  | 3                       |
| Bottom Drawers                          | 1+1 internal drawer     |
| Full Extension shelves 90° door opening | /                       |
| Full Extension drawers 90° door opening | YES                     |
| Defrost Process                         | AUTOMATIC               |
| Ice maker with water filter             | AVAILABLE               |
| Door Open Alarms                        | YES                     |
| Humidity Control                        | NO                      |
| Active Carbon Filter                    | NO                      |
| Air filter control                      | NO                      |
| Shopping Fridge                         | YES                     |
| Shopping Freezer                        | YES                     |
| Power Failure Function                  | YES                     |

## XS120FDSTID

120 cm, FRENCH DOOR, Model FD

BUILT-IN

XPRO® SERIES



| AESTHETIC                                     |                     |
|---|---------------------|
| Compressor position                           | Top                 |
| Front finish                                  | Stainless Steel     |
| Handles                                       | Stainless Steel Pro |
| Interior material finish                      | Stainless Steel     |
| PRICE (VAT and delivery charges not included) |                     |
| XS120FDSTID<br>(water dispenser, ice maker)   | 16.950 €            |
| CAPACITY                                      |                     |
| Volume Compartment1 (L)                       | 581                 |
| Volume Compartment2 (L)                       | /                   |
| Volume Compartment3 (L)                       | 186                 |
| Total Net Volume (L)                          | 767                 |
| Total Gross Volume (L)                        | 793                 |
| TECHNICAL DETAILS                             |                     |
| Voltage (V)                                   | 220-240V            |
| Frequency (Hz)                                | 50-60 Hz            |
| Climatic class                                | SN/T                |
| Noise level (dB)                              | 41                  |
| EFFICIENCY                                    |                     |
| Energy Label class                            | E                   |
| Energy consumption (kWh/year)                 | 359                 |
| DIMENSIONS & WEIGHT                           |                     |
| Product height (closed wheels)(mm)            | 2120                |
| Width of the product (mm)                     | 1204                |
| Depth of Product without handle(mm)           | 635                 |
| Net Weight (kg)                               | 245                 |
| Gross Weight (kg)                             | 266                 |
| TEMPERATURE RANGES                            |                     |
| Climatic compartments                         | 2                   |
| Compartment 1 / Temperature (°C)              | from 2 to 8         |
| Compartment 2 / Temperature (°C)              | /                   |
| Low temp zone                                 | YES                 |
| Compartment 3 / Temperature (°C)              | from 8 to -22       |

| GENERAL PROPERTIES     |                         |
|------------------------|-------------------------|
| Reversible door        | NO                      |
| Low vibration          | YES                     |
| Shelves                | 3+3 adjustable, 1 fixed |
| Type of shelves        | GLASS                   |
| Door Bins              | 6                       |
| Fridge drawers type    | LOW TEMP                |
| Fresco/LowTemp Drawers | 3                       |
| Bottom Drawers         | 1+1 internal drawer     |

### ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning Kit
- Front panel painting, handles, and side panels
- Door stop 90°

## RS120FDSTID

120 cm, FRENCH DOOR, Model FD

BUILT-IN

DESIGNER® SERIES



| AESTHETIC                                     |                     |
|---|---------------------|
| Compressor position                           | Bottom              |
| Front finish                                  | Stainless Steel     |
| Handles                                       | Stainless Steel Pro |
| Interior material finish                      | Stainless Steel     |
| PRICE (VAT and delivery charges not included) |                     |
| RS120FDSTID<br>(water dispenser, ice maker)   | 15.760 €            |
| CAPACITY                                      |                     |
| Volume Compartment1 (L)                       | 581                 |
| Volume Compartment2 (L)                       | /                   |
| Volume Compartment3 (L)                       | 186                 |
| Total Net Volume (L)                          | 767                 |
| Total Gross Volume (L)                        | 793                 |
| TECHNICAL DETAILS                             |                     |
| Voltage (V)                                   | 220-240V            |
| Frequency (Hz)                                | 50-60 Hz            |
| Climatic class                                | SN/T                |
| Noise level (dB)                              | 41                  |
| EFFICIENCY                                    |                     |
| Energy Label class                            | E                   |
| Energy consumption (kWh/year)                 | 359                 |
| DIMENSIONS & WEIGHT                           |                     |
| Product height (closed wheels)(mm)            | 2120                |
| Width of the product (mm)                     | 1218                |
| Depth of Product without handle(mm)           | 620                 |
| Net Weight (kg)                               | 225                 |
| Gross Weight (kg)                             | 246                 |
| TEMPERATURE RANGES                            |                     |
| Climatic compartments                         | 2                   |
| Compartment 1 / Temperature (°C)              | from 2 to 8         |
| Compartment 2 / Temperature (°C)              | /                   |
| Low temp zone                                 | YES                 |
| Compartment 3 / Temperature (°C)              | from 8 to -22       |

| GENERAL PROPERTIES     |                         |
|------------------------|-------------------------|
| Reversible door        | NO                      |
| Low vibration          | YES                     |
| Shelves                | 3+3 adjustable, 1 fixed |
| Type of shelves        | GLASS                   |
| Door Bins              | 6                       |
| Fridge drawers type    | LOW TEMP                |
| Fresco/LowTemp Drawers | 3                       |
| Bottom Drawers         | 1+1 internal drawer     |

### ACCESSORIES (from page 118 to page 227)

- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Front panel painting, handles
- Door stop 90°

# S120FDSTID

120 cm, FRENCH DOOR, Model FD

BUILT-IN

INTEGRATED® SERIES



## AESTHETIC

|                          |                    |
|--------------------------|--------------------|
| Compressor position      | Bottom             |
| Front finish             | Custom Panel Ready |
| Handles                  | No                 |
| Interior material finish | Stainless Steel    |

## PRICE (VAT and delivery charges not included)

|  |          |
|--|----------|
| S120FDSTID<br>(water dispenser, ice maker) | 15.450 € |
|--|----------|

## CAPACITY

|                         |     |
|-------------------------|-----|
| Volume Compartment1 (L) | 581 |
| Volume Compartment2 (L) | /   |
| Volume Compartment3 (L) | 186 |
| Total Net Volume (L)    | 767 |
| Total Gross Volume (L)  | 793 |

## TECHNICAL DETAILS

|                  |          |
|------------------|----------|
| Voltage (V)      | 220-240V |
| Frequency (Hz)   | 50-60 Hz |
| Climatic class   | SN/T     |
| Noise level (dB) | 41       |

## EFFICIENCY

|                               |     |
|-------------------------------|-----|
| Energy Label class            | E   |
| Energy consumption (kWh/year) | 359 |

## DIMENSIONS & WEIGHT

|                                     |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2120 |
| Width of the product (mm)           | 1218 |
| Depth of Product without handle(mm) | 610  |
| Net Weight (kg)                     | 222  |
| Gross Weight (kg)                   | 244  |

## TEMPERATURE RANGES

|                                  |               |
|----------------------------------|---------------|
| Climatic compartments            | 2             |
| Compartment 1 / Temperature (°C) | from 2 to 8   |
| Compartment 2 / Temperature (°C) | /             |
| Low temp zone                    | YES           |
| Compartment 3 / Temperature (°C) | from 8 to -22 |

## GENERAL PROPERTIES

|                        |                         |
|------------------------|-------------------------|
| Reversible door        | NO                      |
| Low vibration          | YES                     |
| Shelves                | 3+3 adjustable, 1 fixed |
| Type of shelves        | GLASS                   |
| Door Bins              | 6                       |
| Fridge drawers type    | LOW TEMP                |
| Fresco/LowTemp Drawers | 3                       |
| Bottom Drawers         | 1+1 internal drawer     |

## ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Ø 30 mm Tubular Stainless Steel Handles – Classic
- Ø 30 mm Tubular Stainless Steel Handles – Pro
- Ø 18 mm Tubular Stainless Steel Handles
- Stainless steel panels
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Door stop 90°

# FULL SIZE: FRENCH DOOR

## Width: 105cm

### French-Door

Fridges

105

#### X-PRO

Top compressors



XS105FDST

#### DESIGNER

Bottom compressors



RS105FDST

#### INTEGRATED

Bottom compressors



S105FDST



FRIDGE

LOW TEMP

TRIMODE®

## FULL SIZE: FRENCH DOOR

Model: FD

Width: 105cm

Two doors, one drawer, 2 separate temperatures

Upper compartment: Fridge

Middle compartment: LowTemp

Lower compartment TriMode: Fridge/Fresco/Freezer

### FEATURES

**Made in Italy:** Designed and built entirely in Italy with artisanal precision.

**Long Term Reliability:** Premium materials and rigorous testing ensure consistent, durable performance.

**Galvanized Steel Structure:** Strength and stability engineered to last.

**Antibacterial Interior:** Hygienic surfaces preserving freshness and food quality.

### Technology and Functionality

**EventLift™:** Shelves adjustable to any height without removal.

**ProVent™:** Uniform cold air distribution across every zone.

**EquiLance™:** Patented variable pivot hinge for silent, stable movement.

**OptiView™:** Diffuse, uniform LED lighting.

**Full Color TFT Display:** Clear, intuitive, high definition interface.

**100% Total No Frost:** Automatic system preventing ice formation.

**Variable Speed Compressors:** Precise temperature control and reduced vibrations.

**Sabbath Mode:** Dedicated function for observance needs.

**Easy Installation:** Adjustable feet and rear wheels.

### Conservation Performance

**Two Independent Climate Zones:** Professional grade temperature and humidity management

**Low Temperature Zone:** Dedicated area with a temperature 2°C lower than the refrigerator compartment, ideal for meat, fish, and vegetables.

**Tempered Glass Shelves:** With aluminum profiles

**TriMode™** Lower drawer configurable as refrigerator, fresh zone, or freezer.

### GENERAL PROPERTIES

|   |                         |
|---|-------------------------|
| Reversible door                         | NO                      |
| Equilance                               | YES                     |
| SoftClosing Runner                      | YES                     |
| Low vibration                           | YES                     |
| OptiView (LED light spots)              | YES                     |
| Shelves                                 | 3+3 adjustable, 1 fixed |
| Slide-out shelves                       | NO                      |
| Type of shelves                         | GLASS                   |
| Fridge drawers type                     | LOW TEMP                |
| Fresco/LowTemp Drawers                  | 3                       |
| Bottom Drawers                          | 1+1 internal drawer     |
| Full Extension shelves 90° door opening | /                       |
| Full Extension drawers 90° door opening | YES                     |
| Defrost Process                         | AUTOMATIC               |
| Ice maker with water filter             | AVAILABLE               |
| Door Open Alarms                        | YES                     |
| Humidity Control                        | NO                      |
| Active Carbon Filter                    | NO                      |
| Air filter control                      | NO                      |
| Shopping Fridge                         | YES                     |
| Shopping Freezer                        | YES                     |
| Power Failure Function                  | YES                     |

## XS105FDSTID

105 cm, FRENCH DOOR, Model FD

BUILT-IN

XPRO® SERIES



| AESTHETIC                                     |                     |
|---|---------------------|
| Compressor position                           | Top                 |
| Front finish                                  | Stainless Steel     |
| Handles                                       | Stainless Steel Pro |
| Interior material finish                      | Stainless Steel     |
| PRICE (VAT and delivery charges not included) |                     |
| XS105FDSTID<br>(water dispenser, ice maker)   | 16.330 €            |
| CAPACITY                                      |                     |
| Volume Compartment1 (L)                       | 491                 |
| Volume Compartment2 (L)                       | /                   |
| Volume Compartment3 (L)                       | 155                 |
| Total Net Volume (L)                          | 646                 |
| Total Gross Volume (L)                        | 671                 |
| TECHNICAL DETAILS                             |                     |
| Voltage (V)                                   | 220-240V            |
| Frequency (Hz)                                | 50-60 Hz            |
| Climatic class                                | SN/T                |
| Noise level (dB)                              | 41                  |
| EFFICIENCY                                    |                     |
| Energy Label class                            | E                   |
| Energy consumption (kWh/year)                 | 322                 |
| DIMENSIONS & WEIGHT                           |                     |
| Product height (closed wheels)(mm)            | 2120                |
| Width of the product (mm)                     | 1052                |
| Depth of Product without handle(mm)           | 635                 |
| Net Weight (kg)                               | 225                 |
| Gross Weight (kg)                             | 246                 |
| TEMPERATURE RANGES                            |                     |
| Climatic compartments                         | 2                   |
| Compartment 1 / Temperature (°C)              | from 2 to 8         |
| Compartment 2 / Temperature (°C)              | /                   |
| Low temp zone                                 | YES                 |
| Compartment 3 / Temperature (°C)              | from 8 to -22       |

| GENERAL PROPERTIES     |                         |
|------------------------|-------------------------|
| Reversible door        | NO                      |
| Low vibration          | YES                     |
| Shelves                | 3+3 adjustable, 1 fixed |
| Type of shelves        | GLASS                   |
| Door Bins              | 6                       |
| Fridge drawers type    | LOW TEMP                |
| Fresco/LowTemp Drawers | 3                       |
| Bottom Drawers         | 1+1 internal drawer     |

| ACCESSORIES (from page 118 to page 227)   |  |
|---|--|
| <ul style="list-style-type: none"> <li>Stainless Steel Side Panels for freestanding installation</li> <li>Central Joining Kit for side-by-side installed units</li> <li>X-Pro top grill kit</li> <li>Extra length anti-tipping kit</li> <li>Anti-condensation kit</li> <li>Cleaning Kit</li> <li>Front panel painting, handles, and side panels</li> <li>Door stop 90°</li> </ul> |  |

## RS105FDSTID

105 cm, FRENCH DOOR, Model FD

BUILT-IN

DESIGNER® SERIES



| AESTHETIC                                     |                     |
|---|---------------------|
| Compressor position                           | Bottom              |
| Front finish                                  | Stainless Steel     |
| Handles                                       | Stainless Steel Pro |
| Interior material finish                      | Stainless Steel     |
| PRICE (VAT and delivery charges not included) |                     |
| RS105FDSTID<br>(water dispenser, ice maker)   | 15.010 €            |
| CAPACITY                                      |                     |
| Volume Compartment1 (L)                       | 491                 |
| Volume Compartment2 (L)                       | /                   |
| Volume Compartment3 (L)                       | 155                 |
| Total Net Volume (L)                          | 646                 |
| Total Gross Volume (L)                        | 671                 |
| TECHNICAL DETAILS                             |                     |
| Voltage (V)                                   | 220-240V            |
| Frequency (Hz)                                | 50-60 Hz            |
| Climatic class                                | SN/T                |
| Noise level (dB)                              | 41                  |
| EFFICIENCY                                    |                     |
| Energy Label class                            | E                   |
| Energy consumption (kWh/year)                 | 322                 |
| DIMENSIONS & WEIGHT                           |                     |
| Product height (closed wheels)(mm)            | 2120                |
| Width of the product (mm)                     | 1066                |
| Depth of Product without handle(mm)           | 620                 |
| Net Weight (kg)                               | 225                 |
| Gross Weight (kg)                             | 246                 |
| TEMPERATURE RANGES                            |                     |
| Climatic compartments                         | 2                   |
| Compartment 1 / Temperature (°C)              | from 2 to 8         |
| Compartment 2 / Temperature (°C)              | /                   |
| Low temp zone                                 | YES                 |
| Compartment 3 / Temperature (°C)              | from 8 to -22       |

| GENERAL PROPERTIES     |                         |
|------------------------|-------------------------|
| Reversible door        | NO                      |
| Low vibration          | YES                     |
| Shelves                | 3+3 adjustable, 1 fixed |
| Type of shelves        | GLASS                   |
| Door Bins              | 6                       |
| Fridge drawers type    | LOW TEMP                |
| Fresco/LowTemp Drawers | 3                       |
| Bottom Drawers         | 1+1 internal drawer     |

| ACCESSORIES (from page 118 to page 227)  |  |
|--|--|
| <ul style="list-style-type: none"> <li>Central Joining Kit for side-by-side installed units</li> <li>Extra length anti-tipping kit</li> <li>Cleaning Kit</li> <li>Front ventilation kit</li> <li>Front panel painting, handles</li> <li>Door stop 90°</li> </ul> |  |

# S105FDSTID

105 cm, FRENCH DOOR, Model FD

BUILT-IN

INTEGRATED® SERIES



## AESTHETIC

|                          |                    |
|--------------------------|--------------------|
| Compressor position      | Bottom             |
| Front finish             | Custom Panel Ready |
| Handles                  | No                 |
| Interior material finish | Stainless Steel    |

## PRICE (VAT and delivery charges not included)

|  |          |
|--|----------|
| S105FDSTID<br>(water dispenser, ice maker) | 13.890 € |
|--|----------|

## CAPACITY

|                         |     |
|-------------------------|-----|
| Volume Compartment1 (L) | 491 |
| Volume Compartment2 (L) | /   |
| Volume Compartment3 (L) | 155 |
| Total Net Volume (L)    | 646 |
| Total Gross Volume (L)  | 671 |

## TECHNICAL DETAILS

|                  |          |
|------------------|----------|
| Voltage (V)      | 220-240V |
| Frequency (Hz)   | 50-60 Hz |
| Climatic class   | SN/T     |
| Noise level (dB) | 41       |

## EFFICIENCY

|                               |     |
|-------------------------------|-----|
| Energy Label class            | E   |
| Energy consumption (kWh/year) | 322 |

## DIMENSIONS & WEIGHT

|                                     |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2120 |
| Width of the product (mm)           | 1066 |
| Depth of Product without handle(mm) | 610  |
| Net Weight (kg)                     | 202  |
| Gross Weight (kg)                   | 224  |

## TEMPERATURE RANGES

|                                  |               |
|----------------------------------|---------------|
| Climatic compartments            | 2             |
| Compartment 1 / Temperature (°C) | from 2 to 8   |
| Compartment 2 / Temperature (°C) | /             |
| Low temp zone                    | YES           |
| Compartment 3 / Temperature (°C) | from 8 to -22 |

## GENERAL PROPERTIES

|                        |                         |
|------------------------|-------------------------|
| Reversible door        | NO                      |
| Low vibration          | YES                     |
| Shelves                | 3+3 adjustable, 1 fixed |
| Type of shelves        | GLASS                   |
| Door Bins              | 6                       |
| Fridge drawers type    | LOW TEMP                |
| Fresco/LowTemp Drawers | 3                       |
| Bottom Drawers         | 1+1 internal drawer     |

## ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Ø 30 mm Tubular Stainless Steel Handles – Classic
- Ø 30 mm Tubular Stainless Steel Handles – Pro
- Ø 18 mm Tubular Stainless Steel Handles
- Stainless steel panels
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Door stop 90°

# FULL SIZE: FRENCH DOOR

## Width: 90cm

### French-Door

Fridges

90

#### **X-PRO**

Top compressors



XS90FDST

#### **DESIGNER**

Bottom compressors



R90FDST

#### **INTEGRATED**

Bottom compressors



S90FDST



## FULL SIZE: FRENCH DOOR

Model: FD

Width: 90cm

Two doors, one drawer, 2 separate temperatures

Upper compartment: Fridge

Middle compartment: LowTemp

Lower compartment TriMode: Fridge/Fresco/Freezer

### FEATURES

**Made in Italy:** Designed and built entirely in Italy with artisanal precision.

**Long Term Reliability:** Premium materials and rigorous testing ensure consistent, durable performance.

**Galvanized Steel Structure:** Strength and stability engineered to last.

**Antibacterial Interior:** Hygienic surfaces preserving freshness and food quality.

### Technology and Functionality

**EventLift™:** Shelves adjustable to any height without removal.

**ProVent™:** Uniform cold air distribution across every zone.

**EquiLance™:** Patented variable pivot hinge for silent, stable movement.

**OptiView™:** Diffuse, uniform LED lighting.

**Full Color TFT Display:** Clear, intuitive, high definition interface.

**100% Total No Frost:** Automatic system preventing ice formation.

**Variable Speed Compressors:** Precise temperature control and reduced vibrations.

**Sabbath Mode:** Dedicated function for observance needs.

**Easy Installation:** Adjustable feet and rear wheels.

### Conservation Performance

**Two Independent Climate Zones:** Professional grade temperature and humidity management

**Low Temperature Zone:** Dedicated area with a temperature 2°C lower than the refrigerator compartment, ideal for meat, fish, and vegetables.

**Tempered Glass Shelves:** With aluminum profiles

**TriMode™** Lower drawer configurable as refrigerator, fresh zone, or freezer.

### GENERAL PROPERTIES

|   |                           |
|---|---------------------------|
| Reversible door                         | NO                        |
| Equilance                               | YES                       |
| SoftClosing Runner                      | YES                       |
| Low vibration                           | YES                       |
| OptiView (LED light spots)              | YES                       |
| Shelves                                 | 4 - 1 fixed, 3 adjustable |
| Slide-out shelves                       | NO                        |
| Type of shelves                         | GLASS                     |
| Fridge drawers type                     | LOW TEMP                  |
| Fresco/LowTemp Drawers                  | 2                         |
| Bottom Drawers                          | 1+1 internal drawer       |
| Full Extension shelves 90° door opening | /                         |
| Full Extension drawers 90° door opening | YES                       |
| Defrost Process                         | AUTOMATIC                 |
| Ice maker with water filter             | AVAILABLE                 |
| Door Open Alarms                        | YES                       |
| Humidity Control                        | NO                        |
| Active Carbon Filter                    | NO                        |
| Air filter control                      | NO                        |
| Shopping Fridge                         | YES                       |
| Shopping Freezer                        | YES                       |
| Power Failure Function                  | YES                       |

## XS90FDSTID

90 cm, FRENCH DOOR, Model FD  
BUILT-IN  
XPRO® SERIES



| AESTHETIC                                     |                     |
|---|---------------------|
| Compressor position                           | Top                 |
| Front finish                                  | Stainless Steel     |
| Handles                                       | Stainless Steel Pro |
| Interior material finish                      | Stainless Steel     |
| PRICE (VAT and delivery charges not included) |                     |
| XS90FDSTID<br>(water dispenser, ice maker)    | 14.890 €            |
| CAPACITY                                      |                     |
| Volume Compartment1 (L)                       | 425                 |
| Volume Compartment2 (L)                       | /                   |
| Volume Compartment3 (L)                       | 131                 |
| Total Net Volume (L)                          | 556                 |
| Total Gross Volume (L)                        | 581                 |
| TECHNICAL DETAILS                             |                     |
| Voltage (V)                                   | 220-240V            |
| Frequency (Hz)                                | 50-60 Hz            |
| Climatic class                                | SN/T                |
| Noise level (dB)                              | 41                  |
| EFFICIENCY                                    |                     |
| Energy Label class                            | E                   |
| Energy consumption (kWh/year)                 | 291                 |
| DIMENSIONS & WEIGHT                           |                     |
| Product height (closed wheels)(mm)            | 2120                |
| Width of the product (mm)                     | 899                 |
| Depth of Product without handle(mm)           | 635                 |
| Net Weight (kg)                               | 214                 |
| Gross Weight (kg)                             | 235                 |
| TEMPERATURE RANGES                            |                     |
| Climatic compartments                         | 2                   |
| Compartment 1 / Temperature (°C)              | from 2 to 8         |
| Compartment 2 / Temperature (°C)              | /                   |
| Low temp zone                                 | YES                 |
| Compartment 3 / Temperature (°C)              | from 8 to -22       |

| GENERAL PROPERTIES     |                           |
|------------------------|---------------------------|
| Reversible door        | NO                        |
| Low vibration          | YES                       |
| Shelves                | 4 - 1 fixed, 3 adjustable |
| Type of shelves        | GLASS                     |
| Door Bins              | 6                         |
| Fridge drawers type    | LOW TEMP                  |
| Fresco/LowTemp Drawers | 3                         |
| Bottom Drawers         | 1+1 internal drawer       |

| ACCESSORIES (from page 118 to page 227)   |  |
|---|--|
| <ul style="list-style-type: none"> <li>Stainless Steel Side Panels for freestanding installation</li> <li>Central Joining Kit for side-by-side installed units</li> <li>X-Pro top grill kit</li> <li>Extra length anti-tipping kit</li> <li>Anti-condensation kit</li> <li>Cleaning Kit</li> <li>Front panel painting, handles, and side panels</li> <li>Door stop 90°</li> </ul> |  |

## RS90FDSTID

90 cm, FRENCH DOOR, Model FD  
BUILT-IN  
DESIGNER® SERIES



| AESTHETIC                                     |                     |
|---|---------------------|
| Compressor position                           | Bottom              |
| Front finish                                  | Stainless Steel     |
| Handles                                       | Stainless Steel Pro |
| Interior material finish                      | Stainless Steel     |
| PRICE (VAT and delivery charges not included) |                     |
| RS90FDSTID<br>(water dispenser, ice maker)    | 13.570 €            |
| CAPACITY                                      |                     |
| Volume Compartment1 (L)                       | 425                 |
| Volume Compartment2 (L)                       | /                   |
| Volume Compartment3 (L)                       | 131                 |
| Total Net Volume (L)                          | 556                 |
| Total Gross Volume (L)                        | 581                 |
| TECHNICAL DETAILS                             |                     |
| Voltage (V)                                   | 220-240V            |
| Frequency (Hz)                                | 50-60 Hz            |
| Climatic class                                | SN/T                |
| Noise level (dB)                              | 41                  |
| EFFICIENCY                                    |                     |
| Energy Label class                            | E                   |
| Energy consumption (kWh/year)                 | 291                 |
| DIMENSIONS & WEIGHT                           |                     |
| Product height (closed wheels)(mm)            | 2120                |
| Width of the product (mm)                     | 899                 |
| Depth of Product without handle(mm)           | 620                 |
| Net Weight (kg)                               | 214                 |
| Gross Weight (kg)                             | 235                 |
| TEMPERATURE RANGES                            |                     |
| Climatic compartments                         | 2                   |
| Compartment 1 / Temperature (°C)              | from 2 to 8         |
| Compartment 2 / Temperature (°C)              | /                   |
| Low temp zone                                 | YES                 |
| Compartment 3 / Temperature (°C)              | from 8 to -22       |

| GENERAL PROPERTIES     |                           |
|------------------------|---------------------------|
| Reversible door        | NO                        |
| Low vibration          | YES                       |
| Shelves                | 4 - 1 fixed, 3 adjustable |
| Type of shelves        | GLASS                     |
| Door Bins              | 6                         |
| Fridge drawers type    | LOW TEMP                  |
| Fresco/LowTemp Drawers | 3                         |
| Bottom Drawers         | 1+1 internal drawer       |

| ACCESSORIES (from page 118 to page 227)  |  |
|--|--|
| <ul style="list-style-type: none"> <li>Central Joining Kit for side-by-side installed units</li> <li>Extra length anti-tipping kit</li> <li>Cleaning Kit</li> <li>Front ventilation kit</li> <li>Front panel painting, handles</li> <li>Door stop 90°</li> </ul> |  |

# S90FDSTID

90 cm, FRENCH DOOR, Model FD

BUILT-IN

INTEGRATED® SERIES



## AESTHETIC

|                          |                    |
|--------------------------|--------------------|
| Compressor position      | Bottom             |
| Front finish             | Custom Panel Ready |
| Handles                  | No                 |
| Interior material finish | Stainless Steel    |

## PRICE (VAT and delivery charges not included)

|   |          |
|---|----------|
| S90FDSTID<br>(water dispenser, ice maker) | 12.450 € |
|---|----------|

## CAPACITY

|                         |     |
|-------------------------|-----|
| Volume Compartment1 (L) | 425 |
| Volume Compartment2 (L) | /   |
| Volume Compartment3 (L) | 131 |
| Total Net Volume (L)    | 556 |
| Total Gross Volume (L)  | 581 |

## TECHNICAL DETAILS

|                  |          |
|------------------|----------|
| Voltage (V)      | 220-240V |
| Frequency (Hz)   | 50-60 Hz |
| Climatic class   | SN/T     |
| Noise level (dB) | 41       |

## EFFICIENCY

|                               |     |
|-------------------------------|-----|
| Energy Label class            | E   |
| Energy consumption (kWh/year) | 291 |

## DIMENSIONS & WEIGHT

|                                     |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2120 |
| Width of the product (mm)           | 899  |
| Depth of Product without handle(mm) | 610  |
| Net Weight (kg)                     | 191  |
| Gross Weight (kg)                   | 212  |

## TEMPERATURE RANGES

|                                  |               |
|----------------------------------|---------------|
| Climatic compartments            | 2             |
| Compartment 1 / Temperature (°C) | from 2 to 8   |
| Compartment 2 / Temperature (°C) | /             |
| Low temp zone                    | YES           |
| Compartment 3 / Temperature (°C) | from 8 to -22 |

## GENERAL PROPERTIES

|                        |                           |
|------------------------|---------------------------|
| Reversible door        | NO                        |
| Low vibration          | YES                       |
| Shelves                | 4 - 1 fixed, 3 adjustable |
| Type of shelves        | GLASS                     |
| Door Bins              | 6                         |
| Fridge drawers type    | LOW TEMP                  |
| Fresco/LowTemp Drawers | 2                         |
| Bottom Drawers         | 1+1 internal drawer       |

## ACCESSORIES (from page 118 to page 227)


- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Ø 30 mm Tubular Stainless Steel Handles – Classic
- Ø 30 mm Tubular Stainless Steel Handles – Pro
- Ø 18 mm Tubular Stainless Steel Handles
- Stainless steel panels
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Door stop 90°

# FULL SIZE: FRIDGES/FREEZERS/WINE CELLARS

Width: 90cm

**1T**  
Fridges Wine Cellars

**X-PRO**  
Top compressors



90 90

XS901TST XS901TWT

Glass Door

**DESIGNER**  
Bottom compressors



RS901TST RS901TWT

Glass Door

**CLASSIC**  
Bottom compressors



KS901TST KS901TWT

Glass Door

**INTEGRATED**  
Bottom compressors



S901TST S901TWT


Glass Door

**COUNTRY**  
Top compressors



AS901TST AS901TWT

**BRILLIANCE**  
Bottom compressors  
Bottom compressors



BRILLIANCE CLASSIC

BS900TST  
BKS900TST

**0T**  
Fridges Wine Cellars

90



XS900TST XS900TGT

Glass Door

**0H**  
Fridges Wine Cellars

90 90



RS900HST RS900HWT

Glass Door

**0H**  
Fridges Wine Cellars

90 90



KS900HST KS900HWT

Glass Door

**0H**  
Fridges Wine Cellars

90 90




S900HST S900HWT

Glass Door

**0F**  
Fridges Wine Cellars Freezer

90 90 90



XS900FR XS900FW XS900FZ

Glass Door

**0F**  
Fridges Wine Cellars Freezer

90 90 90



RS900FR RS900FW RS900FZ

Glass Door

**0F**  
Fridges Wine Cellars Freezer

90 90 90



KS900FR KS900FW KS900FZ

Glass Door

**0F**  
Fridges Wine Cellars Freezer

90 90 90



S900FR S900FW S900FZ

Glass Door

# FULL SIZE: FRIDGES AND FREEZER

## Model: 1T

### Width: 90cm

One door, one drawer, 3 separate temperatures

Upper compartment: Fridge

Middle compartment: Fresco

Lower compartment TriMode: Fridge/Fresco/Freezer



FRIDGE

FRESCO®

TRIMODE®

#### FEATURES

**Made in Italy:** Designed and built entirely in Italy with artisanal precision.

**Long Term Reliability:** Premium materials and rigorous testing ensure consistent, durable performance.

**Galvanized Steel Structure:** Strength and stability engineered to last.

**Antibacterial Interior:** Hygienic surfaces preserving freshness and food quality.

#### Technology and Functionality

**EventLift™:** Shelves adjustable to any height without removal.

**EquiLance™:** Patented variable pivot hinge for silent, stable movement.

**OptiView™:** Diffuse, uniform LED lighting.

**Full Color TFT Display:** Clear, intuitive, high definition interface.

**Active Safety:** Visual and acoustic alerts.

**100% Total No Frost:** Automatic system preventing ice formation.

**Variable Speed Compressors:** Precise temperature control and reduced vibrations.

**Sabbath Mode:** Dedicated function for observance needs.

**Easy Installation:** Adjustable feet and rear wheels.

#### Conservation Performance

**Three Independent Climate Zones:** Professional grade temperature and humidity management

**Tempered Glass Shelves:** With aluminum profiles.

**TriMode™** Lower drawer configurable as refrigerator, fresh zone, or freezer.

#### GENERAL PROPERTIES

|   |                     |
|---|---------------------|
| Reversible door                         | NO                  |
| Equilance                               | YES                 |
| SoftClosing Runner                      | YES                 |
| Low vibration                           | YES                 |
| OptiView (LED light spots)              | YES                 |
| Doppi Shelves EvenLift                  | 3+3 adjustable      |
| Slide-out shelves                       | NO                  |
| Type of shelves                         | GLASS               |
| Fridge drawers type                     | FRESCO              |
| Fresco/LowTemp Drawers                  | 2                   |
| Bottom drawers                          | 1+1 internal drawer |
| Full Extension shelves 90° door opening | /                   |
| Full Extension drawers 90° door opening | YES                 |
| Defrost Process                         | AUTOMATIC           |
| Ice maker with water filter             | AVAILABLE           |
| Door Open Alarms                        | YES                 |
| Humidity Control                        | NO                  |
| Active Carbon Filter                    | NO                  |
| Air filter control                      | NO                  |
| Shopping Fridge                         | YES                 |
| Shopping Freezer                        | YES                 |
| Power Failure Function                  | YES                 |

## XS901TST

90 cm, FRIDGES AND FREEZER, MODEL 1T  
BUILT-IN  
X-PRO® SERIES



| AESTHETIC   |                     |
|---|---------------------|
| Compressor position                                   | Top                 |
| Front finish  | Stainless Steel     |
| Handles   | Stainless Steel Pro |
| Interior material finish                              | Stainless Steel     |
| PRICE (VAT and delivery charges not included)         |                     |
| XS901TST6 (right hinge)                               | 14.180 €            |
| XS901TST3 (left hinge)                                | 14.180 €            |
| XS901TST6I (right hinge, with ice maker)              | 15.020 €            |
| XS901TST3I (left hinge, with ice maker)               | 15.020 €            |
| CAPACITY  |                     |
| Volume Compartment1 (L)                               | 268                 |
| Volume Compartment2 (L)                               | 128                 |
| Volume Compartment3 (L)                               | 131                 |
| Total Net Volume (L)                                  | 527                 |
| Total Gross Volume (L)                                | 651                 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                   |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                   |
| TECHNICAL DETAILS                                     |                     |
| Voltage (V)   | 220-240V            |
| Frequency (Hz)  | 50-60 Hz            |
| Climatic class  | SN/T                |
| Noise level (dB)                                      | 41                  |
| EFFICIENCY  |                     |
| Energy Label class                                    | E                   |
| Energy consumption (kWh/year)                         | 315                 |

| DIMENSIONS & WEIGHT                 |                     |
|-------------------------------------|---------------------|
| Product height (closed wheels)(mm)  | 2120                |
| Width of the product (mm)           | 899                 |
| Depth of Product without handle(mm) | 635                 |
| Net Weight (kg)                     | 217                 |
| Gross Weight (kg)                   | 238                 |
| TEMPERATURE RANGES                  |                     |
| Climatic compartments               | 3                   |
| Compartment 1 / Temperature (°C)    | from 2 to 8         |
| Compartment 2 / Temperature (°C)    | from -2 to 2        |
| Low temp zone                       | NO                  |
| Compartment 3 / Temperature (°C)    | from 8 to -22       |
| Dual zone                           | NO                  |
| GENERAL PROPERTIES                  |                     |
| Reversible door                     | NO                  |
| Low vibration                       | YES                 |
| Shelves                             | 3+3 adjustable      |
| Type of shelves                     | GLASS               |
| Door Bins                           | 3                   |
| Fridge drawers type                 | FRESCO              |
| Fresco/LowTemp Drawers              | 2                   |
| Bottom Drawers                      | 1+1 internal drawer |

#### ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning Kit
- Front panel painting, handles, and side panels
- Door stop 90°

## AS901TST

90 cm, FRIDGES AND FREEZER, MODEL 1T  
FREESTANDING  
Series COUNTRY®



| AESTHETIC   |                         |
|---|-------------------------|
| Compressor position                                   | Top                     |
| Front finish e fianchi                                | Painted Stainless steel |
| Handles   | Stainless Steel Ø30     |
| Interior material finish                              | Stainless Steel         |
| PRICE (VAT and delivery charges not included)         |                         |
| AS901TST6I (right hinge, with ice maker)              | 17.420 €                |
| AS901TST3I (left hinge, with ice maker)               | 17.420 €                |
| CAPACITY  |                         |
| Volume Compartment1 (L)                               | 268                     |
| Volume Compartment2 (L)                               | 128                     |
| Volume Compartment3 (L)                               | 131                     |
| Total Net Volume (L)                                  | 527                     |
| Total Gross Volume (L)                                | 651                     |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                       |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                       |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                       |
| TECHNICAL DETAILS                                     |                         |
| Voltage (V)   | 220-240V                |
| Frequency (Hz)  | 50-60 Hz                |
| Climatic class  | SN/T                    |
| Noise level (dB)                                      | 41                      |
| EFFICIENCY  |                         |
| Energy Label class                                    | E                       |
| Energy consumption (kWh/year)                         | 315                     |

| DIMENSIONS & WEIGHT                 |                     |
|-------------------------------------|---------------------|
| Product height (closed wheels)(mm)  | 2120                |
| Width of the product (mm)           | 887                 |
| Depth of Product without handle(mm) | 635                 |
| Net Weight (kg)                     | 217                 |
| Gross Weight (kg)                   | 238                 |
| TEMPERATURE RANGES                  |                     |
| Climatic compartments               | 3                   |
| Compartment 1 / Temperature (°C)    | from 2 to 8         |
| Compartment 2 / Temperature (°C)    | from -2 to 2        |
| Low temp zone                       | NO                  |
| Compartment 3 / Temperature (°C)    | from 8 to -22       |
| Dual zone                           | NO                  |
| GENERAL PROPERTIES                  |                     |
| Reversible door                     | NO                  |
| Low vibration                       | YES                 |
| Shelves                             | 3+3 adjustable      |
| Type of shelves                     | GLASS               |
| Door Bins                           | 3                   |
| Fridge drawers type                 | FRESCO              |
| Fresco/LowTemp Drawers              | 2                   |
| Bottom Drawers                      | 1+1 internal drawer |

#### ACCESSORIES (from page 118 to page 227)

- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning Kit
- Door stop 90°

## RS901TST

90 cm, FRIDGES AND FREEZER, MODEL 1T  
BUILT-IN  
DESIGNER® SERIES



| AESTHETIC   |                     |
|---|---------------------|
| Compressor position                                   | Bottom              |
| Front finish  | Stainless Steel     |
| Handles   | Stainless Steel Pro |
| Interior material finish                              | Stainless Steel     |
| PRICE (VAT and delivery charges not included)         |                     |
| RS901TST6 (right hinge)                               | 12.980 €            |
| RS901TST3 (left hinge)                                | 12.980 €            |
| RS901TST6I (right hinge, with ice maker)              | 13.820 €            |
| RS901TST3I (left hinge, with ice maker)               | 13.820 €            |
| CAPACITY  |                     |
| Volume Compartment1 (L)                               | 268                 |
| Volume Compartment2 (L)                               | 128                 |
| Volume Compartment3 (L)                               | 131                 |
| Total Net Volume (L)                                  | 527                 |
| Total Gross Volume (L)                                | 651                 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                   |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                   |
| TECHNICAL DETAILS                                     |                     |
| Voltage (V)   | 220-240V            |
| Frequency (Hz)  | 50-60 Hz            |
| Climatic class  | SN/T                |
| Noise level (dB)                                      | 41                  |
| EFFICIENCY  |                     |
| Energy Label class                                    | E                   |
| Energy consumption (kWh/year)                         | 315                 |

| DIMENSIONS & WEIGHT                 |                     |
|-------------------------------------|---------------------|
| Product height (closed wheels)(mm)  | 2120                |
| Width of the product (mm)           | 912                 |
| Depth of Product without handle(mm) | 620                 |
| Net Weight (kg)                     | 209                 |
| Gross Weight (kg)                   | 230                 |
| TEMPERATURE RANGES                  |                     |
| Climatic compartments               | 3                   |
| Compartment 1 / Temperature (°C)    | from 2 to 8         |
| Compartment 2 / Temperature (°C)    | from -2 to 2        |
| Low temp zone                       | NO                  |
| Compartment 3 / Temperature (°C)    | from 8 to -22       |
| Dual zone                           | NO                  |
| GENERAL PROPERTIES                  |                     |
| Reversible door                     | NO                  |
| Low vibration                       | YES                 |
| Shelves                             | 3+3 adjustable      |
| Type of shelves                     | GLASS               |
| Door Bins                           | 3                   |
| Fridge drawers type                 | FRESCO              |
| Fresco/LowTemp Drawers              | 2                   |
| Bottom Drawers                      | 1+1 internal drawer |

#### ACCESSORIES (from page 118 to page 227)

- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Front panel painting, handles
- Door stop 90°

## KS901TST

90 cm, FRIDGES AND FREEZER, MODEL 1T  
BUILT-IN  
CLASSIC® SERIES



| AESTHETIC   |                         |
|---|-------------------------|
| Compressor position                                   | Bottom                  |
| Front finish  | Stainless Steel         |
| Handles   | Stainless Steel Classic |
| Interior material finish                              | Stainless Steel         |
| PRICE (VAT and delivery charges not included)         |                         |
| KS901TST6 (right hinge)                               | 12.980 €                |
| KS901TST3 (left hinge)                                | 12.980 €                |
| KS901TST6I (right hinge, with ice maker)              | 13.820 €                |
| KS901TST3I (left hinge, with ice maker)               | 13.820 €                |
| CAPACITY  |                         |
| Volume Compartment1 (L)                               | 268                     |
| Volume Compartment2 (L)                               | 128                     |
| Volume Compartment3 (L)                               | 131                     |
| Total Net Volume (L)                                  | 527                     |
| Total Gross Volume (L)                                | 651                     |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                       |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                       |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                       |
| TECHNICAL DETAILS                                     |                         |
| Voltage (V)   | 220-240V                |
| Frequency (Hz)  | 50-60 Hz                |
| Climatic class  | SN/T                    |
| Noise level (dB)                                      | 41                      |
| EFFICIENCY  |                         |
| Energy Label class                                    | E                       |
| Energy consumption (kWh/year)                         | 315                     |

| DIMENSIONS & WEIGHT                 |                     |
|-------------------------------------|---------------------|
| Product height (closed wheels)(mm)  | 2050                |
| Width of the product (mm)           | 899                 |
| Depth of Product without handle(mm) | 635                 |
| Net Weight (kg)                     | 209                 |
| Gross Weight (kg)                   | 230                 |
| TEMPERATURE RANGES                  |                     |
| Climatic compartments               | 3                   |
| Compartment 1 / Temperature (°C)    | from 2 to 8         |
| Compartment 2 / Temperature (°C)    | from -2 to 2        |
| Low temp zone                       | NO                  |
| Compartment 3 / Temperature (°C)    | from 8 to -22       |
| Dual zone                           | NO                  |
| GENERAL PROPERTIES                  |                     |
| Reversible door                     | NO                  |
| Low vibration                       | YES                 |
| Shelves                             | 3+3 adjustable      |
| Type of shelves                     | GLASS               |
| Door Bins                           | 3                   |
| Fridge drawers type                 | FRESCO              |
| Fresco/LowTemp Drawers              | 2                   |
| Bottom Drawers                      | 1+1 internal drawer |

#### ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Front panel painting, handles, and side panels
- Door stop 90°

# S901TST

90 cm, FRIDGES AND FREEZER, MODEL 1T

FULLY INTEGRATED

INTEGRATED® SERIES



## AESTHETIC

|                          |                    |
|--------------------------|--------------------|
| Compressor position      | Bottom             |
| Front finish             | Custom Panel Ready |
| Handles                  | NO                 |
| Interior material finish | Stainless Steel    |

## PRICE (VAT and delivery charges not included)

|   |          |
|---|----------|
| S901TST6 (right hinge)                  | 12.180 € |
| S901TST3 (left hinge)                   | 12.180 € |
| S901TST6I (right hinge, with ice maker) | 13.020 € |
| S901TST3I (left hinge, with ice maker)  | 13.020 € |

## CAPACITY

|   |     |
|---|-----|
| Volume Compartment1 (L)                               | 268 |
| Volume Compartment2 (L)                               | 128 |
| Volume Compartment3 (L)                               | 131 |
| Total Net Volume (L)                                  | 527 |
| Total Gross Volume (L)                                | 651 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /   |
| Compartment 2 / Middle wine cellar capacity (bottles) | /   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /   |

## TECHNICAL DETAILS

|                  |          |
|------------------|----------|
| Voltage (V)      | 220-240V |
| Frequency (Hz)   | 50-60 Hz |
| Climatic class   | SN/T     |
| Noise level (dB) | 41       |

## EFFICIENCY

|                               |     |
|-------------------------------|-----|
| Energy Label class            | E   |
| Energy consumption (kWh/year) | 315 |

## DIMENSIONS & WEIGHT

|                                     |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2120 |
| Width of the product (mm)           | 899  |
| Depth of Product without handle(mm) | 610  |
| Net Weight (kg)                     | 191  |
| Gross Weight (kg)                   | 212  |

## TEMPERATURE RANGES

|                                  |               |
|----------------------------------|---------------|
| Climatic compartments            | 3             |
| Compartment 1 / Temperature (°C) | from 2 to 8   |
| Compartment 2 / Temperature (°C) | from -2 to 2  |
| Low temp zone                    | NO            |
| Compartment 3 / Temperature (°C) | from 8 to -22 |
| Dual zone                        | NO            |

## GENERAL PROPERTIES

|                        |                     |
|------------------------|---------------------|
| Reversible door        | NO                  |
| Low vibration          | YES                 |
| Shelves                | 3+3 adjustable      |
| Type of shelves        | GLASS               |
| Door Bins              | 3                   |
| Fridge drawers type    | FRESCO              |
| Fresco/LowTemp Drawers | 2                   |
| Bottom Drawers         | 1+1 internal drawer |

## ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Ø 30 mm Tubular Stainless Steel Handles – Classic
- Ø 30 mm Tubular Stainless Steel Handles – Pro
- Ø 18 mm Tubular Stainless Steel Handles
- Stainless steel panels
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Door stop 90°



WINE CELLAR

## FULL SIZE: WINE CELLARS

Model: 1T

Width: 90cm

One door, one drawer, 3 separate temperatures

Upper compartment: Wine cellar

Middle compartment: Wine cellar

Lower compartment: Wine cellar

### FEATURES

**Made in Italy:** Designed and built entirely in Italy with artisanal precision.

**Long Term Reliability:** Premium materials and rigorous testing ensure consistent, durable performance.

**Galvanized Steel Structure:** Strength and stability engineered to last.

**Antibacterial Interior:** Hygienic surfaces preserving freshness and bottle quality.

### Technology and Functionality

**ProVent™:** Uniform cold air distribution across every zone.

**EquiLance™:** Patented variable pivot hinge for silent, stable movement.

**OptiView™:** Diffused and uniform LED lighting, elegant and with low heat emission to preserve the wine's properties.

**Full Color TFT Display:** Clear, intuitive, high definition interface.

**Active Safety:** Visual and acoustic alerts.

**100% Total No Frost:** Automatic system that prevents ice formation and ensures impeccable humidity control.

**Variable Speed Compressors:** Precise temperature control and reduced vibrations.

**Sabbath Mode:** Dedicated function for observance needs.

**Easy Installation:** Adjustable feet and rear wheels.

### Conservation Performance

**Three Independent Climate Zones:** Dedicated temperature and humidity control for red, white, and sparkling wines.

**Triple-layer bronzed glass door:** Total protection against UV rays and external temperature fluctuations.


**Humidity control:** Precise regulation to preserve corks, labels, and bottle integrity.

### GENERAL PROPERTIES

|   |                     |
|---|---------------------|
| Reversible door                         | NO                  |
| Equilance                               | YES                 |
| SoftClosing Runner                      | YES                 |
| Low vibration                           | YES                 |
| OptiView (LED light spots)              | YES                 |
| Shelves                                 | 9                   |
| Slide-out shelves                       | YES                 |
| Type of shelves                         | WOOD                |
| Fridge drawers type                     | /                   |
| Fresco/LowTemp Drawers                  | /                   |
| Bottom drawers                          | 1+1 internal drawer |
| Full Extension shelves 90° door opening | YES                 |
| Full Extension drawers 90° door opening | NO                  |
| Defrost Process                         | AUTOMATIC           |
| Ice maker with water filter             | NO                  |
| Door Open Alarms                        | YES                 |
| Humidity Control                        | YES                 |
| Active Carbon Filter                    | NO                  |
| Air filter control                      | NO                  |
| Shopping Fridge                         | NO                  |
| Shopping Freezer                        | NO                  |
| Power Failure Function                  | YES                 |

# XS901TWT

90 cm, WINE CELLAR, MODEL 1T  
BUILT-IN  
X-PRO® SERIES



## AESTHETIC

|                          |                     |
|--------------------------|---------------------|
| Compressor position      | Top                 |
| Front finish             | Stainless Steel     |
| Handles                  | Stainless Steel Pro |
| Interior material finish | Stainless Steel     |

## PRICE (VAT and delivery charges not included)

|                         |          |
|-------------------------|----------|
| XS901TWT6 (right hinge) | 15.550 € |
| XS901TWT3 (left hinge)  | 15.550 € |

## CAPACITY

|   |     |
|---|-----|
| Volume Compartment1 (L)                               | 247 |
| Volume Compartment2 (L)                               | 128 |
| Volume Compartment3 (L)                               | 131 |
| Total Net Volume (L)                                  | 506 |
| Total Gross Volume (L)                                | 525 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | 72  |
| Compartment 2 / Middle wine cellar capacity (bottles) | 36  |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /   |

## TECHNICAL DETAILS

|                  |          |
|------------------|----------|
| Voltage (V)      | 220-240V |
| Frequency (Hz)   | 50-60 Hz |
| Climatic class   | SN/T     |
| Noise level (dB) | 41       |

## EFFICIENCY

|                               |     |
|-------------------------------|-----|
| Energy Label class            | G   |
| Energy consumption (kWh/year) | 194 |

## DIMENSIONS & WEIGHT

|                                     |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2120 |
| Width of the product (mm)           | 899  |
| Depth of Product without handle(mm) | 635  |
| Net Weight (kg)                     | 205  |
| Gross Weight (kg)                   | 226  |

## TEMPERATURE RANGES

|                                  |              |
|----------------------------------|--------------|
| Climatic compartments            | 3            |
| Compartment 1 / Temperature (°C) | from 4 to 18 |
| Compartment 2 / Temperature (°C) | from 4 to 18 |
| Low temp zone                    | NO           |
| Compartment 3 / Temperature (°C) | from 4 to 18 |
| Dual zone                        | NO           |

## GENERAL PROPERTIES


|                        |                     |
|------------------------|---------------------|
| Reversible door        | NO                  |
| Low vibration          | YES                 |
| Shelves                | 9                   |
| Type of shelves        | WOOD                |
| Door Bins              | /                   |
| Fridge drawers type    | /                   |
| Fresco/LowTemp Drawers | /                   |
| Bottom Drawers         | 1+1 internal drawer |

## ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning Kit
- Active Carbon Filter
- Front panel painting, handles, and side panels
- Door stop 90°
- Wine kit
- Cheese drawer
- Set of knives
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

# AS901TWT

90 cm, WINE CELLAR, MODEL 1T  
FREESTANDING  
Series COUNTRY®



## AESTHETIC

|                          |                         |
|--------------------------|-------------------------|
| Compressor position      | Top                     |
| Front finish e fianchi   | Painted Stainless steel |
| Handles                  | Stainless Steel         |
| Interior material finish | Stainless Steel         |

## PRICE (VAT and delivery charges not included)

|                         |          |
|-------------------------|----------|
| AS901TWT6 (right hinge) | 17.950 € |
| AS901TWT3 (left hinge)  | 17.950 € |

## CAPACITY

|   |     |
|---|-----|
| Volume Compartment1 (L)                               | 247 |
| Volume Compartment2 (L)                               | 128 |
| Volume Compartment3 (L)                               | 131 |
| Total Net Volume (L)                                  | 506 |
| Total Gross Volume (L)                                | 525 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | 72  |
| Compartment 2 / Middle wine cellar capacity (bottles) | 36  |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /   |

## TECHNICAL DETAILS

|                  |          |
|------------------|----------|
| Voltage (V)      | 220-240V |
| Frequency (Hz)   | 50-60 Hz |
| Climatic class   | SN/T     |
| Noise level (dB) | 41       |

## EFFICIENCY

|                               |     |
|-------------------------------|-----|
| Energy Label class            | G   |
| Energy consumption (kWh/year) | 194 |

## DIMENSIONS & WEIGHT

|                                     |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2120 |
| Width of the product (mm)           | 887  |
| Depth of Product without handle(mm) | 635  |
| Net Weight (kg)                     | 205  |
| Gross Weight (kg)                   | 226  |

## TEMPERATURE RANGES

|                                  |              |
|----------------------------------|--------------|
| Climatic compartments            | 3            |
| Compartment 1 / Temperature (°C) | from 4 to 18 |
| Compartment 2 / Temperature (°C) | from 4 to 18 |
| Low temp zone                    | NO           |
| Compartment 3 / Temperature (°C) | from 4 to 18 |
| Dual zone                        | NO           |

## GENERAL PROPERTIES


|                        |                     |
|------------------------|---------------------|
| Reversible door        | NO                  |
| Low vibration          | YES                 |
| Shelves                | 9                   |
| Type of shelves        | WOOD                |
| Door Bins              | /                   |
| Fridge drawers type    | /                   |
| Fresco/LowTemp Drawers | /                   |
| Bottom Drawers         | 1+1 internal drawer |

## ACCESSORIES (from page 118 to page 227)

- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning Kit
- Active Carbon Filter
- Door stop 90°
- Wine kit
- Cheese drawer
- Set of knives
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

# RS901TWT

90 cm, WINE CELLAR, MODEL 1T  
BUILT-IN  
DESIGNER® SERIES



## AESTHETIC

|                          |                     |
|--------------------------|---------------------|
| Compressor position      | Bottom              |
| Front finish             | Stainless Steel     |
| Handles                  | Stainless Steel Pro |
| Interior material finish | Stainless Steel     |

## PRICE (VAT and delivery charges not included)

|                         |          |
|-------------------------|----------|
| RS901TWT6 (right hinge) | 14.350 € |
| RS901TWT3 (left hinge)  | 14.350 € |

## CAPACITY

|   |     |
|---|-----|
| Volume Compartment1 (L)                               | 247 |
| Volume Compartment2 (L)                               | 128 |
| Volume Compartment3 (L)                               | 131 |
| Total Net Volume (L)                                  | 506 |
| Total Gross Volume (L)                                | 525 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | 72  |
| Compartment 2 / Middle wine cellar capacity (bottles) | 36  |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /   |

## TECHNICAL DETAILS

|                  |          |
|------------------|----------|
| Voltage (V)      | 220-240V |
| Frequency (Hz)   | 50-60 Hz |
| Climatic class   | SN/T     |
| Noise level (dB) | 41       |

## EFFICIENCY

|                               |     |
|-------------------------------|-----|
| Energy Label class            | G   |
| Energy consumption (kWh/year) | 194 |

## DIMENSIONS & WEIGHT

|                                     |       |
|-------------------------------------|-------|
| Product height (closed wheels)(mm)  | 20120 |
| Width of the product (mm)           | 912   |
| Depth of Product without handle(mm) | 620   |
| Net Weight (kg)                     | 205   |
| Gross Weight (kg)                   | 226   |

## TEMPERATURE RANGES

|                                  |              |
|----------------------------------|--------------|
| Climatic compartments            | 3            |
| Compartment 1 / Temperature (°C) | from 4 to 18 |
| Compartment 2 / Temperature (°C) | from 4 to 18 |
| Low temp zone                    | NO           |
| Compartment 3 / Temperature (°C) | from 4 to 18 |
| Dual zone                        | NO           |

## GENERAL PROPERTIES


|                        |                     |
|------------------------|---------------------|
| Reversible door        | NO                  |
| Low vibration          | YES                 |
| Shelves                | 9                   |
| Type of shelves        | WOOD                |
| Door Bins              | /                   |
| Fridge drawers type    | /                   |
| Fresco/LowTemp Drawers | /                   |
| Bottom Drawers         | 1+1 internal drawer |

## ACCESSORIES (from page 118 to page 227)

- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Active Carbon Filter
- Front ventilation kit
- Front panel painting, handles
- Door stop 90°
- Wine kit
- Cheese drawer
- Set of knives
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

# KS901TWT

90 cm, WINE CELLAR, MODEL 1T  
BUILT-IN  
CLASSIC® SERIES



## AESTHETIC

|                          |                         |
|--------------------------|-------------------------|
| Compressor position      | Bottom                  |
| Front finish             | Stainless Steel         |
| Handles                  | Stainless Steel Classic |
| Interior material finish | Stainless Steel         |

## PRICE (VAT and delivery charges not included)

|                         |          |
|-------------------------|----------|
| KS901TWT6 (right hinge) | 14.350 € |
| KS901TWT3 (left hinge)  | 14.350 € |

## CAPACITY

|   |     |
|---|-----|
| Volume Compartment1 (L)                               | 247 |
| Volume Compartment2 (L)                               | 128 |
| Volume Compartment3 (L)                               | 131 |
| Total Net Volume (L)                                  | 506 |
| Total Gross Volume (L)                                | 525 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | 72  |
| Compartment 2 / Middle wine cellar capacity (bottles) | 36  |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /   |

## TECHNICAL DETAILS

|                  |          |
|------------------|----------|
| Voltage (V)      | 220-240V |
| Frequency (Hz)   | 50-60 Hz |
| Climatic class   | SN/T     |
| Noise level (dB) | 41       |

## EFFICIENCY

|                               |     |
|-------------------------------|-----|
| Energy Label class            | G   |
| Energy consumption (kWh/year) | 194 |

## DIMENSIONS & WEIGHT

|                                     |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2050 |
| Width of the product (mm)           | 899  |
| Depth of Product without handle(mm) | 635  |
| Net Weight (kg)                     | 205  |
| Gross Weight (kg)                   | 226  |

## TEMPERATURE RANGES

|                                  |              |
|----------------------------------|--------------|
| Climatic compartments            | 3            |
| Compartment 1 / Temperature (°C) | from 4 to 18 |
| Compartment 2 / Temperature (°C) | from 4 to 18 |
| Low temp zone                    | NO           |
| Compartment 3 / Temperature (°C) | from 4 to 18 |
| Dual zone                        | NO           |

## GENERAL PROPERTIES


|                        |                     |
|------------------------|---------------------|
| Reversible door        | NO                  |
| Low vibration          | YES                 |
| Shelves                | 9                   |
| Type of shelves        | WOOD                |
| Door Bins              | /                   |
| Fridge drawers type    | /                   |
| Fresco/LowTemp Drawers | /                   |
| Bottom Drawers         | 1+1 internal drawer |

## ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Active Carbon Filter
- Front ventilation kit
- Front panel painting, handles, and side panels
- Door stop 90°
- Wine kit
- Cheese drawer
- Set of knives
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

# S901TWT

90 cm, WINE CELLAR, MODEL 1T  
FULLY INTEGRATED  
INTEGRATED® SERIES



## AESTHETIC

|                          |                    |
|--------------------------|--------------------|
| Compressor position      | Bottom             |
| Front finish             | Custom Panel Ready |
| Handles                  | No                 |
| Interior material finish | Stainless Steel    |

## PRICE (VAT and delivery charges not included)

|                        |          |
|------------------------|----------|
| S901TWT6 (right hinge) | 13.550 € |
| S901TWT3 (left hinge)  | 13.550 € |

## CAPACITY

|   |     |
|---|-----|
| Volume Compartment1 (L)                               | 247 |
| Volume Compartment2 (L)                               | 128 |
| Volume Compartment3 (L)                               | 131 |
| Total Net Volume (L)                                  | 506 |
| Total Gross Volume (L)                                | 525 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | 72  |
| Compartment 2 / Middle wine cellar capacity (bottles) | 36  |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /   |

## TECHNICAL DETAILS

|                  |          |
|------------------|----------|
| Voltage (V)      | 220-240V |
| Frequency (Hz)   | 50-60 Hz |
| Climatic class   | SN/T     |
| Noise level (dB) | 41       |

## EFFICIENCY

|                               |     |
|-------------------------------|-----|
| Energy Label class            | G   |
| Energy consumption (kWh/year) | 194 |

## DIMENSIONS & WEIGHT

|                                     |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2120 |
| Width of the product (mm)           | 899  |
| Depth of Product without handle(mm) | 610  |
| Net Weight (kg)                     | 187  |
| Gross Weight (kg)                   | 208  |

## TEMPERATURE RANGES

|                                  |              |
|----------------------------------|--------------|
| Climatic compartments            | 3            |
| Compartment 1 / Temperature (°C) | from 4 to 18 |
| Compartment 2 / Temperature (°C) | from 4 to 18 |
| Low temp zone                    | NO           |
| Compartment 3 / Temperature (°C) | from 4 to 18 |
| Dual zone                        | NO           |

## GENERAL PROPERTIES

|                        |                     |
|------------------------|---------------------|
| Reversible door        | NO                  |
| Low vibration          | YES                 |
| Shelves                | 9                   |
| Type of shelves        | WOOD                |
| Door Bins              | /                   |
| Fridge drawers type    | /                   |
| Fresco/LowTemp Drawers | /                   |
| Bottom Drawers         | 1+1 internal drawer |

## ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Ø 30 mm Tubular Stainless Steel Handles – Classic
- Ø 30 mm Tubular Stainless Steel Handles – Pro
- Ø 18 mm Tubular Stainless Steel Handles
- Stainless steel panels
- Extra length anti-tipping kit
- Cleaning Kit
- Active Carbon Filter
- Front ventilation kit
- Door stop 90°
- Wine kit
- Cheese drawer
- Set of knives
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

# FULL SIZE: FRIDGES AND FREEZER

Model: 0T

Width: 90cm

One door, one drawer, 2 separate temperatures

Upper compartment: Fridge

Middle compartment: LowTemp

Lower compartment TriMode: Fridge/Fresco/Freezer



FRIDGE

LOW TEMP

TRIMODE®

## FEATURES

**Made in Italy:** Designed and built entirely in Italy with artisanal precision.  
**Long Term Reliability:** Premium materials and rigorous testing ensure consistent, durable performance.  
**Galvanized Steel Structure:** Strength and stability engineered to last.  
**Antibacterial Interior:** Hygienic surfaces preserving freshness and bottle quality.

## Technology and Functionality

**EventLift™:** Shelves adjustable to any height without removal.  
**ProVent™:** Uniform cold air distribution across every zone.  
**EquiLance™:** Patented variable pivot hinge for silent, stable movement.  
**OptiView™:** Diffuse, uniform LED lighting.  
**Full Color TFT Display:** Clear, intuitive, high definition interface.  
**100% Total No Frost:** Automatic system that prevents ice formation and ensures impeccable humidity control.  
**Variable Speed Compressors:** Precise temperature control and reduced vibrations.  
**Sabbath Mode:** Dedicated function for observance needs.  
**Easy Installation:** Adjustable feet and rear wheels.

## Conservation Performance

**Low Temperature Zone:** Dedicated area with a temperature 2°C lower than the refrigerator compartment, ideal for meat, fish, and vegetables.  
**Tempered Glass Shelves:** With aluminum profiles  
**TriMode™** Lower drawer configurable as refrigerator, fresh zone, or freezer.

## GENERAL PROPERTIES

|   |                           |
|---|---------------------------|
| Reversible door                         | NO                        |
| Equilance                               | YES                       |
| SoftClosing Runner                      | YES                       |
| Low vibration                           | YES                       |
| Optiview (LED light spots)              | YES                       |
| Shelves                                 | 4 - 1 fixed, 3 adjustable |
| Slide-out shelves                       | NO                        |
| Type of shelves                         | GLASS                     |
| Fridge drawers type                     | LOW TEMP                  |
| Fresco/LowTemp Drawers                  | 2                         |
| Bottom drawers                          | 1                         |
| Full Extension shelves 90° door opening | /                         |
| Full Extension drawers 90° door opening | YES                       |
| Defrost Process                         | AUTOMATIC                 |
| Ice maker with water filter             | AVAILABLE                 |
| Door Open Alarms                        | YES                       |
| Humidity Control                        | NO                        |
| Active Carbon Filter                    | NO                        |
| Air filter control                      | NO                        |
| Shopping Fridge                         | YES                       |
| Shopping Freezer                        | YES                       |
| Power Failure Function                  | YES                       |

## XS900TST

90 cm, FRIDGES AND FREEZER, MODEL OT  
BUILT-IN  
X-PRO® SERIES



| AESTHETIC   |                     |
|---|---------------------|
| Compressor position                                   | Top                 |
| Front finish  | Stainless Steel     |
| Handles   | Stainless Steel Pro |
| Interior material finish                              | Stainless Steel     |
| PRICE (VAT and delivery charges not included)         |                     |
| XS900TST6 (right hinge)                               | 12.270 €            |
| XS900TST3 (left hinge)                                | 12.270 €            |
| XS900TST6I (right hinge, with ice maker)              | 13.120 €            |
| XS900TST3I (left hinge, with ice maker)               | 13.120 €            |
| CAPACITY  |                     |
| Volume Compartment1 (L)                               | 425                 |
| Volume Compartment2 (L)                               | /                   |
| Volume Compartment3 (L)                               | 131                 |
| Total Net Volume (L)                                  | 556                 |
| Total Gross Volume (L)                                | 581                 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                   |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                   |
| TECHNICAL DETAILS                                     |                     |
| Voltage (V)   | 220-240V            |
| Frequency (Hz)  | 50-60 Hz            |
| Climatic class  | SN/T                |
| Noise level (dB)                                      | 41                  |
| EFFICIENCY  |                     |
| Energy Label class                                    | E                   |
| Energy consumption (kWh/year)                         | 273                 |

| DIMENSIONS & WEIGHT                 |                           |
|-------------------------------------|---------------------------|
| Product height (closed wheels)(mm)  | 2120                      |
| Width of the product (mm)           | 899                       |
| Depth of Product without handle(mm) | 635                       |
| Net Weight (kg)                     | 214                       |
| Gross Weight (kg)                   | 235                       |
| TEMPERATURE RANGES                  |                           |
| Climatic compartments               | 2                         |
| Compartment 1 / Temperature (°C)    | from 2 to 8               |
| Compartment 2 / Temperature (°C)    | /                         |
| Low temp zone                       | YES                       |
| Compartment 3 / Temperature (°C)    | from 8 to -22             |
| Dual zone                           | YES                       |
| GENERAL PROPERTIES                  |                           |
| Reversible door                     | NO                        |
| Low vibration                       | YES                       |
| Shelves                             | 4 - 1 fixed, 3 adjustable |
| Type of shelves                     | GLASS                     |
| Door Bins                           | 3                         |
| Fridge drawers type                 | LOW TEMP                  |
| Fresco/LowTemp Drawers              | 2                         |
| Bottom Drawers                      | 1+1 internal drawer       |

#### ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning Kit
- Front panel painting, handles, and side panels
- Door stop 90°
- Separate EvenLift™ shelves

## XS900TGT

90 cm, FRIDGES AND FREEZER, MODEL OT  
BUILT-IN, Glass Door  
X-PRO® SERIES



| AESTHETIC   |                     |
|---|---------------------|
| Compressor position                                   | Top                 |
| Front finish  | Stainless Steel     |
| Handles   | Stainless Steel Pro |
| Interior material finish                              | Stainless Steel     |
| PRICE (VAT and delivery charges not included)         |                     |
| XS900TGT6 (right hinge)                               | 13.250 €            |
| XS900TGT3 (left hinge)                                | 13.250 €            |
| XS900TGT6I (right hinge, with ice maker)              | 14.100 €            |
| XS900TGT3I (left hinge, with ice maker)               | 14.100 €            |
| CAPACITY  |                     |
| Volume Compartment1 (L)                               | 425                 |
| Volume Compartment2 (L)                               | /                   |
| Volume Compartment3 (L)                               | 131                 |
| Total Net Volume (L)                                  | 556                 |
| Total Gross Volume (L)                                | 581                 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                   |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                   |
| TECHNICAL DETAILS                                     |                     |
| Voltage (V)   | 220-240V            |
| Frequency (Hz)  | 50-60 Hz            |
| Climatic class  | SN/T                |
| Noise level (dB)                                      | 41                  |
| EFFICIENCY  |                     |
| Energy Label class                                    | E                   |
| Energy consumption (kWh/year)                         | 273                 |

| DIMENSIONS & WEIGHT                 |                           |
|-------------------------------------|---------------------------|
| Product height (closed wheels)(mm)  | 2120                      |
| Width of the product (mm)           | 899                       |
| Depth of Product without handle(mm) | 635                       |
| Net Weight (kg)                     | 214                       |
| Gross Weight (kg)                   | 235                       |
| TEMPERATURE RANGES                  |                           |
| Climatic compartments               | 2                         |
| Compartment 1 / Temperature (°C)    | from 2 to 8               |
| Compartment 2 / Temperature (°C)    | /                         |
| Low temp zone                       | YES                       |
| Compartment 3 / Temperature (°C)    | from 8 to -22             |
| Dual zone                           | YES                       |
| GENERAL PROPERTIES                  |                           |
| Reversible door                     | NO                        |
| Low vibration                       | YES                       |
| Shelves                             | 4 - 1 fixed, 3 adjustable |
| Type of shelves                     | GLASS                     |
| Door Bins                           | 0                         |
| Fridge drawers type                 | LOW TEMP                  |
| Fresco/LowTemp Drawers              | 2                         |
| Bottom Drawers                      | 1+1 internal drawer       |

#### ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning Kit
- Front panel painting, handles, and side panels
- Door stop 90°
- Separate EvenLift™ shelves

# AS900TST

90 cm, FRIDGES AND FREEZER, MODEL OT  
FREESTANDING  
Series COUNTRY®



## AESTHETIC

|                          |                         |
|--------------------------|-------------------------|
| Compressor position      | Top                     |
| Front finish e fianchi   | Painted Stainless steel |
| Handles                  | Stainless Steel         |
| Interior material finish | Stainless Steel         |

## PRICE (VAT and delivery charges not included)

|   |          |
|---|----------|
| AS900TST6I<br>(right hinge, with ice maker) | 15.520 € |
| AS900TST3I<br>(left hinge, with ice maker)  | 15.520 € |

## CAPACITY

|   |     |
|---|-----|
| Volume Compartment1 (L)                               | 425 |
| Volume Compartment2 (L)                               | /   |
| Volume Compartment3 (L)                               | 131 |
| Total Net Volume (L)                                  | 556 |
| Total Gross Volume (L)                                | 581 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /   |
| Compartment 2 / Middle wine cellar capacity (bottles) | /   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /   |

## TECHNICAL DETAILS

|                  |          |
|------------------|----------|
| Voltage (V)      | 220-240V |
| Frequency (Hz)   | 50-60 Hz |
| Climatic class   | SN/T     |
| Noise level (dB) | 41       |

## EFFICIENCY

|                               |     |
|-------------------------------|-----|
| Energy Label class            | E   |
| Energy consumption (kWh/year) | 273 |

## DIMENSIONS & WEIGHT

|                                     |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2120 |
| Width of the product (mm)           | 887  |
| Depth of Product without handle(mm) | 635  |
| Net Weight (kg)                     | 214  |
| Gross Weight (kg)                   | 235  |

## TEMPERATURE RANGES

|                                  |               |
|----------------------------------|---------------|
| Climatic compartments            | 2             |
| Compartment 1 / Temperature (°C) | from 2 to 8   |
| Compartment 2 / Temperature (°C) | /             |
| Low temp zone                    | YES           |
| Compartment 3 / Temperature (°C) | from 8 to -22 |
| Dual zone                        | YES           |

## GENERAL PROPERTIES

|                        |                           |
|------------------------|---------------------------|
| Reversible door        | NO                        |
| Low vibration          | YES                       |
| Shelves                | 4 - 1 fixed, 3 adjustable |
| Type of shelves        | GLASS                     |
| Door Bins              | 3                         |
| Fridge drawers type    | LOW TEMP                  |
| Fresco/LowTemp Drawers | 2                         |
| Bottom Drawers         | 1+1 internal drawer       |

## ACCESSORIES (from page 118 to page 227)

- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning Kit
- Door stop 90°
- Separate EvenLift™ shelves

## RS900TST

90 cm, FRIDGES AND FREEZER, MODEL OT  
BUILT-IN  
DESIGNER® SERIES



| AESTHETIC                |                     |
|--------------------------|---------------------|
| Compressor position      | Bottom              |
| Front finish             | Stainless Steel     |
| Handles                  | Stainless Steel Pro |
| Interior material finish | Stainless Steel     |

| PRICE (VAT and delivery charges not included) |          |
|---|----------|
| RS900TST6 (right hinge)                       | 11.070 € |
| RS900TST3 (left hinge)                        | 11.070 € |
| RS900TST6I (right hinge, with ice maker)      | 11.920 € |
| RS900TST3I (left hinge, with ice maker)       | 11.920 € |

| CAPACITY                |     |
|-------------------------|-----|
| Volume Compartment1 (L) | 425 |
| Volume Compartment2 (L) | /   |
| Volume Compartment3 (L) | 131 |
| Total Net Volume (L)    | 556 |
| Total Gross Volume (L)  | 581 |

|   |   |
|---|---|
| Compartment 1 / Upper wine cellar capacity (bottles)  | / |
| Compartment 2 / Middle wine cellar capacity (bottles) | / |
| Compartment 2 / Lower wine cellar capacity (bottles)  | / |

| TECHNICAL DETAILS |          |
|-------------------|----------|
| Voltage (V)       | 220-240V |
| Frequency (Hz)    | 50-60 Hz |
| Climatic class    | SN/T     |
| Noise level (dB)  | 41       |

| EFFICIENCY                    |     |
|-------------------------------|-----|
| Energy Label class            | E   |
| Energy consumption (kWh/year) | 273 |

| DIMENSIONS & WEIGHT                 |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2120 |
| Width of the product (mm)           | 912  |
| Depth of Product without handle(mm) | 620  |
| Net Weight (kg)                     | 214  |
| Gross Weight (kg)                   | 235  |

| TEMPERATURE RANGES               |               |
|----------------------------------|---------------|
| Climatic compartments            | 2             |
| Compartment 1 / Temperature (°C) | from 2 to 8   |
| Compartment 2 / Temperature (°C) | /             |
| Low temp zone                    | YES           |
| Compartment 3 / Temperature (°C) | from 8 to -22 |
| Dual zone                        | NO            |

| GENERAL PROPERTIES     |                           |
|------------------------|---------------------------|
| Reversible door        | NO                        |
| Low vibration          | YES                       |
| Shelves                | 4 - 1 fixed, 3 adjustable |
| Type of shelves        | GLASS                     |
| Door Bins              | 3                         |
| Fridge drawers type    | LOW TEMP                  |
| Fresco/LowTemp Drawers | 2                         |
| Bottom Drawers         | 1+1 internal drawer       |

#### ACCESSORIES (from page 118 to page 227)

- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Front panel painting, handles
- Door stop 90°
- Separate EvenLift™ shelves

## RS900TGT

90 cm, FRIDGES AND FREEZER, MODEL OT  
BUILT-IN, Glass Door  
DESIGNER® SERIES



| AESTHETIC                |                     |
|--------------------------|---------------------|
| Compressor position      | Bottom              |
| Front finish             | Stainless Steel     |
| Handles                  | Stainless Steel Pro |
| Interior material finish | Stainless Steel     |

| PRICE (VAT and delivery charges not included) |          |
|---|----------|
| RS900TGT6 (right hinge)                       | 12.050 € |
| RS900TGT3 (left hinge)                        | 12.050 € |
| RS900TGT6I (right hinge, with ice maker)      | 12.900 € |
| RKS900TGT3I (left hinge, with ice maker)      | 12.900 € |

| CAPACITY                |     |
|-------------------------|-----|
| Volume Compartment1 (L) | 425 |
| Volume Compartment2 (L) | /   |
| Volume Compartment3 (L) | 131 |
| Total Net Volume (L)    | 556 |
| Total Gross Volume (L)  | 581 |

|   |   |
|---|---|
| Compartment 1 / Upper wine cellar capacity (bottles)  | / |
| Compartment 2 / Middle wine cellar capacity (bottles) | / |
| Compartment 2 / Lower wine cellar capacity (bottles)  | / |

| TECHNICAL DETAILS |          |
|-------------------|----------|
| Voltage (V)       | 220-240V |
| Frequency (Hz)    | 50-60 Hz |
| Climatic class    | SN/T     |
| Noise level (dB)  | 41       |

| EFFICIENCY                    |     |
|-------------------------------|-----|
| Energy Label class            | E   |
| Energy consumption (kWh/year) | 273 |

| DIMENSIONS & WEIGHT                 |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2120 |
| Width of the product (mm)           | 912  |
| Depth of Product without handle(mm) | 620  |
| Net Weight (kg)                     | 214  |
| Gross Weight (kg)                   | 235  |

| TEMPERATURE RANGES               |               |
|----------------------------------|---------------|
| Climatic compartments            | 2             |
| Compartment 1 / Temperature (°C) | from 2 to 8   |
| Compartment 2 / Temperature (°C) | /             |
| Low temp zone                    | YES           |
| Compartment 3 / Temperature (°C) | from 8 to -22 |
| Dual zone                        | NO            |

| GENERAL PROPERTIES     |                           |
|------------------------|---------------------------|
| Reversible door        | NO                        |
| Low vibration          | YES                       |
| Shelves                | 4 - 1 fixed, 3 adjustable |
| Type of shelves        | GLASS                     |
| Door Bins              | 0                         |
| Fridge drawers type    | LOW TEMP                  |
| Fresco/LowTemp Drawers | 2                         |
| Bottom Drawers         | 1+1 internal drawer       |

#### ACCESSORIES (from page 118 to page 227)

- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Front panel painting, handles
- Door stop 90°
- Separate EvenLift™ shelves

## KS900TST

90 cm, FRIDGES AND FREEZER, MODEL OT  
BUILT-IN  
CLASSIC® SERIES



| AESTHETIC   |                         |
|---|-------------------------|
| Compressor position                                   | Bottom                  |
| Front finish  | Stainless Steel         |
| Handles   | Stainless Steel Classic |
| Interior material finish                              | Stainless Steel         |
| PRICE (VAT and delivery charges not included)         |                         |
| KS900TST6 (right hinge)                               | 11.070 €                |
| KS900TST3 (left hinge)                                | 11.070 €                |
| KS900TST6I (right hinge, with ice maker)              | 11.920 €                |
| KS900TST3I (left hinge, with ice maker)               | 11.920 €                |
| CAPACITY  |                         |
| Volume Compartment1 (L)                               | 425                     |
| Volume Compartment2 (L)                               | /                       |
| Volume Compartment3 (L)                               | 131                     |
| Total Net Volume (L)                                  | 556                     |
| Total Gross Volume (L)                                | 581                     |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                       |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                       |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                       |
| TECHNICAL DETAILS                                     |                         |
| Voltage (V)   | 220-240V                |
| Frequency (Hz)  | 50-60 Hz                |
| Climatic class  | SN/T                    |
| Noise level (dB)                                      | 41                      |
| EFFICIENCY  |                         |
| Energy Label class                                    | E                       |
| Energy consumption (kWh/year)                         | 273                     |

| DIMENSIONS & WEIGHT                 |                           |
|-------------------------------------|---------------------------|
| Product height (closed wheels)(mm)  | 2050                      |
| Width of the product (mm)           | 899                       |
| Depth of Product without handle(mm) | 635                       |
| Net Weight (kg)                     | 214                       |
| Gross Weight (kg)                   | 235                       |
| TEMPERATURE RANGES                  |                           |
| Climatic compartments               | 2                         |
| Compartment 1 / Temperature (°C)    | from 2 to 8               |
| Compartment 2 / Temperature (°C)    | /                         |
| Low temp zone                       | YES                       |
| Compartment 3 / Temperature (°C)    | from 8 to -22             |
| Dual zone                           | NO                        |
| GENERAL PROPERTIES                  |                           |
| Reversible door                     | NO                        |
| Low vibration                       | YES                       |
| Shelves                             | 4 - 1 fixed, 3 adjustable |
| Type of shelves                     | GLASS                     |
| Door Bins                           | 3                         |
| Fridge drawers type                 | LOW TEMP                  |
| Fresco/LowTemp Drawers              | 2                         |
| Bottom Drawers                      | 1+1 internal drawer       |

#### ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Front panel painting, handles, and side panels
- Door stop 90°
- Separate EvenLift™ shelves

## KS900TGT

90 cm, FRIDGES AND FREEZER, MODEL OT  
BUILT-IN, Glass Door  
CLASSIC® SERIES



| AESTHETIC   |                         |
|---|-------------------------|
| Compressor position                                   | Bottom                  |
| Front finish  | Stainless Steel         |
| Handles   | Stainless Steel Classic |
| Interior material finish                              | Stainless Steel         |
| PRICE (VAT and delivery charges not included)         |                         |
| KS900TGT6 (right hinge)                               | 12.050 €                |
| KS900TGT3 (left hinge)                                | 12.050 €                |
| KS900TGT6I (right hinge, with ice maker)              | 12.900 €                |
| KS900TGT3I (left hinge, with ice maker)               | 12.900 €                |
| CAPACITY  |                         |
| Volume Compartment1 (L)                               | 425                     |
| Volume Compartment2 (L)                               | /                       |
| Volume Compartment3 (L)                               | 131                     |
| Total Net Volume (L)                                  | 556                     |
| Total Gross Volume (L)                                | 581                     |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                       |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                       |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                       |
| TECHNICAL DETAILS                                     |                         |
| Voltage (V)   | 220-240V                |
| Frequency (Hz)  | 50-60 Hz                |
| Climatic class  | SN/T                    |
| Noise level (dB)                                      | 41                      |
| EFFICIENCY  |                         |
| Energy Label class                                    | E                       |
| Energy consumption (kWh/year)                         | 273                     |

| DIMENSIONS & WEIGHT                 |                           |
|-------------------------------------|---------------------------|
| Product height (closed wheels)(mm)  | 2050                      |
| Width of the product (mm)           | 899                       |
| Depth of Product without handle(mm) | 635                       |
| Net Weight (kg)                     | 214                       |
| Gross Weight (kg)                   | 235                       |
| TEMPERATURE RANGES                  |                           |
| Climatic compartments               | 2                         |
| Compartment 1 / Temperature (°C)    | from 2 to 8               |
| Compartment 2 / Temperature (°C)    | /                         |
| Low temp zone                       | YES                       |
| Compartment 3 / Temperature (°C)    | from 8 to -22             |
| Dual zone                           | NO                        |
| GENERAL PROPERTIES                  |                           |
| Reversible door                     | NO                        |
| Low vibration                       | YES                       |
| Shelves                             | 4 - 1 fixed, 3 adjustable |
| Type of shelves                     | GLASS                     |
| Door Bins                           | 0                         |
| Fridge drawers type                 | LOW TEMP                  |
| Fresco/LowTemp Drawers              | 2                         |
| Bottom Drawers                      | 1+1 internal drawer       |

#### ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Front panel painting, handles, and side panels
- Door stop 90°
- Separate EvenLift™ shelves

## S900TST

90 cm, FRIDGES AND FREEZER, MODEL OT  
FULLY INTEGRATED  
INTEGRATED® SERIES



| AESTHETIC   |                    |
|---|--------------------|
| Compressor position                                   | Bottom             |
| Front finish  | Custom Panel Ready |
| Handles   | NO                 |
| Interior material finish                              | Stainless Steel    |
| PRICE (VAT and delivery charges not included)         |                    |
| S900TST6 (right hinge)                                | 10.270 €           |
| S900TST3 (left hinge)                                 | 10.270 €           |
| S900TST6I (right hinge, with ice maker)               | 11.120 €           |
| S900TST3I (left hinge, with ice maker)                | 11.120 €           |
| CAPACITY  |                    |
| Volume Compartment1 (L)                               | 425                |
| Volume Compartment2 (L)                               | /                  |
| Volume Compartment3 (L)                               | 131                |
| Total Net Volume (L)                                  | 556                |
| Total Gross Volume (L)                                | 581                |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                  |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                  |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                  |
| TECHNICAL DETAILS                                     |                    |
| Voltage (V)   | 220-240V           |
| Frequency (Hz)  | 50-60 Hz           |
| Climatic class  | SN/T               |
| Noise level (dB)                                      | 41                 |
| EFFICIENCY  |                    |
| Energy Label class                                    | E                  |
| Energy consumption (kWh/year)                         | 273                |

| DIMENSIONS & WEIGHT                 |                           |
|-------------------------------------|---------------------------|
| Product height (closed wheels)(mm)  | 2120                      |
| Width of the product (mm)           | 899                       |
| Depth of Product without handle(mm) | 610                       |
| Net Weight (kg)                     | 191                       |
| Gross Weight (kg)                   | 212                       |
| TEMPERATURE RANGES                  |                           |
| Climatic compartments               | 2                         |
| Compartment 1 / Temperature (°C)    | from 2 to 8               |
| Compartment 2 / Temperature (°C)    | /                         |
| Low temp zone                       | YES                       |
| Compartment 3 / Temperature (°C)    | from 8 to -22             |
| Dual zone                           | NO                        |
| GENERAL PROPERTIES                  |                           |
| Reversible door                     | NO                        |
| Low vibration                       | YES                       |
| Shelves                             | 4 - 1 fixed, 3 adjustable |
| Type of shelves                     | GLASS                     |
| Door Bins                           | 3                         |
| Fridge drawers type                 | LOW TEMP                  |
| Fresco/LowTemp Drawers              | 2                         |
| Bottom Drawers                      | 1+1 internal drawer       |

#### ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Ø 30 mm Tubular Stainless Steel Handles – Classic
- Ø 30 mm Tubular Stainless Steel Handles – Pro
- Ø 18 mm Tubular Stainless Steel Handles
- Stainless steel panels
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Door stop 90°
- Separate EvenLift™ shelves

## S900TGT

90 cm, FRIDGES AND FREEZER, MODEL OT  
FULLY INTEGRATED, Glass Door  
INTEGRATED® SERIES



| AESTHETIC   |                    |
|---|--------------------|
| Compressor position                                   | Bottom             |
| Front finish  | Custom Panel Ready |
| Handles   | NO                 |
| Interior material finish                              | Stainless Steel    |
| PRICE (VAT and delivery charges not included)         |                    |
| S900TGT6 (right hinge)                                | 11.250 €           |
| S900TGT3 (left hinge)                                 | 11.250 €           |
| S900TGT6I (right hinge, with ice maker)               | 12.100 €           |
| S900TGT3I (left hinge, with ice maker)                | 12.100 €           |
| CAPACITY  |                    |
| Volume Compartment1 (L)                               | 425                |
| Volume Compartment2 (L)                               | /                  |
| Volume Compartment3 (L)                               | 131                |
| Total Net Volume (L)                                  | 556                |
| Total Gross Volume (L)                                | 581                |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                  |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                  |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                  |
| TECHNICAL DETAILS                                     |                    |
| Voltage (V)   | 220-240V           |
| Frequency (Hz)  | 50-60 Hz           |
| Climatic class  | SN/T               |
| Noise level (dB)                                      | 41                 |
| EFFICIENCY  |                    |
| Energy Label class                                    | E                  |
| Energy consumption (kWh/year)                         | 273                |

| DIMENSIONS & WEIGHT                 |                           |
|-------------------------------------|---------------------------|
| Product height (closed wheels)(mm)  | 2120                      |
| Width of the product (mm)           | 899                       |
| Depth of Product without handle(mm) | 610                       |
| Net Weight (kg)                     | 191                       |
| Gross Weight (kg)                   | 212                       |
| TEMPERATURE RANGES                  |                           |
| Climatic compartments               | 2                         |
| Compartment 1 / Temperature (°C)    | from 2 to 8               |
| Compartment 2 / Temperature (°C)    | /                         |
| Low temp zone                       | YES                       |
| Compartment 3 / Temperature (°C)    | from 8 to -22             |
| Dual zone                           | NO                        |
| GENERAL PROPERTIES                  |                           |
| Reversible door                     | NO                        |
| Low vibration                       | YES                       |
| Shelves                             | 4 - 1 fixed, 3 adjustable |
| Type of shelves                     | GLASS                     |
| Door Bins                           | 0                         |
| Fridge drawers type                 | LOW TEMP                  |
| Fresco/LowTemp Drawers              | 2                         |
| Bottom Drawers                      | 1+1 internal drawer       |

#### ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Ø 30 mm Tubular Stainless Steel Handles – Classic
- Ø 30 mm Tubular Stainless Steel Handles – Pro
- Ø 18 mm Tubular Stainless Steel Handles
- Stainless steel panels
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Door stop 90°
- Separate EvenLift™ shelves

## BKS900TST

90 cm, FRIDGES AND FREEZER, MODEL OT  
BUILT-IN  
BRILLIANCE® SERIES



| AESTHETIC                |                         |
|--------------------------|-------------------------|
| Compressor position      | Bottom                  |
| Front finish             | Stainless Steel         |
| Handles                  | Stainless Steel Classic |
| Interior material finish | White painted aluminium |

| PRICE (VAT and delivery charges not included) |          |
|---|----------|
| BKS900TST6 (right hinge)                      | 9.180 €  |
| BKS900TST3 (left hinge)                       | 9.180 €  |
| BKS900TST6I (right hinge, with ice maker)     | 10.030 € |
| BKS900TST3I (left hinge, with ice maker)      | 10.030 € |

| CAPACITY  |     |
|---|-----|
| Volume Compartment1 (L)                               | 425 |
| Volume Compartment2 (L)                               | /   |
| Volume Compartment3 (L)                               | 131 |
| Total Net Volume (L)                                  | 556 |
| Total Gross Volume (L)                                | 581 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /   |
| Compartment 2 / Middle wine cellar capacity (bottles) | /   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /   |

| TECHNICAL DETAILS |          |
|-------------------|----------|
| Voltage (V)       | 220-240V |
| Frequency (Hz)    | 50-60 Hz |
| Climatic class    | SN/T     |
| Noise level (dB)  | 41       |

| EFFICIENCY                    |     |
|-------------------------------|-----|
| Energy Label class            | E   |
| Energy consumption (kWh/year) | 273 |

| DIMENSIONS & WEIGHT                 |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2050 |
| Width of the product (mm)           | 899  |
| Depth of Product without handle(mm) | 635  |
| Net Weight (kg)                     | 199  |
| Gross Weight (kg)                   | 220  |

| TEMPERATURE RANGES               |               |
|----------------------------------|---------------|
| Climatic compartments            | 2             |
| Compartment 1 / Temperature (°C) | from 2 to 8   |
| Compartment 2 / Temperature (°C) | /             |
| Low temp zone                    | YES           |
| Compartment 3 / Temperature (°C) | from 8 to -22 |
| Dual zone                        | NO            |

| GENERAL PROPERTIES     |                           |
|------------------------|---------------------------|
| Reversible door        | NO                        |
| Low vibration          | YES                       |
| Shelves                | 4 - 1 fixed, 3 adjustable |
| Type of shelves        | GLASS                     |
| Door Bins              | 3                         |
| Fridge drawers type    | LOW TEMP                  |
| Fresco/LowTemp Drawers | 2                         |
| Bottom Drawers         | 1                         |
| Bottom Drawers         | 1+1 internal drawer       |

#### ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Front panel painting, handles, and side panels
- Door stop 90°
- Separate EvenLift™ shelves

## BS900TST

90 cm, FRIDGES AND FREEZER, MODEL OT  
FULLY INTEGRATED  
BRILLIANCE® SERIES



| AESTHETIC                |                         |
|--------------------------|-------------------------|
| Compressor position      | Bottom                  |
| Front finish             | Custom Panel Ready      |
| Handles                  | NO                      |
| Interior material finish | White painted aluminium |

| PRICE (VAT and delivery charges not included) |         |
|---|---------|
| BS900TST6 (right hinge)                       | 8.520 € |
| BS900TST3 (left hinge)                        | 8.520 € |
| BS900TST6I (right hinge, with ice maker)      | 9.370 € |
| BS900TST3I (left hinge, with ice maker)       | 9.370 € |

| CAPACITY  |     |
|---|-----|
| Volume Compartment1 (L)                               | 425 |
| Volume Compartment2 (L)                               | /   |
| Volume Compartment3 (L)                               | 131 |
| Total Net Volume (L)                                  | 556 |
| Total Gross Volume (L)                                | 581 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /   |
| Compartment 2 / Middle wine cellar capacity (bottles) | /   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /   |

| TECHNICAL DETAILS |          |
|-------------------|----------|
| Voltage (V)       | 220-240V |
| Frequency (Hz)    | 50-60 Hz |
| Climatic class    | SN/T     |
| Noise level (dB)  | 41       |

| EFFICIENCY                    |     |
|-------------------------------|-----|
| Energy Label class            | E   |
| Energy consumption (kWh/year) | 273 |

| DIMENSIONS & WEIGHT                 |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2120 |
| Width of the product (mm)           | 899  |
| Depth of Product without handle(mm) | 610  |
| Net Weight (kg)                     | 178  |
| Gross Weight (kg)                   | 199  |

| TEMPERATURE RANGES               |               |
|----------------------------------|---------------|
| Climatic compartments            | 2             |
| Compartment 1 / Temperature (°C) | from 2 to 8   |
| Compartment 2 / Temperature (°C) | /             |
| Low temp zone                    | YES           |
| Compartment 3 / Temperature (°C) | from 8 to -22 |
| Dual zone                        | NO            |

| GENERAL PROPERTIES     |                           |
|------------------------|---------------------------|
| Reversible door        | NO                        |
| Low vibration          | YES                       |
| Shelves                | 4 - 1 fixed, 3 adjustable |
| Type of shelves        | GLASS                     |
| Door Bins              | 3                         |
| Fridge drawers type    | LOW TEMP                  |
| Fresco/LowTemp Drawers | 2                         |
| Bottom Drawers         | 1                         |
| Bottom Drawers         | 1+1 internal drawer       |

#### ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Ø 30 mm Tubular Stainless Steel Handles – Classic
- Ø 30 mm Tubular Stainless Steel Handles – Pro
- Ø 18 mm Tubular Stainless Steel Handles
- Stainless steel panels
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Door stop 90°
- Separate EvenLift™ shelves

# FULL SIZE: FRIDGES AND FREEZER

Model: 0H

Width: 90cm

One door, two drawer, 2 separate temperatures

Upper compartment: Fridge

Middle compartment: LowTemp

Lower compartment TriMode: Fridge/Fresco/Freezer



FRIDGES

LOW TEMP

TRIMODE®

## FEATURES

**Made in Italy:** Designed and built entirely in Italy with artisanal precision.  
**Long Term Reliability:** Premium materials and rigorous testing ensure consistent, durable performance.  
**Galvanized Steel Structure:** Strength and stability engineered to last.  
**Antibacterial Interior:** Hygienic surfaces preserving freshness and bottle quality.

### Technology and Functionality

**EventLift™:** Shelves adjustable to any height without removal.  
**ProVent™:** Uniform cold air distribution across every zone.  
**EquiLance™:** Patented variable pivot hinge for silent, stable movement.  
**OptiView™:** Diffuse, uniform LED lighting.  
**Full Color TFT Display:** Clear, intuitive, high definition interface.  
**100% Total No Frost:** Automatic system that prevents ice formation and ensures impeccable humidity control.  
**Variable Speed Compressors:** Precise temperature control and reduced vibrations.  
**Sabbath Mode:** Dedicated function for observance needs.  
**Easy Installation:** Adjustable feet and rear wheels.

### Conservation Performance

**Low Temperature Zone:** Dedicated area with a temperature 2°C lower than the refrigerator compartment, ideal for meat, fish, and vegetables.  
**Tempered Glass Shelves:** With aluminum profiles  
**TriMode™** Lower drawer configurable as refrigerator, fresh zone, or freezer.

## GENERAL PROPERTIES

|   |                           |
|---|---------------------------|
| Reversible door                         | NO                        |
| Equilance                               | YES                       |
| SoftClosing Runner                      | YES                       |
| Low vibration                           | YES                       |
| OptiView (LED light spots)              | YES                       |
| Shelves                                 | 4 - 1 fixed, 3 adjustable |
| Slide-out shelves                       | NO                        |
| Type of shelves                         | GLASS                     |
| Fridge drawers type                     | LOW TEMP                  |
| Fresco/LowTemp Drawers                  | 1                         |
| Bottom drawers                          | 2                         |
| Full Extension shelves 90° door opening | /                         |
| Full Extension drawers 90° door opening | YES                       |
| Defrost Process                         | AUTOMATIC                 |
| Ice maker with water filter             | AVAILABLE                 |
| Door Open Alarms                        | YES                       |
| Humidity Control                        | NO                        |
| Active Carbon Filter                    | NO                        |
| Air filter control                      | NO                        |
| Shopping Fridge                         | YES                       |
| Shopping Freezer                        | YES                       |
| Power Failure Function                  | YES                       |

## XS900HST

90 cm, FRIDGES AND FREEZER, MODEL 0H  
BUILT-IN  
X-PRO® SERIES



| AESTHETIC   |                     |
|---|---------------------|
| Compressor position                                   | Top                 |
| Front finish  | Stainless Steel     |
| Handles   | Stainless Steel Pro |
| Interior material finish                              | Stainless Steel     |
| PRICE (VAT and delivery charges not included)         |                     |
| XS900HST6 (right hinge)                               | 12.870 €            |
| XS900HST3 (left hinge)                                | 12.870 €            |
| XS900HST6I (right hinge, with ice maker)              | 13.720 €            |
| XS900HST3I (left hinge, with ice maker)               | 13.720 €            |
| CAPACITY  |                     |
| Volume Compartment1 (L)                               | 381                 |
| Volume Compartment2 (L)                               | /                   |
| Volume Compartment3 (L)                               | 167                 |
| Total Net Volume (L)                                  | 548                 |
| Total Gross Volume (L)                                | 575                 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                   |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                   |
| TECHNICAL DETAILS                                     |                     |
| Voltage (V)   | 220-240V            |
| Frequency (Hz)  | 50-60 Hz            |
| Climatic class  | SN/T                |
| Noise level (dB)                                      | 41                  |
| EFFICIENCY  |                     |
| Energy Label class                                    | E                   |
| Energy consumption (kWh/year)                         | 319                 |

| DIMENSIONS & WEIGHT                 |                           |
|-------------------------------------|---------------------------|
| Product height (closed wheels)(mm)  | 2120                      |
| Width of the product (mm)           | 899                       |
| Depth of Product without handle(mm) | 635                       |
| Net Weight (kg)                     | 212                       |
| Gross Weight (kg)                   | 233                       |
| TEMPERATURE RANGES                  |                           |
| Climatic compartments               | 2                         |
| Compartment 1 / Temperature (°C)    | from 2 to 8               |
| Compartment 2 / Temperature (°C)    | /                         |
| Low temp zone                       | YES                       |
| Compartment 3 / Temperature (°C)    | from 8 to -22             |
| Dual zone                           | NO                        |
| GENERAL PROPERTIES                  |                           |
| Reversible door                     | NO                        |
| Low vibration                       | YES                       |
| Shelves                             | 4 - 1 fixed, 3 adjustable |
| Type of shelves                     | GLASS                     |
| Door Bins                           | 3                         |
| Fridge drawers type                 | LOW TEMP                  |
| Fresco/LowTemp Drawers              | 1                         |
| Bottom Drawers                      | 2                         |

#### ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning Kit
- Front panel painting, handles, and side panels
- Door stop 90°
- Separate EvenLift™ shelves

## RS900HST

90 cm, FRIDGES AND FREEZER, MODEL 0H  
BUILT-IN  
DESIGNER® SERIES



| AESTHETIC   |                     |
|---|---------------------|
| Compressor position                                   | Bottom              |
| Front finish  | Stainless Steel     |
| Handles   | Stainless Steel Pro |
| Interior material finish                              | Stainless Steel     |
| PRICE (VAT and delivery charges not included)         |                     |
| RS900HST6 (right hinge)                               | 11.670 €            |
| RS900HST3 (left hinge)                                | 11.670 €            |
| RS900HST6I (right hinge, with ice maker)              | 12.520 €            |
| RS900HST3I (left hinge, with ice maker)               | 12.520 €            |
| CAPACITY  |                     |
| Volume Compartment1 (L)                               | 381                 |
| Volume Compartment2 (L)                               | /                   |
| Volume Compartment3 (L)                               | 167                 |
| Total Net Volume (L)                                  | 548                 |
| Total Gross Volume (L)                                | 575                 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                   |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                   |
| TECHNICAL DETAILS                                     |                     |
| Voltage (V)   | 220-240V            |
| Frequency (Hz)  | 50-60 Hz            |
| Climatic class  | SN/T                |
| Noise level (dB)                                      | 41                  |
| EFFICIENCY  |                     |
| Energy Label class                                    | E                   |
| Energy consumption (kWh/year)                         | 319                 |

| DIMENSIONS & WEIGHT                 |                           |
|-------------------------------------|---------------------------|
| Product height (closed wheels)(mm)  | 2120                      |
| Width of the product (mm)           | 912                       |
| Depth of Product without handle(mm) | 620                       |
| Net Weight (kg)                     | 193                       |
| Gross Weight (kg)                   | 215                       |
| TEMPERATURE RANGES                  |                           |
| Climatic compartments               | 2                         |
| Compartment 1 / Temperature (°C)    | from 2 to 8               |
| Compartment 2 / Temperature (°C)    | /                         |
| Low temp zone                       | YES                       |
| Compartment 3 / Temperature (°C)    | from 8 to -22             |
| Dual zone                           | NO                        |
| GENERAL PROPERTIES                  |                           |
| Reversible door                     | NO                        |
| Low vibration                       | YES                       |
| Shelves                             | 4 - 1 fixed, 3 adjustable |
| Type of shelves                     | GLASS                     |
| Door Bins                           | 3                         |
| Fridge drawers type                 | LOW TEMP                  |
| Fresco/LowTemp Drawers              | 1                         |
| Bottom Drawers                      | 2                         |

#### ACCESSORIES (from page 118 to page 227)

- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Front panel painting, handles
- Door stop 90°
- Separate EvenLift™ shelves

## KS900HST

90 cm, FRIDGES AND FREEZER, MODEL 0H  
BUILT-IN  
CLASSIC® SERIES



| AESTHETIC   |                         |
|---|-------------------------|
| Compressor position                                   | Bottom                  |
| Front finish  | Stainless Steel         |
| Handles   | Stainless Steel Classic |
| Interior material finish                              | Stainless Steel         |
| PRICE (VAT and delivery charges not included)         |                         |
| KS900HST6 (right hinge)                               | 11.670 €                |
| KS900HST3 (left hinge)                                | 11.670 €                |
| KS900HST6I (right hinge, with ice maker)              | 12.520 €                |
| KS900HST3I (left hinge, with ice maker)               | 12.520 €                |
| CAPACITY  |                         |
| Volume Compartment1 (L)                               | 381                     |
| Volume Compartment2 (L)                               | /                       |
| Volume Compartment3 (L)                               | 167                     |
| Total Net Volume (L)                                  | 548                     |
| Total Gross Volume (L)                                | 575                     |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                       |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                       |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                       |
| TECHNICAL DETAILS                                     |                         |
| Voltage (V)   | 220-240V                |
| Frequency (Hz)  | 50-60 Hz                |
| Climatic class  | SN/T                    |
| Noise level (dB)                                      | 41                      |
| EFFICIENCY  |                         |
| Energy Label class                                    | E                       |
| Energy consumption (kWh/year)                         | 319                     |

| DIMENSIONS & WEIGHT                 |                           |
|-------------------------------------|---------------------------|
| Product height (closed wheels)(mm)  | 2050                      |
| Width of the product (mm)           | 899                       |
| Depth of Product without handle(mm) | 635                       |
| Net Weight (kg)                     | 193                       |
| Gross Weight (kg)                   | 215                       |
| TEMPERATURE RANGES                  |                           |
| Climatic compartments               | 2                         |
| Compartment 1 / Temperature (°C)    | from 2 to 8               |
| Compartment 2 / Temperature (°C)    | /                         |
| Low temp zone                       | YES                       |
| Compartment 3 / Temperature (°C)    | from 8 to -22             |
| Dual zone                           | NO                        |
| GENERAL PROPERTIES                  |                           |
| Reversible door                     | NO                        |
| Low vibration                       | YES                       |
| Shelves                             | 4 - 1 fixed, 3 adjustable |
| Type of shelves                     | GLASS                     |
| Door Bins                           | 3                         |
| Fridge drawers type                 | LOW TEMP                  |
| Fresco/LowTemp Drawers              | 1                         |
| Bottom Drawers                      | 2                         |

### ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Front panel painting, handles, and side panels
- Door stop 90°
- Separate EvenLift™ shelves

## S900HST

90 cm, FRIDGES AND FREEZER, MODEL 0H  
FULLY INTEGRATED  
INTEGRATED® SERIES



| AESTHETIC   |                    |
|---|--------------------|
| Compressor position                                   | Bottom             |
| Front finish  | Custom Panel Ready |
| Handles   | NO                 |
| Interior material finish                              | Stainless Steel    |
| PRICE (VAT and delivery charges not included)         |                    |
| S900HST6 (right hinge)                                | 10.870 €           |
| S900HST3 (left hinge)                                 | 10.870 €           |
| S900HST6I (right hinge, with ice maker)               | 11.720 €           |
| S900HST3I (left hinge, with ice maker)                | 11.720 €           |
| CAPACITY  |                    |
| Volume Compartment1 (L)                               | 381                |
| Volume Compartment2 (L)                               | /                  |
| Volume Compartment3 (L)                               | 167                |
| Total Net Volume (L)                                  | 548                |
| Total Gross Volume (L)                                | 575                |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                  |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                  |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                  |
| TECHNICAL DETAILS                                     |                    |
| Voltage (V)   | 220-240V           |
| Frequency (Hz)  | 50-60 Hz           |
| Climatic class  | SN/T               |
| Noise level (dB)                                      | 41                 |
| EFFICIENCY  |                    |
| Energy Label class                                    | E                  |
| Energy consumption (kWh/year)                         | 319                |

| DIMENSIONS & WEIGHT                 |                           |
|-------------------------------------|---------------------------|
| Product height (closed wheels)(mm)  | 2120                      |
| Width of the product (mm)           | 899                       |
| Depth of Product without handle(mm) | 610                       |
| Net Weight (kg)                     | 184                       |
| Gross Weight (kg)                   | 205                       |
| TEMPERATURE RANGES                  |                           |
| Climatic compartments               | 2                         |
| Compartment 1 / Temperature (°C)    | from 2 to 8               |
| Compartment 2 / Temperature (°C)    | /                         |
| Low temp zone                       | YES                       |
| Compartment 3 / Temperature (°C)    | from 8 to -22             |
| Dual zone                           | NO                        |
| GENERAL PROPERTIES                  |                           |
| Reversible door                     | NO                        |
| Low vibration                       | YES                       |
| Shelves                             | 4 - 1 fixed, 3 adjustable |
| Type of shelves                     | GLASS                     |
| Door Bins                           | 3                         |
| Fridge drawers type                 | LOW TEMP                  |
| Fresco/LowTemp Drawers              | 1                         |
| Bottom Drawers                      | 2                         |

### ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Ø 30 mm Tubular Stainless Steel Handles – Classic
- Ø 30 mm Tubular Stainless Steel Handles – Pro
- Ø 18 mm Tubular Stainless Steel Handles
- Stainless steel panels
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Door stop 90°
- Separate EvenLift™ shelves

# FULL SIZE: WINE CELLARS

Model: 0H

Width: 90cm

One door, two drawer, 2 separate temperatures

Upper compartment: Wine cellar

Lower compartment: Wine cellar



WINE CELLAR

## FEATURES

**Made in Italy:** Designed and built entirely in Italy with artisanal precision.

**Long Term Reliability:** Premium materials and rigorous testing ensure consistent, durable performance.

**Galvanized Steel Structure:** Strength and stability engineered to last.

**Antibacterial Interior:** Hygienic surfaces preserving freshness and bottle quality.

### Technology and Functionality

**ProVent™:** Uniform cold air distribution across every zone.

**EquiLance™:** Patented variable pivot hinge for silent, stable movement.

**OptiView™:** Diffused and uniform LED lighting, elegant and with low heat emission to preserve the wine's properties.

**Full Color TFT Display:** Clear, intuitive, high definition interface.

**Active Safety:** Visual and acoustic alerts.

**100% Total No Frost:** Automatic system that prevents ice formation and ensures impeccable humidity control.

**Variable Speed Compressors:** Precise temperature control and reduced vibrations.

**Sabbath Mode:** Dedicated function for observance needs.

**Easy Installation:** Adjustable feet and rear wheels.

### Conservation Performance

**Two Independent Climate Zones:** Dedicated temperature and humidity control for red, white, and sparkling wines.

**Triple-layer bronzed glass door:** Total protection against UV rays and external temperature fluctuations.


**Humidity control:** Precise regulation to preserve corks, labels, and bottle integrity.

## GENERAL PROPERTIES

|   |           |
|---|-----------|
| Reversible door                         | NO        |
| Equilance                               | YES       |
| SoftClosing Runner                      | YES       |
| Low vibration                           | YES       |
| OptiView (LED light spots)              | YES       |
| Shelves                                 | 9         |
| Slide-out shelves                       | YES       |
| Type of shelves                         | WOOD      |
| Fridge drawers type                     | /         |
| Fresco/LowTemp Drawers                  | /         |
| Bottom drawers                          | 2         |
| Full Extension shelves 90° door opening | YES       |
| Full Extension drawers 90° door opening | NO        |
| Defrost Process                         | AUTOMATIC |
| Ice maker with water filter             | NO        |
| Door Open Alarms                        | YES       |
| Humidity Control                        | YES       |
| Active Carbon Filter                    | NO        |
| Air filter control                      | NO        |
| Shopping Fridge                         | NO        |
| Shopping Freezer                        | NO        |
| Power Failure Function                  | YES       |

# XS900HWT

90 cm, WINE CELLAR, MODEL 0H  
BUILT-IN  
X-PRO® SERIES



## AESTHETIC

|                          |                     |
|--------------------------|---------------------|
| Compressor position      | Top                 |
| Front finish             | Stainless Steel     |
| Handles                  | Stainless Steel Pro |
| Interior material finish | Stainless Steel     |

## PRICE (VAT and delivery charges not included)

|                         |          |
|-------------------------|----------|
| XS900HWT6 (right hinge) | 12.820 € |
| XS900HWT3 (left hinge)  | 12.820 € |

## CAPACITY

|   |     |
|---|-----|
| Volume Compartment1 (L)                               | 357 |
| Volume Compartment2 (L)                               | /   |
| Volume Compartment3 (L)                               | 167 |
| Total Net Volume (L)                                  | 524 |
| Total Gross Volume (L)                                | 542 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | 108 |
| Compartment 2 / Middle wine cellar capacity (bottles) | /   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /   |

## TECHNICAL DETAILS

|                  |          |
|------------------|----------|
| Voltage (V)      | 220-240V |
| Frequency (Hz)   | 50-60 Hz |
| Climatic class   | SN/T     |
| Noise level (dB) | 41       |

## EFFICIENCY

|                               |     |
|-------------------------------|-----|
| Energy Label class            | G   |
| Energy consumption (kWh/year) | 197 |

## DIMENSIONS & WEIGHT

|                                     |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2120 |
| Width of the product (mm)           | 899  |
| Depth of Product without handle(mm) | 635  |
| Net Weight (kg)                     | 212  |
| Gross Weight (kg)                   | 233  |

## TEMPERATURE

|                                  |              |
|----------------------------------|--------------|
| Climatic compartments            | 2            |
| Compartment 1 / Temperature (°C) | from 4 to 18 |
| Compartment 2 / Temperature (°C) | /            |
| Low temp zone                    | NO           |
| Compartment 3 / Temperature (°C) | from 4 to 18 |
| Dual zone                        | YES          |

## GENERAL PROPERTIES


|                        |      |
|------------------------|------|
| Reversible door        | NO   |
| Low vibration          | YES  |
| Shelves                | 9    |
| Type of shelves        | WOOD |
| Door Bins              | /    |
| Fridge drawers type    | /    |
| Fresco/LowTemp Drawers | /    |
| Bottom Drawers         | 2    |

## ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning Kit
- Active Carbon Filter
- Front panel painting, handles, and side panels
- Door stop 90°
- Wine kit
- Cheese drawer
- Set of knives
- Prosciutteria kit
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

# RS900HWT

90 cm, WINE CELLAR, MODEL 0H  
BUILT-IN  
DESIGNER® SERIES



## AESTHETIC

|                          |                     |
|--------------------------|---------------------|
| Compressor position      | Bottom              |
| Front finish             | Stainless Steel     |
| Handles                  | Stainless Steel Pro |
| Interior material finish | Stainless Steel     |

## PRICE (VAT and delivery charges not included)

|                         |          |
|-------------------------|----------|
| RS900HWT6 (right hinge) | 11.620 € |
| RS900HWT3 (left hinge)  | 11.620 € |

## CAPACITY

|   |     |
|---|-----|
| Volume Compartment1 (L)                               | 357 |
| Volume Compartment2 (L)                               | /   |
| Volume Compartment3 (L)                               | 167 |
| Total Net Volume (L)                                  | 524 |
| Total Gross Volume (L)                                | 542 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | 108 |
| Compartment 2 / Middle wine cellar capacity (bottles) | /   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /   |

## TECHNICAL DETAILS

|                  |          |
|------------------|----------|
| Voltage (V)      | 220-240V |
| Frequency (Hz)   | 50-60 Hz |
| Climatic class   | SN/T     |
| Noise level (dB) | 41       |

## EFFICIENCY

|                               |     |
|-------------------------------|-----|
| Energy Label class            | G   |
| Energy consumption (kWh/year) | 197 |

## DIMENSIONS & WEIGHT

|                                     |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2120 |
| Width of the product (mm)           | 912  |
| Depth of Product without handle(mm) | 620  |
| Net Weight (kg)                     | 193  |
| Gross Weight (kg)                   | 215  |

## TEMPERATURE

|                                  |              |
|----------------------------------|--------------|
| Climatic compartments            | 2            |
| Compartment 1 / Temperature (°C) | from 4 to 18 |
| Compartment 2 / Temperature (°C) | /            |
| Low temp zone                    | NO           |
| Compartment 3 / Temperature (°C) | from 4 to 18 |
| Dual zone                        | YES          |

## GENERAL PROPERTIES


|                        |      |
|------------------------|------|
| Reversible door        | NO   |
| Low vibration          | YES  |
| Shelves                | 9    |
| Type of shelves        | WOOD |
| Door Bins              | /    |
| Fridge drawers type    | /    |
| Fresco/LowTemp Drawers | /    |
| Bottom Drawers         | 2    |

## ACCESSORIES (from page 118 to page 227)

- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Active Carbon Filter
- Front ventilation kit
- Front panel painting, handles
- Door stop 90°
- Wine kit
- Cheese drawer
- Set of knives
- Prosciutteria kit
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

# KS900HWT

90 cm, WINE CELLAR, MODEL 0H  
BUILT-IN  
CLASSIC® SERIES



## AESTHETIC

|                          |                         |
|--------------------------|-------------------------|
| Compressor position      | Bottom                  |
| Front finish             | Stainless Steel         |
| Handles                  | Stainless Steel Classic |
| Interior material finish | Stainless Steel         |

## PRICE (VAT and delivery charges not included)

|                         |          |
|-------------------------|----------|
| KS900HWT6 (right hinge) | 11.620 € |
| KS900HWT3 (left hinge)  | 11.620 € |

## CAPACITY

|   |     |
|---|-----|
| Volume Compartment1 (L)                               | 357 |
| Volume Compartment2 (L)                               | /   |
| Volume Compartment3 (L)                               | 167 |
| Total Net Volume (L)                                  | 524 |
| Total Gross Volume (L)                                | 542 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | 108 |
| Compartment 2 / Middle wine cellar capacity (bottles) | /   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /   |

## TECHNICAL DETAILS

|                  |          |
|------------------|----------|
| Voltage (V)      | 220-240V |
| Frequency (Hz)   | 50-60 Hz |
| Climatic class   | SN/T     |
| Noise level (dB) | 41       |

## EFFICIENCY

|                               |     |
|-------------------------------|-----|
| Energy Label class            | G   |
| Energy consumption (kWh/year) | 197 |

## DIMENSIONS & WEIGHT

|                                     |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2050 |
| Width of the product (mm)           | 899  |
| Depth of Product without handle(mm) | 635  |
| Net Weight (kg)                     | 193  |
| Gross Weight (kg)                   | 215  |

## TEMPERATURE

|                                  |              |
|----------------------------------|--------------|
| Climatic compartments            | 2            |
| Compartment 1 / Temperature (°C) | from 4 to 18 |
| Compartment 2 / Temperature (°C) | /            |
| Low temp zone                    | NO           |
| Compartment 3 / Temperature (°C) | from 4 to 18 |
| Dual zone                        | YES          |

## GENERAL PROPERTIES


|                        |      |
|------------------------|------|
| Reversible door        | NO   |
| Low vibration          | YES  |
| Shelves                | 9    |
| Type of shelves        | WOOD |
| Door Bins              | /    |
| Fridge drawers type    | /    |
| Fresco/LowTemp Drawers | /    |
| Bottom Drawers         | 2    |

## ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Active Carbon Filter
- Front ventilation kit
- Front panel painting, handles, and side panels
- Door stop 90°
- Wine kit
- Cheese drawer
- Set of knives
- Prosciutteria kit
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

# S900HWT

90 cm, WINE CELLAR, MODEL 0H  
FULLY INTEGRATED  
INTEGRATED® SERIES



## AESTHETIC

|                          |                    |
|--------------------------|--------------------|
| Compressor position      | Bottom             |
| Front finish             | Custom Panel Ready |
| Handles                  | NO                 |
| Interior material finish | Stainless Steel    |

## PRICE (VAT and delivery charges not included)

|                        |          |
|------------------------|----------|
| S900HWT6 (right hinge) | 10.820 € |
| S900HWT3 (left hinge)  | 10.820 € |

## CAPACITY

|   |     |
|---|-----|
| Volume Compartment1 (L)                               | 357 |
| Volume Compartment2 (L)                               | /   |
| Volume Compartment3 (L)                               | 167 |
| Total Net Volume (L)                                  | 524 |
| Total Gross Volume (L)                                | 542 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | 108 |
| Compartment 2 / Middle wine cellar capacity (bottles) | /   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /   |

## TECHNICAL DETAILS

|                  |          |
|------------------|----------|
| Voltage (V)      | 220-240V |
| Frequency (Hz)   | 50-60 Hz |
| Climatic class   | SN/T     |
| Noise level (dB) | 41       |

## EFFICIENCY

|                               |     |
|-------------------------------|-----|
| Energy Label class            | G   |
| Energy consumption (kWh/year) | 197 |

## DIMENSIONS & WEIGHT

|                                     |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2120 |
| Width of the product (mm)           | 899  |
| Depth of Product without handle(mm) | 610  |
| Net Weight (kg)                     | 181  |
| Gross Weight (kg)                   | 202  |

## TEMPERATURE

|                                  |              |
|----------------------------------|--------------|
| Climatic compartments            | 2            |
| Compartment 1 / Temperature (°C) | from 4 to 18 |
| Compartment 2 / Temperature (°C) | /            |
| Low temp zone                    | NO           |
| Compartment 3 / Temperature (°C) | from 4 to 18 |
| Dual zone                        | YES          |

## GENERAL PROPERTIES

|                        |      |
|------------------------|------|
| Reversible door        | NO   |
| Low vibration          | YES  |
| Shelves                | 9    |
| Type of shelves        | WOOD |
| Door Bins              | /    |
| Fridge drawers type    | /    |
| Fresco/LowTemp Drawers | /    |
| Bottom Drawers         | 2    |

## ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Ø 30 mm Tubular Stainless Steel Handles – Classic
- Ø 30 mm Tubular Stainless Steel Handles – Pro
- Ø 18 mm Tubular Stainless Steel Handles
- Stainless steel panels
- Extra length anti-tipping kit
- Cleaning Kit
- Active Carbon Filter
- Front ventilation kit
- Door stop 90°
- Wine kit
- Cheese drawer
- Set of knives
- Prosciutteria kit
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

# FULL SIZE: FRIDGES

Model: 0F

Width: 90cm

One door, 1 temperature

Upper compartment: Fridge

Lower compartment: Low Temp



FRIDGE

LOW TEMP

## FEATURES

**Made in Italy:** Designed and built entirely in Italy with artisanal precision.  
**Long Term Reliability:** Premium materials and rigorous testing ensure consistent, durable performance.  
**Galvanized Steel Structure:** Strength and stability engineered to last.  
**Antibacterial Interior:** Hygienic surfaces preserving freshness and bottle quality.

### Technology and Functionality

**EventLift™:** Shelves adjustable to any height without removal.  
**ProVent™:** Uniform cold air distribution across every zone.  
**EquiLance™:** Patented variable pivot hinge for silent, stable movement.  
**OptiView™:** Diffuse, uniform LED lighting.  
**Full Color TFT Display:** Clear, intuitive, high definition interface.  
**100% Total No Frost:** Automatic system that prevents ice formation and ensures impeccable humidity control.  
**Variable Speed Compressors:** Precise temperature control and reduced vibrations.  
**Sabbath Mode:** Dedicated function for observance needs.  
**Easy Installation:** Adjustable feet and rear wheels.

### Conservation Performance

**One climate zone:** Precise temperature control for optimal food preservation.  
**Low Temperature Zone:** Dedicated area with a temperature 2°C lower than the refrigerator compartment, ideal for meat, fish, and vegetables.  
**Tempered Glass Shelves:** With aluminum profiles

## GENERAL PROPERTIES

|   |                           |
|---|---------------------------|
| Reversible door                         | NO                        |
| Equilance                               | YES                       |
| SoftClosing Runner                      | YES                       |
| Low vibration                           | YES                       |
| Optiview (LED light spots)              | YES                       |
| Shelves                                 | 4 - 1 fixed, 3 adjustable |
| Slide-out shelves                       | NO                        |
| Type of shelves                         | GLASS                     |
| Fridge drawers type                     | LOW TEMP                  |
| Fresco/LowTemp Drawers                  | 3                         |
| Bottom drawers                          | /                         |
| Full Extension shelves 90° door opening | /                         |
| Full Extension drawers 90° door opening | YES                       |
| Defrost Process                         | AUTOMATIC                 |
| Ice maker with water filter             | NO                        |
| Door Open Alarms                        | YES                       |
| Humidity Control                        | NO                        |
| Active Carbon Filter                    | NO                        |
| Air filter control                      | NO                        |
| Shopping Fridge                         | YES                       |
| Shopping Freezer                        | NO                        |
| Power Failure Function                  | YES                       |

## XS900FR

90 cm, FRIDGE, MODEL OFR  
BUILT-IN  
X-PRO® SERIES



| AESTHETIC                |                     |
|--------------------------|---------------------|
| Compressor position      | Top                 |
| Front finish             | Stainless Steel     |
| Handles                  | Stainless Steel Pro |
| Interior material finish | Stainless Steel     |

| PRICE (VAT and delivery charges not included) |          |
|---|----------|
| XS900FR6 (right hinge)                        | 10.690 € |
| XS900FR3 (left hinge)                         | 10.690 € |
| XS900FR6D (Right hinge, water dispenser)      | 11.530 € |
| XS900FR3D (Left hinge, water dispenser)       | 11.530 € |

| CAPACITY                |     |
|-------------------------|-----|
| Volume Compartment1 (L) | 619 |
| Volume Compartment2 (L) | /   |
| Volume Compartment3 (L) | /   |
| Total Net Volume (L)    | 619 |
| Total Gross Volume (L)  | 629 |

|   |   |
|---|---|
| Compartment 1 / Upper wine cellar capacity (bottles)  | / |
| Compartment 2 / Middle wine cellar capacity (bottles) | / |
| Compartment 2 / Lower wine cellar capacity (bottles)  | / |

| TECHNICAL DETAILS |          |
|-------------------|----------|
| Voltage (V)       | 220-240V |
| Frequency (Hz)    | 50-60 Hz |
| Climatic class    | SN/T     |
| Noise level (dB)  | 41       |

| EFFICIENCY                    |     |
|-------------------------------|-----|
| Energy Label class            | E   |
| Energy consumption (kWh/year) | 149 |

| DIMENSIONS & WEIGHT                 |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2120 |
| Width of the product (mm)           | 899  |
| Depth of Product without handle(mm) | 635  |
| Net Weight (kg)                     | 200  |
| Gross Weight (kg)                   | 221  |

| TEMPERATURE RANGES               |             |
|----------------------------------|-------------|
| Climatic compartments            | 1           |
| Compartment 1 / Temperature (°C) | from 2 to 8 |
| Compartment 2 / Temperature (°C) | /           |
| Low temp zone                    | YES         |
| Compartment 3 / Temperature (°C) | /           |
| Dual zone                        | NO          |

| GENERAL PROPERTIES     |                           |
|------------------------|---------------------------|
| Reversible door        | NO                        |
| Low vibration          | YES                       |
| Shelves                | 4 - 1 fixed, 3 adjustable |
| Type of shelves        | GLASS                     |
| Door Bins              | 3                         |
| Fridge drawers type    | LOW TEMP                  |
| Fresco/LowTemp Drawers | 3                         |
| Bottom Drawers         | /                         |

#### ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning Kit
- Front panel painting, handles, and side panels
- Door stop 90°
- Separate EvenLift™ shelves
- Gastronorm drawers

## XS900FG

90 cm, FRIDGE, MODEL OFG  
BUILT-IN, Glass Door  
X-PRO® SERIES



| AESTHETIC                |                     |
|--------------------------|---------------------|
| Compressor position      | Top                 |
| Front finish             | Stainless Steel     |
| Handles                  | Stainless Steel Pro |
| Interior material finish | Stainless Steel     |

| PRICE (VAT and delivery charges not included) |          |
|---|----------|
| XS900FG6 (right hinge)                        | 11.680 € |
| XS900FG3 (left hinge)                         | 11.680 € |
| XS900FG6D (Right hinge, water dispenser)      | 12.510 € |
| XS900FG3D (Left hinge, water dispenser)       | 12.510 € |

| CAPACITY                |     |
|-------------------------|-----|
| Volume Compartment1 (L) | 619 |
| Volume Compartment2 (L) | /   |
| Volume Compartment3 (L) | /   |
| Total Net Volume (L)    | 619 |
| Total Gross Volume (L)  | 629 |

|   |   |
|---|---|
| Compartment 1 / Upper wine cellar capacity (bottles)  | / |
| Compartment 2 / Middle wine cellar capacity (bottles) | / |
| Compartment 2 / Lower wine cellar capacity (bottles)  | / |

| TECHNICAL DETAILS |          |
|-------------------|----------|
| Voltage (V)       | 220-240V |
| Frequency (Hz)    | 50-60 Hz |
| Climatic class    | SN/T     |
| Noise level (dB)  | 41       |

| EFFICIENCY                    |     |
|-------------------------------|-----|
| Energy Label class            | E   |
| Energy consumption (kWh/year) | 149 |

| DIMENSIONS & WEIGHT                 |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2120 |
| Width of the product (mm)           | 899  |
| Depth of Product without handle(mm) | 635  |
| Net Weight (kg)                     | 200  |
| Gross Weight (kg)                   | 221  |

| TEMPERATURE RANGES               |             |
|----------------------------------|-------------|
| Climatic compartments            | 1           |
| Compartment 1 / Temperature (°C) | from 2 to 8 |
| Compartment 2 / Temperature (°C) | /           |
| Low temp zone                    | YES         |
| Compartment 3 / Temperature (°C) | /           |
| Dual zone                        | NO          |

| GENERAL PROPERTIES     |                           |
|------------------------|---------------------------|
| Reversible door        | NO                        |
| Low vibration          | YES                       |
| Shelves                | 4 - 1 fixed, 3 adjustable |
| Type of shelves        | GLASS                     |
| Door Bins              | 0                         |
| Fridge drawers type    | LOW TEMP                  |
| Fresco/LowTemp Drawers | 3                         |
| Bottom Drawers         | /                         |

#### ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning Kit
- Front panel painting, handles, and side panels
- Door stop 90°
- Separate EvenLift™ shelves
- Gastronorm drawers

## RS900FR

90 cm, FRIDGE, MODEL OFR  
BUILT-IN  
DESIGNER® SERIES



| AESTHETIC                |                     |
|--------------------------|---------------------|
| Compressor position      | Bottom              |
| Front finish             | Stainless Steel     |
| Handles                  | Stainless Steel Pro |
| Interior material finish | Stainless Steel     |

| PRICE (VAT and delivery charges not included) |          |
|---|----------|
| RS900FR6 (right hinge)                        | 9.490 €  |
| RS900FR3 (left hinge)                         | 9.490 €  |
| RS900FR6D (Right hinge, water dispenser)      | 10.330 € |
| RS900FR3D (Left hinge, water dispenser)       | 10.330 € |

| CAPACITY                |     |
|-------------------------|-----|
| Volume Compartment1 (L) | 619 |
| Volume Compartment2 (L) | /   |
| Volume Compartment3 (L) | /   |
| Total Net Volume (L)    | 619 |
| Total Gross Volume (L)  | 629 |

|   |   |
|---|---|
| Compartment 1 / Upper wine cellar capacity (bottles)  | / |
| Compartment 2 / Middle wine cellar capacity (bottles) | / |
| Compartment 2 / Lower wine cellar capacity (bottles)  | / |

| TECHNICAL DETAILS |          |
|-------------------|----------|
| Voltage (V)       | 220-240V |
| Frequency (Hz)    | 50-60 Hz |
| Climatic class    | SN/T     |
| Noise level (dB)  | 41       |

| EFFICIENCY                    |     |
|-------------------------------|-----|
| Energy Label class            | E   |
| Energy consumption (kWh/year) | 149 |

| DIMENSIONS & WEIGHT                 |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2120 |
| Width of the product (mm)           | 912  |
| Depth of Product without handle(mm) | 620  |
| Net Weight (kg)                     | 189  |
| Gross Weight (kg)                   | 210  |

| TEMPERATURE RANGES               |             |
|----------------------------------|-------------|
| Climatic compartments            | 1           |
| Compartment 1 / Temperature (°C) | from 2 to 8 |
| Compartment 2 / Temperature (°C) | /           |
| Low temp zone                    | YES         |
| Compartment 3 / Temperature (°C) | /           |
| Dual zone                        | NO          |

| GENERAL PROPERTIES     |                           |
|------------------------|---------------------------|
| Reversible door        | NO                        |
| Low vibration          | YES                       |
| Shelves                | 4 - 1 fixed, 3 adjustable |
| Type of shelves        | GLASS                     |
| Door Bins              | 3                         |
| Fridge drawers type    | LOW TEMP                  |
| Fresco/LowTemp Drawers | 3                         |
| Bottom Drawers         | /                         |

#### ACCESSORIES (from page 118 to page 227)

- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Front panel painting, handles
- Door stop 90°
- Separate EvenLift™ shelves
- Gastronorm drawers

## RS900FG

90 cm, FRIDGE, MODEL OFG  
BUILT-IN, Glass Door  
DESIGNER® SERIES



| AESTHETIC                |                     |
|--------------------------|---------------------|
| Compressor position      | Bottom              |
| Front finish             | Stainless Steel     |
| Handles                  | Stainless Steel Pro |
| Interior material finish | Stainless Steel     |

| PRICE (VAT and delivery charges not included) |          |
|---|----------|
| RS900FG6 (right hinge)                        | 10.480 € |
| RS900FG3 (left hinge)                         | 10.480 € |
| RS900FG6D (Right hinge, water dispenser)      | 11.310 € |
| RS900FG3D (Left hinge, water dispenser)       | 11.310 € |

| CAPACITY                |     |
|-------------------------|-----|
| Volume Compartment1 (L) | 619 |
| Volume Compartment2 (L) | /   |
| Volume Compartment3 (L) | /   |
| Total Net Volume (L)    | 619 |
| Total Gross Volume (L)  | 629 |

|   |   |
|---|---|
| Compartment 1 / Upper wine cellar capacity (bottles)  | / |
| Compartment 2 / Middle wine cellar capacity (bottles) | / |
| Compartment 2 / Lower wine cellar capacity (bottles)  | / |

| TECHNICAL DETAILS |          |
|-------------------|----------|
| Voltage (V)       | 220-240V |
| Frequency (Hz)    | 50-60 Hz |
| Climatic class    | SN/T     |
| Noise level (dB)  | 41       |

| EFFICIENCY                    |     |
|-------------------------------|-----|
| Energy Label class            | E   |
| Energy consumption (kWh/year) | 149 |

| DIMENSIONS & WEIGHT                 |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2120 |
| Width of the product (mm)           | 912  |
| Depth of Product without handle(mm) | 620  |
| Net Weight (kg)                     | 189  |
| Gross Weight (kg)                   | 210  |

| TEMPERATURE RANGES               |             |
|----------------------------------|-------------|
| Climatic compartments            | 1           |
| Compartment 1 / Temperature (°C) | from 2 to 8 |
| Compartment 2 / Temperature (°C) | /           |
| Low temp zone                    | YES         |
| Compartment 3 / Temperature (°C) | /           |
| Dual zone                        | NO          |

| GENERAL PROPERTIES     |                           |
|------------------------|---------------------------|
| Reversible door        | NO                        |
| Low vibration          | YES                       |
| Shelves                | 4 - 1 fixed, 3 adjustable |
| Type of shelves        | GLASS                     |
| Door Bins              | 0                         |
| Fridge drawers type    | LOW TEMP                  |
| Fresco/LowTemp Drawers | 3                         |
| Bottom Drawers         | /                         |

#### ACCESSORIES (from page 118 to page 227)

- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Front panel painting, handles
- Door stop 90°
- Separate EvenLift™ shelves
- Gastronorm drawers

## KS900FR

90 cm, FRIDGE, MODEL OFR  
BUILT-IN  
CLASSIC® SERIES



| AESTHETIC                |                         |
|--------------------------|-------------------------|
| Compressor position      | Bottom                  |
| Front finish             | Stainless Steel         |
| Handles                  | Stainless Steel Classic |
| Interior material finish | Stainless Steel         |

| PRICE (VAT and delivery charges not included) |          |
|---|----------|
| KS900FR6 (right hinge)                        | 9.490 €  |
| KS900FR3 (left hinge)                         | 9.490 €  |
| KS900FR6D (Right hinge, water dispenser)      | 10.330 € |
| KS900FR3D (Left hinge, water dispenser)       | 10.330 € |

| CAPACITY                |     |
|-------------------------|-----|
| Volume Compartment1 (L) | 619 |
| Volume Compartment2 (L) | /   |
| Volume Compartment3 (L) | /   |
| Total Net Volume (L)    | 619 |
| Total Gross Volume (L)  | 629 |

|   |   |
|---|---|
| Compartment 1 / Upper wine cellar capacity (bottles)  | / |
| Compartment 2 / Middle wine cellar capacity (bottles) | / |
| Compartment 2 / Lower wine cellar capacity (bottles)  | / |

| TECHNICAL DETAILS |          |
|-------------------|----------|
| Voltage (V)       | 220-240V |
| Frequency (Hz)    | 50-60 Hz |
| Climatic class    | SN/T     |
| Noise level (dB)  | 41       |

| EFFICIENCY                    |     |
|-------------------------------|-----|
| Energy Label class            | E   |
| Energy consumption (kWh/year) | 149 |

| DIMENSIONS & WEIGHT                 |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2050 |
| Width of the product (mm)           | 899  |
| Depth of Product without handle(mm) | 635  |
| Net Weight (kg)                     | 189  |
| Gross Weight (kg)                   | 210  |

| TEMPERATURE RANGES               |             |
|----------------------------------|-------------|
| Climatic compartments            | 1           |
| Compartment 1 / Temperature (°C) | from 2 to 8 |
| Compartment 2 / Temperature (°C) | /           |
| Low temp zone                    | YES         |
| Compartment 3 / Temperature (°C) | /           |
| Dual zone                        | NO          |

| GENERAL PROPERTIES     |                           |
|------------------------|---------------------------|
| Reversible door        | NO                        |
| Low vibration          | YES                       |
| Shelves                | 4 - 1 fixed, 3 adjustable |
| Type of shelves        | GLASS                     |
| Door Bins              | 3                         |
| Fridge drawers type    | LOW TEMP                  |
| Fresco/LowTemp Drawers | 3                         |
| Bottom Drawers         | /                         |

#### ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Front panel painting, handles, and side panels
- Door stop 90°
- Separate EvenLift™ shelves
- Gastronorm drawers

## KS900FG

90 cm, FRIDGE, MODEL OFG  
BUILT-IN, Glass Door  
CLASSIC® SERIES



| AESTHETIC                |                         |
|--------------------------|-------------------------|
| Compressor position      | Bottom                  |
| Front finish             | Stainless Steel         |
| Handles                  | Stainless Steel Classic |
| Interior material finish | Stainless Steel         |

| PRICE (VAT and delivery charges not included) |          |
|---|----------|
| KS900FG6 (right hinge)                        | 10.480 € |
| KS900FG3 (left hinge)                         | 10.480 € |
| KS900FG6D (Right hinge, water dispenser)      | 11.310 € |
| KS900FG3D (Left hinge, water dispenser)       | 11.310 € |

| CAPACITY                |     |
|-------------------------|-----|
| Volume Compartment1 (L) | 619 |
| Volume Compartment2 (L) | /   |
| Volume Compartment3 (L) | /   |
| Total Net Volume (L)    | 619 |
| Total Gross Volume (L)  | 629 |

|   |   |
|---|---|
| Compartment 1 / Upper wine cellar capacity (bottles)  | / |
| Compartment 2 / Middle wine cellar capacity (bottles) | / |
| Compartment 2 / Lower wine cellar capacity (bottles)  | / |

| TECHNICAL DETAILS |          |
|-------------------|----------|
| Voltage (V)       | 220-240V |
| Frequency (Hz)    | 50-60 Hz |
| Climatic class    | SN/T     |
| Noise level (dB)  | 41       |

| EFFICIENCY                    |     |
|-------------------------------|-----|
| Energy Label class            | E   |
| Energy consumption (kWh/year) | 149 |

| DIMENSIONS & WEIGHT                 |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2050 |
| Width of the product (mm)           | 899  |
| Depth of Product without handle(mm) | 635  |
| Net Weight (kg)                     | 189  |
| Gross Weight (kg)                   | 210  |

| TEMPERATURE RANGES               |             |
|----------------------------------|-------------|
| Climatic compartments            | 1           |
| Compartment 1 / Temperature (°C) | from 2 to 8 |
| Compartment 2 / Temperature (°C) | /           |
| Low temp zone                    | YES         |
| Compartment 3 / Temperature (°C) | /           |
| Dual zone                        | NO          |

| GENERAL PROPERTIES     |                           |
|------------------------|---------------------------|
| Reversible door        | NO                        |
| Low vibration          | YES                       |
| Shelves                | 4 - 1 fixed, 3 adjustable |
| Type of shelves        | GLASS                     |
| Door Bins              | 0                         |
| Fridge drawers type    | LOW TEMP                  |
| Fresco/LowTemp Drawers | 3                         |
| Bottom Drawers         | /                         |

#### ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Front panel painting, handles, and side panels
- Door stop 90°
- Separate EvenLift™ shelves
- Gastronorm drawers

## S900FR

90 cm, FRIDGE, MODEL OFR  
FULLY INTEGRATED  
INTEGRATED® SERIES



| AESTHETIC                |                    |
|--------------------------|--------------------|
| Compressor position      | Bottom             |
| Front finish             | Custom Panel Ready |
| Handles                  | NO                 |
| Interior material finish | Stainless Steel    |

| PRICE (VAT and delivery charges not included) |         |
|---|---------|
| S900FR6 (right hinge)                         | 8.690 € |
| S900FR3 (left hinge)                          | 8.690 € |
| S900FR6D (Right hinge, water dispenser)       | 9.530 € |
| S900FR3D (Left hinge, water dispenser)        | 9.530 € |

| CAPACITY                |     |
|-------------------------|-----|
| Volume Compartment1 (L) | 619 |
| Volume Compartment2 (L) | /   |
| Volume Compartment3 (L) | /   |
| Total Net Volume (L)    | 619 |
| Total Gross Volume (L)  | 629 |

|   |   |
|---|---|
| Compartment 1 / Upper wine cellar capacity (bottles)  | / |
| Compartment 2 / Middle wine cellar capacity (bottles) | / |
| Compartment 2 / Lower wine cellar capacity (bottles)  | / |

| TECHNICAL DETAILS |          |
|-------------------|----------|
| Voltage (V)       | 220-240V |
| Frequency (Hz)    | 50-60 Hz |
| Climatic class    | SN/T     |
| Noise level (dB)  | 41       |

| EFFICIENCY                    |     |
|-------------------------------|-----|
| Energy Label class            | E   |
| Energy consumption (kWh/year) | 149 |

| DIMENSIONS & WEIGHT                 |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2120 |
| Width of the product (mm)           | 899  |
| Depth of Product without handle(mm) | 610  |
| Net Weight (kg)                     | 168  |
| Gross Weight (kg)                   | 189  |

| TEMPERATURE RANGES               |             |
|----------------------------------|-------------|
| Climatic compartments            | 1           |
| Compartment 1 / Temperature (°C) | from 2 to 8 |
| Compartment 2 / Temperature (°C) | /           |
| Low temp zone                    | YES         |
| Compartment 3 / Temperature (°C) | /           |
| Dual zone                        | NO          |

| GENERAL PROPERTIES     |                           |
|------------------------|---------------------------|
| Reversible door        | NO                        |
| Low vibration          | YES                       |
| Shelves                | 4 - 1 fixed, 3 adjustable |
| Type of shelves        | GLASS                     |
| Door Bins              | 3                         |
| Fridge drawers type    | LOW TEMP                  |
| Fresco/LowTemp Drawers | 3                         |
| Bottom Drawers         | /                         |

#### ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Ø 30 mm Tubular Stainless Steel Handles – Classic
- Ø 30 mm Tubular Stainless Steel Handles – Pro
- Ø 18 mm Tubular Stainless Steel Handles
- Stainless steel panels
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Door stop 90°
- Separate EvenLift™ shelves
- Gastronorm drawers
- Push and pull

## S900FG

90 cm, FRIDGE, MODEL OFG  
FULLY INTEGRATED, Glass Door  
INTEGRATED® SERIES



| AESTHETIC                |                    |
|--------------------------|--------------------|
| Compressor position      | Bottom             |
| Front finish             | Custom Panel Ready |
| Handles                  | NO                 |
| Interior material finish | Stainless Steel    |

| PRICE (VAT and delivery charges not included) |          |
|---|----------|
| S900FG6 (right hinge)                         | 9.680 €  |
| S900FG3 (left hinge)                          | 9.680 €  |
| S900FG6D (Right hinge, water dispenser)       | 10.510 € |
| S900FG3D (Left hinge, water dispenser)        | 10.510 € |

| CAPACITY                |     |
|-------------------------|-----|
| Volume Compartment1 (L) | 619 |
| Volume Compartment2 (L) | /   |
| Volume Compartment3 (L) | /   |
| Total Net Volume (L)    | 619 |
| Total Gross Volume (L)  | 629 |

|   |   |
|---|---|
| Compartment 1 / Upper wine cellar capacity (bottles)  | / |
| Compartment 2 / Middle wine cellar capacity (bottles) | / |
| Compartment 2 / Lower wine cellar capacity (bottles)  | / |

| TECHNICAL DETAILS |          |
|-------------------|----------|
| Voltage (V)       | 220-240V |
| Frequency (Hz)    | 50-60 Hz |
| Climatic class    | SN/T     |
| Noise level (dB)  | 41       |

| EFFICIENCY                    |     |
|-------------------------------|-----|
| Energy Label class            | E   |
| Energy consumption (kWh/year) | 149 |

| DIMENSIONS & WEIGHT                 |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2120 |
| Width of the product (mm)           | 899  |
| Depth of Product without handle(mm) | 610  |
| Net Weight (kg)                     | 168  |
| Gross Weight (kg)                   | 189  |

| TEMPERATURE RANGES               |             |
|----------------------------------|-------------|
| Climatic compartments            | 1           |
| Compartment 1 / Temperature (°C) | from 2 to 8 |
| Compartment 2 / Temperature (°C) | /           |
| Low temp zone                    | YES         |
| Compartment 3 / Temperature (°C) | /           |
| Dual zone                        | NO          |

| GENERAL PROPERTIES     |                           |
|------------------------|---------------------------|
| Reversible door        | NO                        |
| Low vibration          | YES                       |
| Shelves                | 4 - 1 fixed, 3 adjustable |
| Type of shelves        | GLASS                     |
| Door Bins              | 3                         |
| Fridge drawers type    | LOW TEMP                  |
| Fresco/LowTemp Drawers | 3                         |
| Bottom Drawers         | /                         |

#### ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Ø 30 mm Tubular Stainless Steel Handles – Classic
- Ø 30 mm Tubular Stainless Steel Handles – Pro
- Ø 18 mm Tubular Stainless Steel Handles
- Stainless steel panels
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Door stop 90°
- Separate EvenLift™ shelves
- Gastronorm drawers
- Push and pull



WINE CELLAR

## FULL SIZE: WINE CELLARS

Model: 0F

Width: 90cm

One door, 2 separate temperatures

Upper compartment: Wine cellar

Lower compartment: Wine cellar

### FEATURES

**Made in Italy:** Designed and built entirely in Italy with artisanal precision.

**Long Term Reliability:** Premium materials and rigorous testing ensure consistent, durable performance.

**Galvanized Steel Structure:** Strength and stability engineered to last.

**Antibacterial Interior:** Hygienic surfaces preserving freshness and bottle quality.

### Technology and Functionality

**ProVent™:** Uniform cold air distribution across every zone.

**EquiLance™:** Patented variable pivot hinge for silent, stable movement.

**OptiView™:** Diffused and uniform LED lighting, elegant and with low heat emission to preserve the wine's properties.

**Full Color TFT Display:** Clear, intuitive, high definition interface.

**Active Safety:** Visual and acoustic alerts.

**100% Total No Frost:** Automatic system that prevents ice formation and ensures impeccable humidity control.

**Variable Speed Compressors:** Precise temperature control and reduced vibrations.

**Sabbath Mode:** Dedicated function for observance needs.

**Easy Installation:** Adjustable feet and rear wheels.

### Conservation Performance

**Two Independent Climate Zones:** Dedicated temperature and humidity control for red, white, and sparkling wines.

**Triple-layer bronzed glass door:** Total protection against UV rays and external temperature fluctuations.


**Humidity control:** Precise regulation to preserve corks, labels, and bottle integrity.

### GENERAL PROPERTIES

|   |           |
|---|-----------|
| Reversible door                         | NO        |
| Equilance                               | YES       |
| SoftClosing Runner                      | YES       |
| Low vibration                           | YES       |
| OptiView (LED light spots)              | YES       |
| Shelves                                 | 13        |
| Slide-out shelves                       | YES       |
| Type of shelves                         | WOOD      |
| Fridge drawers type                     | /         |
| Fresco/LowTemp Drawers                  | /         |
| Bottom drawers                          | /         |
| Full Extension shelves 90° door opening | YES       |
| Full Extension drawers 90° door opening | NO        |
| Defrost Process                         | AUTOMATIC |
| Ice maker with water filter             | NO        |
| Door Open Alarms                        | YES       |
| Humidity Control                        | YES       |
| Active Carbon Filter                    | NO        |
| Air filter control                      | NO        |
| Shopping Fridge                         | NO        |
| Shopping Freezer                        | NO        |
| Power Failure Function                  | YES       |

## XS900FW

90 cm, WINE CELLAR, MODEL 0FW  
BUILT-IN  
X-PRO® SERIES




| AESTHETIC   |                     |
|---|---------------------|
| Compressor position                                   | Top                 |
| Front finish  | Stainless Steel     |
| Handles   | Stainless Steel Pro |
| Interior material finish                              | Stainless Steel     |
| PRICE (VAT and delivery charges not included)         |                     |
| XS900FW6 (right hinge)                                | 12.060 €            |
| XS900FW3 (left hinge)                                 | 12.060 €            |
| CAPACITY  |                     |
| Volume Compartment1 (L)                               | 590                 |
| Volume Compartment2 (L)                               | /                   |
| Volume Compartment3 (L)                               | /                   |
| Total Net Volume (L)                                  | 590                 |
| Total Gross Volume (L)                                | 607                 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | 96                  |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | 60                  |
| TECHNICAL DETAILS                                     |                     |
| Voltage (V)   | 220-240V            |
| Frequency (Hz)  | 50-60 Hz            |
| Climatic class  | SN/T                |
| Noise level (dB)                                      | 41                  |
| EFFICIENCY  |                     |
| Energy Label class                                    | G                   |
| Energy consumption (kWh/year)                         | 169                 |

| DIMENSIONS & WEIGHT                 |              |
|-------------------------------------|--------------|
| Product height (closed wheels)(mm)  | 2120         |
| Width of the product (mm)           | 899          |
| Depth of Product without handle(mm) | 635          |
| Net Weight (kg)                     | 192          |
| Gross Weight (kg)                   | 223          |
| TEMPERATURE RANGES                  |              |
| Climatic compartments               | 2            |
| Compartment 1 / Temperature (°C)    | from 4 to 18 |
| Compartment 2 / Temperature (°C)    | /            |
| Low temp zone                       | NO           |
| Compartment 3 / Temperature (°C)    | from 4 to 18 |
| Dual zone                           | NO           |
| GENERAL PROPERTIES                  |              |
| Reversible door                     | NO           |
| Low vibration                       | YES          |
| Shelves                             | 13           |
| Type of shelves                     | WOOD         |
| Door Bins                           | /            |
| Fridge drawers type                 | /            |
| Fresco/LowTemp Drawers              | /            |
| Bottom Drawers                      | /            |

| ACCESSORIES (from page 118 to page 227)                     |                            |
|---|----------------------------|
| • Stainless Steel Side Panels for freestanding installation | • Wine kit                 |
| • Central Joining Kit for side-by-side installed units      | • Cheese drawer            |
| • X-Pro top grill kit                                       | • Set of knives            |
| • Extra length anti-tipping kit                             | • Prosciutteria kit        |
| • Anti-condensation kit                                     | • Cigar drawer             |
| • Cleaning Kit  | • Beverage drawer          |
| • Active Carbon Filter                                      | • Beverage shelf           |
| • Front panel painting, handles, and side panels            | • Beverage removable shelf |
| • Door stop 90°   |                            |

## RS900FW

90 cm, WINE CELLAR, MODEL 0FW  
BUILT-IN  
DESIGNER® SERIES




| AESTHETIC   |                     |
|---|---------------------|
| Compressor position                                   | Bottom              |
| Front finish  | Stainless Steel     |
| Handles   | Stainless Steel Pro |
| Interior material finish                              | Stainless Steel     |
| PRICE (VAT and delivery charges not included)         |                     |
| RS900FW6 (right hinge)                                | 10.860 €            |
| RS900FW3 (left hinge)                                 | 10.860 €            |
| CAPACITY  |                     |
| Volume Compartment1 (L)                               | 590                 |
| Volume Compartment2 (L)                               | /                   |
| Volume Compartment3 (L)                               | /                   |
| Total Net Volume (L)                                  | 590                 |
| Total Gross Volume (L)                                | 607                 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | 96                  |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | 60                  |
| TECHNICAL DETAILS                                     |                     |
| Voltage (V)   | 220-240V            |
| Frequency (Hz)  | 50-60 Hz            |
| Climatic class  | SN/T                |
| Noise level (dB)                                      | 41                  |
| EFFICIENCY  |                     |
| Energy Label class                                    | G                   |
| Energy consumption (kWh/year)                         | 169                 |

| DIMENSIONS & WEIGHT                 |              |
|-------------------------------------|--------------|
| Product height (closed wheels)(mm)  | 2120         |
| Width of the product (mm)           | 912          |
| Depth of Product without handle(mm) | 620          |
| Net Weight (kg)                     | 194          |
| Gross Weight (kg)                   | 215          |
| TEMPERATURE RANGES                  |              |
| Climatic compartments               | 2            |
| Compartment 1 / Temperature (°C)    | from 4 to 18 |
| Compartment 2 / Temperature (°C)    | /            |
| Low temp zone                       | NO           |
| Compartment 3 / Temperature (°C)    | from 4 to 18 |
| Dual zone                           | NO           |
| GENERAL PROPERTIES                  |              |
| Reversible door                     | NO           |
| Low vibration                       | YES          |
| Shelves                             | 13           |
| Type of shelves                     | WOOD         |
| Door Bins                           | /            |
| Fridge drawers type                 | /            |
| Fresco/LowTemp Drawers              | /            |
| Bottom Drawers                      | /            |

| ACCESSORIES (from page 118 to page 227)                |                            |
|--|----------------------------|
| • Central Joining Kit for side-by-side installed units | • Cigar drawer             |
| • Extra length anti-tipping kit                        | • Beverage drawer          |
| • Cleaning Kit   | • Beverage shelf           |
| • Active Carbon Filter                                 | • Beverage removable shelf |
| • Front ventilation kit                                |                            |
| • Front panel painting, handles                        |                            |
| • Door stop 90°  |                            |
| • Wine kit   |                            |
| • Cheese drawer  |                            |
| • Set of knives  |                            |
| • Prosciutteria kit                                    |                            |

# KS900FW

90 cm, WINE CELLAR, MODEL 0FW  
BUILT-IN  
CLASSIC® SERIES




| AESTHETIC   |                         |
|---|-------------------------|
| Compressor position                                   | Bottom                  |
| Front finish  | Stainless Steel         |
| Handles   | Stainless Steel Classic |
| Interior material finish                              | Stainless Steel         |
| PRICE (VAT and delivery charges not included)         |                         |
| KS900FW6 (right hinge)                                | 10.860 €                |
| KS900FW3 (left hinge)                                 | 10.860 €                |
| CAPACITY  |                         |
| Volume Compartment1 (L)                               | 590                     |
| Volume Compartment2 (L)                               | /                       |
| Volume Compartment3 (L)                               | /                       |
| Total Net Volume (L)                                  | 590                     |
| Total Gross Volume (L)                                | 607                     |
| Compartment 1 / Upper wine cellar capacity (bottles)  | 96                      |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                       |
| Compartment 2 / Lower wine cellar capacity (bottles)  | 60                      |
| TECHNICAL DETAILS                                     |                         |
| Voltage (V)   | 220-240V                |
| Frequency (Hz)  | 50-60 Hz                |
| Climatic class  | SN/T                    |
| Noise level (dB)                                      | 41                      |
| EFFICIENCY  |                         |
| Energy Label class                                    | G                       |
| Energy consumption (kWh/year)                         | 169                     |

| DIMENSIONS & WEIGHT                 |              |
|-------------------------------------|--------------|
| Product height (closed wheels)(mm)  | 2050         |
| Width of the product (mm)           | 899          |
| Depth of Product without handle(mm) | 635          |
| Net Weight (kg)                     | 194          |
| Gross Weight (kg)                   | 215          |
| TEMPERATURE RANGES                  |              |
| Climatic compartments               | 2            |
| Compartment 1 / Temperature (°C)    | from 4 to 18 |
| Compartment 2 / Temperature (°C)    | /            |
| Low temp zone                       | NO           |
| Compartment 3 / Temperature (°C)    | from 4 to 18 |
| Dual zone                           | NO           |
| GENERAL PROPERTIES                  |              |
| Reversible door                     | NO           |
| Low vibration                       | YES          |
| Shelves                             | 13           |
| Type of shelves                     | WOOD         |
| Door Bins                           | /            |
| Fridge drawers type                 | /            |
| Fresco/LowTemp Drawers              | /            |
| Bottom Drawers                      | /            |

| ACCESSORIES (from page 118 to page 227)                     |                            |
|---|----------------------------|
| • Stainless Steel Side Panels for freestanding installation | • Set of knives            |
| • Central Joining Kit for side-by-side installed units      | • Prosciutteria kit        |
| • Extra length anti-tipping kit                             | • Cigar drawer             |
| • Cleaning Kit  | • Beverage drawer          |
| • Active Carbon Filter                                      | • Beverage shelf           |
| • Front ventilation kit                                     | • Beverage removable shelf |
| • Front panel painting, handles, and side panels            |                            |
| • Door stop 90°   |                            |
| • Wine kit  |                            |
| • Cheese drawer   |                            |

# S900FW

90 cm, WINE CELLAR, MODEL 0FW  
FULLY INTEGRATED  
INTEGRATED® SERIES



| AESTHETIC   |                    |
|---|--------------------|
| Compressor position                                   | Bottom             |
| Front finish  | Custom Panel Ready |
| Handles   | NO                 |
| Interior material finish                              | Stainless Steel    |
| PRICE (VAT and delivery charges not included)         |                    |
| S900FW6 (right hinge)                                 | 10.060 €           |
| S900FW3 (left hinge)                                  | 10.060 €           |
| CAPACITY  |                    |
| Volume Compartment1 (L)                               | 590                |
| Volume Compartment2 (L)                               | /                  |
| Volume Compartment3 (L)                               | /                  |
| Total Net Volume (L)                                  | 590                |
| Total Gross Volume (L)                                | 607                |
| Compartment 1 / Upper wine cellar capacity (bottles)  | 96                 |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                  |
| Compartment 2 / Lower wine cellar capacity (bottles)  | 60                 |
| TECHNICAL DETAILS                                     |                    |
| Voltage (V)   | 220-240V           |
| Frequency (Hz)  | 50-60 Hz           |
| Climatic class  | SN/T               |
| Noise level (dB)                                      | 41                 |
| EFFICIENCY  |                    |
| Energy Label class                                    | G                  |
| Energy consumption (kWh/year)                         | 169                |

| DIMENSIONS & WEIGHT                 |              |
|-------------------------------------|--------------|
| Product height (closed wheels)(mm)  | 2120         |
| Width of the product (mm)           | 899          |
| Depth of Product without handle(mm) | 610          |
| Net Weight (kg)                     | 173          |
| Gross Weight (kg)                   | 194          |
| TEMPERATURE RANGES                  |              |
| Climatic compartments               | 2            |
| Compartment 1 / Temperature (°C)    | from 4 to 18 |
| Compartment 2 / Temperature (°C)    | /            |
| Low temp zone                       | NO           |
| Compartment 3 / Temperature (°C)    | from 4 to 18 |
| Dual zone                           | NO           |
| GENERAL PROPERTIES                  |              |
| Reversible door                     | NO           |
| Low vibration                       | YES          |
| Shelves                             | 13           |
| Type of shelves                     | WOOD         |
| Door Bins                           | /            |
| Fridge drawers type                 | /            |
| Fresco/LowTemp Drawers              | /            |
| Bottom Drawers                      | /            |

| ACCESSORIES (from page 118 to page 227)                     |                            |
|---|----------------------------|
| • Stainless Steel Side Panels for freestanding installation | • Active Carbon Filter     |
| • Central Joining Kit for side-by-side installed units      | • Front ventilation kit    |
| • Ø 30 mm Tubular Stainless Steel Handles – Classic         | • Door stop 90°            |
| • Ø 30 mm Tubular Stainless Steel Handles – Pro             | • Wine kit                 |
| • Ø 18 mm Tubular Stainless Steel Handles                   | • Cheese drawer            |
| • Stainless steel panels                                    | • Set of knives            |
| • Extra length anti-tipping kit                             | • Prosciutteria kit        |
| • Cleaning Kit  | • Cigar drawer             |
|   | • Beverage drawer          |
|   | • Beverage shelf           |
|   | • Beverage removable shelf |
|   | • Push and pull            |



FREEZER

## FULL SIZE: FREEZER

Model: 0F

Width: 90cm

One door, 1 temperature

Single compartment: Freezer

### FEATURES

**Made in Italy:** Designed and built entirely in Italy with artisanal precision.

**Long Term Reliability:** Premium materials and rigorous testing ensure consistent, durable performance.

**Galvanized Steel Structure:** Strength and stability engineered to last.

**Antibacterial Interior:** Hygienic surfaces preserving freshness and bottle quality.

#### Technology and Functionality

**ProVent™:** Uniform cold air distribution across every zone.

**EquiLance™:** Patented variable pivot hinge for silent, stable movement.

**OptiView™:** Diffuse, uniform LED lighting.

**Full Color TFT Display:** Clear, intuitive, high definition interface.

**100% Total No Frost:** Automatic system that prevents ice formation and ensures impeccable humidity control.

**Variable Speed Compressors:** Precise temperature control and reduced vibrations.

**Sabbath Mode:** Dedicated function for observance needs.

**Easy Installation:** Adjustable feet and rear wheels.

#### Conservation Performance

**One climate zone:** Gestione precisa della temperatura per una conservazione ottimale degli alimenti congelati.

**Tempered Glass Shelves:** With aluminum profiles

### GENERAL PROPERTIES

|   |                             |
|---|-----------------------------|
| Reversible door                         | NO                          |
| Equilance                               | YES                         |
| SoftClosing Runner                      | NO                          |
| Low vibration                           | YES                         |
| Optiview (LED light spots)              | YES                         |
| Shelves                                 | 3 - 1 fixed, 2 adjustable   |
| Slide-out shelves                       | NO                          |
| Type of shelves                         | 2 Glass & 1 Stainless steel |
| Fridge drawers type                     | /                           |
| Fresco/LowTemp Drawers                  | /                           |
| Bottom drawers                          | 4                           |
| Full Extension shelves 90° door opening | YES                         |
| Full Extension drawers 90° door opening | NO                          |
| Defrost Process                         | AUTOMATIC                   |
| Ice maker with water filter             | AVAILABLE                   |
| Door Open Alarms                        | YES                         |
| Humidity Control                        | NO                          |
| Active Carbon Filter                    | NO                          |
| Air filter control                      | NO                          |
| Shopping Fridge                         | NO                          |
| Shopping Freezer                        | YES                         |
| Power Failure Function                  | YES                         |

## XS900FZ

90 cm, FREEZER, MODEL 0FZ

BUILT-IN

INTEGRATED® SERIES



| AESTHETIC   |                     |
|---|---------------------|
| Compressor position                                   | Top                 |
| Front finish  | Stainless Steel     |
| Handles   | Stainless Steel Pro |
| Interior material finish                              | Stainless Steel     |
| PRICE (VAT and delivery charges not included)         |                     |
| XS900FZ6 (right hinge)                                | 11.730 €            |
| XS900FZ3 (left hinge)                                 | 11.730 €            |
| XS900FZ6I (right hinge, with ice maker)               | 12.570 €            |
| XS900FZ3I (left hinge, with ice maker)                | 12.570 €            |
| CAPACITY  |                     |
| Volume Compartment1 (L)                               | 570                 |
| Volume Compartment2 (L)                               | /                   |
| Volume Compartment3 (L)                               | /                   |
| Total Net Volume (L)                                  | 570                 |
| Total Gross Volume (L)                                | 573                 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                   |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                   |
| TECHNICAL DETAILS                                     |                     |
| Voltage (V)   | 220-240V            |
| Frequency (Hz)  | 50-60 Hz            |
| Climatic class  | SN/T                |
| Noise level (dB)                                      | 41                  |
| EFFICIENCY  |                     |
| Energy Label class                                    | E                   |
| Energy consumption (kWh/year)                         | 360                 |

| DIMENSIONS & WEIGHT  |                             |
|--|-----------------------------|
| Product height (closed wheels)(mm)   | 2120                        |
| Width of the product (mm)  | 899                         |
| Depth of Product without handle(mm)  | 635                         |
| Net Weight (kg)  | 195                         |
| Gross Weight (kg)  | 216                         |
| TEMPERATURE RANGES   |                             |
| Climatic compartments  | 1                           |
| Compartment 1 / Temperature (°C)   | from -15 to -22             |
| Compartment 2 / Temperature (°C)   | /                           |
| Low temp zone  | NO                          |
| Compartment 3 / Temperature (°C)   | /                           |
| Dual zone  | NO                          |
| GENERAL PROPERTIES   |                             |
| Reversible door  | NO                          |
| Low vibration  | YES                         |
| Shelves  | 3 - 1 fixed, 2 adjustable   |
| Type of shelves  | 2 Glass & 1 Stainless steel |
| Door Bins  | 2                           |
| Fridge drawers type  | /                           |
| Fresco/LowTemp Drawers   | /                           |
| Bottom Drawers   | 4                           |
| ACCESSORIES (from page 118 to page 227)  |                             |
| <ul style="list-style-type: none"> <li>• Stainless Steel Side Panels for freestanding installation</li> <li>• Central Joining Kit for side-by-side installed units</li> <li>• Ø 30 mm Tubular Stainless Steel Handles – Classic</li> <li>• Ø 30 mm Tubular Stainless Steel Handles – Pro</li> <li>• Ø 18 mm Tubular Stainless Steel Handles</li> <li>• Stainless steel panels</li> <li>• Extra length anti-tipping kit</li> <li>• Anti-condensation kit</li> <li>• Cleaning Kit</li> <li>• Front ventilation kit</li> <li>• Door stop 90°</li> </ul> |                             |

## RS900FZ

90 cm, FREEZER, MODEL 0FZ

BUILT-IN

DESIGNER® SERIES



| AESTHETIC   |                     |
|---|---------------------|
| Compressor position                                   | Bottom              |
| Front finish  | Stainless Steel     |
| Handles   | Stainless Steel Pro |
| Interior material finish                              | Stainless Steel     |
| PRICE (VAT and delivery charges not included)         |                     |
| RS900FZ6 (right hinge)                                | 10.530 €            |
| RS900FZ3 (left hinge)                                 | 10.530 €            |
| RS900FZ6I (right hinge, with ice maker)               | 11.370 €            |
| RS900FZ3I (left hinge, with ice maker)                | 11.370 €            |
| CAPACITY  |                     |
| Volume Compartment1 (L)                               | 570                 |
| Volume Compartment2 (L)                               | /                   |
| Volume Compartment3 (L)                               | /                   |
| Total Net Volume (L)                                  | 570                 |
| Total Gross Volume (L)                                | 573                 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                   |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                   |
| TECHNICAL DETAILS                                     |                     |
| Voltage (V)   | 220-240V            |
| Frequency (Hz)  | 50-60 Hz            |
| Climatic class  | SN/T                |
| Noise level (dB)                                      | 41                  |
| EFFICIENCY  |                     |
| Energy Label class                                    | E                   |
| Energy consumption (kWh/year)                         | 360                 |

| DIMENSIONS & WEIGHT                 |                             |
|-------------------------------------|-----------------------------|
| Product height (closed wheels)(mm)  | 2120                        |
| Width of the product (mm)           | 912                         |
| Depth of Product without handle(mm) | 620                         |
| Net Weight (kg)                     | 195                         |
| Gross Weight (kg)                   | 216                         |
| TEMPERATURE RANGES                  |                             |
| Climatic compartments               | 1                           |
| Compartment 1 / Temperature (°C)    | from -15 to -22             |
| Compartment 2 / Temperature (°C)    | /                           |
| Low temp zone                       | NO                          |
| Compartment 3 / Temperature (°C)    | /                           |
| Dual zone                           | NO                          |
| GENERAL PROPERTIES                  |                             |
| Reversible door                     | NO                          |
| Low vibration                       | YES                         |
| Shelves                             | 3 - 1 fixed, 2 adjustable   |
| Type of shelves                     | 2 Glass & 1 Stainless steel |
| Door Bins                           | 2                           |
| Fridge drawers type                 | /                           |
| Fresco/LowTemp Drawers              | /                           |
| Bottom Drawers                      | 4                           |

| ACCESSORIES (from page 118 to page 227)  |  |
|--|--|
| <ul style="list-style-type: none"> <li>• Central Joining Kit for side-by-side installed units</li> <li>• Extra length anti-tipping kit</li> <li>• Cleaning Kit</li> <li>• Front ventilation kit</li> <li>• Front panel painting, handles</li> <li>• Door stop 90°</li> </ul> |  |

## KS900FZ

90 cm, FREEZER, MODEL 0FZ  
BUILT-IN  
CLASSIC® SERIES



| AESTHETIC                |                         |
|--------------------------|-------------------------|
| Compressor position      | Bottom                  |
| Front finish             | Stainless Steel         |
| Handles                  | Stainless Steel Classic |
| Interior material finish | Stainless Steel         |

| PRICE (VAT and delivery charges not included) |          |
|---|----------|
| KS900FZ6 (right hinge)                        | 10.530 € |
| KS900FZ3 (left hinge)                         | 10.530 € |
| KS900FZ6I (right hinge, with ice maker)       | 11.370 € |
| KS900FZ3I (left hinge, with ice maker)        | 11.370 € |

| CAPACITY  |     |
|---|-----|
| Volume Compartment1 (L)                               | 570 |
| Volume Compartment2 (L)                               | /   |
| Volume Compartment3 (L)                               | /   |
| Total Net Volume (L)                                  | 570 |
| Total Gross Volume (L)                                | 573 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /   |
| Compartment 2 / Middle wine cellar capacity (bottles) | /   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /   |

| TECHNICAL DETAILS |          |
|-------------------|----------|
| Voltage (V)       | 220-240V |
| Frequency (Hz)    | 50-60 Hz |
| Climatic class    | SN/T     |
| Noise level (dB)  | 41       |

| EFFICIENCY                    |     |
|-------------------------------|-----|
| Energy Label class            | E   |
| Energy consumption (kWh/year) | 360 |

| DIMENSIONS & WEIGHT                 |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2050 |
| Width of the product (mm)           | 899  |
| Depth of Product without handle(mm) | 635  |
| Net Weight (kg)                     | 195  |
| Gross Weight (kg)                   | 216  |

| TEMPERATURE RANGES               |                 |
|----------------------------------|-----------------|
| Climatic compartments            | 1               |
| Compartment 1 / Temperature (°C) | from -15 to -22 |
| Compartment 2 / Temperature (°C) | /               |
| Low temp zone                    | NO              |
| Compartment 3 / Temperature (°C) | /               |
| Dual zone                        | NO              |

| GENERAL PROPERTIES     |                             |
|------------------------|-----------------------------|
| Reversible door        | NO                          |
| Low vibration          | YES                         |
| Shelves                | 3 - 1 fixed, 2 adjustable   |
| Type of shelves        | 2 Glass & 1 Stainless steel |
| Door Bins              | 2                           |
| Fridge drawers type    | /                           |
| Fresco/LowTemp Drawers | /                           |
| Bottom Drawers         | 4                           |

#### ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Front panel painting, handles, and side panels
- Door stop 90°

## S900FZ

90 cm, FREEZER, MODEL 0FZ  
FULLY INTEGRATED  
INTEGRATED® SERIES



| AESTHETIC                |                    |
|--------------------------|--------------------|
| Compressor position      | Bottom             |
| Front finish             | Custom Panel Ready |
| Handles                  | NO                 |
| Interior material finish | Stainless Steel    |

| PRICE (VAT and delivery charges not included) |          |
|---|----------|
| S900FZ6 (right hinge)                         | 9.730 €  |
| S900FZ3 (left hinge)                          | 9.730 €  |
| S900FZ6I (right hinge, with ice maker)        | 10.570 € |
| S900FZ3I (left hinge, with ice maker)         | 10.570 € |

| CAPACITY  |     |
|---|-----|
| Volume Compartment1 (L)                               | 570 |
| Volume Compartment2 (L)                               | /   |
| Volume Compartment3 (L)                               | /   |
| Total Net Volume (L)                                  | 570 |
| Total Gross Volume (L)                                | 573 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /   |
| Compartment 2 / Middle wine cellar capacity (bottles) | /   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /   |

| TECHNICAL DETAILS |          |
|-------------------|----------|
| Voltage (V)       | 220-240V |
| Frequency (Hz)    | 50-60 Hz |
| Climatic class    | SN/T     |
| Noise level (dB)  | 41       |

| EFFICIENCY                    |     |
|-------------------------------|-----|
| Energy Label class            | E   |
| Energy consumption (kWh/year) | 360 |

| DIMENSIONS & WEIGHT                 |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2120 |
| Width of the product (mm)           | 899  |
| Depth of Product without handle(mm) | 610  |
| Net Weight (kg)                     | 182  |
| Gross Weight (kg)                   | 202  |

| TEMPERATURE RANGES               |                 |
|----------------------------------|-----------------|
| Climatic compartments            | 1               |
| Compartment 1 / Temperature (°C) | from -15 to -22 |
| Compartment 2 / Temperature (°C) | /               |
| Low temp zone                    | NO              |
| Compartment 3 / Temperature (°C) | /               |
| Dual zone                        | NO              |

| GENERAL PROPERTIES     |                             |
|------------------------|-----------------------------|
| Reversible door        | NO                          |
| Low vibration          | YES                         |
| Shelves                | 3 - 1 fixed, 2 adjustable   |
| Type of shelves        | 2 Glass & 1 Stainless steel |
| Door Bins              | 2                           |
| Fridge drawers type    | /                           |
| Fresco/LowTemp Drawers | /                           |
| Bottom Drawers         | 4                           |

#### ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Ø 30 mm Tubular Stainless Steel Handles – Classic
- Ø 30 mm Tubular Stainless Steel Handles – Pro
- Ø 18 mm Tubular Stainless Steel Handles
- Stainless steel panels
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Door stop 90°
- Push and pull

# FULL SIZE: FRIDGES/FREEZERS/WINE CELLARS

Width: 75cm

|   | OT<br>Fridges Wine Cellars |          | OH<br>Fridges Wine Cellars |          | OF<br>Fridges Wine Cellars |         | Freezer |
|---|----------------------------|----------|----------------------------|----------|----------------------------|---------|---------|
|   | 75                         | 75       | 75                         | 75       | 75                         | 75      | 75      |
| <b>X-PRO</b><br>Top compressors                               |                            |          |                            |          |                            |         |         |
| Glass Door  | XS750TST<br>XS750TGT       | XS750TWT | XS750HST                   | XS750HWT | XS750FR<br>XS750FG         | XS750FW | XS750FZ |
| <b>DESIGNER</b><br>Bottom compressors                         |                            |          |                            |          |                            |         |         |
| Glass Door  | RS750TST<br>RS750TGT       | RS750TWT | RS750HST                   | RS750HWT | RS750FR<br>RS750FG         | RS750FW | RS750FZ |
| <b>CLASSIC</b><br>Bottom compressors                          |                            |          |                            |          |                            |         |         |
| Glass Door  | KS750TST<br>KS750TGT       | KS750TWT | KS750HST                   | KS750HWT | KS750FR<br>KS750FG         | KS750FW | KS750FZ |
| <b>INTEGRATED</b><br>Bottom compressors                       |                            |          |                            |          |                            |         |         |
| Glass Door  | S750TST<br>S750TGT         | S750TWT  | S750HST                    | S750HWT  | S750FR<br>S750FG           | S750FW  | S750FZ  |
| <b>COUNTRY</b><br>Top compressors                             |                            |          |                            |          |                            |         |         |
|   | AS750TST                   |          |                            |          |                            |         |         |
| <b>BRILLIANCE</b><br>Bottom compressors<br>Bottom compressors |                            |          |                            |          |                            |         |         |
| BRILLIANCE CLASSIC  | BS750TST<br>BKS750TST      |          |                            |          |                            |         |         |



FRIDGE

LOW TEMP

TRIMODE®

## FULL SIZE: FRIDGES AND FREEZER

Model: 0T

Width: 75cm

One door, one drawer, 2 separate temperatures

Upper compartment: Fridge

Middle compartment: LowTemp

Lower compartment TriMode: Fridge/Fresco/Freezer

### FEATURES

**Made in Italy:** Designed and built entirely in Italy with artisanal precision.

**Long Term Reliability:** Premium materials and rigorous testing ensure consistent, durable performance.

**Galvanized Steel Structure:** Strength and stability engineered to last.

**Antibacterial Interior:** Hygienic surfaces preserving freshness and bottle quality.

### Technology and Functionality

**EventLift™:** Shelves adjustable to any height without removal.

**ProVent™:** Uniform cold air distribution across every zone.

**EquiLance™:** Patented variable pivot hinge for silent, stable movement.

**OptiView™:** Diffuse, uniform LED lighting.

**Full Color TFT Display:** Clear, intuitive, high definition interface.

**100% Total No Frost:** Automatic system that prevents ice formation and ensures impeccable humidity control.

**Variable Speed Compressors:** Precise temperature control and reduced vibrations.

**Sabbath Mode:** Dedicated function for observance needs.

**Easy Installation:** Adjustable feet and rear wheels.

### Conservation Performance

**Low Temperature Zone:** Dedicated area with a temperature 2°C lower than the refrigerator compartment, ideal for meat, fish, and vegetables.

**Tempered Glass Shelves:** With aluminum profiles

**TriMode™** Lower drawer configurable as refrigerator, fresh zone, or freezer.

### GENERAL PROPERTIES

|   |                           |
|---|---------------------------|
| Reversible door                         | NO                        |
| Equilance                               | YES                       |
| SoftClosing Runner                      | YES                       |
| Low vibration                           | YES                       |
| Optiview (LED light spots)              | YES                       |
| Shelves                                 | 4 - 1 fixed, 3 adjustable |
| Slide-out shelves                       | NO                        |
| Type of shelves                         | GLASS                     |
| Fridge drawers type                     | LOW TEMP                  |
| Fresco/LowTemp Drawers                  | 2                         |
| Bottom drawers                          | 1+1 internal drawer       |
| Full Extension shelves 90° door opening | /                         |
| Full Extension drawers 90° door opening | YES                       |
| Defrost Process                         | AUTOMATIC                 |
| Ice maker with water filter             | AVAILABLE                 |
| Door Open Alarms                        | YES                       |
| Humidity Control                        | NO                        |
| Active Carbon Filter                    | NO                        |
| Air filter control                      | NO                        |
| Shopping Fridge                         | YES                       |
| Shopping Freezer                        | YES                       |
| Power Failure Function                  | YES                       |

## XS750TST

75 cm, FRIDGES AND FREEZER, MODEL OT  
BUILT-IN  
X-PRO® SERIES



| AESTHETIC   |                     |
|---|---------------------|
| Compressor position                                   | Top                 |
| Front finish  | Stainless Steel     |
| Handles   | Stainless Steel Pro |
| Interior material finish                              | Stainless Steel     |
| PRICE (VAT and delivery charges not included)         |                     |
| XS750TST6 (right hinge)                               | 12.160 €            |
| XS750TST3 (left hinge)                                | 12.160 €            |
| XS750TST6I (right hinge, with ice maker)              | 13.010 €            |
| XS750TST3I (left hinge, with ice maker)               | 13.010 €            |
| CAPACITY  |                     |
| Volume Compartment1 (L)                               | 335                 |
| Volume Compartment2 (L)                               | /                   |
| Volume Compartment3 (L)                               | 105                 |
| Total Net Volume (L)                                  | 440                 |
| Total Gross Volume (L)                                | 461                 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                   |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                   |
| TECHNICAL DETAILS                                     |                     |
| Voltage (V)   | 220-240V            |
| Frequency (Hz)  | 50-60 Hz            |
| Climatic class  | SN/T                |
| Noise level (dB)                                      | 41                  |
| EFFICIENCY  |                     |
| Energy Label class                                    | E                   |
| Energy consumption (kWh/year)                         | 259                 |

| DIMENSIONS & WEIGHT                 |                           |
|-------------------------------------|---------------------------|
| Product height (closed wheels)(mm)  | 2120                      |
| Width of the product (mm)           | 749                       |
| Depth of Product without handle(mm) | 635                       |
| Net Weight (kg)                     | 191                       |
| Gross Weight (kg)                   | 212                       |
| TEMPERATURE RANGES                  |                           |
| Climatic compartments               | 2                         |
| Compartment 1 / Temperature (°C)    | from 2 to 8               |
| Compartment 2 / Temperature (°C)    | /                         |
| Low temp zone                       | YES                       |
| Compartment 3 / Temperature (°C)    | from 8 to -22             |
| Dual zone                           | NO                        |
| GENERAL PROPERTIES                  |                           |
| Reversible door                     | NO                        |
| Low vibration                       | YES                       |
| Shelves                             | 4 - 1 fixed, 3 adjustable |
| Type of shelves                     | GLASS                     |
| Door Bins                           | 3                         |
| Fridge drawers type                 | LOW TEMP                  |
| Fresco/LowTemp Drawers              | 2                         |
| Bottom Drawers                      | 1+1 internal drawer       |

| ACCESSORIES (from page 118 to page 227)                     |  |
|---|--|
| • Stainless Steel Side Panels for freestanding installation |  |
| • Central Joining Kit for side-by-side installed units      |  |
| • X-Pro top grill kit                                       |  |
| • Extra length anti-tipping kit                             |  |
| • Anti-condensation kit                                     |  |
| • Cleaning Kit  |  |
| • Front panel painting, handles, and side panels            |  |
| • Door stop 90°   |  |
| • Separate EvenLift™ shelves                                |  |

## XS750TGT

75 cm, FRIDGES AND FREEZER, MODEL OT  
BUILT-IN, Glass Door  
X-PRO® SERIES



| AESTHETIC   |                     |
|---|---------------------|
| Compressor position                                   | Top                 |
| Front finish  | Stainless Steel     |
| Handles   | Stainless Steel Pro |
| Interior material finish                              | Stainless Steel     |
| PRICE (VAT and delivery charges not included)         |                     |
| XS750TGT6 (right hinge)                               | 13.150 €            |
| XS750TGT3 (left hinge)                                | 13.150 €            |
| XS750TGT6I (right hinge, with ice maker)              | 13.980 €            |
| XS750TGT3I (left hinge, with ice maker)               | 13.980 €            |
| CAPACITY  |                     |
| Volume Compartment1 (L)                               | 335                 |
| Volume Compartment2 (L)                               | /                   |
| Volume Compartment3 (L)                               | 105                 |
| Total Net Volume (L)                                  | 440                 |
| Total Gross Volume (L)                                | 461                 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                   |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                   |
| TECHNICAL DETAILS                                     |                     |
| Voltage (V)   | 220-240V            |
| Frequency (Hz)  | 50-60 Hz            |
| Climatic class  | SN/T                |
| Noise level (dB)                                      | 41                  |
| EFFICIENCY  |                     |
| Energy Label class                                    | E                   |
| Energy consumption (kWh/year)                         | 259                 |

| DIMENSIONS & WEIGHT                 |                           |
|-------------------------------------|---------------------------|
| Product height (closed wheels)(mm)  | 2120                      |
| Width of the product (mm)           | 749                       |
| Depth of Product without handle(mm) | 635                       |
| Net Weight (kg)                     | 191                       |
| Gross Weight (kg)                   | 212                       |
| TEMPERATURE RANGES                  |                           |
| Climatic compartments               | 2                         |
| Compartment 1 / Temperature (°C)    | from 2 to 8               |
| Compartment 2 / Temperature (°C)    | /                         |
| Low temp zone                       | YES                       |
| Compartment 3 / Temperature (°C)    | from 8 to -22             |
| Dual zone                           | NO                        |
| GENERAL PROPERTIES                  |                           |
| Reversible door                     | NO                        |
| Low vibration                       | YES                       |
| Shelves                             | 4 - 1 fixed, 3 adjustable |
| Type of shelves                     | GLASS                     |
| Door Bins                           | 0                         |
| Fridge drawers type                 | LOW TEMP                  |
| Fresco/LowTemp Drawers              | 2                         |
| Bottom Drawers                      | 1+1 internal drawer       |

| ACCESSORIES (from page 118 to page 227)                     |  |
|---|--|
| • Stainless Steel Side Panels for freestanding installation |  |
| • Central Joining Kit for side-by-side installed units      |  |
| • X-Pro top grill kit                                       |  |
| • Extra length anti-tipping kit                             |  |
| • Anti-condensation kit                                     |  |
| • Cleaning Kit  |  |
| • Front panel painting, handles, and side panels            |  |
| • Door stop 90°   |  |
| • Separate EvenLift™ shelves                                |  |

# AS750TST

75 cm, FRIDGES AND FREEZER, MODEL OT  
FREESTANDING  
Series COUNTRY®



## AESTHETIC

|                          |                         |
|--------------------------|-------------------------|
| Compressor position      | Top                     |
| Front finish e fianchi   | Painted Stainless steel |
| Handles                  | Stainless Steel         |
| Interior material finish | Stainless Steel         |

## PRICE (VAT and delivery charges not included)

|   |          |
|---|----------|
| AS750TST6I<br>(right hinge, with ice maker) | 15.410 € |
| AS750TST3I<br>(left hinge, with ice maker)  | 15.410 € |

## CAPACITY

|   |     |
|---|-----|
| Volume Compartment1 (L)                               | 335 |
| Volume Compartment2 (L)                               | /   |
| Volume Compartment3 (L)                               | 105 |
| Total Net Volume (L)                                  | 440 |
| Total Gross Volume (L)                                | 461 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /   |
| Compartment 2 / Middle wine cellar capacity (bottles) | /   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /   |

## TECHNICAL DETAILS

|                  |          |
|------------------|----------|
| Voltage (V)      | 220-240V |
| Frequency (Hz)   | 50-60 Hz |
| Climatic class   | SN/T     |
| Noise level (dB) | 41       |

## EFFICIENCY

|                               |     |
|-------------------------------|-----|
| Energy Label class            | E   |
| Energy consumption (kWh/year) | 259 |

## DIMENSIONS & WEIGHT

|                                     |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2120 |
| Width of the product (mm)           | 737  |
| Depth of Product without handle(mm) | 635  |
| Net Weight (kg)                     | 191  |
| Gross Weight (kg)                   | 212  |

## TEMPERATURE RANGES

|                                  |               |
|----------------------------------|---------------|
| Climatic compartments            | 2             |
| Compartment 1 / Temperature (°C) | from 2 to 8   |
| Compartment 2 / Temperature (°C) | /             |
| Low temp zone                    | YES           |
| Compartment 3 / Temperature (°C) | from 8 to -22 |
| Dual zone                        | NO            |

## GENERAL PROPERTIES

|                        |                           |
|------------------------|---------------------------|
| Reversible door        | NO                        |
| Low vibration          | YES                       |
| Shelves                | 4 - 1 fixed, 3 adjustable |
| Type of shelves        | GLASS                     |
| Door Bins              | 3                         |
| Fridge drawers type    | LOW TEMP                  |
| Fresco/LowTemp Drawers | 2                         |
| Bottom Drawers         | 1+1 internal drawer       |

## ACCESSORIES (from page 118 to page 227)

- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning Kit
- Door stop 90°
- Separate EvenLift™ shelves

## RS750TST

75 cm, FRIDGES AND FREEZER, MODEL OT  
BUILT-IN  
DESIGNER® SERIES



| AESTHETIC   |                     |
|---|---------------------|
| Compressor position                                   | Bottom              |
| Front finish  | Stainless Steel     |
| Handles   | Stainless Steel Pro |
| Interior material finish                              | Stainless Steel     |
| PRICE (VAT and delivery charges not included)         |                     |
| RS750TST6 (right hinge)                               | 10.960 €            |
| RS750TST3 (left hinge)                                | 10.960 €            |
| RS750TST6I (right hinge, with ice maker)              | 11.810 €            |
| RS750TST3I (left hinge, with ice maker)               | 11.810 €            |
| CAPACITY  |                     |
| Volume Compartment1 (L)                               | 335                 |
| Volume Compartment2 (L)                               | /                   |
| Volume Compartment3 (L)                               | 105                 |
| Total Net Volume (L)                                  | 440                 |
| Total Gross Volume (L)                                | 461                 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                   |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                   |
| TECHNICAL DETAILS                                     |                     |
| Voltage (V)   | 220-240V            |
| Frequency (Hz)  | 50-60 Hz            |
| Climatic class  | SN/T                |
| Noise level (dB)                                      | 41                  |
| EFFICIENCY  |                     |
| Energy Label class                                    | E                   |
| Energy consumption (kWh/year)                         | 259                 |

| DIMENSIONS & WEIGHT                 |                           |
|-------------------------------------|---------------------------|
| Product height (closed wheels)(mm)  | 2120                      |
| Width of the product (mm)           | 762                       |
| Depth of Product without handle(mm) | 620                       |
| Net Weight (kg)                     | 184                       |
| Gross Weight (kg)                   | 205                       |
| TEMPERATURE RANGES                  |                           |
| Climatic compartments               | 2                         |
| Compartment 1 / Temperature (°C)    | from 2 to 8               |
| Compartment 2 / Temperature (°C)    | /                         |
| Low temp zone                       | YES                       |
| Compartment 3 / Temperature (°C)    | from 8 to -22             |
| Dual zone                           | NO                        |
| GENERAL PROPERTIES                  |                           |
| Reversible door                     | NO                        |
| Low vibration                       | YES                       |
| Shelves                             | 4 - 1 fixed, 3 adjustable |
| Type of shelves                     | GLASS                     |
| Door Bins                           | 3                         |
| Fridge drawers type                 | LOW TEMP                  |
| Fresco/LowTemp Drawers              | 2                         |
| Bottom Drawers                      | 1+1 internal drawer       |

| ACCESSORIES (from page 118 to page 227)                |  |
|--|--|
| • Central Joining Kit for side-by-side installed units |  |
| • Extra length anti-tipping kit                        |  |
| • Cleaning Kit   |  |
| • Front ventilation kit                                |  |
| • Front panel painting, handles                        |  |
| • Door stop 90°  |  |
| • Separate EvenLift™ shelves                           |  |

## RS750TGT

75 cm, FRIDGES AND FREEZER, MODEL OT  
BUILT-IN, Glass Door  
DESIGNER® SERIES



| AESTHETIC   |                     |
|---|---------------------|
| Compressor position                                   | Bottom              |
| Front finish  | Stainless Steel     |
| Handles   | Stainless Steel Pro |
| Interior material finish                              | Stainless Steel     |
| PRICE (VAT and delivery charges not included)         |                     |
| RS750TGT6 (right hinge)                               | 11.950 €            |
| RS750TGT3 (left hinge)                                | 11.950 €            |
| RS750TGT6I (right hinge, with ice maker)              | 12.780 €            |
| RS750TGT3I (left hinge, with ice maker)               | 12.780 €            |
| CAPACITY  |                     |
| Volume Compartment1 (L)                               | 335                 |
| Volume Compartment2 (L)                               | /                   |
| Volume Compartment3 (L)                               | 105                 |
| Total Net Volume (L)                                  | 440                 |
| Total Gross Volume (L)                                | 461                 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                   |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                   |
| TECHNICAL DETAILS                                     |                     |
| Voltage (V)   | 220-240V            |
| Frequency (Hz)  | 50-60 Hz            |
| Climatic class  | SN/T                |
| Noise level (dB)                                      | 41                  |
| EFFICIENCY  |                     |
| Energy Label class                                    | E                   |
| Energy consumption (kWh/year)                         | 259                 |

| DIMENSIONS & WEIGHT                 |                           |
|-------------------------------------|---------------------------|
| Product height (closed wheels)(mm)  | 2120                      |
| Width of the product (mm)           | 762                       |
| Depth of Product without handle(mm) | 620                       |
| Net Weight (kg)                     | 187                       |
| Gross Weight (kg)                   | 208                       |
| TEMPERATURE RANGES                  |                           |
| Climatic compartments               | 2                         |
| Compartment 1 / Temperature (°C)    | from 2 to 8               |
| Compartment 2 / Temperature (°C)    | /                         |
| Low temp zone                       | YES                       |
| Compartment 3 / Temperature (°C)    | from 8 to -22             |
| Dual zone                           | NO                        |
| GENERAL PROPERTIES                  |                           |
| Reversible door                     | NO                        |
| Low vibration                       | YES                       |
| Shelves                             | 4 - 1 fixed, 3 adjustable |
| Type of shelves                     | GLASS                     |
| Door Bins                           | 0                         |
| Fridge drawers type                 | LOW TEMP                  |
| Fresco/LowTemp Drawers              | 2                         |
| Bottom Drawers                      | 1+1 internal drawer       |

| ACCESSORIES (from page 118 to page 227)                |  |
|--|--|
| • Central Joining Kit for side-by-side installed units |  |
| • Extra length anti-tipping kit                        |  |
| • Cleaning Kit   |  |
| • Front ventilation kit                                |  |
| • Front panel painting, handles                        |  |
| • Door stop 90°  |  |
| • Separate EvenLift™ shelves                           |  |

## KS750TST

75 cm, FRIDGES AND FREEZER, MODEL OT  
BUILT-IN  
CLASSIC® SERIES



| AESTHETIC   |                         |
|---|-------------------------|
| Compressor position                                   | Bottom                  |
| Front finish  | Stainless Steel         |
| Handles   | Stainless Steel Classic |
| Interior material finish                              | Stainless Steel         |
| PRICE (VAT and delivery charges not included)         |                         |
| KS750TST6 (right hinge)                               | 10.960 €                |
| KS750TST3 (left hinge)                                | 10.960 €                |
| KS750TST6I (right hinge, with ice maker)              | 11.810 €                |
| KS750TST3I (left hinge, with ice maker)               | 11.810 €                |
| CAPACITY  |                         |
| Volume Compartment1 (L)                               | 335                     |
| Volume Compartment2 (L)                               | /                       |
| Volume Compartment3 (L)                               | 105                     |
| Total Net Volume (L)                                  | 440                     |
| Total Gross Volume (L)                                | 461                     |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                       |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                       |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                       |
| TECHNICAL DETAILS                                     |                         |
| Voltage (V)   | 220-240V                |
| Frequency (Hz)  | 50-60 Hz                |
| Climatic class  | SN/T                    |
| Noise level (dB)                                      | 41                      |
| EFFICIENCY  |                         |
| Energy Label class                                    | E                       |
| Energy consumption (kWh/year)                         | 259                     |

| DIMENSIONS & WEIGHT                 |                           |
|-------------------------------------|---------------------------|
| Product height (closed wheels)(mm)  | 2050                      |
| Width of the product (mm)           | 749                       |
| Depth of Product without handle(mm) | 635                       |
| Net Weight (kg)                     | 184                       |
| Gross Weight (kg)                   | 205                       |
| TEMPERATURE RANGES                  |                           |
| Climatic compartments               | 2                         |
| Compartment 1 / Temperature (°C)    | from 2 to 8               |
| Compartment 2 / Temperature (°C)    | /                         |
| Low temp zone                       | YES                       |
| Compartment 3 / Temperature (°C)    | from 8 to -22             |
| Dual zone                           | NO                        |
| GENERAL PROPERTIES                  |                           |
| Reversible door                     | NO                        |
| Low vibration                       | YES                       |
| Shelves                             | 4 - 1 fixed, 3 adjustable |
| Type of shelves                     | GLASS                     |
| Door Bins                           | 3                         |
| Fridge drawers type                 | LOW TEMP                  |
| Fresco/LowTemp Drawers              | 2                         |
| Bottom Drawers                      | 1+1 internal drawer       |

| ACCESSORIES (from page 118 to page 227)                     |  |
|---|--|
| • Stainless Steel Side Panels for freestanding installation |  |
| • Central Joining Kit for side-by-side installed units      |  |
| • Extra length anti-tipping kit                             |  |
| • Cleaning Kit  |  |
| • Front ventilation kit                                     |  |
| • Front panel painting, handles, and side panels            |  |
| • Door stop 90°   |  |
| • Separate EvenLift™ shelves                                |  |

## KS750TGT

75 cm, FRIDGES AND FREEZER, MODEL OT  
BUILT-IN, Glass Door  
CLASSIC® SERIES



| AESTHETIC   |                         |
|---|-------------------------|
| Compressor position                                   | Bottom                  |
| Front finish  | Stainless Steel         |
| Handles   | Stainless Steel Classic |
| Interior material finish                              | Stainless Steel         |
| PRICE (VAT and delivery charges not included)         |                         |
| KS750TGT6 (right hinge)                               | 11.950 €                |
| KS750TGT3 (left hinge)                                | 11.950 €                |
| KS750TGT6I (right hinge, with ice maker)              | 12.780 €                |
| KS750TGT3I (left hinge, with ice maker)               | 12.780 €                |
| CAPACITY  |                         |
| Volume Compartment1 (L)                               | 335                     |
| Volume Compartment2 (L)                               | /                       |
| Volume Compartment3 (L)                               | 105                     |
| Total Net Volume (L)                                  | 440                     |
| Total Gross Volume (L)                                | 461                     |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                       |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                       |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                       |
| TECHNICAL DETAILS                                     |                         |
| Voltage (V)   | 220-240V                |
| Frequency (Hz)  | 50-60 Hz                |
| Climatic class  | SN/T                    |
| Noise level (dB)                                      | 41                      |
| EFFICIENCY  |                         |
| Energy Label class                                    | E                       |
| Energy consumption (kWh/year)                         | 259                     |

| DIMENSIONS & WEIGHT                 |                           |
|-------------------------------------|---------------------------|
| Product height (closed wheels)(mm)  | 2050                      |
| Width of the product (mm)           | 749                       |
| Depth of Product without handle(mm) | 635                       |
| Net Weight (kg)                     | 187                       |
| Gross Weight (kg)                   | 208                       |
| TEMPERATURE RANGES                  |                           |
| Climatic compartments               | 2                         |
| Compartment 1 / Temperature (°C)    | from 2 to 8               |
| Compartment 2 / Temperature (°C)    | /                         |
| Low temp zone                       | YES                       |
| Compartment 3 / Temperature (°C)    | from 8 to -22             |
| Dual zone                           | NO                        |
| GENERAL PROPERTIES                  |                           |
| Reversible door                     | NO                        |
| Low vibration                       | YES                       |
| Shelves                             | 4 - 1 fixed, 3 adjustable |
| Type of shelves                     | GLASS                     |
| Door Bins                           | 0                         |
| Fridge drawers type                 | LOW TEMP                  |
| Fresco/LowTemp Drawers              | 2                         |
| Bottom Drawers                      | 1+1 internal drawer       |

| ACCESSORIES (from page 118 to page 227)                     |  |
|---|--|
| • Stainless Steel Side Panels for freestanding installation |  |
| • Central Joining Kit for side-by-side installed units      |  |
| • Extra length anti-tipping kit                             |  |
| • Cleaning Kit  |  |
| • Front ventilation kit                                     |  |
| • Front panel painting, handles, and side panels            |  |
| • Door stop 90°   |  |
| • Separate EvenLift™ shelves                                |  |

## S750TST

75 cm, FRIDGES AND FREEZER, MODEL OT  
FULLY INTEGRATED  
INTEGRATED® SERIES



| AESTHETIC   |                    |
|---|--------------------|
| Compressor position                                   | Bottom             |
| Front finish  | Custom Panel Ready |
| Handles   | NO                 |
| Interior material finish                              | Stainless Steel    |
| PRICE (VAT and delivery charges not included)         |                    |
| S750TST6 (right hinge)                                | 10.160 €           |
| S750TST3 (left hinge)                                 | 10.160 €           |
| S750TST6I (right hinge, with ice maker)               | 11.010 €           |
| S750TST3I (left hinge, with ice maker)                | 11.010 €           |
| CAPACITY  |                    |
| Volume Compartment1 (L)                               | 335                |
| Volume Compartment2 (L)                               | /                  |
| Volume Compartment3 (L)                               | 105                |
| Total Net Volume (L)                                  | 440                |
| Total Gross Volume (L)                                | 461                |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                  |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                  |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                  |
| TECHNICAL DETAILS                                     |                    |
| Voltage (V)   | 220-240V           |
| Frequency (Hz)  | 50-60 Hz           |
| Climatic class  | SN/T               |
| Noise level (dB)                                      | 41                 |
| EFFICIENCY  |                    |
| Energy Label class                                    | E                  |
| Energy consumption (kWh/year)                         | 259                |

| DIMENSIONS & WEIGHT   |                           |
|---|---------------------------|
| Product height (closed wheels)(mm)  | 2120                      |
| Width of the product (mm)   | 749                       |
| Depth of Product without handle(mm)   | 610                       |
| Net Weight (kg)   | 169                       |
| Gross Weight (kg)   | 190                       |
| TEMPERATURE RANGES  |                           |
| Climatic compartments   | 2                         |
| Compartment 1 / Temperature (°C)  | from 2 to 8               |
| Compartment 2 / Temperature (°C)  | /                         |
| Low temp zone   | YES                       |
| Compartment 3 / Temperature (°C)  | from 8 to -22             |
| Dual zone   | NO                        |
| GENERAL PROPERTIES  |                           |
| Reversible door   | NO                        |
| Low vibration   | YES                       |
| Shelves   | 4 - 1 fixed, 3 adjustable |
| Type of shelves   | GLASS                     |
| Door Bins   | 3                         |
| Fridge drawers type   | LOW TEMP                  |
| Fresco/LowTemp Drawers  | 2                         |
| Bottom Drawers  | 1+1 internal drawer       |
| ACCESSORIES (from page 118 to page 227)   |                           |
| <ul style="list-style-type: none"> <li>• Stainless Steel Side Panels for freestanding installation</li> <li>• Central Joining Kit for side-by-side installed units</li> <li>• Ø 30 mm Tubular Stainless Steel Handles – Classic</li> <li>• Ø 30 mm Tubular Stainless Steel Handles – Pro</li> <li>• Ø 18 mm Tubular Stainless Steel Handles</li> <li>• Stainless steel panels</li> <li>• Extra length anti-tipping kit</li> <li>• Cleaning Kit</li> <li>• Front ventilation kit</li> <li>• Door stop 90°</li> <li>• Separate EvenLift™ shelves</li> </ul> |                           |

## S750TGT

75 cm, FRIDGES AND FREEZER, MODEL OT  
FULLY INTEGRATED  
INTEGRATED® SERIES



| AESTHETIC   |                    |
|---|--------------------|
| Compressor position                                   | Bottom             |
| Front finish  | Custom Panel Ready |
| Handles   | NO                 |
| Interior material finish                              | Stainless Steel    |
| PRICE (VAT and delivery charges not included)         |                    |
| S750TGT6 (right hinge)                                | 11.150 €           |
| S750TGT3 (left hinge)                                 | 11.150 €           |
| S750TGT6I (right hinge, with ice maker)               | 11.980 €           |
| S750TGT3I (left hinge, with ice maker)                | 11.980 €           |
| CAPACITY  |                    |
| Volume Compartment1 (L)                               | 335                |
| Volume Compartment2 (L)                               | /                  |
| Volume Compartment3 (L)                               | 105                |
| Total Net Volume (L)                                  | 440                |
| Total Gross Volume (L)                                | 461                |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                  |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                  |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                  |
| TECHNICAL DETAILS                                     |                    |
| Voltage (V)   | 220-240V           |
| Frequency (Hz)  | 50-60 Hz           |
| Climatic class  | SN/T               |
| Noise level (dB)                                      | 41                 |
| EFFICIENCY  |                    |
| Energy Label class                                    | E                  |
| Energy consumption (kWh/year)                         | 259                |

| DIMENSIONS & WEIGHT   |                           |
|---|---------------------------|
| Product height (closed wheels)(mm)  | 2120                      |
| Width of the product (mm)   | 749                       |
| Depth of Product without handle(mm)   | 610                       |
| Net Weight (kg)   | 169                       |
| Gross Weight (kg)   | 190                       |
| TEMPERATURE RANGES  |                           |
| Climatic compartments   | 2                         |
| Compartment 1 / Temperature (°C)  | from 2 to 8               |
| Compartment 2 / Temperature (°C)  | /                         |
| Low temp zone   | YES                       |
| Compartment 3 / Temperature (°C)  | from 8 to -22             |
| Dual zone   | NO                        |
| GENERAL PROPERTIES  |                           |
| Reversible door   | NO                        |
| Low vibration   | YES                       |
| Shelves   | 4 - 1 fixed, 3 adjustable |
| Type of shelves   | GLASS                     |
| Door Bins   | 0                         |
| Fridge drawers type   | LOW TEMP                  |
| Fresco/LowTemp Drawers  | 2                         |
| Bottom Drawers  | 1+1 internal drawer       |
| ACCESSORIES (from page 118 to page 227)   |                           |
| <ul style="list-style-type: none"> <li>• Stainless Steel Side Panels for freestanding installation</li> <li>• Central Joining Kit for side-by-side installed units</li> <li>• Ø 30 mm Tubular Stainless Steel Handles – Classic</li> <li>• Ø 30 mm Tubular Stainless Steel Handles – Pro</li> <li>• Ø 18 mm Tubular Stainless Steel Handles</li> <li>• Stainless steel panels</li> <li>• Extra length anti-tipping kit</li> <li>• Cleaning Kit</li> <li>• Front ventilation kit</li> <li>• Door stop 90°</li> <li>• Separate EvenLift™ shelves</li> </ul> |                           |

## BKS750TST

75 cm, FRIDGES AND FREEZER, MODEL OT  
BUILT-IN  
BRILLIANCE® SERIES



| AESTHETIC                |                         |
|--------------------------|-------------------------|
| Compressor position      | Bottom                  |
| Front finish             | Stainless Steel         |
| Handles                  | Stainless Steel Classic |
| Interior material finish | White painted aluminium |

| PRICE (VAT and delivery charges not included) |         |
|---|---------|
| BKS750TST6 (right hinge)                      | 8.690 € |
| BKS750TST3 (left hinge)                       | 8.690 € |
| BKS750TST6I (right hinge, with ice maker)     | 9.530 € |
| BKS750TST3I (left hinge, with ice maker)      | 9.530 € |

| CAPACITY  |     |
|---|-----|
| Volume Compartment1 (L)                               | 335 |
| Volume Compartment2 (L)                               | /   |
| Volume Compartment3 (L)                               | 105 |
| Total Net Volume (L)                                  | 440 |
| Total Gross Volume (L)                                | 461 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /   |
| Compartment 2 / Middle wine cellar capacity (bottles) | /   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /   |

| TECHNICAL DETAILS |          |
|-------------------|----------|
| Voltage (V)       | 220-240V |
| Frequency (Hz)    | 50-60 Hz |
| Climatic class    | SN/T     |
| Noise level (dB)  | 41       |

| EFFICIENCY                    |     |
|-------------------------------|-----|
| Energy Label class            | E   |
| Energy consumption (kWh/year) | 259 |

| DIMENSIONS & WEIGHT                 |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2050 |
| Width of the product (mm)           | 749  |
| Depth of Product without handle(mm) | 635  |
| Net Weight (kg)                     | 179  |
| Gross Weight (kg)                   | 200  |

| TEMPERATURE RANGES               |               |
|----------------------------------|---------------|
| Climatic compartments            | 2             |
| Compartment 1 / Temperature (°C) | from 2 to 8   |
| Compartment 2 / Temperature (°C) | /             |
| Low temp zone                    | YES           |
| Compartment 3 / Temperature (°C) | from 8 to -22 |
| Dual zone                        | NO            |

| GENERAL PROPERTIES     |                           |
|------------------------|---------------------------|
| Reversible door        | NO                        |
| Low vibration          | YES                       |
| Shelves                | 4 - 1 fixed, 3 adjustable |
| EvenLift Shelves       | NO                        |
| Type of shelves        | GLASS                     |
| Door Bins              | 3                         |
| Fridge drawers type    | LOW TEMP                  |
| Fresco/LowTemp Drawers | 2                         |
| Bottom Drawers         | 1+1 internal drawer       |

#### ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Front panel painting, handles, and side panels
- Door stop 90°
- Separate EvenLift™ shelves

## BS750TST

75 cm, FRIDGES AND FREEZER, MODEL OT  
FULLY INTEGRATED  
BRILLIANCE® SERIES



| AESTHETIC                |                         |
|--------------------------|-------------------------|
| Compressor position      | Bottom                  |
| Front finish             | Custom Panel Ready      |
| Handles                  | NO                      |
| Interior material finish | White painted aluminium |

| PRICE (VAT and delivery charges not included) |         |
|---|---------|
| BS750TST6 (right hinge)                       | 8.310 € |
| BS750TST3 (left hinge)                        | 8.310 € |
| BS750TST6I (right hinge, with ice maker)      | 9.150 € |
| BS750TST3I (left hinge, with ice maker)       | 9.150 € |

| CAPACITY  |     |
|---|-----|
| Volume Compartment1 (L)                               | 335 |
| Volume Compartment2 (L)                               | /   |
| Volume Compartment3 (L)                               | 105 |
| Total Net Volume (L)                                  | 440 |
| Total Gross Volume (L)                                | 461 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /   |
| Compartment 2 / Middle wine cellar capacity (bottles) | /   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /   |

| TECHNICAL DETAILS |          |
|-------------------|----------|
| Voltage (V)       | 220-240V |
| Frequency (Hz)    | 50-60 Hz |
| Climatic class    | SN/T     |
| Noise level (dB)  | 41       |

| EFFICIENCY                    |     |
|-------------------------------|-----|
| Energy Label class            | E   |
| Energy consumption (kWh/year) | 259 |

| DIMENSIONS & WEIGHT                 |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2120 |
| Width of the product (mm)           | 749  |
| Depth of Product without handle(mm) | 610  |
| Net Weight (kg)                     | 169  |
| Gross Weight (kg)                   | 190  |

| TEMPERATURE RANGES               |               |
|----------------------------------|---------------|
| Climatic compartments            | 2             |
| Compartment 1 / Temperature (°C) | from 2 to 8   |
| Compartment 2 / Temperature (°C) | /             |
| Low temp zone                    | YES           |
| Compartment 3 / Temperature (°C) | from 8 to -22 |
| Dual zone                        | NO            |

| GENERAL PROPERTIES     |                           |
|------------------------|---------------------------|
| Reversible door        | NO                        |
| Low vibration          | YES                       |
| Shelves                | 4 - 1 fixed, 3 adjustable |
| EvenLift Shelves       | NO                        |
| Type of shelves        | GLASS                     |
| Door Bins              | 3                         |
| Fridge drawers type    | LOW TEMP                  |
| Fresco/LowTemp Drawers | 2                         |
| Bottom Drawers         | 1+1 internal drawer       |

#### ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Ø 30 mm Tubular Stainless Steel Handles – Classic
- Ø 30 mm Tubular Stainless Steel Handles – Pro
- Ø 18 mm Tubular Stainless Steel Handles
- Stainless steel panels
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Door stop 90°
- Separate EvenLift™ shelves



WINE CELLAR

## FULL SIZE: WINE CELLARS

Model: 0T

Width: 75cm

One door, one drawer, 2 separate temperatures

Upper compartment: Wine cellar

Lower compartment: Wine cellar

### FEATURES

**Made in Italy:** Designed and built entirely in Italy with artisanal precision.

**Long Term Reliability:** Premium materials and rigorous testing ensure consistent, durable performance.

**Galvanized Steel Structure:** Strength and stability engineered to last.

**Antibacterial Interior:** Hygienic surfaces preserving freshness and bottle quality.

#### Technology and Functionality

**ProVent™:** Uniform cold air distribution across every zone.

**EquiLance™:** Patented variable pivot hinge for silent, stable movement.

**OptiView™:** Diffused and uniform LED lighting, elegant and with low heat emission to preserve the wine's properties.

**Full Color TFT Display:** Clear, intuitive, high definition interface.

**Active Safety:** Visual and acoustic alerts.

**100% Total No Frost:** Automatic system that prevents ice formation and ensures impeccable humidity control.

**Variable Speed Compressors:** Precise temperature control and reduced vibrations.

**Sabbath Mode:** Dedicated function for observance needs.

**Easy Installation:** Adjustable feet and rear wheels.

#### Conservation Performance

**Two Independent Climate Zones:** Dedicated temperature and humidity control for red, white, and sparkling wines.

**Triple-layer bronzed glass door:** Total protection against UV rays and external temperature fluctuations.


**Humidity control:** Precise regulation to preserve corks, labels, and bottle integrity.

### GENERAL PROPERTIES

|   |                     |
|---|---------------------|
| Reversible door                         | NO                  |
| Equilance                               | YES                 |
| SoftClosing Runner                      | YES                 |
| Low vibration                           | YES                 |
| OptiView (LED light spots)              | YES                 |
| Shelves                                 | 9                   |
| Slide-out shelves                       | NO                  |
| Type of shelves                         | WOOD                |
| Fridge drawers type                     | /                   |
| Fresco/LowTemp Drawers                  | /                   |
| Bottom drawers                          | 1+1 internal drawer |
| Full Extension shelves 90° door opening | YES                 |
| Full Extension drawers 90° door opening | NO                  |
| Defrost Process                         | AUTOMATIC           |
| Ice maker with water filter             | NO                  |
| Door Open Alarms                        | YES                 |
| Humidity Control                        | YES                 |
| Active Carbon Filter                    | NO                  |
| Air filter control                      | NO                  |
| Shopping Fridge                         | NO                  |
| Shopping Freezer                        | NO                  |
| Power Failure Function                  | YES                 |

# XS750TWT

75 cm, WINE CELLAR, MODEL OT  
BUILT-IN  
X-PRO® SERIES



## AESTHETIC

|                          |                     |
|--------------------------|---------------------|
| Compressor position      | Top                 |
| Front finish             | Stainless Steel     |
| Handles                  | Stainless Steel Pro |
| Interior material finish | Stainless Steel     |

## PRICE (VAT and delivery charges not included)

|                         |          |
|-------------------------|----------|
| XS750TWT6 (right hinge) | 12.600 € |
| XS750TWT3 (left hinge)  | 12.600 € |

## CAPACITY

|                         |     |
|-------------------------|-----|
| Volume Compartment1 (L) | 320 |
| Volume Compartment2 (L) | /   |
| Volume Compartment3 (L) | 105 |
| Total Net Volume (L)    | 425 |
| Total Gross Volume (L)  | 439 |

|  |    |
|--|----|
| Compartment 1 / Upper wine cellar capacity (bottles) | 81 |
|--|----|

|   |   |
|---|---|
| Compartment 2 / Middle wine cellar capacity (bottles) | / |
|---|---|

|  |   |
|--|---|
| Compartment 2 / Lower wine cellar capacity (bottles) | / |
|--|---|

## TECHNICAL DETAILS

|                  |          |
|------------------|----------|
| Voltage (V)      | 220-240V |
| Frequency (Hz)   | 50-60 Hz |
| Climatic class   | SN/T     |
| Noise level (dB) | 41       |

## EFFICIENCY

|                               |     |
|-------------------------------|-----|
| Energy Label class            | G   |
| Energy consumption (kWh/year) | 184 |

## DIMENSIONS & WEIGHT

|                                     |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2120 |
| Width of the product (mm)           | 749  |
| Depth of Product without handle(mm) | 635  |
| Net Weight (kg)                     | 169  |
| Gross Weight (kg)                   | 190  |

## TEMPERATURE RANGES

|                                  |              |
|----------------------------------|--------------|
| Climatic compartments            | 2            |
| Compartment 1 / Temperature (°C) | from 4 to 18 |
| Compartment 2 / Temperature (°C) | /            |
| Low temp zone                    | NO           |
| Compartment 3 / Temperature (°C) | from 4 to 18 |
| Dual zone                        | YES          |

## GENERAL PROPERTIES


|                        |                     |
|------------------------|---------------------|
| Reversible door        | NO                  |
| Low vibration          | YES                 |
| Shelves                | 9                   |
| Type of shelves        | WOOD                |
| Door Bins              | /                   |
| Fridge drawers type    | /                   |
| Fresco/LowTemp Drawers | /                   |
| Bottom Drawers         | 1+1 internal drawer |

## ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning Kit
- Active Carbon Filter
- Front panel painting, handles, and side panels
- Door stop 90°
- Wine kit
- Cheese drawer
- Set of knives
- Prosciutteria kit
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

# RS750TWT

75 cm, WINE CELLAR, MODEL OT  
BUILT-IN  
DESIGNER® SERIES



## AESTHETIC

|                          |                     |
|--------------------------|---------------------|
| Compressor position      | Bottom              |
| Front finish             | Stainless Steel     |
| Handles                  | Stainless Steel Pro |
| Interior material finish | Stainless Steel     |

## PRICE (VAT and delivery charges not included)

|                         |          |
|-------------------------|----------|
| RS750TWT6 (right hinge) | 11.400 € |
| RS750TWT3 (left hinge)  | 11.400 € |

## CAPACITY

|                         |     |
|-------------------------|-----|
| Volume Compartment1 (L) | 320 |
| Volume Compartment2 (L) | /   |
| Volume Compartment3 (L) | 105 |
| Total Net Volume (L)    | 425 |
| Total Gross Volume (L)  | 439 |

|  |    |
|--|----|
| Compartment 1 / Upper wine cellar capacity (bottles) | 81 |
|--|----|

|   |   |
|---|---|
| Compartment 2 / Middle wine cellar capacity (bottles) | / |
|---|---|

|  |   |
|--|---|
| Compartment 2 / Lower wine cellar capacity (bottles) | / |
|--|---|

## TECHNICAL DETAILS

|                  |          |
|------------------|----------|
| Voltage (V)      | 220-240V |
| Frequency (Hz)   | 50-60 Hz |
| Climatic class   | SN/T     |
| Noise level (dB) | 41       |

## EFFICIENCY

|                               |     |
|-------------------------------|-----|
| Energy Label class            | G   |
| Energy consumption (kWh/year) | 184 |

## DIMENSIONS & WEIGHT

|                                     |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2120 |
| Width of the product (mm)           | 762  |
| Depth of Product without handle(mm) | 620  |
| Net Weight (kg)                     | 182  |
| Gross Weight (kg)                   | 203  |

## TEMPERATURE RANGES

|                                  |              |
|----------------------------------|--------------|
| Climatic compartments            | 2            |
| Compartment 1 / Temperature (°C) | from 4 to 18 |
| Compartment 2 / Temperature (°C) | /            |
| Low temp zone                    | NO           |
| Compartment 3 / Temperature (°C) | from 4 to 18 |
| Dual zone                        | YES          |

## GENERAL PROPERTIES


|                        |                     |
|------------------------|---------------------|
| Reversible door        | NO                  |
| Low vibration          | YES                 |
| Shelves                | 3                   |
| Type of shelves        | WOOD                |
| Door Bins              | /                   |
| Fridge drawers type    | /                   |
| Fresco/LowTemp Drawers | /                   |
| Bottom Drawers         | 1+1 internal drawer |

## ACCESSORIES (from page 118 to page 227)

- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Active Carbon Filter
- Front ventilation kit
- Front panel painting, handles, and side panels
- Door stop 90°
- Wine kit
- Cheese drawer
- Set of knives
- Prosciutteria kit
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

# KS750TWT

75 cm, WINE CELLAR, MODEL OT  
BUILT-IN  
CLASSIC® SERIES




| AESTHETIC   |                         |
|---|-------------------------|
| Compressor position                                   | Bottom                  |
| Front finish  | Stainless Steel         |
| Handles   | Stainless Steel Classic |
| Interior material finish                              | Stainless Steel         |
| PRICE (VAT and delivery charges not included)         |                         |
| KS750TWT6 (right hinge)                               | 11.400 €                |
| KS750TWT3 (left hinge)                                | 11.400 €                |
| CAPACITY  |                         |
| Volume Compartment1 (L)                               | 320                     |
| Volume Compartment2 (L)                               | /                       |
| Volume Compartment3 (L)                               | 105                     |
| Total Net Volume (L)                                  | 425                     |
| Total Gross Volume (L)                                | 439                     |
| Compartment 1 / Upper wine cellar capacity (bottles)  | 81                      |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                       |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                       |
| TECHNICAL DETAILS                                     |                         |
| Voltage (V)   | 220-240V                |
| Frequency (Hz)  | 50-60 Hz                |
| Climatic class  | SN/T                    |
| Noise level (dB)                                      | 41                      |
| EFFICIENCY  |                         |
| Energy Label class                                    | G                       |
| Energy consumption (kWh/year)                         | 184                     |

| DIMENSIONS & WEIGHT  |  |
|--|--|
| Product height (closed wheels)(mm)   | 2050   |
| Width of the product (mm)  | 749  |
| Depth of Product without handle(mm)  | 635  |
| Net Weight (kg)  | 182  |
| Gross Weight (kg)  | 203  |
| TEMPERATURE RANGES   |  |
| Climatic compartments  | 2  |
| Compartment 1 / Temperature (°C)   | from 4 to 18   |
| Compartment 2 / Temperature (°C)   | /  |
| Low temp zone  | NO   |
| Compartment 3 / Temperature (°C)   | from 4 to 18   |
| Dual zone  | YES  |
| GENERAL PROPERTIES   |  |
| Reversible door  | NO   |
| Low vibration  | YES  |
| Shelves  | 3  |
| Type of shelves  | WOOD   |
| Door Bins  | /  |
| Fridge drawers type  | /  |
| Fresco/LowTemp Drawers   | /  |
| Bottom Drawers   | 1+1 internal drawer  |
| ACCESSORIES (from page 118 to page 227)  |  |
| <ul style="list-style-type: none"> <li>Stainless Steel Side Panels for freestanding installation</li> <li>Central Joining Kit for side-by-side installed units</li> <li>Extra length anti-tipping kit</li> <li>Cleaning Kit</li> <li>Active Carbon Filter</li> <li>Front ventilation kit</li> <li>Front panel painting, handles, and side panels</li> <li>Door stop 90°</li> <li>Wine kit</li> </ul> | <ul style="list-style-type: none"> <li>Cheese drawer</li> <li>Set of knives</li> <li>Prosciutteria kit</li> <li>Cigar drawer</li> <li>Beverage drawer</li> <li>Beverage shelf</li> <li>Beverage removable shelf</li> </ul> |

# S750TWT

75 cm, WINE CELLAR, MODEL OT  
FULLY INTEGRATED  
INTEGRATED® SERIES



| AESTHETIC   |                    |
|---|--------------------|
| Compressor position                                   | Bottom             |
| Front finish  | Custom Panel Ready |
| Handles   | NO                 |
| Interior material finish                              | Stainless Steel    |
| PRICE (VAT and delivery charges not included)         |                    |
| S750TWT6 (right hinge)                                | 10.600 €           |
| S750TWT3 (left hinge)                                 | 10.600 €           |
| CAPACITY  |                    |
| Volume Compartment1 (L)                               | 320                |
| Volume Compartment2 (L)                               | /                  |
| Volume Compartment3 (L)                               | 105                |
| Total Net Volume (L)                                  | 425                |
| Total Gross Volume (L)                                | 439                |
| Compartment 1 / Upper wine cellar capacity (bottles)  | 81                 |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                  |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                  |
| TECHNICAL DETAILS                                     |                    |
| Voltage (V)   | 220-240V           |
| Frequency (Hz)  | 50-60 Hz           |
| Climatic class  | SN/T               |
| Noise level (dB)                                      | 41                 |
| EFFICIENCY  |                    |
| Energy Label class                                    | G                  |
| Energy consumption (kWh/year)                         | 184                |

| DIMENSIONS & WEIGHT   |  |
|---|--|
| Product height (closed wheels)(mm)  | 2120   |
| Width of the product (mm)   | 749  |
| Depth of Product without handle(mm)   | 610  |
| Net Weight (kg)   | 168  |
| Gross Weight (kg)   | 190  |
| TEMPERATURE RANGES  |  |
| Climatic compartments   | 2  |
| Compartment 1 / Temperature (°C)  | from 4 to 18   |
| Compartment 2 / Temperature (°C)  | /  |
| Low temp zone   | NO   |
| Compartment 3 / Temperature (°C)  | from 4 to 18   |
| Dual zone   | YES  |
| GENERAL PROPERTIES  |  |
| Reversible door   | NO   |
| Low vibration   | YES  |
| Shelves   | 9  |
| Type of shelves   | WOOD   |
| Door Bins   | /  |
| Fridge drawers type   | /  |
| Fresco/LowTemp Drawers  | /  |
| Bottom Drawers  | 1+1 internal drawer  |
| ACCESSORIES (from page 118 to page 227)   |  |
| <ul style="list-style-type: none"> <li>Stainless Steel Side Panels for freestanding installation</li> <li>Central Joining Kit for side-by-side installed units</li> <li>Ø 30 mm Tubular Stainless Steel Handles – Classic</li> <li>Ø 30 mm Tubular Stainless Steel Handles – Pro</li> <li>Ø 18 mm Tubular Stainless Steel Handles</li> <li>Stainless steel panels</li> <li>Extra length anti-tipping kit</li> <li>Cleaning Kit</li> </ul> | <ul style="list-style-type: none"> <li>Active Carbon Filter</li> <li>Front ventilation kit</li> <li>Door stop 90°</li> <li>Wine kit</li> <li>Cheese drawer</li> <li>Set of knives</li> <li>Prosciutteria kit</li> <li>Cigar drawer</li> <li>Beverage drawer</li> <li>Beverage shelf</li> <li>Beverage removable shelf</li> </ul> |

# FULL SIZE: FRIDGES AND FREEZER

Model: 0H

Width: 75cm

One door, two drawer, 2 separate temperatures

Upper compartment: Fridge

Middle compartment: LowTemp

Lower compartment TriMode: Fridge/Fresco/Freezer



FRIDGE

LOW TEMP

TRIMODE®

## FEATURES

**Made in Italy:** Designed and built entirely in Italy with artisanal precision.  
**Long Term Reliability:** Premium materials and rigorous testing ensure consistent, durable performance.  
**Galvanized Steel Structure:** Strength and stability engineered to last.  
**Antibacterial Interior:** Hygienic surfaces preserving freshness and bottle quality.

### Technology and Functionality

**EventLift™:** Shelves adjustable to any height without removal.  
**ProVent™:** Uniform cold air distribution across every zone.  
**EquiLance™:** Patented variable pivot hinge for silent, stable movement.  
**OptiView™:** Diffuse, uniform LED lighting.  
**Full Color TFT Display:** Clear, intuitive, high definition interface.  
**100% Total No Frost:** Automatic system that prevents ice formation and ensures impeccable humidity control.  
**Variable Speed Compressors:** Precise temperature control and reduced vibrations.  
**Sabbath Mode:** Dedicated function for observance needs.  
**Easy Installation:** Adjustable feet and rear wheels.

### Conservation Performance

**Low Temperature Zone:** Dedicated area with a temperature 2°C lower than the refrigerator compartment, ideal for meat, fish, and vegetables.  
**Tempered Glass Shelves:** With aluminum profiles  
**TriMode™** Lower drawer configurable as refrigerator, fresh zone, or freezer.

## GENERAL PROPERTIES

|   |                           |
|---|---------------------------|
| Reversible door                         | NO                        |
| Equilance                               | YES                       |
| SoftClosing Runner                      | YES                       |
| Low vibration                           | YES                       |
| OptiView (LED light spots)              | YES                       |
| Shelves                                 | 4 - 1 fixed, 3 adjustable |
| Slide-out shelves                       | NO                        |
| Type of shelves                         | GLASS                     |
| Fridge drawers type                     | LOW TEMP                  |
| Fresco/LowTemp Drawers                  | 1                         |
| Bottom drawers                          | 2                         |
| Full Extension shelves 90° door opening | /                         |
| Full Extension drawers 90° door opening | YES                       |
| Defrost Process                         | AUTOMATIC                 |
| Ice maker with water filter             | AVAILABLE                 |
| Door Open Alarms                        | YES                       |
| Humidity Control                        | NO                        |
| Active Carbon Filter                    | NO                        |
| Air filter control                      | NO                        |
| Shopping Fridge                         | YES                       |
| Shopping Freezer                        | YES                       |
| Power Failure Function                  | YES                       |

## XS750HST

75 cm, FRIDGES AND FREEZER, MODEL 0H  
BUILT-IN  
X-PRO® SERIES



| AESTHETIC   |                     |
|---|---------------------|
| Compressor position                                   | Top                 |
| Front finish  | Stainless Steel     |
| Handles   | Stainless Steel Pro |
| Interior material finish                              | Stainless Steel     |
| PRICE (VAT and delivery charges not included)         |                     |
| XS750HST6 (right hinge)                               | 12.710 €            |
| XS750HST3 (left hinge)                                | 12.710 €            |
| XS750HST6I (right hinge, with ice maker)              | 13.550 €            |
| XS750HST3I (left hinge, with ice maker)               | 13.550 €            |
| CAPACITY  |                     |
| Volume Compartment1 (L)                               | 300                 |
| Volume Compartment2 (L)                               | /                   |
| Volume Compartment3 (L)                               | 134                 |
| Total Net Volume (L)                                  | 434                 |
| Total Gross Volume (L)                                | 456                 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                   |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                   |
| TECHNICAL DETAILS                                     |                     |
| Voltage (V)   | 220-240V            |
| Frequency (Hz)  | 50-60 Hz            |
| Climatic class  | SN/T                |
| Noise level (dB)                                      | 41                  |
| EFFICIENCY  |                     |
| Energy Label class                                    | E                   |
| Energy consumption (kWh/year)                         | 351                 |

| DIMENSIONS & WEIGHT   |                           |
|---|---------------------------|
| Product height (closed wheels)(mm)  | 2120                      |
| Width of the product (mm)   | 749                       |
| Depth of Product without handle(mm)   | 635                       |
| Net Weight (kg)   | 200                       |
| Gross Weight (kg)   | 221                       |
| TEMPERATURE RANGES  |                           |
| Climatic compartments   | 2                         |
| Compartment 1 / Temperature (°C)  | from 2 to 8               |
| Compartment 2 / Temperature (°C)  | /                         |
| Low temp zone   | YES                       |
| Compartment 3 / Temperature (°C)  | from 8 to -22             |
| Dual zone   | NO                        |
| GENERAL PROPERTIES  |                           |
| Reversible door   | NO                        |
| Low vibration   | YES                       |
| Shelves   | 4 - 1 fixed, 3 adjustable |
| Type of shelves   | GLASS                     |
| Door Bins   | 3                         |
| Fridge drawers type   | LOW TEMP                  |
| Fresco/LowTemp Drawers  | 1                         |
| Bottom Drawers  | 2                         |
| ACCESSORIES (from page 118 to page 227)   |                           |
| <ul style="list-style-type: none"> <li>Stainless Steel Side Panels for freestanding installation</li> <li>Central Joining Kit for side-by-side installed units</li> <li>X-Pro top grill kit</li> <li>Extra length anti-tipping kit</li> <li>Anti-condensation kit</li> <li>Cleaning Kit</li> <li>Front panel painting, handles, and side panels</li> <li>Door stop 90°</li> <li>Separate EvenLift™ shelves</li> </ul> |                           |

## RS750HST

75 cm, FRIDGES AND FREEZER, MODEL 0H  
BUILT-IN  
DESIGNER® SERIES



| AESTHETIC   |                     |
|---|---------------------|
| Compressor position                                   | Bottom              |
| Front finish  | Stainless Steel     |
| Handles   | Stainless Steel Pro |
| Interior material finish                              | Stainless Steel     |
| PRICE (VAT and delivery charges not included)         |                     |
| RS750HST6 (right hinge)                               | 11.510 €            |
| RS750HST3 (left hinge)                                | 11.510 €            |
| RS750HST6I (right hinge, with ice maker)              | 12.350 €            |
| RS750HST3I (left hinge, with ice maker)               | 12.350 €            |
| CAPACITY  |                     |
| Volume Compartment1 (L)                               | 300                 |
| Volume Compartment2 (L)                               | /                   |
| Volume Compartment3 (L)                               | 134                 |
| Total Net Volume (L)                                  | 434                 |
| Total Gross Volume (L)                                | 456                 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                   |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                   |
| TECHNICAL DETAILS                                     |                     |
| Voltage (V)   | 220-240V            |
| Frequency (Hz)  | 50-60 Hz            |
| Climatic class  | SN/T                |
| Noise level (dB)                                      | 41                  |
| EFFICIENCY  |                     |
| Energy Label class                                    | E                   |
| Energy consumption (kWh/year)                         | 351                 |

| DIMENSIONS & WEIGHT  |                           |
|--|---------------------------|
| Product height (closed wheels)(mm)   | 2120                      |
| Width of the product (mm)  | 762                       |
| Depth of Product without handle(mm)  | 620                       |
| Net Weight (kg)  | 181                       |
| Gross Weight (kg)  | 203                       |
| TEMPERATURE RANGES   |                           |
| Climatic compartments  | 2                         |
| Compartment 1 / Temperature (°C)   | from 2 to 8               |
| Compartment 2 / Temperature (°C)   | /                         |
| Low temp zone  | YES                       |
| Compartment 3 / Temperature (°C)   | from 8 to -22             |
| Dual zone  | NO                        |
| GENERAL PROPERTIES   |                           |
| Reversible door  | NO                        |
| Low vibration  | YES                       |
| Shelves  | 4 - 1 fixed, 3 adjustable |
| Type of shelves  | GLASS                     |
| Door Bins  | 3                         |
| Fridge drawers type  | LOW TEMP                  |
| Fresco/LowTemp Drawers   | 1                         |
| Bottom Drawers   | 2                         |
| ACCESSORIES (from page 118 to page 227)  |                           |
| <ul style="list-style-type: none"> <li>Central Joining Kit for side-by-side installed units</li> <li>Extra length anti-tipping kit</li> <li>Cleaning Kit</li> <li>Front ventilation kit</li> <li>Front panel painting, handles</li> <li>Door stop 90°</li> <li>Separate EvenLift™ shelves</li> </ul> |                           |

## KS750HST

75 cm, FRIDGES AND FREEZER, MODEL 0H  
BUILT-IN  
CLASSIC® SERIES



| AESTHETIC   |                         |
|---|-------------------------|
| Compressor position                                   | Bottom                  |
| Front finish  | Stainless Steel         |
| Handles   | Stainless Steel Classic |
| Interior material finish                              | Stainless Steel         |
| PRICE (VAT and delivery charges not included)         |                         |
| KS750HST6 (right hinge)                               | 11.510 €                |
| KS750HST3 (left hinge)                                | 11.510 €                |
| KS750HST6I (right hinge, with ice maker)              | 12.350 €                |
| KS750HST3I (left hinge, with ice maker)               | 12.350 €                |
| CAPACITY  |                         |
| Volume Compartment1 (L)                               | 300                     |
| Volume Compartment2 (L)                               | /                       |
| Volume Compartment3 (L)                               | 134                     |
| Total Net Volume (L)                                  | 434                     |
| Total Gross Volume (L)                                | 456                     |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                       |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                       |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                       |
| TECHNICAL DETAILS                                     |                         |
| Voltage (V)   | 220-240V                |
| Frequency (Hz)  | 50-60 Hz                |
| Climatic class  | SN/T                    |
| Noise level (dB)                                      | 41                      |
| EFFICIENCY  |                         |
| Energy Label class                                    | E                       |
| Energy consumption (kWh/year)                         | 351                     |

| DIMENSIONS & WEIGHT                 |                           |
|-------------------------------------|---------------------------|
| Product height (closed wheels)(mm)  | 2050                      |
| Width of the product (mm)           | 749                       |
| Depth of Product without handle(mm) | 635                       |
| Net Weight (kg)                     | 181                       |
| Gross Weight (kg)                   | 203                       |
| TEMPERATURE RANGES                  |                           |
| Climatic compartments               | 2                         |
| Compartment 1 / Temperature (°C)    | from 2 to 8               |
| Compartment 2 / Temperature (°C)    | /                         |
| Low temp zone                       | YES                       |
| Compartment 3 / Temperature (°C)    | from 8 to -22             |
| Dual zone                           | NO                        |
| GENERAL PROPERTIES                  |                           |
| Reversible door                     | NO                        |
| Low vibration                       | YES                       |
| Shelves                             | 4 - 1 fixed, 3 adjustable |
| Type of shelves                     | GLASS                     |
| Door Bins                           | 3                         |
| Fridge drawers type                 | LOW TEMP                  |
| Fresco/LowTemp Drawers              | 1                         |
| Bottom Drawers                      | 2                         |

#### ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Front panel painting, handles, and side panels
- Door stop 90°
- Separate EvenLift™ shelves

## S750HST

75 cm, FRIDGES AND FREEZER, MODEL 0H  
FULLY INTEGRATED  
INTEGRATED® SERIES



| AESTHETIC   |                    |
|---|--------------------|
| Compressor position                                   | Bottom             |
| Front finish  | Custom Panel Ready |
| Handles   | NO                 |
| Interior material finish                              | Stainless Steel    |
| PRICE (VAT and delivery charges not included)         |                    |
| S750HST6 (right hinge)                                | 10.710 €           |
| S750HST3 (left hinge)                                 | 10.710 €           |
| S750HST6I (right hinge, with ice maker)               | 11.550 €           |
| S750HST3I (left hinge, with ice maker)                | 11.550 €           |
| CAPACITY  |                    |
| Volume Compartment1 (L)                               | 300                |
| Volume Compartment2 (L)                               | /                  |
| Volume Compartment3 (L)                               | 134                |
| Total Net Volume (L)                                  | 434                |
| Total Gross Volume (L)                                | 456                |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                  |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                  |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                  |
| TECHNICAL DETAILS                                     |                    |
| Voltage (V)   | 220-240V           |
| Frequency (Hz)  | 50-60 Hz           |
| Climatic class  | SN/T               |
| Noise level (dB)                                      | 41                 |
| EFFICIENCY  |                    |
| Energy Label class                                    | E                  |
| Energy consumption (kWh/year)                         | 351                |

| DIMENSIONS & WEIGHT                 |                           |
|-------------------------------------|---------------------------|
| Product height (closed wheels)(mm)  | 2120                      |
| Width of the product (mm)           | 749                       |
| Depth of Product without handle(mm) | 610                       |
| Net Weight (kg)                     | 172                       |
| Gross Weight (kg)                   | 193                       |
| TEMPERATURE RANGES                  |                           |
| Climatic compartments               | 2                         |
| Compartment 1 / Temperature (°C)    | from 2 to 8               |
| Compartment 2 / Temperature (°C)    | /                         |
| Low temp zone                       | YES                       |
| Compartment 3 / Temperature (°C)    | from 8 to -22             |
| Dual zone                           | NO                        |
| GENERAL PROPERTIES                  |                           |
| Reversible door                     | NO                        |
| Low vibration                       | YES                       |
| Shelves                             | 4 - 1 fixed, 3 adjustable |
| Type of shelves                     | GLASS                     |
| Door Bins                           | 3                         |
| Fridge drawers type                 | LOW TEMP                  |
| Fresco/LowTemp Drawers              | 1                         |
| Bottom Drawers                      | 2                         |

#### ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Ø 30 mm Tubular Stainless Steel Handles – Classic
- Ø 30 mm Tubular Stainless Steel Handles – Pro
- Ø 18 mm Tubular Stainless Steel Handles
- Stainless steel panels
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Door stop 90°
- Separate EvenLift™ shelves

# FULL SIZE: WINE CELLARS

Model: 0H

Width: 75cm

One door, two drawer, 2 separate temperatures

Upper compartment: Wine cellar

Lower compartment: Wine cellar



WINE CELLAR

## FEATURES

**Made in Italy:** Designed and built entirely in Italy with artisanal precision.

**Long Term Reliability:** Premium materials and rigorous testing ensure consistent, durable performance.

**Galvanized Steel Structure:** Strength and stability engineered to last.

**Antibacterial Interior:** Hygienic surfaces preserving freshness and bottle quality.

### Technology and Functionality

**ProVent™:** Uniform cold air distribution across every zone.

**EquiLance™:** Patented variable pivot hinge for silent, stable movement.

**OptiView™:** Diffused and uniform LED lighting, elegant and with low heat emission to preserve the wine's properties.

**Full Color TFT Display:** Clear, intuitive, high definition interface.

**Active Safety:** Visual and acoustic alerts.

**100% Total No Frost:** Automatic system that prevents ice formation and ensures impeccable humidity control.

**Variable Speed Compressors:** Precise temperature control and reduced vibrations.

**Sabbath Mode:** Dedicated function for observance needs.

**Easy Installation:** Adjustable feet and rear wheels.

### Conservation Performance

**Two Independent Climate Zones:** Dedicated temperature and humidity control for red, white, and sparkling wines.

**Triple-layer bronzed glass door:** Total protection against UV rays and external temperature fluctuations.


**Humidity control:** Precise regulation to preserve corks, labels, and bottle integrity.

## GENERAL PROPERTIES

|   |           |
|---|-----------|
| Reversible door                         | NO        |
| Equilance                               | YES       |
| SoftClosing Runner                      | YES       |
| Low vibration                           | YES       |
| Optiview (LED light spots)              | YES       |
| Shelves                                 | 9         |
| Slide-out shelves                       | YES       |
| Type of shelves                         | WOOD      |
| Fridge drawers type                     | /         |
| Fresco/LowTemp Drawers                  | /         |
| Bottom drawers                          | 2         |
| Full Extension shelves 90° door opening | YES       |
| Full Extension drawers 90° door opening | NO        |
| Defrost Process                         | AUTOMATIC |
| Ice maker with water filter             | NO        |
| Door Open Alarms                        | YES       |
| Humidity Control                        | YES       |
| Active Carbon Filter                    | NO        |
| Air filter control                      | NO        |
| Shopping Fridge                         | NO        |
| Shopping Freezer                        | NO        |
| Power Failure Function                  | YES       |

# XS750HWT

75 cm, WINE CELLAR, MODEL 0H  
BUILT-IN  
X-PRO® SERIES



## AESTHETIC

|                          |                     |
|--------------------------|---------------------|
| Compressor position      | Top                 |
| Front finish             | Stainless Steel     |
| Handles                  | Stainless Steel Pro |
| Interior material finish | Stainless Steel     |

## PRICE (VAT and delivery charges not included)

|                         |          |
|-------------------------|----------|
| XS750HWT6 (right hinge) | 12.600 € |
| XS750HWT3 (left hinge)  | 12.600 € |

## CAPACITY

|   |     |
|---|-----|
| Volume Compartment1 (L)                               | 283 |
| Volume Compartment2 (L)                               | /   |
| Volume Compartment3 (L)                               | 134 |
| Total Net Volume (L)                                  | 416 |
| Total Gross Volume (L)                                | 430 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | 81  |
| Compartment 2 / Middle wine cellar capacity (bottles) | /   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /   |

## TECHNICAL DETAILS

|                  |          |
|------------------|----------|
| Voltage (V)      | 220-240V |
| Frequency (Hz)   | 50-60 Hz |
| Climatic class   | SN/T     |
| Noise level (dB) | 41       |

## EFFICIENCY

|                               |     |
|-------------------------------|-----|
| Energy Label class            | G   |
| Energy consumption (kWh/year) | 183 |

## DIMENSIONS & WEIGHT

|                                     |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2120 |
| Width of the product (mm)           | 749  |
| Depth of Product without handle(mm) | 635  |
| Net Weight (kg)                     | 200  |
| Gross Weight (kg)                   | 221  |

## TEMPERATURE RANGES

|                                  |              |
|----------------------------------|--------------|
| Climatic compartments            | 2            |
| Compartment 1 / Temperature (°C) | from 4 to 18 |
| Compartment 2 / Temperature (°C) | /            |
| Low temp zone                    | NO           |
| Compartment 3 / Temperature (°C) | from 4 to 18 |
| Dual zone                        | YES          |

## GENERAL PROPERTIES


|                        |      |
|------------------------|------|
| Reversible door        | NO   |
| Low vibration          | YES  |
| Shelves                | 9    |
| Type of shelves        | WOOD |
| Door Bins              | /    |
| Fridge drawers type    | /    |
| Fresco/LowTemp Drawers | /    |
| Bottom Drawers         | 2    |

## ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning Kit
- Active Carbon Filter
- Front panel painting, handles, and side panels
- Door stop 90°
- Wine kit
- Cheese drawer
- Set of knives
- Prosciutteria kit
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

# RS750HWT

75 cm, WINE CELLAR, MODEL 0H  
BUILT-IN  
DESIGNER® SERIES



## AESTHETIC

|                          |                     |
|--------------------------|---------------------|
| Compressor position      | Bottom              |
| Front finish             | Stainless Steel     |
| Handles                  | Stainless Steel Pro |
| Interior material finish | Stainless Steel     |

## PRICE (VAT and delivery charges not included)

|                         |          |
|-------------------------|----------|
| RS750HWT6 (right hinge) | 11.400 € |
| RS750HWT3 (left hinge)  | 11.400 € |

## CAPACITY

|   |     |
|---|-----|
| Volume Compartment1 (L)                               | 283 |
| Volume Compartment2 (L)                               | /   |
| Volume Compartment3 (L)                               | 134 |
| Total Net Volume (L)                                  | 416 |
| Total Gross Volume (L)                                | 430 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | 81  |
| Compartment 2 / Middle wine cellar capacity (bottles) | /   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /   |

## TECHNICAL DETAILS

|                  |          |
|------------------|----------|
| Voltage (V)      | 220-240V |
| Frequency (Hz)   | 50-60 Hz |
| Climatic class   | SN/T     |
| Noise level (dB) | 41       |

## EFFICIENCY

|                               |     |
|-------------------------------|-----|
| Energy Label class            | G   |
| Energy consumption (kWh/year) | 183 |

## DIMENSIONS & WEIGHT

|                                     |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2120 |
| Width of the product (mm)           | 762  |
| Depth of Product without handle(mm) | 620  |
| Net Weight (kg)                     | 187  |
| Gross Weight (kg)                   | 208  |

## TEMPERATURE RANGES

|                                  |              |
|----------------------------------|--------------|
| Climatic compartments            | 2            |
| Compartment 1 / Temperature (°C) | from 4 to 18 |
| Compartment 2 / Temperature (°C) | /            |
| Low temp zone                    | NO           |
| Compartment 3 / Temperature (°C) | from 4 to 18 |
| Dual zone                        | YES          |

## GENERAL PROPERTIES


|                        |      |
|------------------------|------|
| Reversible door        | NO   |
| Low vibration          | YES  |
| Shelves                | 9    |
| Type of shelves        | WOOD |
| Door Bins              | /    |
| Fridge drawers type    | /    |
| Fresco/LowTemp Drawers | /    |
| Bottom Drawers         | 2    |

## ACCESSORIES (from page 118 to page 227)

- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Active Carbon Filter
- Front ventilation kit
- Front panel painting, handles
- Door stop 90°
- Wine kit
- Cheese drawer
- Set of knives
- Prosciutteria kit
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf

# KS750HWT

75 cm, WINE CELLAR, MODEL 0H  
BUILT-IN  
CLASSIC® SERIES




| AESTHETIC   |                         |
|---|-------------------------|
| Compressor position                                   | Bottom                  |
| Front finish  | Stainless Steel         |
| Handles   | Stainless Steel Classic |
| Interior material finish                              | Stainless Steel         |
| PRICE (VAT and delivery charges not included)         |                         |
| KS750HWT6 (right hinge)                               | 11.400 €                |
| KS750HWT3 (left hinge)                                | 11.400 €                |
| CAPACITY  |                         |
| Volume Compartment1 (L)                               | 283                     |
| Volume Compartment2 (L)                               |                         |
| Volume Compartment3 (L)                               | 134                     |
| Total Net Volume (L)                                  | 416                     |
| Total Gross Volume (L)                                | 430                     |
| Compartment 1 / Upper wine cellar capacity (bottles)  | 81                      |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                       |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                       |
| TECHNICAL DETAILS                                     |                         |
| Voltage (V)   | 220-240V                |
| Frequency (Hz)  | 50-60 Hz                |
| Climatic class  | SN/T                    |
| Noise level (dB)                                      | 41                      |
| EFFICIENCY  |                         |
| Energy Label class                                    | G                       |
| Energy consumption (kWh/year)                         | 183                     |

| DIMENSIONS & WEIGHT                 |              |
|-------------------------------------|--------------|
| Product height (closed wheels)(mm)  | 2050         |
| Width of the product (mm)           | 749          |
| Depth of Product without handle(mm) | 635          |
| Net Weight (kg)                     | 187          |
| Gross Weight (kg)                   | 208          |
| TEMPERATURE RANGES                  |              |
| Climatic compartments               | 2            |
| Compartment 1 / Temperature (°C)    | from 4 to 18 |
| Compartment 2 / Temperature (°C)    | /            |
| Low temp zone                       | NO           |
| Compartment 3 / Temperature (°C)    | from 4 to 18 |
| Dual zone                           | YES          |
| GENERAL PROPERTIES                  |              |
| Reversible door                     | NO           |
| Low vibration                       | YES          |
| Shelves                             | 9            |
| Type of shelves                     | WOOD         |
| Door Bins                           | /            |
| Fridge drawers type                 | /            |
| Fresco/LowTemp Drawers              | /            |
| Bottom Drawers                      | 2            |

| ACCESSORIES (from page 118 to page 227)                     |                            |
|---|----------------------------|
| • Stainless Steel Side Panels for freestanding installation | • Cheese drawer            |
| • Central Joining Kit for side-by-side installed units      | • Set of knives            |
| • Extra length anti-tipping kit                             | • Prosciutteria kit        |
| • Cleaning Kit  | • Cigar drawer             |
| • Active Carbon Filter                                      | • Beverage drawer          |
| • Front ventilation kit                                     | • Beverage shelf           |
| • Front panel painting, handles, and side panels            | • Beverage removable shelf |
| • Door stop 90°   |                            |
| • Wine kit  |                            |

# S750HWT

75 cm, WINE CELLAR, MODEL 0H  
FULLY INTEGRATED  
INTEGRATED® SERIES



| AESTHETIC   |                    |
|---|--------------------|
| Compressor position                                   | Bottom             |
| Front finish  | Custom Panel Ready |
| Handles   | NO                 |
| Interior material finish                              | Stainless Steel    |
| PRICE (VAT and delivery charges not included)         |                    |
| S750HWT6 (right hinge)                                | 10.600 €           |
| S750HWT3 (left hinge)                                 | 10.600 €           |
| CAPACITY  |                    |
| Volume Compartment1 (L)                               | 283                |
| Volume Compartment2 (L)                               | /                  |
| Volume Compartment3 (L)                               | 134                |
| Total Net Volume (L)                                  | 416                |
| Total Gross Volume (L)                                | 430                |
| Compartment 1 / Upper wine cellar capacity (bottles)  | 81                 |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                  |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                  |
| TECHNICAL DETAILS                                     |                    |
| Voltage (V)   | 220-240V           |
| Frequency (Hz)  | 50-60 Hz           |
| Climatic class  | SN/T               |
| Noise level (dB)                                      | 41                 |
| EFFICIENCY  |                    |
| Energy Label class                                    | G                  |
| Energy consumption (kWh/year)                         | 183                |

| DIMENSIONS & WEIGHT   |                            |
|---|----------------------------|
| Product height (closed wheels)(mm)                          | 2120                       |
| Width of the product (mm)                                   | 749                        |
| Depth of Product without handle(mm)                         | 610                        |
| Net Weight (kg)   | 167                        |
| Gross Weight (kg)   | 188                        |
| TEMPERATURE RANGES  |                            |
| Climatic compartments                                       | 2                          |
| Compartment 1 / Temperature (°C)                            | from 4 to 18               |
| Compartment 2 / Temperature (°C)                            | /                          |
| Low temp zone   | NO                         |
| Compartment 3 / Temperature (°C)                            | from 4 to 18               |
| Dual zone   | YES                        |
| GENERAL PROPERTIES  |                            |
| Reversible door   | NO                         |
| Low vibration   | YES                        |
| Shelves   | 9                          |
| Type of shelves   | WOOD                       |
| Door Bins   | /                          |
| Fridge drawers type   | /                          |
| Fresco/LowTemp Drawers                                      | /                          |
| Bottom Drawers  | 2                          |
| ACCESSORIES (from page 118 to page 227)                     |                            |
| • Stainless Steel Side Panels for freestanding installation | • Active Carbon Filter     |
| • Central Joining Kit for side-by-side installed units      | • Front ventilation kit    |
| • Ø 30 mm Tubular Stainless Steel Handles – Classic         | • Door stop 90°            |
| • Ø 30 mm Tubular Stainless Steel Handles – Pro             | • Wine kit                 |
| • Ø 18 mm Tubular Stainless Steel Handles                   | • Cheese drawer            |
| • Stainless steel panels                                    | • Set of knives            |
| • Extra length anti-tipping kit                             | • Prosciutteria kit        |
| • Cleaning Kit  | • Cigar drawer             |
|   | • Beverage drawer          |
|   | • Beverage shelf           |
|   | • Beverage removable shelf |



FRIDGE

LOW TEMP

## FULL SIZE: FRIDGES

Model: 0F

Width: 75cm

One door, 1 temperature

Upper compartment: Fridge

Lower compartment: Low Temp

### FEATURES

**Made in Italy:** Designed and built entirely in Italy with artisanal precision.

**Long Term Reliability:** Premium materials and rigorous testing ensure consistent, durable performance.

**Galvanized Steel Structure:** Strength and stability engineered to last.

**Antibacterial Interior:** Hygienic surfaces preserving freshness and bottle quality.

### Technology and Functionality

**EventLift™:** Shelves adjustable to any height without removal.

**ProVent™:** Uniform cold air distribution across every zone.

**EquiLance™:** Patented variable pivot hinge for silent, stable movement.

**OptiView™:** Diffuse, uniform LED lighting.

**Full Color TFT Display:** Clear, intuitive, high definition interface.

**100% Total No Frost:** Automatic system that prevents ice formation and ensures impeccable humidity control.

**Variable Speed Compressors:** Precise temperature control and reduced vibrations.

**Sabbath Mode:** Dedicated function for observance needs.

**Easy Installation:** Adjustable feet and rear wheels.

### Conservation Performance

**One climate zone:** Precise temperature control for optimal food preservation.

**Low Temperature Zone:** Dedicated area with a temperature 2°C lower than the refrigerator compartment, ideal for meat, fish, and vegetables.

**Tempered Glass Shelves:** With aluminum profiles

### GENERAL PROPERTIES

|   |                           |
|---|---------------------------|
| Reversible door                         | NO                        |
| Equilance                               | YES                       |
| SoftClosing Runner                      | YES                       |
| Low vibration                           | YES                       |
| OptiView (LED light spots)              | YES                       |
| Shelves                                 | 4 - 1 fixed, 3 adjustable |
| Slide-out shelves                       | NO                        |
| Type of shelves                         | GLASS                     |
| Fridge drawers type                     | LOW TEMP                  |
| Fresco/LowTemp Drawers                  | 3                         |
| Bottom drawers                          | /                         |
| Full Extension shelves 90° door opening | /                         |
| Full Extension drawers 90° door opening | YES                       |
| Defrost Process                         | AUTOMATIC                 |
| Ice maker with water filter             | NO                        |
| Door Open Alarms                        | YES                       |
| Humidity Control                        | NO                        |
| Active Carbon Filter                    | NO                        |
| Air filter control                      | NO                        |
| Shopping Fridge                         | YES                       |
| Shopping Freezer                        | NO                        |
| Power Failure Function                  | YES                       |

## XS750FR

75 cm, FRIDGE, MODEL OFR

BUILT-IN

X-PRO® SERIES



| AESTHETIC   |                     |
|---|---------------------|
| Compressor position                                   | Top                 |
| Front finish  | Stainless Steel     |
| Handles   | Stainless Steel Pro |
| Interior material finish                              | Stainless Steel     |
| PRICE (VAT and delivery charges not included)         |                     |
| XS750FR6 (right hinge)                                | 10.420 €            |
| XS750FR3 (left hinge)                                 | 10.420 €            |
| XS750FR6D (Right hinge, water dispenser)              | 11.250 €            |
| XS750FR3D (Left hinge, water dispenser)               | 11.250 €            |
| CAPACITY  |                     |
| Volume Compartment1 (L)                               | 479                 |
| Volume Compartment2 (L)                               | /                   |
| Volume Compartment3 (L)                               | /                   |
| Total Net Volume (L)                                  | 479                 |
| Total Gross Volume (L)                                | 489                 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                   |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                   |
| TECHNICAL DETAILS                                     |                     |
| Voltage (V)   | 220-240V            |
| Frequency (Hz)  | 50-60 Hz            |
| Climatic class  | SN/T                |
| Noise level (dB)                                      | 41                  |
| EFFICIENCY  |                     |
| Energy Label class                                    | E                   |
| Energy consumption (kWh/year)                         | 132                 |

| DIMENSIONS & WEIGHT   |                           |
|---|---------------------------|
| Product height (closed wheels)(mm)  | 2120                      |
| Width of the product (mm)   | 749                       |
| Depth of Product without handle(mm)   | 635                       |
| Net Weight (kg)   | 162                       |
| Gross Weight (kg)   | 183                       |
| TEMPERATURE RANGES  |                           |
| Climatic compartments   | 1                         |
| Compartment 1 / Temperature (°C)  | from 2 to 8               |
| Compartment 2 / Temperature (°C)  | /                         |
| Low temp zone   | YES                       |
| Compartment 3 / Temperature (°C)  | /                         |
| Dual zone   | NO                        |
| GENERAL PROPERTIES  |                           |
| Reversible door   | NO                        |
| Low vibration   | YES                       |
| Shelves   | 4 - 1 fixed, 3 adjustable |
| Type of shelves   | GLASS                     |
| Door Bins   | 3                         |
| Fridge drawers type   | LOW TEMP                  |
| Fresco/LowTemp Drawers  | 3                         |
| Bottom Drawers  | /                         |
| ACCESSORIES (from page 118 to page 227)   |                           |
| <ul style="list-style-type: none"> <li>• Stainless Steel Side Panels for freestanding installation</li> <li>• Central Joining Kit for side-by-side installed units</li> <li>• X-Pro top grill kit</li> <li>• Extra length anti-tipping kit</li> <li>• Anti-condensation kit</li> <li>• Cleaning Kit</li> <li>• Front panel painting, handles, and side panels</li> <li>• Door stop 90°</li> <li>• Separate EvenLift™ shelves</li> </ul> |                           |

## XS750FG

75 cm, FRIDGE, MODEL OFG

BUILT-IN, Glass Door

X-PRO® SERIES



| AESTHETIC   |                     |
|---|---------------------|
| Compressor position                                   | Top                 |
| Front finish  | Stainless Steel     |
| Handles   | Stainless Steel Pro |
| Interior material finish                              | Stainless Steel     |
| PRICE (VAT and delivery charges not included)         |                     |
| XS750FG6 (right hinge)                                | 11.400 €            |
| XS750FG3 (left hinge)                                 | 11.400 €            |
| XS750FG6D (Right hinge, water dispenser)              | 12.240 €            |
| XS750FG3D (Left hinge, water dispenser)               | 12.240 €            |
| CAPACITY  |                     |
| Volume Compartment1 (L)                               | 479                 |
| Volume Compartment2 (L)                               | /                   |
| Volume Compartment3 (L)                               | /                   |
| Total Net Volume (L)                                  | 479                 |
| Total Gross Volume (L)                                | 489                 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                   |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                   |
| TECHNICAL DETAILS                                     |                     |
| Voltage (V)   | 220-240V            |
| Frequency (Hz)  | 50-60 Hz            |
| Climatic class  | SN/T                |
| Noise level (dB)                                      | 41                  |
| EFFICIENCY  |                     |
| Energy Label class                                    | E                   |
| Energy consumption (kWh/year)                         | 132                 |

| DIMENSIONS & WEIGHT   |                           |
|---|---------------------------|
| Product height (closed wheels)(mm)  | 2120                      |
| Width of the product (mm)   | 749                       |
| Depth of Product without handle(mm)   | 635                       |
| Net Weight (kg)   | 162                       |
| Gross Weight (kg)   | 183                       |
| TEMPERATURE RANGES  |                           |
| Climatic compartments   | 1                         |
| Compartment 1 / Temperature (°C)  | from 2 to 8               |
| Compartment 2 / Temperature (°C)  | /                         |
| Low temp zone   | YES                       |
| Compartment 3 / Temperature (°C)  | /                         |
| Dual zone   | NO                        |
| GENERAL PROPERTIES  |                           |
| Reversible door   | NO                        |
| Low vibration   | YES                       |
| Shelves   | 4 - 1 fixed, 3 adjustable |
| Type of shelves   | GLASS                     |
| Door Bins   | 0                         |
| Fridge drawers type   | LOW TEMP                  |
| Fresco/LowTemp Drawers  | 3                         |
| Bottom Drawers  | /                         |
| ACCESSORIES (from page 118 to page 227)   |                           |
| <ul style="list-style-type: none"> <li>• Stainless Steel Side Panels for freestanding installation</li> <li>• Central Joining Kit for side-by-side installed units</li> <li>• X-Pro top grill kit</li> <li>• Extra length anti-tipping kit</li> <li>• Anti-condensation kit</li> <li>• Cleaning Kit</li> <li>• Front panel painting, handles, and side panels</li> <li>• Door stop 90°</li> <li>• Separate EvenLift™ shelves</li> </ul> |                           |

## RS750FR

75 cm, FRIDGE, MODEL OFR

BUILT-IN

DESIGNER® SERIES



| AESTHETIC                |                     |
|--------------------------|---------------------|
| Compressor position      | Bottom              |
| Front finish             | Stainless Steel     |
| Handles                  | Stainless Steel Pro |
| Interior material finish | Stainless Steel     |

| PRICE (VAT and delivery charges not included) |          |
|---|----------|
| RS750FR6 (right hinge)                        | 9.220 €  |
| RS750FR3 (left hinge)                         | 9.220 €  |
| RS750FR6D (Right hinge, water dispenser)      | 10.050 € |
| RS750FR3D (Left hinge, water dispenser)       | 10.050 € |

| CAPACITY                |     |
|-------------------------|-----|
| Volume Compartment1 (L) | 479 |
| Volume Compartment2 (L) | /   |
| Volume Compartment3 (L) | /   |
| Total Net Volume (L)    | 479 |
| Total Gross Volume (L)  | 489 |

|   |   |
|---|---|
| Compartment 1 / Upper wine cellar capacity (bottles)  | / |
| Compartment 2 / Middle wine cellar capacity (bottles) | / |
| Compartment 2 / Lower wine cellar capacity (bottles)  | / |

| TECHNICAL DETAILS |          |
|-------------------|----------|
| Voltage (V)       | 220-240V |
| Frequency (Hz)    | 50-60 Hz |
| Climatic class    | SN/T     |
| Noise level (dB)  | 41       |

| EFFICIENCY                    |     |
|-------------------------------|-----|
| Energy Label class            | E   |
| Energy consumption (kWh/year) | 132 |

| DIMENSIONS & WEIGHT                 |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2120 |
| Width of the product (mm)           | 762  |
| Depth of Product without handle(mm) | 620  |
| Net Weight (kg)                     | 162  |
| Gross Weight (kg)                   | 183  |

| TEMPERATURE RANGES               |             |
|----------------------------------|-------------|
| Climatic compartments            | 1           |
| Compartment 1 / Temperature (°C) | from 2 to 8 |
| Compartment 2 / Temperature (°C) | /           |
| Low temp zone                    | YES         |
| Compartment 3 / Temperature (°C) | /           |
| Dual zone                        | NO          |

| GENERAL PROPERTIES     |                           |
|------------------------|---------------------------|
| Reversible door        | NO                        |
| Low vibration          | YES                       |
| Shelves                | 4 - 1 fixed, 3 adjustable |
| Type of shelves        | GLASS                     |
| Door Bins              | 3                         |
| Fridge drawers type    | LOW TEMP                  |
| Fresco/LowTemp Drawers | 3                         |
| Bottom Drawers         | /                         |

#### ACCESSORIES (from page 118 to page 227)

- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Front panel painting, handles
- Door stop 90°
- Separate EvenLift™ shelves

## RS750FG

75 cm, FRIDGE, MODEL OFG

BUILT-IN, Glass Door

DESIGNER® SERIES



| AESTHETIC                |                     |
|--------------------------|---------------------|
| Compressor position      | Bottom              |
| Front finish             | Stainless Steel     |
| Handles                  | Stainless Steel Pro |
| Interior material finish | Stainless Steel     |

| PRICE (VAT and delivery charges not included) |          |
|---|----------|
| RS750FG6 (right hinge)                        | 10.200 € |
| RS750FG3 (left hinge)                         | 10.200 € |
| RS750FG6D (Right hinge, water dispenser)      | 11.040 € |
| RS750FG3D (Left hinge, water dispenser)       | 11.040 € |

| CAPACITY                |     |
|-------------------------|-----|
| Volume Compartment1 (L) | 479 |
| Volume Compartment2 (L) | /   |
| Volume Compartment3 (L) | /   |
| Total Net Volume (L)    | 479 |
| Total Gross Volume (L)  | 489 |

|   |   |
|---|---|
| Compartment 1 / Upper wine cellar capacity (bottles)  | / |
| Compartment 2 / Middle wine cellar capacity (bottles) | / |
| Compartment 2 / Lower wine cellar capacity (bottles)  | / |

| TECHNICAL DETAILS |          |
|-------------------|----------|
| Voltage (V)       | 220-240V |
| Frequency (Hz)    | 50-60 Hz |
| Climatic class    | SN/T     |
| Noise level (dB)  | 41       |

| EFFICIENCY                    |     |
|-------------------------------|-----|
| Energy Label class            | E   |
| Energy consumption (kWh/year) | 132 |

| DIMENSIONS & WEIGHT                 |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2120 |
| Width of the product (mm)           | 762  |
| Depth of Product without handle(mm) | 620  |
| Net Weight (kg)                     | 162  |
| Gross Weight (kg)                   | 183  |

| TEMPERATURE RANGES               |             |
|----------------------------------|-------------|
| Climatic compartments            | 1           |
| Compartment 1 / Temperature (°C) | from 2 to 8 |
| Compartment 2 / Temperature (°C) | /           |
| Low temp zone                    | YES         |
| Compartment 3 / Temperature (°C) | /           |
| Dual zone                        | NO          |

| GENERAL PROPERTIES     |                           |
|------------------------|---------------------------|
| Reversible door        | NO                        |
| Low vibration          | YES                       |
| Shelves                | 4 - 1 fixed, 3 adjustable |
| Type of shelves        | GLASS                     |
| Door Bins              | 0                         |
| Fridge drawers type    | LOW TEMP                  |
| Fresco/LowTemp Drawers | 3                         |
| Bottom Drawers         | /                         |

#### ACCESSORIES (from page 118 to page 227)

- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning Kit
- Front ventilation kit
- Front panel painting, handles
- Door stop 90°
- Separate EvenLift™ shelves

## KS750FR

75 cm, FRIDGE, MODEL OFR

BUILT-IN

CLASSIC® SERIES



| AESTHETIC                |                         |
|--------------------------|-------------------------|
| Compressor position      | Bottom                  |
| Front finish             | Stainless Steel         |
| Handles                  | Stainless Steel Classic |
| Interior material finish | Stainless Steel         |

| PRICE (VAT and delivery charges not included) |          |
|---|----------|
| KS750FR6 (right hinge)                        | 9.220 €  |
| KS750FR3 (left hinge)                         | 9.220 €  |
| KS750FR6D (Right hinge, water dispenser)      | 10.050 € |
| KS750FR3D (Left hinge, water dispenser)       | 10.050 € |

| CAPACITY                |     |
|-------------------------|-----|
| Volume Compartment1 (L) | 479 |
| Volume Compartment2 (L) | /   |
| Volume Compartment3 (L) | /   |
| Total Net Volume (L)    | 479 |
| Total Gross Volume (L)  | 489 |

|   |   |
|---|---|
| Compartment 1 / Upper wine cellar capacity (bottles)  | / |
| Compartment 2 / Middle wine cellar capacity (bottles) | / |
| Compartment 2 / Lower wine cellar capacity (bottles)  | / |

| TECHNICAL DETAILS |          |
|-------------------|----------|
| Voltage (V)       | 220-240V |
| Frequency (Hz)    | 50-60 Hz |
| Climatic class    | SN/T     |
| Noise level (dB)  | 41       |

| EFFICIENCY                    |     |
|-------------------------------|-----|
| Energy Label class            | E   |
| Energy consumption (kWh/year) | 132 |

| DIMENSIONS & WEIGHT                 |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2050 |
| Width of the product (mm)           | 749  |
| Depth of Product without handle(mm) | 635  |
| Net Weight (kg)                     | 162  |
| Gross Weight (kg)                   | 183  |

| TEMPERATURE RANGES               |             |
|----------------------------------|-------------|
| Climatic compartments            | 1           |
| Compartment 1 / Temperature (°C) | from 2 to 8 |
| Compartment 2 / Temperature (°C) | /           |
| Low temp zone                    | YES         |
| Compartment 3 / Temperature (°C) | /           |
| Dual zone                        | NO          |

| GENERAL PROPERTIES     |                           |
|------------------------|---------------------------|
| Reversible door        | NO                        |
| Low vibration          | YES                       |
| Shelves                | 4 - 1 fixed, 3 adjustable |
| Type of shelves        | GLASS                     |
| Door Bins              | 3                         |
| Fridge drawers type    | LOW TEMP                  |
| Fresco/LowTemp Drawers | 3                         |
| Bottom Drawers         | /                         |

#### ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Front panel painting, handles, and side panels
- Door stop 90°
- Separate EvenLift™ shelves

## KS750FG

75 cm, FRIDGE, MODEL OFG

BUILT-IN, Glass Door

CLASSIC® SERIES



| AESTHETIC                |                         |
|--------------------------|-------------------------|
| Compressor position      | Bottom                  |
| Front finish             | Stainless Steel         |
| Handles                  | Stainless Steel Classic |
| Interior material finish | Stainless Steel         |

| PRICE (VAT and delivery charges not included) |          |
|---|----------|
| KS750FG6 (right hinge)                        | 10.200 € |
| KS750FG3 (left hinge)                         | 10.200 € |
| KS750FG6D (Right hinge, water dispenser)      | 11.040 € |
| KS750FG3D (Left hinge, water dispenser)       | 11.040 € |

| CAPACITY                |     |
|-------------------------|-----|
| Volume Compartment1 (L) | 479 |
| Volume Compartment2 (L) | /   |
| Volume Compartment3 (L) | /   |
| Total Net Volume (L)    | 479 |
| Total Gross Volume (L)  | 489 |

|   |   |
|---|---|
| Compartment 1 / Upper wine cellar capacity (bottles)  | / |
| Compartment 2 / Middle wine cellar capacity (bottles) | / |
| Compartment 2 / Lower wine cellar capacity (bottles)  | / |

| TECHNICAL DETAILS |          |
|-------------------|----------|
| Voltage (V)       | 220-240V |
| Frequency (Hz)    | 50-60 Hz |
| Climatic class    | SN/T     |
| Noise level (dB)  | 41       |

| EFFICIENCY                    |     |
|-------------------------------|-----|
| Energy Label class            | E   |
| Energy consumption (kWh/year) | 132 |

| DIMENSIONS & WEIGHT                 |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2050 |
| Width of the product (mm)           | 749  |
| Depth of Product without handle(mm) | 635  |
| Net Weight (kg)                     | 162  |
| Gross Weight (kg)                   | 183  |

| TEMPERATURE RANGES               |             |
|----------------------------------|-------------|
| Climatic compartments            | 1           |
| Compartment 1 / Temperature (°C) | from 2 to 8 |
| Compartment 2 / Temperature (°C) | /           |
| Low temp zone                    | YES         |
| Compartment 3 / Temperature (°C) | /           |
| Dual zone                        | NO          |

| GENERAL PROPERTIES     |                           |
|------------------------|---------------------------|
| Reversible door        | NO                        |
| Low vibration          | YES                       |
| Shelves                | 4 - 1 fixed, 3 adjustable |
| Type of shelves        | GLASS                     |
| Door Bins              | 0                         |
| Fridge drawers type    | LOW TEMP                  |
| Fresco/LowTemp Drawers | 3                         |
| Bottom Drawers         | /                         |

#### ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning Kit
- Front ventilation kit
- Front panel painting, handles, and side panels
- Door stop 90°
- Separate EvenLift™ shelves

## S750FR

75 cm, FRIDGE, MODEL OFR  
FULLY INTEGRATED  
INTEGRATED® SERIES



| AESTHETIC   |                    |
|---|--------------------|
| Compressor position                                   | Bottom             |
| Front finish  | Custom Panel Ready |
| Handles   | NO                 |
| Interior material finish                              | Stainless Steel    |
| PRICE (VAT and delivery charges not included)         |                    |
| S750FR6 (right hinge)                                 | 8.420 €            |
| S750FR3 (left hinge)                                  | 8.420 €            |
| S750FR6D (Right hinge, water dispenser)               | 9.250 €            |
| S750FR3D (Left hinge, water dispenser)                | 9.250 €            |
| CAPACITY  |                    |
| Volume Compartment1 (L)                               | 479                |
| Volume Compartment2 (L)                               | /                  |
| Volume Compartment3 (L)                               | /                  |
| Total Net Volume (L)                                  | 479                |
| Total Gross Volume (L)                                | 489                |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                  |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                  |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                  |
| TECHNICAL DETAILS                                     |                    |
| Voltage (V)   | 220-240V           |
| Frequency (Hz)  | 50-60 Hz           |
| Climatic class  | SN/T               |
| Noise level (dB)                                      | 41                 |
| EFFICIENCY  |                    |
| Energy Label class                                    | E                  |
| Energy consumption (kWh/year)                         | 132                |

| DIMENSIONS & WEIGHT  |                           |
|--|---------------------------|
| Product height (closed wheels)(mm)   | 2120                      |
| Width of the product (mm)  | 749                       |
| Depth of Product without handle(mm)  | 610                       |
| Net Weight (kg)  | 154                       |
| Gross Weight (kg)  | 175                       |
| TEMPERATURE RANGES   |                           |
| Climatic compartments  | 1                         |
| Compartment 1 / Temperature (°C)   | from 2 to 8               |
| Compartment 2 / Temperature (°C)   | /                         |
| Low temp zone  | YES                       |
| Compartment 3 / Temperature (°C)   | /                         |
| Dual zone  | NO                        |
| GENERAL PROPERTIES   |                           |
| Reversible door  | NO                        |
| Low vibration  | YES                       |
| Shelves  | 4 - 1 fixed, 3 adjustable |
| Type of shelves  | GLASS                     |
| Door Bins  | 3                         |
| Fridge drawers type  | LOW TEMP                  |
| Fresco/LowTemp Drawers   | 3                         |
| Bottom Drawers   | /                         |
| ACCESSORIES (from page 118 to page 227)  |                           |
| <ul style="list-style-type: none"> <li>• Stainless Steel Side Panels for freestanding installation</li> <li>• Central Joining Kit for side-by-side installed units</li> <li>• Ø 30 mm Tubular Stainless Steel Handles – Classic</li> <li>• Ø 30 mm Tubular Stainless Steel Handles – Pro</li> <li>• Ø 18 mm Tubular Stainless Steel Handles</li> <li>• Stainless steel panels</li> <li>• Extra length anti-tipping kit</li> <li>• Cleaning Kit</li> <li>• Front ventilation kit</li> <li>• Door stop 90°</li> <li>• Separate EvenLift™ shelves</li> <li>• Push and pull</li> </ul> |                           |

## S750FG

75 cm, FRIDGE, MODEL OFG  
FULLY INTEGRATED, Glass Door  
INTEGRATED® SERIES



| AESTHETIC   |                    |
|---|--------------------|
| Compressor position                                   | Bottom             |
| Front finish  | Custom Panel Ready |
| Handles   | NO                 |
| Interior material finish                              | Stainless Steel    |
| PRICE (VAT and delivery charges not included)         |                    |
| S750FG6 (right hinge)                                 | 9.400 €            |
| S750FG3 (left hinge)                                  | 9.400 €            |
| S750FG6D (Right hinge, water dispenser)               | 10.240 €           |
| S750FG3D (Left hinge, water dispenser)                | 10.240 €           |
| CAPACITY  |                    |
| Volume Compartment1 (L)                               | 479                |
| Volume Compartment2 (L)                               | /                  |
| Volume Compartment3 (L)                               | /                  |
| Total Net Volume (L)                                  | 479                |
| Total Gross Volume (L)                                | 489                |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                  |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                  |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                  |
| TECHNICAL DETAILS                                     |                    |
| Voltage (V)   | 220-240V           |
| Frequency (Hz)  | 50-60 Hz           |
| Climatic class  | SN/T               |
| Noise level (dB)                                      | 41                 |
| EFFICIENCY  |                    |
| Energy Label class                                    | E                  |
| Energy consumption (kWh/year)                         | 132                |

| DIMENSIONS & WEIGHT  |                           |
|--|---------------------------|
| Product height (closed wheels)(mm)   | 2120                      |
| Width of the product (mm)  | 749                       |
| Depth of Product without handle(mm)  | 610                       |
| Net Weight (kg)  | 154                       |
| Gross Weight (kg)  | 175                       |
| TEMPERATURE RANGES   |                           |
| Climatic compartments  | 1                         |
| Compartment 1 / Temperature (°C)   | from 2 to 8               |
| Compartment 2 / Temperature (°C)   | /                         |
| Low temp zone  | YES                       |
| Compartment 3 / Temperature (°C)   | /                         |
| Dual zone  | NO                        |
| GENERAL PROPERTIES   |                           |
| Reversible door  | NO                        |
| Low vibration  | YES                       |
| Shelves  | 4 - 1 fixed, 3 adjustable |
| Type of shelves  | GLASS                     |
| Door Bins  | 0                         |
| Fridge drawers type  | LOW TEMP                  |
| Fresco/LowTemp Drawers   | 3                         |
| Bottom Drawers   | /                         |
| ACCESSORIES (from page 118 to page 227)  |                           |
| <ul style="list-style-type: none"> <li>• Stainless Steel Side Panels for freestanding installation</li> <li>• Central Joining Kit for side-by-side installed units</li> <li>• Ø 30 mm Tubular Stainless Steel Handles – Classic</li> <li>• Ø 30 mm Tubular Stainless Steel Handles – Pro</li> <li>• Ø 18 mm Tubular Stainless Steel Handles</li> <li>• Stainless steel panels</li> <li>• Extra length anti-tipping kit</li> <li>• Cleaning Kit</li> <li>• Front ventilation kit</li> <li>• Door stop 90°</li> <li>• Separate EvenLift™ shelves</li> <li>• Push and pull</li> </ul> |                           |



WINE CELLAR

## FULL SIZE: WINE CELLARS

Model: 0F

Width: 75cm

One door, 2 separate temperatures

Upper compartment: Wine cellar

Lower compartment: Wine cellar

### FEATURES

**Made in Italy:** Designed and built entirely in Italy with artisanal precision.

**Long Term Reliability:** Premium materials and rigorous testing ensure consistent, durable performance.

**Galvanized Steel Structure:** Strength and stability engineered to last.

**Antibacterial Interior:** Hygienic surfaces preserving freshness and bottle quality.

### Technology and Functionality

**ProVent™:** Uniform cold air distribution across every zone.

**EquiLance™:** Patented variable pivot hinge for silent, stable movement.

**OptiView™:** Diffused and uniform LED lighting, elegant and with low heat emission to preserve the wine's properties.

**Full Color TFT Display:** Clear, intuitive, high definition interface.

**Active Safety:** Visual and acoustic alerts.

**100% Total No Frost:** Automatic system that prevents ice formation and ensures impeccable humidity control.

**Variable Speed Compressors:** Precise temperature control and reduced vibrations.

**Sabbath Mode:** Dedicated function for observance needs.

**Easy Installation:** Adjustable feet and rear wheels.

### Conservation Performance

**Two Independent Climate Zones:** Dedicated temperature and humidity control for red, white, and sparkling wines.

**Triple-layer bronzed glass door:** Total protection against UV rays and external temperature fluctuations.


**Humidity control:** Precise regulation to preserve corks, labels, and bottle integrity.

### GENERAL PROPERTIES

|   |           |
|---|-----------|
| Reversible door                         | NO        |
| Equilance                               | YES       |
| SoftClosing Runner                      | YES       |
| Low vibration                           | YES       |
| Optiview (LED light spots)              | YES       |
| Shelves                                 | 13        |
| Slide-out shelves                       | YES       |
| Type of shelves                         | WOOD      |
| Fridge drawers type                     | /         |
| Fresco/LowTemp Drawers                  | /         |
| Bottom drawers                          | /         |
| Full Extension shelves 90° door opening | YES       |
| Full Extension drawers 90° door opening | NO        |
| Defrost Process                         | AUTOMATIC |
| Ice maker with water filter             | NO        |
| Door Open Alarms                        | YES       |
| Humidity Control                        | YES       |
| Active Carbon Filter                    | NO        |
| Air filter control                      | NO        |
| Shopping Fridge                         | NO        |
| Shopping Freezer                        | NO        |
| Power Failure Function                  | YES       |

## XS750FW

75 cm, WINE CELLAR, MODEL 0FW  
BUILT-IN  
X-PRO® SERIES




| AESTHETIC   |                     |
|---|---------------------|
| Compressor position                                   | Top                 |
| Front finish  | Stainless Steel     |
| Handles   | Stainless Steel Pro |
| Interior material finish                              | Stainless Steel     |
| PRICE (VAT and delivery charges not included)         |                     |
| XS750FW6 (right hinge)                                | 11.730 €            |
| XS750FW3 (left hinge)                                 | 11.730 €            |
| CAPACITY  |                     |
| Volume Compartment1 (L)                               | 467                 |
| Volume Compartment2 (L)                               | /                   |
| Volume Compartment3 (L)                               | /                   |
| Total Net Volume (L)                                  | 467                 |
| Total Gross Volume (L)                                | 482                 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | 72                  |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | 45                  |
| TECHNICAL DETAILS                                     |                     |
| Voltage (V)   | 220-240V            |
| Frequency (Hz)  | 50-60 Hz            |
| Climatic class  | SN/T                |
| Noise level (dB)                                      | 41                  |
| EFFICIENCY  |                     |
| Energy Label class                                    | G                   |
| Energy consumption (kWh/year)                         | 169                 |

| DIMENSIONS & WEIGHT   |  |
|---|--|
| Product height (closed wheels)(mm)  | 2120   |
| Width of the product (mm)   | 749  |
| Depth of Product without handle(mm)   | 635  |
| Net Weight (kg)   | 153  |
| Gross Weight (kg)   | 174  |
| TEMPERATURE RANGES  |  |
| Climatic compartments   | 2  |
| Compartment 1 / Temperature (°C)  | from 4 to 18   |
| Compartment 2 / Temperature (°C)  | /  |
| Low temp zone   | NO   |
| Compartment 3 / Temperature (°C)  | from 4 to 18   |
| Dual zone   | NO   |
| GENERAL PROPERTIES  |  |
| Reversible door   | NO   |
| Low vibration   | YES  |
| Shelves   | 13   |
| Type of shelves   | WOOD   |
| Door Bins   | /  |
| Fridge drawers type   | /  |
| Fresco/LowTemp Drawers  | /  |
| Bottom Drawers  | /  |
| ACCESSORIES (from page 118 to page 227)   |  |
| <ul style="list-style-type: none"> <li>Stainless Steel Side Panels for freestanding installation</li> <li>Central Joining Kit for side-by-side installed units</li> <li>X-Pro top grill kit</li> <li>Extra length anti-tipping kit</li> <li>Anti-condensation kit</li> <li>Cleaning Kit</li> <li>Active Carbon Filter</li> <li>Front panel painting, handles, and side panels</li> <li>Door stop 90°</li> </ul> | <ul style="list-style-type: none"> <li>Wine kit</li> <li>Cheese drawer</li> <li>Set of knives</li> <li>Prosciutteria kit</li> <li>Cigar drawer</li> <li>Beverage drawer</li> <li>Beverage shelf</li> <li>Beverage removable shelf</li> </ul> |

## RS750FW

75 cm, WINE CELLAR, MODEL 0FW  
BUILT-IN  
DESIGNER® SERIES




| AESTHETIC   |                     |
|---|---------------------|
| Compressor position                                   | Bottom              |
| Front finish  | Stainless Steel     |
| Handles   | Stainless Steel Pro |
| Interior material finish                              | Stainless Steel     |
| PRICE (VAT and delivery charges not included)         |                     |
| RS750FW6 (right hinge)                                | 10.530 €            |
| RS750FW3 (left hinge)                                 | 10.530 €            |
| CAPACITY  |                     |
| Volume Compartment1 (L)                               | 467                 |
| Volume Compartment2 (L)                               | /                   |
| Volume Compartment3 (L)                               | /                   |
| Total Net Volume (L)                                  | 467                 |
| Total Gross Volume (L)                                | 482                 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | 72                  |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | 45                  |
| TECHNICAL DETAILS                                     |                     |
| Voltage (V)   | 220-240V            |
| Frequency (Hz)  | 50-60 Hz            |
| Climatic class  | SN/T                |
| Noise level (dB)                                      | 41                  |
| EFFICIENCY  |                     |
| Energy Label class                                    | G                   |
| Energy consumption (kWh/year)                         | 169                 |

| DIMENSIONS & WEIGHT  |  |
|--|--|
| Product height (closed wheels)(mm)   | 20120  |
| Width of the product (mm)  | 762  |
| Depth of Product without handle(mm)  | 620  |
| Net Weight (kg)  | 159  |
| Gross Weight (kg)  | 180  |
| TEMPERATURE RANGES   |  |
| Climatic compartments  | 2  |
| Compartment 1 / Temperature (°C)   | from 4 to 18   |
| Compartment 2 / Temperature (°C)   | /  |
| Low temp zone  | NO   |
| Compartment 3 / Temperature (°C)   | from 4 to 18   |
| Dual zone  | NO   |
| GENERAL PROPERTIES   |  |
| Reversible door  | NO   |
| Low vibration  | YES  |
| Shelves  | 13   |
| Type of shelves  | WOOD   |
| Door Bins  | /  |
| Fridge drawers type  | /  |
| Fresco/LowTemp Drawers   | /  |
| Bottom Drawers   | /  |
| ACCESSORIES (from page 118 to page 227)  |  |
| <ul style="list-style-type: none"> <li>Central Joining Kit for side-by-side installed units</li> <li>Extra length anti-tipping kit</li> <li>Cleaning Kit</li> <li>Active Carbon Filter</li> <li>Front ventilation kit</li> <li>Front panel painting, handles</li> <li>Door stop 90°</li> <li>Wine kit</li> <li>Cheese drawer</li> <li>Set of knives</li> </ul> | <ul style="list-style-type: none"> <li>Prosciutteria kit</li> <li>Cigar drawer</li> <li>Beverage drawer</li> <li>Beverage shelf</li> <li>Beverage removable shelf</li> </ul> |

## KS750FW

75 cm, WINE CELLAR, MODEL 0FW  
BUILT-IN  
CLASSIC® SERIES




| AESTHETIC   |                         |
|---|-------------------------|
| Compressor position                                   | Bottom                  |
| Front finish  | Stainless Steel         |
| Handles   | Stainless Steel Classic |
| Interior material finish                              | Stainless Steel         |
| PRICE (VAT and delivery charges not included)         |                         |
| KS750FW6 (right hinge)                                | 10.530 €                |
| KS750FW3 (left hinge)                                 | 10.530 €                |
| CAPACITY  |                         |
| Volume Compartment1 (L)                               | 467                     |
| Volume Compartment2 (L)                               | /                       |
| Volume Compartment3 (L)                               | /                       |
| Total Net Volume (L)                                  | 467                     |
| Total Gross Volume (L)                                | 482                     |
| Compartment 1 / Upper wine cellar capacity (bottles)  | 72                      |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                       |
| Compartment 2 / Lower wine cellar capacity (bottles)  | 45                      |
| TECHNICAL DETAILS                                     |                         |
| Voltage (V)   | 220-240V                |
| Frequency (Hz)  | 50-60 Hz                |
| Climatic class  | SN/T                    |
| Noise level (dB)                                      | 41                      |
| EFFICIENCY  |                         |
| Energy Label class                                    | G                       |
| Energy consumption (kWh/year)                         | 169                     |

| DIMENSIONS & WEIGHT                 |              |
|-------------------------------------|--------------|
| Product height (closed wheels)(mm)  | 2050         |
| Width of the product (mm)           | 749          |
| Depth of Product without handle(mm) | 635          |
| Net Weight (kg)                     | 159          |
| Gross Weight (kg)                   | 180          |
| TEMPERATURE RANGES                  |              |
| Climatic compartments               | 2            |
| Compartment 1 / Temperature (°C)    | from 4 to 18 |
| Compartment 2 / Temperature (°C)    | /            |
| Low temp zone                       | NO           |
| Compartment 3 / Temperature (°C)    | from 4 to 18 |
| Dual zone                           | NO           |
| GENERAL PROPERTIES                  |              |
| Reversible door                     | NO           |
| Low vibration                       | YES          |
| Shelves                             | 13           |
| Type of shelves                     | WOOD         |
| Door Bins                           | /            |
| Fridge drawers type                 | /            |
| Fresco/LowTemp Drawers              | /            |
| Bottom Drawers                      | /            |

| ACCESSORIES (from page 118 to page 227)                     |                            |
|---|----------------------------|
| • Stainless Steel Side Panels for freestanding installation | • Cheese drawer            |
| • Central Joining Kit for side-by-side installed units      | • Set of knives            |
| • Extra length anti-tipping kit                             | • Prosciutteria kit        |
| • Cleaning Kit  | • Cigar drawer             |
| • Active Carbon Filter                                      | • Beverage drawer          |
| • Front ventilation kit                                     | • Beverage shelf           |
| • Front panel painting, handles, and side panels            | • Beverage removable shelf |
| • Door stop 90°   |                            |
| • Wine kit  |                            |

## S750FW

75 cm, WINE CELLAR, MODEL 0FW  
FULLY INTEGRATED  
INTEGRATED® SERIES



| AESTHETIC   |                    |
|---|--------------------|
| Compressor position                                   | Bottom             |
| Front finish  | Custom Panel Ready |
| Handles   | NO                 |
| Interior material finish                              | Stainless Steel    |
| PRICE (VAT and delivery charges not included)         |                    |
| S750FW6 (right hinge)                                 | 9.730 €            |
| S750FW3 (left hinge)                                  | 9.730 €            |
| CAPACITY  |                    |
| Volume Compartment1 (L)                               | 467                |
| Volume Compartment2 (L)                               | /                  |
| Volume Compartment3 (L)                               | /                  |
| Total Net Volume (L)                                  | 467                |
| Total Gross Volume (L)                                | 482                |
| Compartment 1 / Upper wine cellar capacity (bottles)  | 72                 |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                  |
| Compartment 2 / Lower wine cellar capacity (bottles)  | 45                 |
| TECHNICAL DETAILS                                     |                    |
| Voltage (V)   | 220-240V           |
| Frequency (Hz)  | 50-60 Hz           |
| Climatic class  | SN/T               |
| Noise level (dB)                                      | 41                 |
| EFFICIENCY  |                    |
| Energy Label class                                    | G                  |
| Energy consumption (kWh/year)                         | 169                |

| DIMENSIONS & WEIGHT                 |              |
|-------------------------------------|--------------|
| Product height (closed wheels)(mm)  | 2120         |
| Width of the product (mm)           | 749          |
| Depth of Product without handle(mm) | 610          |
| Net Weight (kg)                     | 153          |
| Gross Weight (kg)                   | 174          |
| TEMPERATURE RANGES                  |              |
| Climatic compartments               | 2            |
| Compartment 1 / Temperature (°C)    | from 4 to 18 |
| Compartment 2 / Temperature (°C)    | /            |
| Low temp zone                       | NO           |
| Compartment 3 / Temperature (°C)    | from 4 to 18 |
| Dual zone                           | NO           |
| GENERAL PROPERTIES                  |              |
| Reversible door                     | NO           |
| Low vibration                       | YES          |
| Shelves                             | 13           |
| Type of shelves                     | WOOD         |
| Door Bins                           | /            |
| Fridge drawers type                 | /            |
| Fresco/LowTemp Drawers              | /            |
| Bottom Drawers                      | /            |

| ACCESSORIES (from page 118 to page 227)                     |                            |
|---|----------------------------|
| • Stainless Steel Side Panels for freestanding installation | • Active Carbon Filter     |
| • Central Joining Kit for side-by-side installed units      | • Front ventilation kit    |
| • Ø 30 mm Tubular Stainless Steel Handles – Classic         | • Door stop 90°            |
| • Ø 30 mm Tubular Stainless Steel Handles – Pro             | • Wine kit                 |
| • Ø 18 mm Tubular Stainless Steel Handles                   | • Cheese drawer            |
| • Stainless steel panels                                    | • Set of knives            |
| • Extra length anti-tipping kit                             | • Prosciutteria kit        |
| • Cleaning Kit  | • Cigar drawer             |
|   | • Beverage drawer          |
|   | • Beverage shelf           |
|   | • Beverage removable shelf |
|   | • Push and pull            |



FREEZER

## FULL SIZE: FREEZER

Model: 0F

Width: 75cm

One door, 1 temperature

Single compartment: Freezer

### FEATURES

**Made in Italy:** Designed and built entirely in Italy with artisanal precision.

**Long Term Reliability:** Premium materials and rigorous testing ensure consistent, durable performance.

**Galvanized Steel Structure:** Strength and stability engineered to last.

**Antibacterial Interior:** Hygienic surfaces preserving freshness and bottle quality.

### Technology and Functionality

**ProVent™:** Uniform cold air distribution across every zone.

**EquiLance™:** Patented variable pivot hinge for silent, stable movement.

**OptiView™:** Diffuse, uniform LED lighting.

**Full Color TFT Display:** Clear, intuitive, high definition interface.

**100% Total No Frost:** Automatic system that prevents ice formation and ensures impeccable humidity control.

**Variable Speed Compressors:** Precise temperature control and reduced vibrations.

**Sabbath Mode:** Dedicated function for observance needs.

**Easy Installation:** Adjustable feet and rear wheels.

### Conservation Performance

**One climate zone:** Gestione precisa della temperatura per una conservazione ottimale degli alimenti congelati.

**Tempered Glass Shelves:** With aluminum profiles

### GENERAL PROPERTIES

|   |                             |
|---|-----------------------------|
| Reversible door                         | NO                          |
| Equilance                               | YES                         |
| SoftClosing Runner                      | NO                          |
| Low vibration                           | YES                         |
| Optiview (LED light spots)              | YES                         |
| Shelves                                 | 3 - 1 fixed, 2 adjustable   |
| Slide-out shelves                       | NO                          |
| Type of shelves                         | 2 Glass & 1 Stainless steel |
| Fridge drawers type                     | /                           |
| Fresco/LowTemp Drawers                  | /                           |
| Bottom drawers                          | 4                           |
| Full Extension shelves 90° door opening | YES                         |
| Full Extension drawers 90° door opening | NO                          |
| Defrost Process                         | AUTOMATIC                   |
| Ice maker with water filter             | AVAILABLE                   |
| Door Open Alarms                        | YES                         |
| Humidity Control                        | NO                          |
| Active Carbon Filter                    | NO                          |
| Air filter control                      | NO                          |
| Shopping Fridge                         | NO                          |
| Shopping Freezer                        | YES                         |
| Power Failure Function                  | YES                         |

## XS750FZ

75 cm, FREEZER, MODEL 0FZ

BUILT-IN

X-PRO® SERIES



| AESTHETIC   |                     |
|---|---------------------|
| Compressor position                                   | Top                 |
| Front finish  | Stainless Steel     |
| Handles   | Stainless Steel Pro |
| Interior material finish                              | Stainless Steel     |
| PRICE (VAT and delivery charges not included)         |                     |
| XS750FZ6 (right hinge)                                | 10.520 €            |
| XS750FZ3 (left hinge)                                 | 10.520 €            |
| XS750FZ6I (right hinge, with ice maker)               | 11.370 €            |
| XS750FZ3I (left hinge, with ice maker)                | 11.370 €            |
| CAPACITY  |                     |
| Volume Compartment1 (L)                               | 452                 |
| Volume Compartment2 (L)                               | /                   |
| Volume Compartment3 (L)                               | /                   |
| Total Net Volume (L)                                  | 452                 |
| Total Gross Volume (L)                                | 455                 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                   |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                   |
| TECHNICAL DETAILS                                     |                     |
| Voltage (V)   | 220-240V            |
| Frequency (Hz)  | 50-60 Hz            |
| Climatic class  | SN/T                |
| Noise level (dB)                                      | 41                  |
| EFFICIENCY  |                     |
| Energy Label class                                    | E                   |
| Energy consumption (kWh/year)                         | 318                 |

| DIMENSIONS & WEIGHT   |                             |
|---|-----------------------------|
| Product height (closed wheels)(mm)  | 2120                        |
| Width of the product (mm)   | 749                         |
| Depth of Product without handle(mm)   | 635                         |
| Net Weight (kg)   | 167                         |
| Gross Weight (kg)   | 188                         |
| TEMPERATURE RANGES  |                             |
| Climatic compartments   | 1                           |
| Compartment 1 / Temperature (°C)  | from -15 to -22             |
| Compartment 2 / Temperature (°C)  | /                           |
| Low temp zone   | NO                          |
| Compartment 3 / Temperature (°C)  | /                           |
| Dual zone   | NO                          |
| GENERAL PROPERTIES  |                             |
| Reversible door   | NO                          |
| Low vibration   | YES                         |
| Shelves   | 3 - 1 fixed, 2 adjustable   |
| Type of shelves   | 2 Glass & 1 Stainless steel |
| Door Bins   | 2                           |
| Fridge drawers type   | /                           |
| Fresco/LowTemp Drawers  | /                           |
| Bottom Drawers  | 4                           |
| ACCESSORIES (from page 118 to page 227)   |                             |
| <ul style="list-style-type: none"> <li>• Stainless Steel Side Panels for freestanding installation</li> <li>• Central Joining Kit for side-by-side installed units</li> <li>• X-Pro top grill kit</li> <li>• Extra length anti-tipping kit</li> <li>• Anti-condensation kit</li> <li>• Cleaning Kit</li> <li>• Front panel painting, handles, and side panels</li> <li>• Door stop 90°</li> </ul> |                             |

## RS750FZ

75 cm, FREEZER, MODEL 0FZ

BUILT-IN

DESIGNER® SERIES



| AESTHETIC   |                     |
|---|---------------------|
| Compressor position                                   | Bottom              |
| Front finish  | Stainless Steel     |
| Handles   | Stainless Steel Pro |
| Interior material finish                              | Stainless Steel     |
| PRICE (VAT and delivery charges not included)         |                     |
| RS750FZ6 (right hinge)                                | 9.320 €             |
| RS750FZ3 (left hinge)                                 | 9.320 €             |
| RS750FZ6I (right hinge, with ice maker)               | 10.170 €            |
| RS750FZ3I (left hinge, with ice maker)                | 10.170 €            |
| CAPACITY  |                     |
| Volume Compartment1 (L)                               | 452                 |
| Volume Compartment2 (L)                               | /                   |
| Volume Compartment3 (L)                               | /                   |
| Total Net Volume (L)                                  | 452                 |
| Total Gross Volume (L)                                | 455                 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                   |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                   |
| TECHNICAL DETAILS                                     |                     |
| Voltage (V)   | 220-240V            |
| Frequency (Hz)  | 50-60 Hz            |
| Climatic class  | SN/T                |
| Noise level (dB)                                      | 41                  |
| EFFICIENCY  |                     |
| Energy Label class                                    | E                   |
| Energy consumption (kWh/year)                         | 318                 |

| DIMENSIONS & WEIGHT  |                             |
|--|-----------------------------|
| Product height (closed wheels)(mm)   | 2120                        |
| Width of the product (mm)  | 762                         |
| Depth of Product without handle(mm)  | 620                         |
| Net Weight (kg)  | 167                         |
| Gross Weight (kg)  | 188                         |
| TEMPERATURE RANGES   |                             |
| Climatic compartments  | 1                           |
| Compartment 1 / Temperature (°C)   | from -15 to -22             |
| Compartment 2 / Temperature (°C)   | /                           |
| Low temp zone  | NO                          |
| Compartment 3 / Temperature (°C)   | /                           |
| Dual zone  | NO                          |
| GENERAL PROPERTIES   |                             |
| Reversible door  | NO                          |
| Low vibration  | YES                         |
| Shelves  | 3 - 1 fixed, 2 adjustable   |
| Type of shelves  | 2 Glass & 1 Stainless steel |
| Door Bins  | 2                           |
| Fridge drawers type  | /                           |
| Fresco/LowTemp Drawers   | /                           |
| Bottom Drawers   | 4                           |
| ACCESSORIES (from page 118 to page 227)  |                             |
| <ul style="list-style-type: none"> <li>• Central Joining Kit for side-by-side installed units</li> <li>• Extra length anti-tipping kit</li> <li>• Cleaning Kit</li> <li>• Front ventilation kit</li> <li>• Front panel painting, handles</li> <li>• Door stop 90°</li> </ul> |                             |

## KS750FZ

75 cm, FREEZER, MODEL 0FZ

BUILT-IN

CLASSIC® SERIES



| AESTHETIC   |                         |
|---|-------------------------|
| Compressor position                                   | Bottom                  |
| Front finish  | Stainless Steel         |
| Handles   | Stainless Steel Classic |
| Interior material finish                              | Stainless Steel         |
| PRICE (VAT and delivery charges not included)         |                         |
| KS750FZ6 (right hinge)                                | 9.320 €                 |
| KS750FZ3 (left hinge)                                 | 9.320 €                 |
| KS750FZ6I (right hinge, with ice maker)               | 10.170 €                |
| KS750FZ3I (left hinge, with ice maker)                | 10.170 €                |
| CAPACITY  |                         |
| Volume Compartment1 (L)                               | 452                     |
| Volume Compartment2 (L)                               | /                       |
| Volume Compartment3 (L)                               | /                       |
| Total Net Volume (L)                                  | 452                     |
| Total Gross Volume (L)                                | 455                     |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                       |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                       |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                       |
| TECHNICAL DETAILS                                     |                         |
| Voltage (V)   | 220-240V                |
| Frequency (Hz)  | 50-60 Hz                |
| Climatic class  | SN/T                    |
| Noise level (dB)                                      | 41                      |
| EFFICIENCY  |                         |
| Energy Label class                                    | E                       |
| Energy consumption (kWh/year)                         | 318                     |

| DIMENSIONS & WEIGHT  |                             |
|--|-----------------------------|
| Product height (closed wheels)(mm)   | 2050                        |
| Width of the product (mm)  | 749                         |
| Depth of Product without handle(mm)  | 635                         |
| Net Weight (kg)  | 167                         |
| Gross Weight (kg)  | 188                         |
| TEMPERATURE RANGES   |                             |
| Climatic compartments  | 1                           |
| Compartment 1 / Temperature (°C)   | from -15 to -22             |
| Compartment 2 / Temperature (°C)   | /                           |
| Low temp zone  | NO                          |
| Compartment 3 / Temperature (°C)   | /                           |
| Dual zone  | NO                          |
| GENERAL PROPERTIES   |                             |
| Reversible door  | NO                          |
| Low vibration  | YES                         |
| Shelves  | 3 - 1 fixed, 2 adjustable   |
| Type of shelves  | 2 Glass & 1 Stainless steel |
| Door Bins  | 2                           |
| Fridge drawers type  | /                           |
| Fresco/LowTemp Drawers   | /                           |
| Bottom Drawers   | 4                           |
| ACCESSORIES (from page 118 to page 227)  |                             |
| <ul style="list-style-type: none"> <li>• Stainless Steel Side Panels for freestanding installation</li> <li>• Central Joining Kit for side-by-side installed units</li> <li>• Extra length anti-tipping kit</li> <li>• Cleaning Kit</li> <li>• Front ventilation kit</li> <li>• Front panel painting, handles, and side panels</li> <li>• Door stop 90°</li> </ul> |                             |

## S750FZ

75 cm, FREEZER, MODEL 0FZ

FULLY INTEGRATED

INTEGRATED® SERIES






























| AESTHETIC   |                    |
|---|--------------------|
| Compressor position                                   | Bottom             |
| Front finish  | Custom Panel Ready |
| Handles   | No                 |
| Interior material finish                              | Stainless Steel    |
| PRICE (VAT and delivery charges not included)         |                    |
| S750FZ6 (right hinge)                                 | 8.520 €            |
| S750FZ3 (left hinge)                                  | 8.520 €            |
| S750FZ6I (right hinge, with ice maker)                | 9.370 €            |
| S750FZ3I (left hinge, with ice maker)                 | 9.370 €            |
| CAPACITY  |                    |
| Volume Compartment1 (L)                               | 452                |
| Volume Compartment2 (L)                               | /                  |
| Volume Compartment3 (L)                               | /                  |
| Total Net Volume (L)                                  | 452                |
| Total Gross Volume (L)                                | 455                |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                  |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                  |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                  |
| TECHNICAL DETAILS                                     |                    |
| Voltage (V)   | 220-240V           |
| Frequency (Hz)  | 50-60 Hz           |
| Climatic class  | SN/T               |
| Noise level (dB)                                      | 41                 |
| EFFICIENCY  |                    |
| Energy Label class                                    | E                  |
| Energy consumption (kWh/year)                         | 318                |

| DIMENSIONS & WEIGHT  |                             |
|--|-----------------------------|
| Product height (closed wheels)(mm)   | 2120                        |
| Width of the product (mm)  | 749                         |
| Depth of Product without handle(mm)  | 610                         |
| Net Weight (kg)  | 154                         |
| Gross Weight (kg)  | 175                         |
| TEMPERATURE RANGES   |                             |
| Climatic compartments  | 1                           |
| Compartment 1 / Temperature (°C)   | from -15 to -22             |
| Compartment 2 / Temperature (°C)   | /                           |
| Low temp zone  | NO                          |
| Compartment 3 / Temperature (°C)   | /                           |
| Dual zone  | NO                          |
| GENERAL PROPERTIES   |                             |
| Reversible door  | NO                          |
| Low vibration  | YES                         |
| Shelves  | 3 - 1 fixed, 2 adjustable   |
| Type of shelves  | 2 Glass & 1 Stainless steel |
| Door Bins  | 2                           |
| Fridge drawers type  | /                           |
| Fresco/LowTemp Drawers   | /                           |
| Bottom Drawers   | 4                           |
| ACCESSORIES (from page 118 to page 227)  |                             |
| <ul style="list-style-type: none"> <li>• Stainless Steel Side Panels for freestanding installation</li> <li>• Central Joining Kit for side-by-side installed units</li> <li>• Ø 30 mm Tubular Stainless Steel Handles – Classic</li> <li>• Ø 30 mm Tubular Stainless Steel Handles – Pro</li> <li>• Ø 18 mm Tubular Stainless Steel Handles</li> <li>• Stainless steel panels</li> <li>• Extra length anti-tipping kit</li> <li>• Cleaning Kit</li> <li>• Front ventilation kit</li> <li>• Door stop 90°</li> <li>• Push and pull</li> </ul> |                             |

# FULL SIZE: FRIDGES/FREEZERS/WINE CELLARS

## Width: 60cm

|   | 1T<br>Wine Cellars  | OT<br>Fridges  | 60<br>Wine Cellars   | OF<br>Fridges  | 60<br>Wine Cellars   | 60<br>Freezer   |
|---|---|--|--|--|--|---|
| <b>X-PRO</b><br>Top compressors                               | <br>XS601TWT   | <br>XS600TST<br>XS600TGT  | <br>XS600TWT  | <br>XS600FR<br>XS600FG  | <br>XS600FW               | <br>XS600FZ  |
| Glass Door  |   |  |  |  |  |   |
| <b>DESIGNER</b><br>Bottom compressors                         | <br>RS601TWT   | <br>RS600TST<br>RS600TGT  | <br>RS600TWT  | <br>RS600FR<br>RS600FG  | <br>RS600FW               | <br>RS600FZ  |
| Glass Door  |   |  |  |  |  |   |
| <b>CLASSIC</b><br>Bottom compressors                          | <br>KS601TWT  | <br>KS600TST<br>KS600TGT | <br>KS600TWT | <br>KS600FR<br>KS600FG | <br>KS600FW              | <br>KS600FZ |
| Glass Door  |   |  |  |  |  |   |
| <b>INTEGRATED</b><br>Bottom compressors                       | <br>S601TWT  | <br>S600TST<br>S600TGT  | <br>S600TWT | <br>S600FR<br>S600FG  | <br>S600FW              | <br>S600FZ |
| Glass Door  |   |  |  |  |  |   |
| <b>COUNTRY</b><br>Top compressors                             | <br>AS601TWT | <br>AS600TST            |  |  |  |   |
|   |   |  |  |  |  |   |
| <b>BRILLIANCE</b><br>Bottom compressors<br>Bottom compressors |   |  |  |  | <br>BS600FW<br>BKS600FW |   |
| BRILLIANCE CLASSIC  |   |  |  |  |  |   |

# FULL SIZE: WINE CELLARS

Model: 1T

Width: 60cm

One door, one drawer, 3 separate temperatures

Upper compartment: Wine cellar

Middle compartment: Wine cellar

Lower compartment: Wine cellar



WINE CELLAR

## FEATURES

**Made in Italy:** Designed and built entirely in Italy with artisanal precision.

**Long Term Reliability:** Premium materials and rigorous testing ensure consistent, durable performance.

**Galvanized Steel Structure:** Strength and stability engineered to last.

**Antibacterial Interior:** Hygienic surfaces preserving freshness and bottle quality.

### Technology and Functionality

**ProVent™:** Uniform cold air distribution across every zone.

**EquiLance™:** Patented variable pivot hinge for silent, stable movement.

**OptiView™:** Diffused and uniform LED lighting, elegant and with low heat emission to preserve the wine's properties.

**Full Color TFT Display:** Clear, intuitive, high definition interface.

**Active Safety:** Visual and acoustic alerts.

**100% Total No Frost:** Automatic system that prevents ice formation and ensures impeccable humidity control.

**Variable Speed Compressors:** Precise temperature control and reduced vibrations.

**Sabbath Mode:** Dedicated function for observance needs.

**Easy Installation:** Adjustable feet and rear wheels.

### Conservation Performance

**Three Independent Climate Zones:** Dedicated temperature and humidity control for red, white, and sparkling wines.

**Triple-layer bronzed glass door:** Total protection against UV rays and external temperature fluctuations.


**Humidity control:** Precise regulation to preserve corks, labels, and bottle integrity.

## GENERAL PROPERTIES

|   |                     |
|---|---------------------|
| Reversible door                         | NO                  |
| Equilance                               | YES                 |
| SoftClosing Runner                      | YES                 |
| Low vibration                           | YES                 |
| OptiView (LED light spots)              | YES                 |
| Shelves                                 | 9                   |
| Slide-out shelves                       | YES                 |
| Type of shelves                         | WOOD                |
| Fridge drawers type                     | /                   |
| Fresco/LowTemp Drawers                  | /                   |
| Bottom drawers                          | 1+1 internal drawer |
| Full Extension shelves 90° door opening | YES                 |
| Full Extension drawers 90° door opening | NO                  |
| Defrost Process                         | AUTOMATIC           |
| Ice maker with water filter             | NO                  |
| Door Open Alarms                        | YES                 |
| Humidity Control                        | YES                 |
| Active Carbon Filter                    | NO                  |
| Air filter control                      | NO                  |
| Shopping Fridge                         | NO                  |
| Shopping Freezer                        | NO                  |
| Power Failure Function                  | YES                 |

# XS601TWT

60 cm, WINE CELLAR, MODEL 1T  
BUILT-IN  
X-PRO® SERIES



## AESTHETIC

|                          |                     |
|--------------------------|---------------------|
| Compressor position      | Top                 |
| Front finish             | Stainless Steel     |
| Handles                  | Stainless Steel Pro |
| Interior material finish | Stainless Steel     |

## PRICE (VAT and delivery charges not included)

|                         |          |
|-------------------------|----------|
| XS601TWT6 (right hinge) | 12.870 € |
| XS601TWT3 (left hinge)  | 12.870 € |

## CAPACITY

|   |     |
|---|-----|
| Volume Compartment1 (L)                               | 147 |
| Volume Compartment2 (L)                               | 76  |
| Volume Compartment3 (L)                               | 77  |
| Total Net Volume (L)                                  | 300 |
| Total Gross Volume (L)                                | 315 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | 36  |
| Compartment 2 / Middle wine cellar capacity (bottles) | 18  |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /   |

## TECHNICAL DETAILS

|                  |          |
|------------------|----------|
| Voltage (V)      | 220-240V |
| Frequency (Hz)   | 50-60 Hz |
| Climatic class   | SN/T     |
| Noise level (dB) | 41       |

## EFFICIENCY

|                               |     |
|-------------------------------|-----|
| Energy Label class            | G   |
| Energy consumption (kWh/year) | 169 |

## DIMENSIONS & WEIGHT

|                                     |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2120 |
| Width of the product (mm)           | 599  |
| Depth of Product without handle(mm) | 635  |
| Net Weight (kg)                     | 162  |
| Gross Weight (kg)                   | 182  |

## TEMPERATURE RANGES

|                                  |              |
|----------------------------------|--------------|
| Climatic compartments            | 3            |
| Compartment 1 / Temperature (°C) | from 4 to 18 |
| Compartment 2 / Temperature (°C) | from 4 to 18 |
| Low temp zone                    | NO           |
| Compartment 3 / Temperature (°C) | from 4 to 18 |
| Dual zone                        | NO           |

## GENERAL PROPERTIES


|                        |                     |
|------------------------|---------------------|
| Reversible door        | NO                  |
| Low vibration          | YES                 |
| Shelves                | 9                   |
| Type of shelves        | WOOD                |
| Door Bins              | /                   |
| Fridge drawers type    | /                   |
| Fresco/LowTemp Drawers | /                   |
| Bottom Drawers         | 1+1 internal drawer |

## ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning Kit
- Active Carbon Filter
- Front panel painting, handles, and side panels
- Door stop 90°
- Wine kit
- Cheese drawer
- Set of knives
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Chocolate kit

# AS601TWT

60 cm, WINE CELLAR, MODEL 1T  
FREESTANDING  
Series COUNTRY®



## AESTHETIC

|                          |                         |
|--------------------------|-------------------------|
| Compressor position      | Top                     |
| Front finish e fianchi   | Painted Stainless steel |
| Handles                  | Stainless Steel         |
| Interior material finish | Stainless Steel         |

## PRICE (VAT and delivery charges not included)

|                         |          |
|-------------------------|----------|
| AS601TWT6 (right hinge) | 15.270 € |
| AS601TWT3 (left hinge)  | 15.270 € |

## CAPACITY

|   |     |
|---|-----|
| Volume Compartment1 (L)                               | 147 |
| Volume Compartment2 (L)                               | 76  |
| Volume Compartment3 (L)                               | 77  |
| Total Net Volume (L)                                  | 300 |
| Total Gross Volume (L)                                | 315 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | 36  |
| Compartment 2 / Middle wine cellar capacity (bottles) | 18  |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /   |

## TECHNICAL DETAILS

|                  |          |
|------------------|----------|
| Voltage (V)      | 220-240V |
| Frequency (Hz)   | 50-60 Hz |
| Climatic class   | SN/T     |
| Noise level (dB) | 41       |

## EFFICIENCY

|                               |     |
|-------------------------------|-----|
| Energy Label class            | G   |
| Energy consumption (kWh/year) | 169 |

## DIMENSIONS & WEIGHT

|                                     |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2120 |
| Width of the product (mm)           | 587  |
| Depth of Product without handle(mm) | 635  |
| Net Weight (kg)                     | 162  |
| Gross Weight (kg)                   | 182  |

## TEMPERATURE RANGES

|                                  |              |
|----------------------------------|--------------|
| Climatic compartments            | 3            |
| Compartment 1 / Temperature (°C) | from 4 to 18 |
| Compartment 2 / Temperature (°C) | from 4 to 18 |
| Low temp zone                    | NO           |
| Compartment 3 / Temperature (°C) | from 4 to 18 |
| Dual zone                        | NO           |

## GENERAL PROPERTIES


|                        |                     |
|------------------------|---------------------|
| Reversible door        | NO                  |
| Low vibration          | YES                 |
| Shelves                | 9                   |
| Type of shelves        | WOOD                |
| Door Bins              | /                   |
| Fridge drawers type    | /                   |
| Fresco/LowTemp Drawers | /                   |
| Bottom Drawers         | 1+1 internal drawer |

## ACCESSORIES (from page 118 to page 227)

- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning Kit
- Active Carbon Filter
- Door stop 90°
- Wine kit
- Cheese drawer
- Set of knives
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Chocolate kit

# RS601TWT

60 cm, WINE CELLAR, MODEL 1T  
BUILT-IN  
DESIGNER® SERIES



| AESTHETIC                |                     |
|--------------------------|---------------------|
| Compressor position      | Bottom              |
| Front finish             | Stainless Steel     |
| Handles                  | Stainless Steel Pro |
| Interior material finish | Stainless Steel     |

| PRICE (VAT and delivery charges not included) |          |
|---|----------|
| RS601TWT6 (right hinge)                       | 11.670 € |
| RS601TWT3 (left hinge)                        | 11.670 € |

| CAPACITY  |     |
|---|-----|
| Volume Compartment1 (L)                               | 147 |
| Volume Compartment2 (L)                               | 76  |
| Volume Compartment3 (L)                               | 77  |
| Total Net Volume (L)                                  | 300 |
| Total Gross Volume (L)                                | 315 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | 36  |
| Compartment 2 / Middle wine cellar capacity (bottles) | 18  |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /   |

| TECHNICAL DETAILS |          |
|-------------------|----------|
| Voltage (V)       | 220-240V |
| Frequency (Hz)    | 50-60 Hz |
| Climatic class    | SN/T     |
| Noise level (dB)  | 41       |

| EFFICIENCY                    |     |
|-------------------------------|-----|
| Energy Label class            | G   |
| Energy consumption (kWh/year) | 169 |

| DIMENSIONS & WEIGHT                 |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2120 |
| Width of the product (mm)           | 608  |
| Depth of Product without handle(mm) | 620  |
| Net Weight (kg)                     | 158  |
| Gross Weight (kg)                   | 178  |


| TEMPERATURE RANGES               |              |
|----------------------------------|--------------|
| Climatic compartments            | 3            |
| Compartment 1 / Temperature (°C) | from 4 to 18 |
| Compartment 2 / Temperature (°C) | from 4 to 18 |
| Low temp zone                    | NO           |
| Compartment 3 / Temperature (°C) | from 4 to 18 |
| Dual zone                        | NO           |

| GENERAL PROPERTIES     |                     |
|------------------------|---------------------|
| Reversible door        | NO                  |
| Low vibration          | YES                 |
| Shelves                | 9                   |
| Type of shelves        | WOOD                |
| Door Bins              | /                   |
| Fridge drawers type    | /                   |
| Fresco/LowTemp Drawers | /                   |
| Bottom Drawers         | 1+1 internal drawer |

| ACCESSORIES (from page 118 to page 227)                |                            |
|--|----------------------------|
| • Central Joining Kit for side-by-side installed units | • Cigar drawer             |
| • Extra length anti-tipping kit                        | • Beverage drawer          |
| • Cleaning Kit   | • Beverage shelf           |
| • Active Carbon Filter                                 | • Beverage removable shelf |
| • Front ventilation kit                                | • Chocolate kit            |
| • Front panel painting, handles                        |                            |
| • Door stop 90°  |                            |
| • Wine kit   |                            |
| • Cheese drawer  |                            |
| • Set of knives  |                            |

# KS601TWT

60 cm, WINE CELLAR, MODEL 1T  
BUILT-IN  
CLASSIC® SERIES



| AESTHETIC                |                         |
|--------------------------|-------------------------|
| Compressor position      | Bottom                  |
| Front finish             | Stainless Steel         |
| Handles                  | Stainless Steel Classic |
| Interior material finish | Stainless Steel         |

| PRICE (VAT and delivery charges not included) |          |
|---|----------|
| KS601TWT6 (right hinge)                       | 11.670 € |
| KS601TWT3 (left hinge)                        | 11.670 € |

| CAPACITY  |     |
|---|-----|
| Volume Compartment1 (L)                               | 147 |
| Volume Compartment2 (L)                               | 76  |
| Volume Compartment3 (L)                               | 77  |
| Total Net Volume (L)                                  | 300 |
| Total Gross Volume (L)                                | 315 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | 36  |
| Compartment 2 / Middle wine cellar capacity (bottles) | 18  |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /   |

| TECHNICAL DETAILS |          |
|-------------------|----------|
| Voltage (V)       | 220-240V |
| Frequency (Hz)    | 50-60 Hz |
| Climatic class    | SN/T     |
| Noise level (dB)  | 41       |

| EFFICIENCY                    |     |
|-------------------------------|-----|
| Energy Label class            | G   |
| Energy consumption (kWh/year) | 169 |

| DIMENSIONS & WEIGHT                 |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2050 |
| Width of the product (mm)           | 599  |
| Depth of Product without handle(mm) | 635  |
| Net Weight (kg)                     | 158  |
| Gross Weight (kg)                   | 178  |


| TEMPERATURE RANGES               |              |
|----------------------------------|--------------|
| Climatic compartments            | 3            |
| Compartment 1 / Temperature (°C) | from 4 to 18 |
| Compartment 2 / Temperature (°C) | from 4 to 18 |
| Low temp zone                    | NO           |
| Compartment 3 / Temperature (°C) | from 4 to 18 |
| Dual zone                        | NO           |

| GENERAL PROPERTIES     |                     |
|------------------------|---------------------|
| Reversible door        | NO                  |
| Low vibration          | YES                 |
| Shelves                | 9                   |
| Type of shelves        | WOOD                |
| Door Bins              | /                   |
| Fridge drawers type    | /                   |
| Fresco/LowTemp Drawers | /                   |
| Bottom Drawers         | 1+1 internal drawer |

| ACCESSORIES (from page 118 to page 227)                     |                            |
|---|----------------------------|
| • Stainless Steel Side Panels for freestanding installation | • Cheese drawer            |
| • Central Joining Kit for side-by-side installed units      | • Set of knives            |
| • Extra length anti-tipping kit                             | • Cigar drawer             |
| • Cleaning Kit  | • Beverage drawer          |
| • Active Carbon Filter                                      | • Beverage shelf           |
| • Front ventilation kit                                     | • Beverage removable shelf |
| • Front panel painting, handles, and side panels            | • Chocolate kit            |
| • Door stop 90°   |                            |
| • Wine kit  |                            |

# S601TWT

60 cm, WINE CELLAR, MODEL 1T  
FULLY INTEGRATED  
INTEGRATED® SERIES



## AESTHETIC

|                          |                    |
|--------------------------|--------------------|
| Compressor position      | Bottom             |
| Front finish             | Custom Panel Ready |
| Handles                  | NO                 |
| Interior material finish | Stainless Steel    |

## PRICE (VAT and delivery charges not included)

|                           |          |
|---------------------------|----------|
| S601TWT6<br>(right hinge) | 10.870 € |
| S601TWT3<br>(left hinge)  | 10.870 € |

## CAPACITY

|   |     |
|---|-----|
| Volume Compartment1 (L)                               | 147 |
| Volume Compartment2 (L)                               | 76  |
| Volume Compartment3 (L)                               | 77  |
| Total Net Volume (L)                                  | 300 |
| Total Gross Volume (L)                                | 315 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | 36  |
| Compartment 2 / Middle wine cellar capacity (bottles) | 18  |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /   |

## TECHNICAL DETAILS

|                  |          |
|------------------|----------|
| Voltage (V)      | 220-240V |
| Frequency (Hz)   | 50-60 Hz |
| Climatic class   | SN/T     |
| Noise level (dB) | 41       |

## EFFICIENCY

|                               |     |
|-------------------------------|-----|
| Energy Label class            | G   |
| Energy consumption (kWh/year) | 169 |

## DIMENSIONS & WEIGHT

|                                     |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2120 |
| Width of the product (mm)           | 599  |
| Depth of Product without handle(mm) | 610  |
| Net Weight (kg)                     | 148  |
| Gross Weight (kg)                   | 168  |

## TEMPERATURE RANGES

|                                  |              |
|----------------------------------|--------------|
| Climatic compartments            | 3            |
| Compartment 1 / Temperature (°C) | from 4 to 18 |
| Compartment 2 / Temperature (°C) | from 4 to 18 |
| Low temp zone                    | NO           |
| Compartment 3 / Temperature (°C) | from 4 to 18 |
| Dual zone                        | NO           |

## GENERAL PROPERTIES

|                        |                     |
|------------------------|---------------------|
| Reversible door        | NO                  |
| Low vibration          | YES                 |
| Shelves                | 9                   |
| Type of shelves        | WOOD                |
| Door Bins              | /                   |
| Fridge drawers type    | /                   |
| Fresco/LowTemp Drawers | /                   |
| Bottom Drawers         | 1+1 internal drawer |

## ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Ø 30 mm Tubular Stainless Steel Handles – Classic
- Ø 30 mm Tubular Stainless Steel Handles – Pro
- Ø 18 mm Tubular Stainless Steel Handles
- Stainless steel panels
- Extra length anti-tipping kit
- Cleaning Kit
- Active Carbon Filter
- Front ventilation kit
- Door stop 90°
- Wine kit
- Cheese drawer
- Set of knives
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Chocolate kit



FRIDGE

LOW TEMP

TRIMODE®

## FULL SIZE: FRIDGES AND FREEZER

Model: 0T

Width: 60cm

One door, one drawer, 2 separate temperatures

Upper compartment: Fridge

Middle compartment: LowTemp

Lower compartment TriMode: Fridge/Fresco/Freezer

### FEATURES

**Made in Italy:** Designed and built entirely in Italy with artisanal precision.

**Long Term Reliability:** Premium materials and rigorous testing ensure consistent, durable performance.

**Galvanized Steel Structure:** Strength and stability engineered to last.

**Antibacterial Interior:** Hygienic surfaces preserving freshness and bottle quality.

### Technology and Functionality

**EventLift™:** Shelves adjustable to any height without removal.

**ProVent™:** Uniform cold air distribution across every zone.

**EquiLance™:** Patented variable pivot hinge for silent, stable movement.

**OptiView™:** Diffuse, uniform LED lighting.

**Full Color TFT Display:** Clear, intuitive, high definition interface.

**100% Total No Frost:** Automatic system that prevents ice formation and ensures impeccable humidity control.

**Variable Speed Compressors:** Precise temperature control and reduced vibrations.

**Sabbath Mode:** Dedicated function for observance needs.

**Easy Installation:** Adjustable feet and rear wheels.

### Conservation Performance

**Low Temperature Zone:** Dedicated area with a temperature 2°C lower than the refrigerator compartment, ideal for meat, fish, and vegetables.

**Tempered Glass Shelves:** With aluminum profiles

**TriMode™** Lower drawer configurable as refrigerator, fresh zone, or freezer.

### GENERAL PROPERTIES

|   |                           |
|---|---------------------------|
| Reversible door                         | NO                        |
| Equilance                               | YES                       |
| SoftClosing Runner                      | YES                       |
| Low vibration                           | YES                       |
| Optiview (LED light spots)              | YES                       |
| Shelves                                 | 4 - 1 fixed, 3 adjustable |
| Slide-out shelves                       | NO                        |
| Type of shelves                         | GLASS                     |
| Fridge drawers type                     | LOW TEMP                  |
| Fresco/LowTemp Drawers                  | 2                         |
| Bottom drawers                          | 1+1 internal drawer       |
| Full Extension shelves 90° door opening | /                         |
| Full Extension drawers 90° door opening | YES                       |
| Defrost Process                         | AUTOMATIC                 |
| Ice maker with water filter             | NO                        |
| Door Open Alarms                        | YES                       |
| Humidity Control                        | NO                        |
| Active Carbon Filter                    | NO                        |
| Air filter control                      | NO                        |
| Shopping Fridge                         | YES                       |
| Shopping Freezer                        | YES                       |
| Power Failure Function                  | YES                       |

## XS600TST

60 cm, FRIDGES AND FREEZER, MODEL OT  
BUILT-IN  
X-PRO® SERIES



| AESTHETIC   |                     |
|---|---------------------|
| Compressor position                                   | Top                 |
| Front finish  | Stainless Steel     |
| Handles   | Stainless Steel Pro |
| Interior material finish                              | Stainless Steel     |
| PRICE (VAT and delivery charges not included)         |                     |
| XS600TST6 (right hinge)                               | 11.730 €            |
| XS600TST3 (left hinge)                                | 11.730 €            |
|   |                     |
| CAPACITY  |                     |
| Volume Compartment1 (L)                               | 251                 |
| Volume Compartment2 (L)                               | /                   |
| Volume Compartment3 (L)                               | 77                  |
| Total Net Volume (L)                                  | 328                 |
| Total Gross Volume (L)                                | 348                 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                   |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                   |
| TECHNICAL DETAILS                                     |                     |
| Voltage (V)   | 220-240V            |
| Frequency (Hz)  | 50-60 Hz            |
| Climatic class  | SN/T                |
| Noise level (dB)                                      | 41                  |
| EFFICIENCY  |                     |
| Energy Label class                                    | E                   |
| Energy consumption (kWh/year)                         | 169                 |

| DIMENSIONS & WEIGHT                 |                           |
|-------------------------------------|---------------------------|
| Product height (closed wheels)(mm)  | 2120                      |
| Width of the product (mm)           | 599                       |
| Depth of Product without handle(mm) | 635                       |
| Net Weight (kg)                     | 170                       |
| Gross Weight (kg)                   | 190                       |
| TEMPERATURE RANGES                  |                           |
| Climatic compartments               | 2                         |
| Compartment 1 / Temperature (°C)    | from 2 to 8               |
| Compartment 2 / Temperature (°C)    | /                         |
| Low temp zone                       | YES                       |
| Compartment 3 / Temperature (°C)    | from 8 to -22             |
| Dual zone                           | NO                        |
| GENERAL PROPERTIES                  |                           |
| Reversible door                     | NO                        |
| Low vibration                       | YES                       |
| Shelves                             | 4 - 1 fixed, 3 adjustable |
| Type of shelves                     | GLASS                     |
| Door Bins                           | 3                         |
| Fridge drawers type                 | LOW TEMP                  |
| Fresco/LowTemp Drawers              | 2                         |
| Bottom Drawers                      | 1+1 internal drawer       |

#### ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning Kit
- Front panel painting, handles, and side panels
- Door stop 90°

## XS600TGT

60 cm, FRIDGES AND FREEZER, MODEL OT  
BUILT-IN, Glass Door  
X-PRO® SERIES



| AESTHETIC   |                     |
|---|---------------------|
| Compressor position                                   | Top                 |
| Front finish  | Stainless Steel     |
| Handles   | Stainless Steel Pro |
| Interior material finish                              | Stainless Steel     |
| PRICE (VAT and delivery charges not included)         |                     |
| XS600TGT6 (right hinge)                               | 12.710 €            |
| XS600TGT3 (left hinge)                                | 12.710 €            |
|   |                     |
| CAPACITY  |                     |
| Volume Compartment1 (L)                               | 251                 |
| Volume Compartment2 (L)                               | /                   |
| Volume Compartment3 (L)                               | 77                  |
| Total Net Volume (L)                                  | 328                 |
| Total Gross Volume (L)                                | 348                 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                   |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                   |
| TECHNICAL DETAILS                                     |                     |
| Voltage (V)   | 220-240V            |
| Frequency (Hz)  | 50-60 Hz            |
| Climatic class  | SN/T                |
| Noise level (dB)                                      | 41                  |
| EFFICIENCY  |                     |
| Energy Label class                                    | E                   |
| Energy consumption (kWh/year)                         | 169                 |

| DIMENSIONS & WEIGHT                 |                           |
|-------------------------------------|---------------------------|
| Product height (closed wheels)(mm)  | 2120                      |
| Width of the product (mm)           | 599                       |
| Depth of Product without handle(mm) | 635                       |
| Net Weight (kg)                     | 170                       |
| Gross Weight (kg)                   | 190                       |
| TEMPERATURE RANGES                  |                           |
| Climatic compartments               | 2                         |
| Compartment 1 / Temperature (°C)    | from 2 to 8               |
| Compartment 2 / Temperature (°C)    | /                         |
| Low temp zone                       | YES                       |
| Compartment 3 / Temperature (°C)    | from 8 to -22             |
| Dual zone                           | NO                        |
| GENERAL PROPERTIES                  |                           |
| Reversible door                     | NO                        |
| Low vibration                       | YES                       |
| Shelves                             | 4 - 1 fixed, 3 adjustable |
| Type of shelves                     | GLASS                     |
| Door Bins                           | /                         |
| Fridge drawers type                 | LOW TEMP                  |
| Fresco/LowTemp Drawers              | 2                         |
| Bottom Drawers                      | 1+1 internal drawer       |

#### ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning Kit
- Front panel painting, handles, and side panels
- Door stop 90°

# AS600TST

60 cm, FRIDGES AND FREEZER, MODEL OT  
FREESTANDING

Series COUNTRY®



## AESTHETIC

|                          |                         |
|--------------------------|-------------------------|
| Compressor position      | Top                     |
| Front finish e fianchi   | Painted Stainless steel |
| Handles                  | Stainless Steel         |
| Interior material finish | Stainless Steel         |

## PRICE (VAT and delivery charges not included)

|                            |          |
|----------------------------|----------|
| AS600TST6<br>(right hinge) | 14.130 € |
| AS600TST3<br>(left hinge)  | 14.130 € |

## CAPACITY

|   |     |
|---|-----|
| Volume Compartment1 (L)                               | 251 |
| Volume Compartment2 (L)                               | /   |
| Volume Compartment3 (L)                               | 77  |
| Total Net Volume (L)                                  | 328 |
| Total Gross Volume (L)                                | 348 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /   |
| Compartment 2 / Middle wine cellar capacity (bottles) | /   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /   |

## TECHNICAL DETAILS

|                  |          |
|------------------|----------|
| Voltage (V)      | 220-240V |
| Frequency (Hz)   | 50-60 Hz |
| Climatic class   | SN/T     |
| Noise level (dB) | 41       |

## EFFICIENCY

|                               |     |
|-------------------------------|-----|
| Energy Label class            | E   |
| Energy consumption (kWh/year) | 169 |

## DIMENSIONS & WEIGHT

|                                     |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2120 |
| Width of the product (mm)           | 587  |
| Depth of Product without handle(mm) | 635  |
| Net Weight (kg)                     | 170  |
| Gross Weight (kg)                   | 190  |

## TEMPERATURE RANGES

|                                  |               |
|----------------------------------|---------------|
| Climatic compartments            | 2             |
| Compartment 1 / Temperature (°C) | from 2 to 8   |
| Compartment 2 / Temperature (°C) | /             |
| Low temp zone                    | YES           |
| Compartment 3 / Temperature (°C) | from 8 to -22 |
| Dual zone                        | NO            |

## GENERAL PROPERTIES

|                        |                           |
|------------------------|---------------------------|
| Reversible door        | NO                        |
| Low vibration          | YES                       |
| Shelves                | 4 - 1 fixed, 3 adjustable |
| Type of shelves        | GLASS                     |
| Door Bins              | 3                         |
| Fridge drawers type    | LOW TEMP                  |
| Fresco/LowTemp Drawers | 2                         |
| Bottom Drawers         | 1+1 internal drawer       |

## ACCESSORIES (from page 118 to page 227)

- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning Kit
- Door stop 90°

## RS600TST

60 cm, FRIDGES AND FREEZER, MODEL OT  
BUILT-IN  
DESIGNER® SERIES



| AESTHETIC   |                     |
|---|---------------------|
| Compressor position                                   | Bottom              |
| Front finish  | Stainless Steel     |
| Handles   | Stainless Steel Pro |
| Interior material finish                              | Stainless Steel     |
| PRICE (VAT and delivery charges not included)         |                     |
| RS600TST6 (right hinge)                               | 10.530 €            |
| RS600TST3 (left hinge)                                | 10.530 €            |
|   |                     |
| CAPACITY  |                     |
| Volume Compartment1 (L)                               | 251                 |
| Volume Compartment2 (L)                               | /                   |
| Volume Compartment3 (L)                               | 77                  |
| Total Net Volume (L)                                  | 328                 |
| Total Gross Volume (L)                                | 348                 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                   |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                   |
| TECHNICAL DETAILS                                     |                     |
| Voltage (V)   | 220-240V            |
| Frequency (Hz)  | 50-60 Hz            |
| Climatic class  | SN/T                |
| Noise level (dB)                                      | 41                  |
| EFFICIENCY  |                     |
| Energy Label class                                    | E                   |
| Energy consumption (kWh/year)                         | 169                 |

| DIMENSIONS & WEIGHT  |                           |
|--|---------------------------|
| Product height (closed wheels)(mm)   | 2120                      |
| Width of the product (mm)  | 608                       |
| Depth of Product without handle(mm)  | 620                       |
| Net Weight (kg)  | 158                       |
| Gross Weight (kg)  | 178                       |
| TEMPERATURE RANGES   |                           |
| Climatic compartments  | 2                         |
| Compartment 1 / Temperature (°C)   | from 2 to 8               |
| Compartment 2 / Temperature (°C)   | /                         |
| Low temp zone  | YES                       |
| Compartment 3 / Temperature (°C)   | from 8 to -22             |
| Dual zone  | NO                        |
| GENERAL PROPERTIES   |                           |
| Reversible door  | NO                        |
| Low vibration  | YES                       |
| Shelves  | 4 - 1 fixed, 3 adjustable |
| Type of shelves  | GLASS                     |
| Door Bins  | 3                         |
| Fridge drawers type  | LOW TEMP                  |
| Fresco/LowTemp Drawers   | 2                         |
| Bottom Drawers   | 1+1 internal drawer       |
| ACCESSORIES (from page 118 to page 227)  |                           |
| <ul style="list-style-type: none"> <li>• Central Joining Kit for side-by-side installed units</li> <li>• Extra length anti-tipping kit</li> <li>• Cleaning Kit</li> <li>• Front ventilation kit</li> <li>• Front panel painting, handles</li> <li>• Door stop 90°</li> </ul> |                           |

## RS600TGT

60 cm, FRIDGES AND FREEZER, MODEL OT  
BUILT-IN, Glass Door  
DESIGNER® SERIES



| AESTHETIC   |                     |
|---|---------------------|
| Compressor position                                   | Bottom              |
| Front finish  | Stainless Steel     |
| Handles   | Stainless Steel Pro |
| Interior material finish                              | Stainless Steel     |
| PRICE (VAT and delivery charges not included)         |                     |
| RS600TGT6 (right hinge)                               | 11.510 €            |
| RS600TGT3 (left hinge)                                | 11.510 €            |
|   |                     |
| CAPACITY  |                     |
| Volume Compartment1 (L)                               | 251                 |
| Volume Compartment2 (L)                               | /                   |
| Volume Compartment3 (L)                               | 77                  |
| Total Net Volume (L)                                  | 328                 |
| Total Gross Volume (L)                                | 348                 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                   |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                   |
| TECHNICAL DETAILS                                     |                     |
| Voltage (V)   | 220-240V            |
| Frequency (Hz)  | 50-60 Hz            |
| Climatic class  | SN/T                |
| Noise level (dB)                                      | 41                  |
| EFFICIENCY  |                     |
| Energy Label class                                    | E                   |
| Energy consumption (kWh/year)                         | 169                 |

| DIMENSIONS & WEIGHT  |                           |
|--|---------------------------|
| Product height (closed wheels)(mm)   | 2120                      |
| Width of the product (mm)  | 608                       |
| Depth of Product without handle(mm)  | 620                       |
| Net Weight (kg)  | 158                       |
| Gross Weight (kg)  | 178                       |
| TEMPERATURE RANGES   |                           |
| Climatic compartments  | 2                         |
| Compartment 1 / Temperature (°C)   | from 2 to 8               |
| Compartment 2 / Temperature (°C)   | /                         |
| Low temp zone  | YES                       |
| Compartment 3 / Temperature (°C)   | from 8 to -22             |
| Dual zone  | NO                        |
| GENERAL PROPERTIES   |                           |
| Reversible door  | NO                        |
| Low vibration  | YES                       |
| Shelves  | 4 - 1 fixed, 3 adjustable |
| Type of shelves  | GLASS                     |
| Door Bins  |                           |
| Fridge drawers type  | LOW TEMP                  |
| Fresco/LowTemp Drawers   | 2                         |
| Bottom Drawers   | 1+1 internal drawer       |
| ACCESSORIES (from page 118 to page 227)  |                           |
| <ul style="list-style-type: none"> <li>• Central Joining Kit for side-by-side installed units</li> <li>• Extra length anti-tipping kit</li> <li>• Cleaning Kit</li> <li>• Front ventilation kit</li> <li>• Front panel painting, handles</li> <li>• Door stop 90°</li> </ul> |                           |

## KS600TST

60 cm, FRIDGES AND FREEZER, MODEL OT

BUILT-IN

CLASSIC® SERIES



| AESTHETIC   |                         |
|---|-------------------------|
| Compressor position                                   | Bottom                  |
| Front finish  | Stainless Steel         |
| Handles   | Stainless Steel Classic |
| Interior material finish                              | Stainless Steel         |
| PRICE (VAT and delivery charges not included)         |                         |
| KS600TST6 (right hinge)                               | 10.530 €                |
| KS600TST3 (left hinge)                                | 10.530 €                |
|   |                         |
| CAPACITY  |                         |
| Volume Compartment1 (L)                               | 251                     |
| Volume Compartment2 (L)                               | /                       |
| Volume Compartment3 (L)                               | 77                      |
| Total Net Volume (L)                                  | 328                     |
| Total Gross Volume (L)                                | 348                     |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                       |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                       |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                       |
| TECHNICAL DETAILS                                     |                         |
| Voltage (V)   | 220-240V                |
| Frequency (Hz)  | 50-60 Hz                |
| Climatic class  | SN/T                    |
| Noise level (dB)                                      | 41                      |
| EFFICIENCY  |                         |
| Energy Label class                                    | E                       |
| Energy consumption (kWh/year)                         | 169                     |

| DIMENSIONS & WEIGHT  |                           |
|--|---------------------------|
| Product height (closed wheels)(mm)   | 2050                      |
| Width of the product (mm)  | 599                       |
| Depth of Product without handle(mm)  | 635                       |
| Net Weight (kg)  | 158                       |
| Gross Weight (kg)  | 178                       |
| TEMPERATURE RANGES   |                           |
| Climatic compartments  | 2                         |
| Compartment 1 / Temperature (°C)   | from 2 to 8               |
| Compartment 2 / Temperature (°C)   | /                         |
| Low temp zone  | YES                       |
| Compartment 3 / Temperature (°C)   | from 8 to -22             |
| Dual zone  | NO                        |
| GENERAL PROPERTIES   |                           |
| Reversible door  | NO                        |
| Low vibration  | YES                       |
| Shelves  | 4 - 1 fixed, 3 adjustable |
| Type of shelves  | GLASS                     |
| Door Bins  | 3                         |
| Fridge drawers type  | LOW TEMP                  |
| Fresco/LowTemp Drawers   | 2                         |
| Bottom Drawers   | 1+1 internal drawer       |
| ACCESSORIES (from page 118 to page 227)  |                           |
| <ul style="list-style-type: none"> <li>Stainless Steel Side Panels for freestanding installation</li> <li>Central Joining Kit for side-by-side installed units</li> <li>Extra length anti-tipping kit</li> <li>Cleaning Kit</li> <li>Front ventilation kit</li> <li>Front panel painting, handles, and side panels</li> <li>Door stop 90°</li> </ul> |                           |

## KS600TGT

60 cm, FRIDGES AND FREEZER, MODEL OT

BUILT-IN, Glass Door

CLASSIC® SERIES



| AESTHETIC   |                         |
|---|-------------------------|
| Compressor position                                   | Bottom                  |
| Front finish  | Stainless Steel         |
| Handles   | Stainless Steel Classic |
| Interior material finish                              | Stainless Steel         |
| PRICE (VAT and delivery charges not included)         |                         |
| KS600TGT6 (right hinge)                               | 11.510 €                |
| KS600TGT3 (left hinge)                                | 11.510 €                |
|   |                         |
| CAPACITY  |                         |
| Volume Compartment1 (L)                               | 251                     |
| Volume Compartment2 (L)                               | /                       |
| Volume Compartment3 (L)                               | 77                      |
| Total Net Volume (L)                                  | 328                     |
| Total Gross Volume (L)                                | 348                     |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                       |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                       |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                       |
| TECHNICAL DETAILS                                     |                         |
| Voltage (V)   | 220-240V                |
| Frequency (Hz)  | 50-60 Hz                |
| Climatic class  | SN/T                    |
| Noise level (dB)                                      | 41                      |
| EFFICIENCY  |                         |
| Energy Label class                                    | E                       |
| Energy consumption (kWh/year)                         | 169                     |

| DIMENSIONS & WEIGHT  |                           |
|--|---------------------------|
| Product height (closed wheels)(mm)   | 2050                      |
| Width of the product (mm)  | 599                       |
| Depth of Product without handle(mm)  | 635                       |
| Net Weight (kg)  | 158                       |
| Gross Weight (kg)  | 178                       |
| TEMPERATURE RANGES   |                           |
| Climatic compartments  | 2                         |
| Compartment 1 / Temperature (°C)   | from 2 to 8               |
| Compartment 2 / Temperature (°C)   | /                         |
| Low temp zone  | YES                       |
| Compartment 3 / Temperature (°C)   | from 8 to -22             |
| Dual zone  | NO                        |
| GENERAL PROPERTIES   |                           |
| Reversible door  | NO                        |
| Low vibration  | YES                       |
| Shelves  | 4 - 1 fixed, 3 adjustable |
| Type of shelves  | GLASS                     |
| Door Bins  |                           |
| Fridge drawers type  | LOW TEMP                  |
| Fresco/LowTemp Drawers   | 2                         |
| Bottom Drawers   | 1+1 internal drawer       |
| ACCESSORIES (from page 118 to page 227)  |                           |
| <ul style="list-style-type: none"> <li>Stainless Steel Side Panels for freestanding installation</li> <li>Central Joining Kit for side-by-side installed units</li> <li>Extra length anti-tipping kit</li> <li>Cleaning Kit</li> <li>Front ventilation kit</li> <li>Front panel painting, handles, and side panels</li> <li>Door stop 90°</li> </ul> |                           |

## S600TST

60 cm, FRIDGES AND FREEZER, MODEL OT  
FULLY INTEGRATED  
INTEGRATED® SERIES



| AESTHETIC   |                    |
|---|--------------------|
| Compressor position                                   | Bottom             |
| Front finish  | Custom Panel Ready |
| Handles   | NO                 |
| Interior material finish                              | Stainless Steel    |
| PRICE (VAT and delivery charges not included)         |                    |
| S600TST6 (right hinge)                                | 9.730 €            |
| S600TST3 (left hinge)                                 | 9.730 €            |
|   |                    |
| CAPACITY  |                    |
| Volume Compartment1 (L)                               | 251                |
| Volume Compartment2 (L)                               |                    |
| Volume Compartment3 (L)                               | 77                 |
| Total Net Volume (L)                                  | 328                |
| Total Gross Volume (L)                                | 348                |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                  |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                  |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                  |
| TECHNICAL DETAILS                                     |                    |
| Voltage (V)   | 220-240V           |
| Frequency (Hz)  | 50-60 Hz           |
| Climatic class  | SN/T               |
| Noise level (dB)                                      | 41                 |
| EFFICIENCY  |                    |
| Energy Label class                                    | E                  |
| Energy consumption (kWh/year)                         | 169                |

| DIMENSIONS & WEIGHT                 |                           |
|-------------------------------------|---------------------------|
| Product height (closed wheels)(mm)  | 2120                      |
| Width of the product (mm)           | 599                       |
| Depth of Product without handle(mm) | 610                       |
| Net Weight (kg)                     | 148                       |
| Gross Weight (kg)                   | 168                       |
| TEMPERATURE RANGES                  |                           |
| Climatic compartments               | 2                         |
| Compartment 1 / Temperature (°C)    | from 2 to 8               |
| Compartment 2 / Temperature (°C)    | /                         |
| Low temp zone                       | YES                       |
| Compartment 3 / Temperature (°C)    | from 8 to -22             |
| Dual zone                           | NO                        |
| GENERAL PROPERTIES                  |                           |
| Reversible door                     | NO                        |
| Low vibration                       | YES                       |
| Shelves                             | 4 - 1 fixed, 3 adjustable |
| Type of shelves                     | GLASS                     |
| Door Bins                           | 3                         |
| Fridge drawers type                 | LOW TEMP                  |
| Fresco/LowTemp Drawers              | 2                         |
| Bottom Drawers                      | 1+1 internal drawer       |

| ACCESSORIES (from page 118 to page 227)                     |  |
|---|--|
| • Stainless Steel Side Panels for freestanding installation |  |
| • Central Joining Kit for side-by-side installed units      |  |
| • Ø 30 mm Tubular Stainless Steel Handles – Classic         |  |
| • Ø 30 mm Tubular Stainless Steel Handles – Pro             |  |
| • Ø 18 mm Tubular Stainless Steel Handles                   |  |
| • Stainless steel panels                                    |  |
| • Extra length anti-tipping kit                             |  |
| • Cleaning Kit  |  |
| • Front ventilation kit                                     |  |
| • Door stop 90°   |  |

## S600TGT

60 cm, FRIDGES AND FREEZER, MODEL OT  
FULLY INTEGRATED, Glass Door  
INTEGRATED® SERIES



| AESTHETIC   |                    |
|---|--------------------|
| Compressor position                                   | Bottom             |
| Front finish  | Custom Panel Ready |
| Handles   | NO                 |
| Interior material finish                              | Stainless Steel    |
| PRICE (VAT and delivery charges not included)         |                    |
| S600TGT6 (right hinge)                                | 10.710 €           |
| S600TGT3 (left hinge)                                 | 10.710 €           |
|   |                    |
| CAPACITY  |                    |
| Volume Compartment1 (L)                               | 251                |
| Volume Compartment2 (L)                               | /                  |
| Volume Compartment3 (L)                               | 77                 |
| Total Net Volume (L)                                  | 328                |
| Total Gross Volume (L)                                | 348                |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                  |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                  |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                  |
| TECHNICAL DETAILS                                     |                    |
| Voltage (V)   | 220-240V           |
| Frequency (Hz)  | 50-60 Hz           |
| Climatic class  | SN/T               |
| Noise level (dB)                                      | 41                 |
| EFFICIENCY  |                    |
| Energy Label class                                    | E                  |
| Energy consumption (kWh/year)                         | 169                |

| DIMENSIONS & WEIGHT   |                           |
|---|---------------------------|
| Product height (closed wheels)(mm)                          | 2120                      |
| Width of the product (mm)                                   | 599                       |
| Depth of Product without handle(mm)                         | 610                       |
| Net Weight (kg)   | 148                       |
| Gross Weight (kg)   | 168                       |
| TEMPERATURE RANGES  |                           |
| Climatic compartments                                       | 2                         |
| Compartment 1 / Temperature (°C)                            | from 2 to 8               |
| Compartment 2 / Temperature (°C)                            | /                         |
| Low temp zone   | YES                       |
| Compartment 3 / Temperature (°C)                            | from 8 to -22             |
| Dual zone   | NO                        |
| GENERAL PROPERTIES  |                           |
| Reversible door   | NO                        |
| Low vibration   | YES                       |
| Shelves   | 4 - 1 fixed, 3 adjustable |
| Type of shelves   | GLASS                     |
| Door Bins   | /                         |
| Fridge drawers type   | LOW TEMP                  |
| Fresco/LowTemp Drawers                                      | 2                         |
| Bottom Drawers  | 1+1 internal drawer       |
| ACCESSORIES (from page 118 to page 227)                     |                           |
| • Stainless Steel Side Panels for freestanding installation |                           |
| • Central Joining Kit for side-by-side installed units      |                           |
| • Ø 30 mm Tubular Stainless Steel Handles – Classic         |                           |
| • Ø 30 mm Tubular Stainless Steel Handles – Pro             |                           |
| • Ø 18 mm Tubular Stainless Steel Handles                   |                           |
| • Stainless steel panels                                    |                           |
| • Extra length anti-tipping kit                             |                           |
| • Cleaning Kit  |                           |
| • Front ventilation kit                                     |                           |
| • Door stop 90°   |                           |



WINE CELLAR

## FULL SIZE: WINE CELLARS

Model: 0T

Width: 60cm

One door, one drawer, 2 separate temperatures

Upper compartment: Wine cellar

Lower compartment: Wine cellar

### FEATURES

**Made in Italy:** Designed and built entirely in Italy with artisanal precision.

**Long Term Reliability:** Premium materials and rigorous testing ensure consistent, durable performance.

**Galvanized Steel Structure:** Strength and stability engineered to last.

**Antibacterial Interior:** Hygienic surfaces preserving freshness and bottle quality.

### Technology and Functionality

**ProVent™:** Uniform cold air distribution across every zone.

**EquiLance™:** Patented variable pivot hinge for silent, stable movement.

**OptiView™:** Diffused and uniform LED lighting, elegant and with low heat emission to preserve the wine's properties.

**Full Color TFT Display:** Clear, intuitive, high definition interface.

**Active Safety:** Visual and acoustic alerts.

**100% Total No Frost:** Automatic system that prevents ice formation and ensures impeccable humidity control.

**Variable Speed Compressors:** Precise temperature control and reduced vibrations.

**Sabbath Mode:** Dedicated function for observance needs.

**Easy Installation:** Adjustable feet and rear wheels.

### Conservation Performance

**Two Independent Climate Zones:** Dedicated temperature and humidity control for red, white, and sparkling wines.

**Triple-layer bronzed glass door:** Total protection against UV rays and external temperature fluctuations.


**Humidity control:** Precise regulation to preserve corks, labels, and bottle integrity.

### GENERAL PROPERTIES

|   |                     |
|---|---------------------|
| Reversible door                         | NO                  |
| Equilance                               | YES                 |
| SoftClosing Runner                      | YES                 |
| Low vibration                           | YES                 |
| OptiView (LED light spots)              | YES                 |
| Shelves                                 | 9                   |
| Slide-out shelves                       | NO                  |
| Type of shelves                         | WOOD                |
| Fridge drawers type                     | /                   |
| Fresco/LowTemp Drawers                  | /                   |
| Bottom drawers                          | 1+1 internal drawer |
| Full Extension shelves 90° door opening | YES                 |
| Full Extension drawers 90° door opening | NO                  |
| Defrost Process                         | AUTOMATIC           |
| Ice maker with water filter             | NO                  |
| Door Open Alarms                        | YES                 |
| Humidity Control                        | YES                 |
| Active Carbon Filter                    | NO                  |
| Air filter control                      | NO                  |
| Shopping Fridge                         | NO                  |
| Shopping Freezer                        | NO                  |
| Power Failure Function                  | YES                 |

# XS600TWT

60 cm, WINE CELLAR, MODEL 0T  
BUILT-IN  
X-PRO® SERIES




| AESTHETIC   |                     |
|---|---------------------|
| Compressor position                                   | Top                 |
| Front finish  | Stainless Steel     |
| Handles   | Stainless Steel Pro |
| Interior material finish                              | Stainless Steel     |
| PRICE (VAT and delivery charges not included)         |                     |
| XS600TWT6 (right hinge)                               | 11.610 €            |
| XS600TWT3 (left hinge)                                | 11.610 €            |
| CAPACITY  |                     |
| Volume Compartment1 (L)                               | 240                 |
| Volume Compartment2 (L)                               | /                   |
| Volume Compartment3 (L)                               | 77                  |
| Total Net Volume (L)                                  | 317                 |
| Total Gross Volume (L)                                | 332                 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | 54                  |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                   |
| TECHNICAL DETAILS                                     |                     |
| Voltage (V)   | 220-240V            |
| Frequency (Hz)  | 50-60 Hz            |
| Climatic class  | SN/T                |
| Noise level (dB)                                      | 41                  |
| EFFICIENCY  |                     |
| Energy Label class                                    | G                   |
| Energy consumption (kWh/year)                         | 171                 |

| DIMENSIONS & WEIGHT                 |                     |
|-------------------------------------|---------------------|
| Product height (closed wheels)(mm)  | 2120                |
| Width of the product (mm)           | 599                 |
| Depth of Product without handle(mm) | 635                 |
| Net Weight (kg)                     | 157                 |
| Gross Weight (kg)                   | 177                 |
| TEMPERATURE RANGES                  |                     |
| Climatic compartments               | 2                   |
| Compartment 1 / Temperature (°C)    | from 4 to 18        |
| Compartment 2 / Temperature (°C)    | /                   |
| Low temp zone                       | NO                  |
| Compartment 3 / Temperature (°C)    | from 4 to 18        |
| Dual zone                           | YES                 |
| GENERAL PROPERTIES                  |                     |
| Reversible door                     | NO                  |
| Low vibration                       | YES                 |
| Shelves                             | 9                   |
| Type of shelves                     | WOOD                |
| Door Bins                           | /                   |
| Fridge drawers type                 | /                   |
| Fresco/LowTemp Drawers              | /                   |
| Bottom Drawers                      | 1+1 internal drawer |

| ACCESSORIES (from page 118 to page 227)                     |                            |
|---|----------------------------|
| • Stainless Steel Side Panels for freestanding installation | • Wine kit                 |
| • Central Joining Kit for side-by-side installed units      | • Cheese drawer            |
| • X-Pro top grill kit                                       | • Set of knives            |
| • Extra length anti-tipping kit                             | • Prosciutteria kit        |
| • Anti-condensation kit                                     | • Cigar drawer             |
| • Cleaning Kit  | • Beverage drawer          |
| • Active Carbon Filter                                      | • Beverage shelf           |
| • Front panel painting, handles, and side panels            | • Beverage removable shelf |
| • Door stop 90°   | • Chocolate kit            |

# RS600TWT

60 cm, WINE CELLAR, MODEL 0T  
BUILT-IN  
DESIGNER® SERIES




| AESTHETIC   |                     |
|---|---------------------|
| Compressor position                                   | Bottom              |
| Front finish  | Stainless Steel     |
| Handles   | Stainless Steel Pro |
| Interior material finish                              | Stainless Steel     |
| PRICE (VAT and delivery charges not included)         |                     |
| RS600TWT6 (right hinge)                               | 10.410 €            |
| RS600TWT3 (left hinge)                                | 10.410 €            |
| CAPACITY  |                     |
| Volume Compartment1 (L)                               | 240                 |
| Volume Compartment2 (L)                               | /                   |
| Volume Compartment3 (L)                               | 77                  |
| Total Net Volume (L)                                  | 317                 |
| Total Gross Volume (L)                                | 332                 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | 54                  |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                   |
| TECHNICAL DETAILS                                     |                     |
| Voltage (V)   | 220-240V            |
| Frequency (Hz)  | 50-60 Hz            |
| Climatic class  | SN/T                |
| Noise level (dB)                                      | 41                  |
| EFFICIENCY  |                     |
| Energy Label class                                    | G                   |
| Energy consumption (kWh/year)                         | 171                 |

| DIMENSIONS & WEIGHT                 |                     |
|-------------------------------------|---------------------|
| Product height (closed wheels)(mm)  | 2120                |
| Width of the product (mm)           | 608                 |
| Depth of Product without handle(mm) | 620                 |
| Net Weight (kg)                     | 155                 |
| Gross Weight (kg)                   | 175                 |
| TEMPERATURE RANGES                  |                     |
| Climatic compartments               | 2                   |
| Compartment 1 / Temperature (°C)    | from 4 to 18        |
| Compartment 2 / Temperature (°C)    | /                   |
| Low temp zone                       | NO                  |
| Compartment 3 / Temperature (°C)    | from 4 to 18        |
| Dual zone                           | YES                 |
| GENERAL PROPERTIES                  |                     |
| Reversible door                     | NO                  |
| Low vibration                       | YES                 |
| Shelves                             | 9                   |
| Type of shelves                     | WOOD                |
| Door Bins                           | /                   |
| Fridge drawers type                 | /                   |
| Fresco/LowTemp Drawers              | /                   |
| Bottom Drawers                      | 1+1 internal drawer |

| ACCESSORIES (from page 118 to page 227)                |                            |
|--|----------------------------|
| • Central Joining Kit for side-by-side installed units | • Set of knives            |
| • Extra length anti-tipping kit                        | • Prosciutteria kit        |
| • Cleaning Kit   | • Cigar drawer             |
| • Active Carbon Filter                                 | • Beverage drawer          |
| • Front ventilation kit                                | • Beverage shelf           |
| • Front panel painting, handles                        | • Beverage removable shelf |
| • Door stop 90°  | • Chocolate kit            |
| • Wine kit   |                            |
| • Cheese drawer  |                            |

# KS600TWT

60 cm, WINE CELLAR, MODEL 0T  
BUILT-IN  
CLASSIC® SERIES




| AESTHETIC   |                         |
|---|-------------------------|
| Compressor position                                   | Bottom                  |
| Front finish  | Stainless Steel         |
| Handles   | Stainless Steel Classic |
| Interior material finish                              | Stainless Steel         |
| PRICE (VAT and delivery charges not included)         |                         |
| KS600TWT6 (right hinge)                               | 10.410 €                |
| KS600TWT3 (left hinge)                                | 10.410 €                |
|   |                         |
| CAPACITY  |                         |
| Volume Compartment1 (L)                               | 240                     |
| Volume Compartment2 (L)                               | /                       |
| Volume Compartment3 (L)                               | 77                      |
| Total Net Volume (L)                                  | 317                     |
| Total Gross Volume (L)                                | 332                     |
| Compartment 1 / Upper wine cellar capacity (bottles)  | 54                      |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                       |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                       |
| TECHNICAL DETAILS                                     |                         |
| Voltage (V)   | 220-240V                |
| Frequency (Hz)  | 50-60 Hz                |
| Climatic class  | SN/T                    |
| Noise level (dB)                                      | 41                      |
| EFFICIENCY  |                         |
| Energy Label class                                    | G                       |
| Energy consumption (kWh/year)                         | 171                     |

| DIMENSIONS & WEIGHT                 |                     |
|-------------------------------------|---------------------|
| Product height (closed wheels)(mm)  | 2050                |
| Width of the product (mm)           | 599                 |
| Depth of Product without handle(mm) | 635                 |
| Net Weight (kg)                     | 155                 |
| Gross Weight (kg)                   | 175                 |
| TEMPERATURE RANGES                  |                     |
| Climatic compartments               | 2                   |
| Compartment 1 / Temperature (°C)    | from 4 to 18        |
| Compartment 2 / Temperature (°C)    | /                   |
| Low temp zone                       | NO                  |
| Compartment 3 / Temperature (°C)    | from 4 to 18        |
| Dual zone                           | YES                 |
| GENERAL PROPERTIES                  |                     |
| Reversible door                     | NO                  |
| Low vibration                       | YES                 |
| Shelves                             | 9                   |
| Type of shelves                     | WOOD                |
| Door Bins                           | /                   |
| Fridge drawers type                 | /                   |
| Fresco/LowTemp Drawers              | /                   |
| Bottom Drawers                      | 1+1 internal drawer |

| ACCESSORIES (from page 118 to page 227)                     |                            |
|---|----------------------------|
| • Stainless Steel Side Panels for freestanding installation | • Wine kit                 |
| • Central Joining Kit for side-by-side installed units      | • Cheese drawer            |
| • Extra length anti-tipping kit                             | • Set of knives            |
| • Cleaning Kit  | • Prosciutteria kit        |
| • Active Carbon Filter                                      | • Cigar drawer             |
| • Front ventilation kit                                     | • Beverage drawer          |
| • Front panel painting, handles, and side panels            | • Beverage shelf           |
| • Door stop 90°   | • Beverage removable shelf |
|   | • Chocolate kit            |

# S600TWT

60 cm, WINE CELLAR, MODEL 0T  
FULLY INTEGRATED  
INTEGRATED® SERIES



| AESTHETIC   |                    |
|---|--------------------|
| Compressor position                                   | Bottom             |
| Front finish  | Custom Panel Ready |
| Handles   | NO                 |
| Interior material finish                              | Stainless Steel    |
| PRICE (VAT and delivery charges not included)         |                    |
| S600TWT6 (right hinge)                                | 9.610 €            |
| S600TWT3 (left hinge)                                 | 9.610 €            |
|   |                    |
| CAPACITY  |                    |
| Volume Compartment1 (L)                               | 240                |
| Volume Compartment2 (L)                               | /                  |
| Volume Compartment3 (L)                               | 77                 |
| Total Net Volume (L)                                  | 317                |
| Total Gross Volume (L)                                | 332                |
| Compartment 1 / Upper wine cellar capacity (bottles)  | 54                 |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                  |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                  |
| TECHNICAL DETAILS                                     |                    |
| Voltage (V)   | 220-240V           |
| Frequency (Hz)  | 50-60 Hz           |
| Climatic class  | SN/T               |
| Noise level (dB)                                      | 41                 |
| EFFICIENCY  |                    |
| Energy Label class                                    | G                  |
| Energy consumption (kWh/year)                         | 171                |

| DIMENSIONS & WEIGHT                 |                     |
|-------------------------------------|---------------------|
| Product height (closed wheels)(mm)  | 2120                |
| Width of the product (mm)           | 599                 |
| Depth of Product without handle(mm) | 610                 |
| Net Weight (kg)                     | 142                 |
| Gross Weight (kg)                   | 162                 |
| TEMPERATURE RANGES                  |                     |
| Climatic compartments               | 2                   |
| Compartment 1 / Temperature (°C)    | from 4 to 18        |
| Compartment 2 / Temperature (°C)    | /                   |
| Low temp zone                       | NO                  |
| Compartment 3 / Temperature (°C)    | from 4 to 18        |
| Dual zone                           | YES                 |
| GENERAL PROPERTIES                  |                     |
| Reversible door                     | NO                  |
| Low vibration                       | YES                 |
| Shelves                             | 9                   |
| Type of shelves                     | WOOD                |
| Door Bins                           | /                   |
| Fridge drawers type                 | /                   |
| Fresco/LowTemp Drawers              | /                   |
| Bottom Drawers                      | 1+1 internal drawer |

| ACCESSORIES (from page 118 to page 227)                     |                            |
|---|----------------------------|
| • Stainless Steel Side Panels for freestanding installation | • Active Carbon Filter     |
| • Central Joining Kit for side-by-side installed units      | • Front ventilation kit    |
| • Ø 30 mm Tubular Stainless Steel Handles – Classic         | • Door stop 90°            |
| • Ø 30 mm Tubular Stainless Steel Handles – Pro             | • Wine kit                 |
| • Ø 18 mm Tubular Stainless Steel Handles                   | • Cheese drawer            |
| • Stainless steel panels                                    | • Set of knives            |
| • Extra length anti-tipping kit                             | • Prosciutteria kit        |
| • Cleaning Kit  | • Cigar drawer             |
|   | • Beverage drawer          |
|   | • Beverage shelf           |
|   | • Beverage removable shelf |
|   | • Chocolate kit            |

# FULL SIZE: FRIDGES

Model: 0F

Width: 60cm

One door, 1 temperature

Upper compartment: Fridge

Lower compartment: Low Temp



FRIDGE

LOW TEMP

## FEATURES

**Made in Italy:** Designed and built entirely in Italy with artisanal precision.  
**Long Term Reliability:** Premium materials and rigorous testing ensure consistent, durable performance.  
**Galvanized Steel Structure:** Strength and stability engineered to last.  
**Antibacterial Interior:** Hygienic surfaces preserving freshness and bottle quality.

### Technology and Functionality

**EventLift™:** Shelves adjustable to any height without removal.  
**ProVent™:** Uniform cold air distribution across every zone.  
**EquiLance™:** Patented variable pivot hinge for silent, stable movement.  
**OptiView™:** Diffuse, uniform LED lighting.  
**Full Color TFT Display:** Clear, intuitive, high definition interface.  
**100% Total No Frost:** Automatic system that prevents ice formation and ensures impeccable humidity control.  
**Variable Speed Compressors:** Precise temperature control and reduced vibrations.  
**Sabbath Mode:** Dedicated function for observance needs.  
**Easy Installation:** Adjustable feet and rear wheels.

### Conservation Performance

**One climate zone:** Precise temperature control for optimal food preservation.  
**Low Temperature Zone:** Dedicated area with a temperature 2°C lower than the refrigerator compartment, ideal for meat, fish, and vegetables.  
**Tempered Glass Shelves:** With aluminum profiles

## GENERAL PROPERTIES

|   |                           |
|---|---------------------------|
| Reversible door                         | NO                        |
| Equilance                               | YES                       |
| SoftClosing Runner                      | YES                       |
| Low vibration                           | YES                       |
| Optiview (LED light spots)              | YES                       |
| Shelves                                 | 4 - 1 fixed, 3 adjustable |
| Slide-out shelves                       | NO                        |
| Type of shelves                         | GLASS                     |
| Fridge drawers type                     | LOW TEMP                  |
| Fresco/LowTemp Drawers                  | 3                         |
| Bottom drawers                          | /                         |
| Full Extension shelves 90° door opening | /                         |
| Full Extension drawers 90° door opening | YES                       |
| Defrost Process                         | AUTOMATIC                 |
| Ice maker with water filter             | NO                        |
| Door Open Alarms                        | YES                       |
| Humidity Control                        | NO                        |
| Active Carbon Filter                    | NO                        |
| Air filter control                      | NO                        |
| Shopping Fridge                         | YES                       |
| Shopping Freezer                        | NO                        |
| Power Failure Function                  | YES                       |

## XS600FR

60 cm, FRIDGE, MODEL OFR

BUILT-IN

X-PRO® SERIES



| AESTHETIC   |                     |
|---|---------------------|
| Compressor position                                   | Top                 |
| Front finish  | Stainless Steel     |
| Handles   | Stainless Steel Pro |
| Interior material finish                              | Stainless Steel     |
| PRICE (VAT and delivery charges not included)         |                     |
| XS600FR6 (right hinge)                                | 9.980 €             |
| XS600FR3 (left hinge)                                 | 9.980 €             |
|   |                     |
| CAPACITY  |                     |
| Volume Compartment1 (L)                               | 368                 |
| Volume Compartment2 (L)                               | /                   |
| Volume Compartment3 (L)                               | /                   |
| Total Net Volume (L)                                  | 368                 |
| Total Gross Volume (L)                                | 378                 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                   |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                   |
| TECHNICAL DETAILS                                     |                     |
| Voltage (V)   | 220-240V            |
| Frequency (Hz)  | 50-60 Hz            |
| Climatic class  | SN/T                |
| Noise level (dB)                                      | 41                  |
| EFFICIENCY  |                     |
| Energy Label class                                    | E                   |
| Energy consumption (kWh/year)                         | 118                 |

| DIMENSIONS & WEIGHT                 |                           |
|-------------------------------------|---------------------------|
| Product height (closed wheels)(mm)  | 2120                      |
| Width of the product (mm)           | 599                       |
| Depth of Product without handle(mm) | 635                       |
| Net Weight (kg)                     | 134                       |
| Gross Weight (kg)                   | 156                       |
| TEMPERATURE RANGES                  |                           |
| Climatic compartments               | 1                         |
| Compartment 1 / Temperature (°C)    | from 2 to 8               |
| Compartment 2 / Temperature (°C)    | /                         |
| Low temp zone                       | YES                       |
| Compartment 3 / Temperature (°C)    | /                         |
| Dual zone                           | NO                        |
| GENERAL PROPERTIES                  |                           |
| Reversible door                     | NO                        |
| Low vibration                       | YES                       |
| Shelves                             | 4 - 1 fixed, 3 adjustable |
| Type of shelves                     | GLASS                     |
| Door Bins                           | 3                         |
| Fridge drawers type                 | LOW TEMP                  |
| Fresco/LowTemp Drawers              | 3                         |
| Bottom Drawers                      | /                         |

| ACCESSORIES (from page 118 to page 227)                     |  |
|---|--|
| • Stainless Steel Side Panels for freestanding installation |  |
| • Central Joining Kit for side-by-side installed units      |  |
| • X-Pro top grill kit                                       |  |
| • Extra length anti-tipping kit                             |  |
| • Anti-condensation kit                                     |  |
| • Cleaning Kit  |  |
| • Front panel painting, handles, and side panels            |  |
| • Door stop 90°   |  |

## XS600FG

60 cm, FRIDGE, MODEL OFG

BUILT-IN, Glass Door

X-PRO® SERIES



| AESTHETIC   |                     |
|---|---------------------|
| Compressor position                                   | Top                 |
| Front finish  | Stainless Steel     |
| Handles   | Stainless Steel Pro |
| Interior material finish                              | Stainless Steel     |
| PRICE (VAT and delivery charges not included)         |                     |
| XS600FG6 (right hinge)                                | 10.970 €            |
| XS600FG3 (left hinge)                                 | 10.970 €            |
|   |                     |
| CAPACITY  |                     |
| Volume Compartment1 (L)                               | 368                 |
| Volume Compartment2 (L)                               | /                   |
| Volume Compartment3 (L)                               | /                   |
| Total Net Volume (L)                                  | 368                 |
| Total Gross Volume (L)                                | 378                 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                   |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                   |
| TECHNICAL DETAILS                                     |                     |
| Voltage (V)   | 220-240V            |
| Frequency (Hz)  | 50-60 Hz            |
| Climatic class  | SN/T                |
| Noise level (dB)                                      | 41                  |
| EFFICIENCY  |                     |
| Energy Label class                                    | E                   |
| Energy consumption (kWh/year)                         | 118                 |

| DIMENSIONS & WEIGHT                 |                           |
|-------------------------------------|---------------------------|
| Product height (closed wheels)(mm)  | 2120                      |
| Width of the product (mm)           | 599                       |
| Depth of Product without handle(mm) | 635                       |
| Net Weight (kg)                     | 134                       |
| Gross Weight (kg)                   | 156                       |
| TEMPERATURE RANGES                  |                           |
| Climatic compartments               | 1                         |
| Compartment 1 / Temperature (°C)    | from 2 to 8               |
| Compartment 2 / Temperature (°C)    | /                         |
| Low temp zone                       | YES                       |
| Compartment 3 / Temperature (°C)    | /                         |
| Dual zone                           | NO                        |
| GENERAL PROPERTIES                  |                           |
| Reversible door                     | NO                        |
| Low vibration                       | YES                       |
| Shelves                             | 4 - 1 fixed, 3 adjustable |
| Type of shelves                     | GLASS                     |
| Door Bins                           | 0                         |
| Fridge drawers type                 | LOW TEMP                  |
| Fresco/LowTemp Drawers              | 3                         |
| Bottom Drawers                      | /                         |

| ACCESSORIES (from page 118 to page 227)                     |  |
|---|--|
| • Stainless Steel Side Panels for freestanding installation |  |
| • Central Joining Kit for side-by-side installed units      |  |
| • X-Pro top grill kit                                       |  |
| • Extra length anti-tipping kit                             |  |
| • Anti-condensation kit                                     |  |
| • Cleaning Kit  |  |
| • Front panel painting, handles, and side panels            |  |
| • Door stop 90°   |  |

## RS600FR

60 cm, FRIDGE, MODEL OFR

BUILT-IN

DESIGNER® SERIES



| AESTHETIC   |                     |
|---|---------------------|
| Compressor position                                   | Bottom              |
| Front finish  | Stainless Steel     |
| Handles   | Stainless Steel Pro |
| Interior material finish                              | Stainless Steel     |
| PRICE (VAT and delivery charges not included)         |                     |
| RS600FR6 (right hinge)                                | 8.780 €             |
| RS600FR3 (left hinge)                                 | 8.780 €             |
|   |                     |
| CAPACITY  |                     |
| Volume Compartment1 (L)                               | 368                 |
| Volume Compartment2 (L)                               | /                   |
| Volume Compartment3 (L)                               | /                   |
| Total Net Volume (L)                                  | 368                 |
| Total Gross Volume (L)                                | 378                 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                   |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                   |
| TECHNICAL DETAILS                                     |                     |
| Voltage (V)   | 220-240V            |
| Frequency (Hz)  | 50-60 Hz            |
| Climatic class  | SN/T                |
| Noise level (dB)                                      | 41                  |
| EFFICIENCY  |                     |
| Energy Label class                                    | E                   |
| Energy consumption (kWh/year)                         | 118                 |

| DIMENSIONS & WEIGHT                 |                           |
|-------------------------------------|---------------------------|
| Product height (closed wheels)(mm)  | 2120                      |
| Width of the product (mm)           | 608                       |
| Depth of Product without handle(mm) | 620                       |
| Net Weight (kg)                     | 134                       |
| Gross Weight (kg)                   | 156                       |
| TEMPERATURE RANGES                  |                           |
| Climatic compartments               | 1                         |
| Compartment 1 / Temperature (°C)    | from 2 to 8               |
| Compartment 2 / Temperature (°C)    | /                         |
| Low temp zone                       | YES                       |
| Compartment 3 / Temperature (°C)    | /                         |
| Dual zone                           | NO                        |
| GENERAL PROPERTIES                  |                           |
| Reversible door                     | NO                        |
| Low vibration                       | YES                       |
| Shelves                             | 4 - 1 fixed, 3 adjustable |
| Type of shelves                     | GLASS                     |
| Door Bins                           | 3                         |
| Fridge drawers type                 | LOW TEMP                  |
| Fresco/LowTemp Drawers              | 3                         |
| Bottom Drawers                      | /                         |

#### ACCESSORIES (from page 118 to page 227)

- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Front panel painting, handles
- Door stop 90°

## RS600FG

60 cm, FRIDGE, MODEL OFG

BUILT-IN, Glass Door

DESIGNER® SERIES



| AESTHETIC   |                     |
|---|---------------------|
| Compressor position                                   | Bottom              |
| Front finish  | Stainless Steel     |
| Handles   | Stainless Steel Pro |
| Interior material finish                              | Stainless Steel     |
| PRICE (VAT and delivery charges not included)         |                     |
| RS600FG6 (right hinge)                                | 9.770 €             |
| RS600FG3 (left hinge)                                 | 9.770 €             |
|   |                     |
| CAPACITY  |                     |
| Volume Compartment1 (L)                               | 368                 |
| Volume Compartment2 (L)                               | /                   |
| Volume Compartment3 (L)                               | /                   |
| Total Net Volume (L)                                  | 368                 |
| Total Gross Volume (L)                                | 378                 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                   |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                   |
| TECHNICAL DETAILS                                     |                     |
| Voltage (V)   | 220-240V            |
| Frequency (Hz)  | 50-60 Hz            |
| Climatic class  | SN/T                |
| Noise level (dB)                                      | 41                  |
| EFFICIENCY  |                     |
| Energy Label class                                    | E                   |
| Energy consumption (kWh/year)                         | 118                 |

| DIMENSIONS & WEIGHT                 |                           |
|-------------------------------------|---------------------------|
| Product height (closed wheels)(mm)  | 2120                      |
| Width of the product (mm)           | 608                       |
| Depth of Product without handle(mm) | 620                       |
| Net Weight (kg)                     | 134                       |
| Gross Weight (kg)                   | 156                       |
| TEMPERATURE RANGES                  |                           |
| Climatic compartments               | 1                         |
| Compartment 1 / Temperature (°C)    | from 2 to 8               |
| Compartment 2 / Temperature (°C)    | /                         |
| Low temp zone                       | YES                       |
| Compartment 3 / Temperature (°C)    | /                         |
| Dual zone                           | NO                        |
| GENERAL PROPERTIES                  |                           |
| Reversible door                     | NO                        |
| Low vibration                       | YES                       |
| Shelves                             | 4 - 1 fixed, 3 adjustable |
| Type of shelves                     | GLASS                     |
| Door Bins                           | 0                         |
| Fridge drawers type                 | LOW TEMP                  |
| Fresco/LowTemp Drawers              | 3                         |
| Bottom Drawers                      | /                         |

#### ACCESSORIES (from page 118 to page 227)

- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Front panel painting, handles
- Door stop 90°

## KS600FR

60 cm, FRIDGE, MODEL OFR

BUILT-IN

CLASSIC® SERIES



| AESTHETIC   |                         |
|---|-------------------------|
| Compressor position                                   | Bottom                  |
| Front finish  | Stainless Steel         |
| Handles   | Stainless Steel Classic |
| Interior material finish                              | Stainless Steel         |
| PRICE (VAT and delivery charges not included)         |                         |
| KS600FR6 (right hinge)                                | 8.780 €                 |
| KS600FR3 (left hinge)                                 | 8.780 €                 |
|   |                         |
| CAPACITY  |                         |
| Volume Compartment1 (L)                               | 368                     |
| Volume Compartment2 (L)                               | /                       |
| Volume Compartment3 (L)                               | /                       |
| Total Net Volume (L)                                  | 368                     |
| Total Gross Volume (L)                                | 378                     |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                       |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                       |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                       |
| TECHNICAL DETAILS                                     |                         |
| Voltage (V)   | 220-240V                |
| Frequency (Hz)  | 50-60 Hz                |
| Climatic class  | SN/T                    |
| Noise level (dB)                                      | 41                      |
| EFFICIENCY  |                         |
| Energy Label class                                    | E                       |
| Energy consumption (kWh/year)                         | 118                     |

| DIMENSIONS & WEIGHT                 |                           |
|-------------------------------------|---------------------------|
| Product height (closed wheels)(mm)  | 2050                      |
| Width of the product (mm)           | 599                       |
| Depth of Product without handle(mm) | 635                       |
| Net Weight (kg)                     | 134                       |
| Gross Weight (kg)                   | 156                       |
| TEMPERATURE RANGES                  |                           |
| Climatic compartments               | 1                         |
| Compartment 1 / Temperature (°C)    | from 2 to 8               |
| Compartment 2 / Temperature (°C)    | /                         |
| Low temp zone                       | YES                       |
| Compartment 3 / Temperature (°C)    | /                         |
| Dual zone                           | NO                        |
| GENERAL PROPERTIES                  |                           |
| Reversible door                     | NO                        |
| Low vibration                       | YES                       |
| Shelves                             | 4 - 1 fixed, 3 adjustable |
| Type of shelves                     | GLASS                     |
| Door Bins                           | 3                         |
| Fridge drawers type                 | LOW TEMP                  |
| Fresco/LowTemp Drawers              | 3                         |
| Bottom Drawers                      | /                         |

#### ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Front panel painting, handles, and side panels
- Door stop 90°

## KS600FG

60 cm, FRIDGE, MODEL OFG

BUILT-IN, Glass Door

CLASSIC® SERIES



| AESTHETIC   |                         |
|---|-------------------------|
| Compressor position                                   | Bottom                  |
| Front finish  | Stainless Steel         |
| Handles   | Stainless Steel Classic |
| Interior material finish                              | Stainless Steel         |
| PRICE (VAT and delivery charges not included)         |                         |
| KS600FG6 (right hinge)                                | 9.770 €                 |
| KS600FG3 (left hinge)                                 | 9.770 €                 |
|   |                         |
| CAPACITY  |                         |
| Volume Compartment1 (L)                               | 368                     |
| Volume Compartment2 (L)                               | /                       |
| Volume Compartment3 (L)                               | /                       |
| Total Net Volume (L)                                  | 368                     |
| Total Gross Volume (L)                                | 378                     |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                       |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                       |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                       |
| TECHNICAL DETAILS                                     |                         |
| Voltage (V)   | 220-240V                |
| Frequency (Hz)  | 50-60 Hz                |
| Climatic class  | SN/T                    |
| Noise level (dB)                                      | 41                      |
| EFFICIENCY  |                         |
| Energy Label class                                    | E                       |
| Energy consumption (kWh/year)                         | 118                     |

| DIMENSIONS & WEIGHT                 |                           |
|-------------------------------------|---------------------------|
| Product height (closed wheels)(mm)  | 2050                      |
| Width of the product (mm)           | 599                       |
| Depth of Product without handle(mm) | 635                       |
| Net Weight (kg)                     | 134                       |
| Gross Weight (kg)                   | 156                       |
| TEMPERATURE RANGES                  |                           |
| Climatic compartments               | 1                         |
| Compartment 1 / Temperature (°C)    | from 2 to 8               |
| Compartment 2 / Temperature (°C)    | /                         |
| Low temp zone                       | YES                       |
| Compartment 3 / Temperature (°C)    | /                         |
| Dual zone                           | NO                        |
| GENERAL PROPERTIES                  |                           |
| Reversible door                     | NO                        |
| Low vibration                       | YES                       |
| Shelves                             | 4 - 1 fixed, 3 adjustable |
| Type of shelves                     | GLASS                     |
| Door Bins                           | 0                         |
| Fridge drawers type                 | LOW TEMP                  |
| Fresco/LowTemp Drawers              | 3                         |
| Bottom Drawers                      | /                         |

#### ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Front panel painting, handles, and side panels
- Door stop 90°

## S600FR

60 cm, FRIDGE, MODEL OFR  
FULLY INTEGRATED  
INTEGRATED® SERIES



| AESTHETIC   |                    |
|---|--------------------|
| Compressor position                                   | Bottom             |
| Front finish  | Custom Panel Ready |
| Handles   | NO                 |
| Interior material finish                              | Stainless Steel    |
| PRICE (VAT and delivery charges not included)         |                    |
| S600FR6 (right hinge)                                 | 7.980 €            |
| S600FR3 (left hinge)                                  | 7.980 €            |
|   |                    |
| CAPACITY  |                    |
| Volume Compartment1 (L)                               | 368                |
| Volume Compartment2 (L)                               | /                  |
| Volume Compartment3 (L)                               | /                  |
| Total Net Volume (L)                                  | 368                |
| Total Gross Volume (L)                                | 378                |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                  |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                  |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                  |
| TECHNICAL DETAILS                                     |                    |
| Voltage (V)   | 220-240V           |
| Frequency (Hz)  | 50-60 Hz           |
| Climatic class  | SN/T               |
| Noise level (dB)                                      | 41                 |
| EFFICIENCY  |                    |
| Energy Label class                                    | E                  |
| Energy consumption (kWh/year)                         | 118                |

| DIMENSIONS & WEIGHT                 |                           |
|-------------------------------------|---------------------------|
| Product height (closed wheels)(mm)  | 2120                      |
| Width of the product (mm)           | 599                       |
| Depth of Product without handle(mm) | 610                       |
| Net Weight (kg)                     | 132                       |
| Gross Weight (kg)                   | 152                       |
| TEMPERATURE RANGES                  |                           |
| Climatic compartments               | 1                         |
| Compartment 1 / Temperature (°C)    | from 2 to 8               |
| Compartment 2 / Temperature (°C)    | /                         |
| Low temp zone                       | YES                       |
| Compartment 3 / Temperature (°C)    | /                         |
| Dual zone                           | NO                        |
| GENERAL PROPERTIES                  |                           |
| Reversible door                     | NO                        |
| Low vibration                       | YES                       |
| Shelves                             | 4 - 1 fixed, 3 adjustable |
| Type of shelves                     | GLASS                     |
| Door Bins                           | 3                         |
| Fridge drawers type                 | LOW TEMP                  |
| Fresco/LowTemp Drawers              | 3                         |
| Bottom Drawers                      | /                         |

| ACCESSORIES (from page 118 to page 227)                     |  |
|---|--|
| • Stainless Steel Side Panels for freestanding installation |  |
| • Central Joining Kit for side-by-side installed units      |  |
| • Ø 30 mm Tubular Stainless Steel Handles – Classic         |  |
| • Ø 30 mm Tubular Stainless Steel Handles – Pro             |  |
| • Ø 18 mm Tubular Stainless Steel Handles                   |  |
| • Stainless steel panels                                    |  |
| • Extra length anti-tipping kit                             |  |
| • Cleaning Kit  |  |
| • Front ventilation kit                                     |  |
| • Door stop 90°   |  |
| • Push and pull   |  |

## S600FG

60 cm, FRIDGE, MODEL OFG  
FULLY INTEGRATED, Glass Door  
INTEGRATED® SERIES



| AESTHETIC   |                    |
|---|--------------------|
| Compressor position                                   | Bottom             |
| Front finish  | Custom Panel Ready |
| Handles   | NO                 |
| Interior material finish                              | Stainless Steel    |
| PRICE (VAT and delivery charges not included)         |                    |
| S600FG6 (right hinge)                                 | 8.970 €            |
| S600FG3 (left hinge)                                  | 8.970 €            |
|   |                    |
| CAPACITY  |                    |
| Volume Compartment1 (L)                               | 368                |
| Volume Compartment2 (L)                               | /                  |
| Volume Compartment3 (L)                               | /                  |
| Total Net Volume (L)                                  | 368                |
| Total Gross Volume (L)                                | 378                |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                  |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                  |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                  |
| TECHNICAL DETAILS                                     |                    |
| Voltage (V)   | 220-240V           |
| Frequency (Hz)  | 50-60 Hz           |
| Climatic class  | SN/T               |
| Noise level (dB)                                      | 41                 |
| EFFICIENCY  |                    |
| Energy Label class                                    | E                  |
| Energy consumption (kWh/year)                         | 118                |

| DIMENSIONS & WEIGHT   |                           |
|---|---------------------------|
| Product height (closed wheels)(mm)                          | 2120                      |
| Width of the product (mm)                                   | 599                       |
| Depth of Product without handle(mm)                         | 610                       |
| Net Weight (kg)   | 132                       |
| Gross Weight (kg)   | 152                       |
| TEMPERATURE RANGES  |                           |
| Climatic compartments                                       | 1                         |
| Compartment 1 / Temperature (°C)                            | from 2 to 8               |
| Compartment 2 / Temperature (°C)                            | /                         |
| Low temp zone   | YES                       |
| Compartment 3 / Temperature (°C)                            | /                         |
| Dual zone   | NO                        |
| GENERAL PROPERTIES  |                           |
| Reversible door   | NO                        |
| Low vibration   | YES                       |
| Shelves   | 4 - 1 fixed, 3 adjustable |
| Type of shelves   | GLASS                     |
| Door Bins   | 0                         |
| Fridge drawers type   | LOW TEMP                  |
| Fresco/LowTemp Drawers                                      | 3                         |
| Bottom Drawers  | /                         |
| ACCESSORIES (from page 118 to page 227)                     |                           |
| • Stainless Steel Side Panels for freestanding installation |                           |
| • Central Joining Kit for side-by-side installed units      |                           |
| • Ø 30 mm Tubular Stainless Steel Handles – Classic         |                           |
| • Ø 30 mm Tubular Stainless Steel Handles – Pro             |                           |
| • Ø 18 mm Tubular Stainless Steel Handles                   |                           |
| • Stainless steel panels                                    |                           |
| • Extra length anti-tipping kit                             |                           |
| • Cleaning Kit  |                           |
| • Front ventilation kit                                     |                           |
| • Door stop 90°   |                           |
| • Push and pull   |                           |



WINE CELLAR

## FULL SIZE: WINE CELLARS

Model: 0F

Width: 60cm

One door, 2 separate temperatures

Upper compartment: Wine cellar

Lower compartment: Wine cellar

### FEATURES

**Made in Italy:** Designed and built entirely in Italy with artisanal precision.

**Long Term Reliability:** Premium materials and rigorous testing ensure consistent, durable performance.

**Galvanized Steel Structure:** Strength and stability engineered to last.

**Antibacterial Interior:** Hygienic surfaces preserving freshness and bottle quality.

### Technology and Functionality

**ProVent™:** Uniform cold air distribution across every zone.

**EquiLance™:** Patented variable pivot hinge for silent, stable movement.

**OptiView™:** Diffused and uniform LED lighting, elegant and with low heat emission to preserve the wine's properties.

**Full Color TFT Display:** Clear, intuitive, high definition interface.

**Active Safety:** Visual and acoustic alerts.

**100% Total No Frost:** Automatic system that prevents ice formation and ensures impeccable humidity control.

**Variable Speed Compressors:** Precise temperature control and reduced vibrations.

**Sabbath Mode:** Dedicated function for observance needs.

**Easy Installation:** Adjustable feet and rear wheels.

### Conservation Performance

**Two Independent Climate Zones:** Dedicated temperature and humidity control for red, white, and sparkling wines.

**Triple-layer bronzed glass door:** Total protection against UV rays and external temperature fluctuations.


**Humidity control:** Precise regulation to preserve corks, labels, and bottle integrity.

### GENERAL PROPERTIES

|   |           |
|---|-----------|
| Reversible door                         | NO        |
| Equilance                               | YES       |
| SoftClosing Runner                      | YES       |
| Low vibration                           | YES       |
| OptiView (LED light spots)              | YES       |
| Shelves                                 | 13        |
| Slide-out shelves                       | YES       |
| Type of shelves                         | WOOD      |
| Fridge drawers type                     | /         |
| Fresco/LowTemp Drawers                  | /         |
| Bottom drawers                          | /         |
| Full Extension shelves 90° door opening | YES       |
| Full Extension drawers 90° door opening | NO        |
| Defrost Process                         | AUTOMATIC |
| Ice maker with water filter             | NO        |
| Door Open Alarms                        | YES       |
| Humidity Control                        | YES       |
| Active Carbon Filter                    | NO        |
| Air filter control                      | NO        |
| Shopping Fridge                         | NO        |
| Shopping Freezer                        | NO        |
| Power Failure Function                  | YES       |

## XS600FW

60 cm, WINE CELLAR, MODEL 0FW  
BUILT-IN  
X-PRO® SERIES



### AESTHETIC

|                          |                     |
|--------------------------|---------------------|
| Compressor position      | Top                 |
| Front finish             | Stainless Steel     |
| Handles                  | Stainless Steel Pro |
| Interior material finish | Stainless Steel     |

### PRICE (VAT and delivery charges not included)

|                        |          |
|------------------------|----------|
| XS600FW6 (right hinge) | 11.290 € |
| XS600FW3 (left hinge)  | 11.290 € |

### CAPACITY

|   |     |
|---|-----|
| Volume Compartment1 (L)                               | 352 |
| Volume Compartment2 (L)                               | /   |
| Volume Compartment3 (L)                               | /   |
| Total Net Volume (L)                                  | 352 |
| Total Gross Volume (L)                                | 364 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | 48  |
| Compartment 2 / Middle wine cellar capacity (bottles) | /   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | 30  |

### TECHNICAL DETAILS

|                  |          |
|------------------|----------|
| Voltage (V)      | 220-240V |
| Frequency (Hz)   | 50-60 Hz |
| Climatic class   | SN/T     |
| Noise level (dB) | 41       |

### EFFICIENCY

|                               |     |
|-------------------------------|-----|
| Energy Label class            | G   |
| Energy consumption (kWh/year) | 143 |

### DIMENSIONS & WEIGHT

|                                     |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2120 |
| Width of the product (mm)           | 599  |
| Depth of Product without handle(mm) | 635  |
| Net Weight (kg)                     | 134  |
| Gross Weight (kg)                   | 156  |

### TEMPERATURE RANGES

|                                  |              |
|----------------------------------|--------------|
| Climatic compartments            | 2            |
| Compartment 1 / Temperature (°C) | from 4 to 18 |
| Compartment 2 / Temperature (°C) | /            |
| Low temp zone                    | NO           |
| Compartment 3 / Temperature (°C) | from 4 to 18 |
| Dual zone                        | NO           |

### GENERAL PROPERTIES


|                        |      |
|------------------------|------|
| Reversible door        | NO   |
| Low vibration          | YES  |
| Shelves                | 13   |
| Type of shelves        | WOOD |
| Door Bins              | /    |
| Fridge drawers type    | /    |
| Fresco/LowTemp Drawers | /    |
| Bottom Drawers         | /    |

### ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning Kit
- Active Carbon Filter
- Front panel painting, handles, and side panels
- Door stop 90°
- Wine kit
- Cheese drawer
- Set of knives
- Prosciutteria kit
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Chocolate kit

## RS600FW

60 cm, WINE CELLAR, MODEL 0FW  
BUILT-IN  
DESIGNER® SERIES



### AESTHETIC

|                          |                     |
|--------------------------|---------------------|
| Compressor position      | Bottom              |
| Front finish             | Stainless Steel     |
| Handles                  | Stainless Steel Pro |
| Interior material finish | Stainless Steel     |

### PRICE (VAT and delivery charges not included)

|                        |          |
|------------------------|----------|
| RS600FW6 (right hinge) | 10.090 € |
| RS600FW3 (left hinge)  | 10.090 € |

### CAPACITY

|   |     |
|---|-----|
| Volume Compartment1 (L)                               | 352 |
| Volume Compartment2 (L)                               | /   |
| Volume Compartment3 (L)                               | /   |
| Total Net Volume (L)                                  | 352 |
| Total Gross Volume (L)                                | 364 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | 48  |
| Compartment 2 / Middle wine cellar capacity (bottles) | /   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | 30  |

### TECHNICAL DETAILS

|                  |          |
|------------------|----------|
| Voltage (V)      | 220-240V |
| Frequency (Hz)   | 50-60 Hz |
| Climatic class   | SN/T     |
| Noise level (dB) | 41       |

### EFFICIENCY

|                               |     |
|-------------------------------|-----|
| Energy Label class            | G   |
| Energy consumption (kWh/year) | 143 |

### DIMENSIONS & WEIGHT

|                                     |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2120 |
| Width of the product (mm)           | 608  |
| Depth of Product without handle(mm) | 620  |
| Net Weight (kg)                     | 152  |
| Gross Weight (kg)                   | 172  |

### TEMPERATURE RANGES

|                                  |              |
|----------------------------------|--------------|
| Climatic compartments            | 2            |
| Compartment 1 / Temperature (°C) | from 4 to 18 |
| Compartment 2 / Temperature (°C) | /            |
| Low temp zone                    | NO           |
| Compartment 3 / Temperature (°C) | from 4 to 18 |
| Dual zone                        | NO           |

### GENERAL PROPERTIES


|                        |      |
|------------------------|------|
| Reversible door        | NO   |
| Low vibration          | YES  |
| Shelves                | 13   |
| Type of shelves        | WOOD |
| Door Bins              | /    |
| Fridge drawers type    | /    |
| Fresco/LowTemp Drawers | /    |
| Bottom Drawers         | /    |

### ACCESSORIES (from page 118 to page 227)

- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Active Carbon Filter
- Front ventilation kit
- Front panel painting, handles
- Door stop 90°
- Wine kit
- Cheese drawer
- Set of knives
- Prosciutteria kit
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Chocolate kit

# KS600FW

60 cm, WINE CELLAR, MODEL 0FW  
BUILT-IN  
CLASSIC® SERIES




| AESTHETIC   |                         |
|---|-------------------------|
| Compressor position                                   | Bottom                  |
| Front finish  | Stainless Steel         |
| Handles   | Stainless Steel Classic |
| Interior material finish                              | Stainless Steel         |
| PRICE (VAT and delivery charges not included)         |                         |
| KS600FW6 (right hinge)                                | 10.090 €                |
| KS600FW3 (left hinge)                                 | 10.090 €                |
| CAPACITY  |                         |
| Volume Compartment1 (L)                               | 352                     |
| Volume Compartment2 (L)                               | /                       |
| Volume Compartment3 (L)                               | /                       |
| Total Net Volume (L)                                  | 352                     |
| Total Gross Volume (L)                                | 364                     |
| Compartment 1 / Upper wine cellar capacity (bottles)  | 48                      |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                       |
| Compartment 2 / Lower wine cellar capacity (bottles)  | 30                      |
| TECHNICAL DETAILS                                     |                         |
| Voltage (V)   | 220-240V                |
| Frequency (Hz)  | 50-60 Hz                |
| Climatic class  | SN/T                    |
| Noise level (dB)                                      | 41                      |
| EFFICIENCY  |                         |
| Energy Label class                                    | G                       |
| Energy consumption (kWh/year)                         | 143                     |

| DIMENSIONS & WEIGHT                 |              |
|-------------------------------------|--------------|
| Product height (closed wheels)(mm)  | 2050         |
| Width of the product (mm)           | 599          |
| Depth of Product without handle(mm) | 635          |
| Net Weight (kg)                     | 152          |
| Gross Weight (kg)                   | 172          |
| TEMPERATURE RANGES                  |              |
| Climatic compartments               | 2            |
| Compartment 1 / Temperature (°C)    | from 4 to 18 |
| Compartment 2 / Temperature (°C)    | /            |
| Low temp zone                       | NO           |
| Compartment 3 / Temperature (°C)    | from 4 to 18 |
| Dual zone                           | NO           |
| GENERAL PROPERTIES                  |              |
| Reversible door                     | NO           |
| Low vibration                       | YES          |
| Shelves                             | 13           |
| Type of shelves                     | WOOD         |
| Door Bins                           | /            |
| Fridge drawers type                 | /            |
| Fresco/LowTemp Drawers              | /            |
| Bottom Drawers                      | /            |

| ACCESSORIES (from page 118 to page 227)                     |                            |
|---|----------------------------|
| • Stainless Steel Side Panels for freestanding installation | • Set of knives            |
| • Central Joining Kit for side-by-side installed units      | • Prosciutteria kit        |
| • Extra length anti-tipping kit                             | • Cigar drawer             |
| • Cleaning Kit  | • Beverage drawer          |
| • Active Carbon Filter                                      | • Beverage shelf           |
| • Front ventilation kit                                     | • Beverage removable shelf |
| • Front panel painting, handles, and side panels            | • Chocolate kit            |
| • Door stop 90°   |                            |
| • Wine kit  |                            |
| • Cheese drawer   |                            |

# S600FW

60 cm, WINE CELLAR, MODEL 0FW  
FULLY INTEGRATED  
INTEGRATED® SERIES




| AESTHETIC   |                    |
|---|--------------------|
| Compressor position                                   | Bottom             |
| Front finish  | Custom Panel Ready |
| Handles   | NO                 |
| Interior material finish                              | Stainless Steel    |
| PRICE (VAT and delivery charges not included)         |                    |
| S600FW6 (right hinge)                                 | 9.290 €            |
| S600FW3 (left hinge)                                  | 9.290 €            |
| CAPACITY  |                    |
| Volume Compartment1 (L)                               | 352                |
| Volume Compartment2 (L)                               | /                  |
| Volume Compartment3 (L)                               | /                  |
| Total Net Volume (L)                                  | 352                |
| Total Gross Volume (L)                                | 364                |
| Compartment 1 / Upper wine cellar capacity (bottles)  | 48                 |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                  |
| Compartment 2 / Lower wine cellar capacity (bottles)  | 30                 |
| TECHNICAL DETAILS                                     |                    |
| Voltage (V)   | 220-240V           |
| Frequency (Hz)  | 50-60 Hz           |
| Climatic class  | SN/T               |
| Noise level (dB)                                      | 41                 |
| EFFICIENCY  |                    |
| Energy Label class                                    | G                  |
| Energy consumption (kWh/year)                         | 143                |

| DIMENSIONS & WEIGHT                 |              |
|-------------------------------------|--------------|
| Product height (closed wheels)(mm)  | 2120         |
| Width of the product (mm)           | 599          |
| Depth of Product without handle(mm) | 610          |
| Net Weight (kg)                     | 133          |
| Gross Weight (kg)                   | 153          |
| TEMPERATURE RANGES                  |              |
| Climatic compartments               | 2            |
| Compartment 1 / Temperature (°C)    | from 4 to 18 |
| Compartment 2 / Temperature (°C)    | /            |
| Low temp zone                       | NO           |
| Compartment 3 / Temperature (°C)    | from 4 to 18 |
| Dual zone                           | NO           |
| GENERAL PROPERTIES                  |              |
| Reversible door                     | NO           |
| Low vibration                       | YES          |
| Shelves                             | 13           |
| Type of shelves                     | WOOD         |
| Door Bins                           | /            |
| Fridge drawers type                 | /            |
| Fresco/LowTemp Drawers              | /            |
| Bottom Drawers                      | /            |

| ACCESSORIES (from page 118 to page 227)                     |                            |
|---|----------------------------|
| • Stainless Steel Side Panels for freestanding installation | • Front ventilation kit    |
| • Central Joining Kit for side-by-side installed units      | • Door stop 90°            |
| • Ø 30 mm Tubular Stainless Steel Handles – Classic         | • Wine kit                 |
| • Ø 30 mm Tubular Stainless Steel Handles – Pro             | • Cheese drawer            |
| • Ø 18 mm Tubular Stainless Steel Handles                   | • Set of knives            |
| • Stainless steel panels                                    | • Prosciutteria kit        |
| • Extra length anti-tipping kit                             | • Cigar drawer             |
| • Cleaning Kit  | • Beverage drawer          |
| • Active Carbon Filter                                      | • Beverage shelf           |
|   | • Beverage removable shelf |
|   | • Chocolate kit            |
|   | • Push and pull            |

# BKS600FW

60 cm, WINE CELLAR, MODEL 0FW  
BUILT-IN  
BRILLIANCE® SERIES




| AESTHETIC   |                         |
|---|-------------------------|
| Compressor position                                   | Bottom                  |
| Front finish  | Stainless Steel         |
| Handles   | Stainless Steel Classic |
| Interior material finish                              | White painted aluminium |
| PRICE (VAT and delivery charges not included)         |                         |
| BKS600FW6 (right hinge)                               | 8.910 €                 |
| BKS600FW3 (left hinge)                                | 8.910 €                 |
| CAPACITY  |                         |
| Volume Compartment1 (L)                               | 352                     |
| Volume Compartment2 (L)                               | /                       |
| Volume Compartment3 (L)                               | /                       |
| Total Net Volume (L)                                  | 352                     |
| Total Gross Volume (L)                                | 364                     |
| Compartment 1 / Upper wine cellar capacity (bottles)  | 48                      |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                       |
| Compartment 2 / Lower wine cellar capacity (bottles)  | 30                      |
| TECHNICAL DETAILS                                     |                         |
| Voltage (V)   | 220-240V                |
| Frequency (Hz)  | 50-60 Hz                |
| Climatic class  | SN/T                    |
| Noise level (dB)                                      | 41                      |
| EFFICIENCY  |                         |
| Energy Label class                                    | G                       |
| Energy consumption (kWh/year)                         | 143                     |

| DIMENSIONS & WEIGHT                 |              |
|-------------------------------------|--------------|
| Product height (closed wheels)(mm)  | 2050         |
| Width of the product (mm)           | 599          |
| Depth of Product without handle(mm) | 635          |
| Net Weight (kg)                     | 152          |
| Gross Weight (kg)                   | 172          |
| TEMPERATURE RANGES                  |              |
| Climatic compartments               | 2            |
| Compartment 1 / Temperature (°C)    | from 4 to 18 |
| Compartment 2 / Temperature (°C)    | /            |
| Low temp zone                       | NO           |
| Compartment 3 / Temperature (°C)    | from 4 to 18 |
| Dual zone                           | NO           |
| GENERAL PROPERTIES                  |              |
| Reversible door                     | NO           |
| Low vibration                       | YES          |
| Shelves                             | 13           |
| Type of shelves                     | WOOD         |
| Door Bins                           | /            |
| Fridge drawers type                 | /            |
| Fresco/LowTemp Drawers              | /            |
| Bottom Drawers                      | /            |

| ACCESSORIES (from page 118 to page 227)                     |                            |
|---|----------------------------|
| • Stainless Steel Side Panels for freestanding installation | • Cheese drawer            |
| • Central Joining Kit for side-by-side installed units      | • Set of knives            |
| • Extra length anti-tipping kit                             | • Prosciutteria kit        |
| • Anti-condensation kit                                     | • Cigar drawer             |
| • Cleaning Kit  | • Beverage drawer          |
| • Active Carbon Filter                                      | • Beverage shelf           |
| • Front ventilation kit                                     | • Beverage removable shelf |
| • Front panel painting, handles, and side panels            | • Chocolate kit            |
| • Door stop 90°   |                            |
| • Wine kit  |                            |

# BS600FW

60 cm, WINE CELLAR, MODEL 0FW  
FULLY INTEGRATED  
BRILLIANCE® SERIES



| AESTHETIC   |                         |
|---|-------------------------|
| Compressor position                                   | Bottom                  |
| Front finish  | Custom Panel Ready      |
| Handles   | NO                      |
| Interior material finish                              | White painted aluminium |
| PRICE (VAT and delivery charges not included)         |                         |
| BS600FW6 (right hinge)                                | 8.800 €                 |
| BS600FW3 (left hinge)                                 | 8.800 €                 |
| CAPACITY  |                         |
| Volume Compartment1 (L)                               | 352                     |
| Volume Compartment2 (L)                               | /                       |
| Volume Compartment3 (L)                               | /                       |
| Total Net Volume (L)                                  | 352                     |
| Total Gross Volume (L)                                | 364                     |
| Compartment 1 / Upper wine cellar capacity (bottles)  | 48                      |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                       |
| Compartment 2 / Lower wine cellar capacity (bottles)  | 30                      |
| TECHNICAL DETAILS                                     |                         |
| Voltage (V)   | 220-240V                |
| Frequency (Hz)  | 50-60 Hz                |
| Climatic class  | SN/T                    |
| Noise level (dB)                                      | 41                      |
| EFFICIENCY  |                         |
| Energy Label class                                    | G                       |
| Energy consumption (kWh/year)                         | 143                     |

| DIMENSIONS & WEIGHT   |                            |
|---|----------------------------|
| Product height (closed wheels)(mm)                          | 2120                       |
| Width of the product (mm)                                   | 599                        |
| Depth of Product without handle(mm)                         | 610                        |
| Net Weight (kg)   | 133                        |
| Gross Weight (kg)   | 153                        |
| TEMPERATURE RANGES  |                            |
| Climatic compartments                                       | 2                          |
| Compartment 1 / Temperature (°C)                            | from 4 to 18               |
| Compartment 2 / Temperature (°C)                            | /                          |
| Low temp zone   | NO                         |
| Compartment 3 / Temperature (°C)                            | from 4 to 18               |
| Dual zone   | NO                         |
| GENERAL PROPERTIES  |                            |
| Reversible door   | NO                         |
| Low vibration   | YES                        |
| Shelves   | 13                         |
| Type of shelves   | WOOD                       |
| Door Bins   | /                          |
| Fridge drawers type   | /                          |
| Fresco/LowTemp Drawers                                      | /                          |
| Bottom Drawers  | /                          |
| ACCESSORIES (from page 118 to page 227)                     |                            |
| • Stainless Steel Side Panels for freestanding installation | • Front ventilation kit    |
| • Central Joining Kit for side-by-side installed units      | • Door stop 90°            |
| • Ø 30 mm Tubular Stainless Steel Handles – Classic         | • Wine kit                 |
| • Ø 30 mm Tubular Stainless Steel Handles – Pro             | • Cheese drawer            |
| • Ø 18 mm Tubular Stainless Steel Handles                   | • Set of knives            |
| • Stainless steel panels                                    | • Prosciutteria kit        |
| • Extra length anti-tipping kit                             | • Cigar drawer             |
| • Cleaning Kit  | • Beverage drawer          |
| • Active Carbon Filter                                      | • Beverage shelf           |
|   | • Beverage removable shelf |
|   | • Chocolate kit            |
|   | • Push and pull            |



FREEZER

## FULL SIZE: FREEZER

Model: 0F

Width: 60cm

One door, 1 temperature

Single compartment: Freezer

### FEATURES

**Made in Italy:** Designed and built entirely in Italy with artisanal precision.

**Long Term Reliability:** Premium materials and rigorous testing ensure consistent, durable performance.

**Galvanized Steel Structure:** Strength and stability engineered to last.

**Antibacterial Interior:** Hygienic surfaces preserving freshness and bottle quality.

#### Technology and Functionality

**ProVent™:** Uniform cold air distribution across every zone.

**EquiLance™:** Patented variable pivot hinge for silent, stable movement.

**OptiView™:** Diffuse, uniform LED lighting.

**Full Color TFT Display:** Clear, intuitive, high definition interface.

**100% Total No Frost:** Automatic system that prevents ice formation and ensures impeccable humidity control.

**Variable Speed Compressors:** Precise temperature control and reduced vibrations.

**Sabbath Mode:** Dedicated function for observance needs.

**Easy Installation:** Adjustable feet and rear wheels.

#### Conservation Performance

**One climate zone:** Gestione precisa della temperatura per una conservazione ottimale degli alimenti congelati.

**Tempered Glass Shelves:** With aluminum profiles

### GENERAL PROPERTIES

|   |                             |
|---|-----------------------------|
| Reversible door                         | NO                          |
| Equilance                               | YES                         |
| SoftClosing Runner                      | YES                         |
| Low vibration                           | YES                         |
| Optiview (LED light spots)              | YES                         |
| Shelves                                 | 3 - 1 fixed, 2 adjustable   |
| Slide-out shelves                       | NO                          |
| Type of shelves                         | 2 Glass & 1 Stainless steel |
| Fridge drawers type                     | /                           |
| Fresco/LowTemp Drawers                  | /                           |
| Bottom drawers                          | 4                           |
| Full Extension shelves 90° door opening | YES                         |
| Full Extension drawers 90° door opening | NO                          |
| Defrost Process                         | AUTOMATIC                   |
| Ice maker with water filter             | AVAILABLE                   |
| Door Open Alarms                        | YES                         |
| Humidity Control                        | NO                          |
| Active Carbon Filter                    | NO                          |
| Air filter control                      | NO                          |
| Shopping Fridge                         | NO                          |
| Shopping Freezer                        | YES                         |
| Power Failure Function                  | YES                         |

## XS600FZ

60 cm, FREEZER, MODEL 0FZ

BUILT-IN

X-PRO® SERIES



| AESTHETIC   |                     |
|---|---------------------|
| Compressor position                                   | Top                 |
| Front finish  | Stainless Steel     |
| Handles   | Stainless Steel Pro |
| Interior material finish                              | Stainless Steel     |
| PRICE (VAT and delivery charges not included)         |                     |
| XS600FZ6 (right hinge)                                | 10.310 €            |
| XS600FZ3 (left hinge)                                 | 10.310 €            |
| XS600FZ6I (right hinge, with ice maker)               | 11.150 €            |
| XS600FZ3I (left hinge, with ice maker)                | 11.150 €            |
| CAPACITY  |                     |
| Volume Compartment1 (L)                               | 342                 |
| Volume Compartment2 (L)                               | /                   |
| Volume Compartment3 (L)                               | /                   |
| Total Net Volume (L)                                  | 342                 |
| Total Gross Volume (L)                                | 344                 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                   |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                   |
| TECHNICAL DETAILS                                     |                     |
| Voltage (V)   | 220-240V            |
| Frequency (Hz)  | 50-60 Hz            |
| Climatic class  | SN/T                |
| Noise level (dB)                                      | 41                  |
| EFFICIENCY  |                     |
| Energy Label class                                    | E                   |
| Energy consumption (kWh/year)                         | 271                 |

| DIMENSIONS & WEIGHT   |                             |
|---|-----------------------------|
| Product height (closed wheels)(mm)  | 2120                        |
| Width of the product (mm)   | 599                         |
| Depth of Product without handle(mm)   | 635                         |
| Net Weight (kg)   | 160                         |
| Gross Weight (kg)   | 180                         |
| TEMPERATURE RANGES  |                             |
| Climatic compartments   | 1                           |
| Compartment 1 / Temperature (°C)  | from -15 to -22             |
| Compartment 2 / Temperature (°C)  | /                           |
| Low temp zone   | NO                          |
| Compartment 3 / Temperature (°C)  | /                           |
| Dual zone   | NO                          |
| GENERAL PROPERTIES  |                             |
| Reversible door   | NO                          |
| Low vibration   | YES                         |
| Shelves   | 3 - 1 fixed, 2 adjustable   |
| Type of shelves   | 2 Glass & 1 Stainless steel |
| Door Bins   | 2                           |
| Fridge drawers type   | /                           |
| Fresco/LowTemp Drawers  | /                           |
| Bottom Drawers  | 4                           |
| ACCESSORIES (from page 118 to page 227)   |                             |
| <ul style="list-style-type: none"> <li>Stainless Steel Side Panels for freestanding installation</li> <li>Central Joining Kit for side-by-side installed units</li> <li>X-Pro top grill kit</li> <li>Extra length anti-tipping kit</li> <li>Anti-condensation kit</li> <li>Cleaning Kit</li> <li>Front panel painting, handles, and side panels</li> <li>Door stop 90°</li> </ul> |                             |

## RS600FZ

60 cm, FREEZER, MODEL 0FZ

BUILT-IN

DESIGNER® SERIES



| AESTHETIC   |                     |
|---|---------------------|
| Compressor position                                   | Bottom              |
| Front finish  | Stainless Steel     |
| Handles   | Stainless Steel Pro |
| Interior material finish                              | Stainless Steel     |
| PRICE (VAT and delivery charges not included)         |                     |
| RS600FZ6 (right hinge)                                | 9.110 €             |
| RS600FZ3 (left hinge)                                 | 9.110 €             |
| RS600FZ6I (right hinge, with ice maker)               | 9.950 €             |
| RS600FZ3I (left hinge, with ice maker)                | 9.950 €             |
| CAPACITY  |                     |
| Volume Compartment1 (L)                               | 342                 |
| Volume Compartment2 (L)                               | /                   |
| Volume Compartment3 (L)                               | /                   |
| Total Net Volume (L)                                  | 342                 |
| Total Gross Volume (L)                                | 344                 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                   |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                   |
| TECHNICAL DETAILS                                     |                     |
| Voltage (V)   | 220-240V            |
| Frequency (Hz)  | 50-60 Hz            |
| Climatic class  | SN/T                |
| Noise level (dB)                                      | 41                  |
| EFFICIENCY  |                     |
| Energy Label class                                    | E                   |
| Energy consumption (kWh/year)                         | 271                 |

| DIMENSIONS & WEIGHT  |                             |
|--|-----------------------------|
| Product height (closed wheels)(mm)   | 2120                        |
| Width of the product (mm)  | 608                         |
| Depth of Product without handle(mm)  | 620                         |
| Net Weight (kg)  | 151                         |
| Gross Weight (kg)  | 171                         |
| TEMPERATURE RANGES   |                             |
| Climatic compartments  | 1                           |
| Compartment 1 / Temperature (°C)   | from -15 to -22             |
| Compartment 2 / Temperature (°C)   | /                           |
| Low temp zone  | NO                          |
| Compartment 3 / Temperature (°C)   | /                           |
| Dual zone  | NO                          |
| GENERAL PROPERTIES   |                             |
| Reversible door  | NO                          |
| Low vibration  | YES                         |
| Shelves  | 3 - 1 fixed, 2 adjustable   |
| Type of shelves  | 2 Glass & 1 Stainless steel |
| Door Bins  | 2                           |
| Fridge drawers type  | /                           |
| Fresco/LowTemp Drawers   | /                           |
| Bottom Drawers   | 4                           |
| ACCESSORIES (from page 118 to page 227)  |                             |
| <ul style="list-style-type: none"> <li>Central Joining Kit for side-by-side installed units</li> <li>Extra length anti-tipping kit</li> <li>Cleaning Kit</li> <li>Front ventilation kit</li> <li>Front panel painting, handles</li> <li>Door stop 90°</li> </ul> |                             |

## KS600FZ

60 cm, FREEZER, MODEL 0FZ

BUILT-IN

CLASSIC® SERIES



| AESTHETIC                |                         |
|--------------------------|-------------------------|
| Compressor position      | Bottom                  |
| Front finish             | Stainless Steel         |
| Handles                  | Stainless Steel Classic |
| Interior material finish | Stainless Steel         |

| PRICE (VAT and delivery charges not included) |         |
|---|---------|
| KS600FZ6 (right hinge)                        | 9.110 € |
| KS600FZ3 (left hinge)                         | 9.110 € |
| KS600FZ6I (right hinge, with ice maker)       | 9.950 € |
| KS600FZ3I (left hinge, with ice maker)        | 9.950 € |

| CAPACITY  |     |
|---|-----|
| Volume Compartment1 (L)                               | 342 |
| Volume Compartment2 (L)                               | /   |
| Volume Compartment3 (L)                               | /   |
| Total Net Volume (L)                                  | 342 |
| Total Gross Volume (L)                                | 344 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /   |
| Compartment 2 / Middle wine cellar capacity (bottles) | /   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /   |

| TECHNICAL DETAILS |          |
|-------------------|----------|
| Voltage (V)       | 220-240V |
| Frequency (Hz)    | 50-60 Hz |
| Climatic class    | SN/T     |
| Noise level (dB)  | 41       |

| EFFICIENCY                    |     |
|-------------------------------|-----|
| Energy Label class            | E   |
| Energy consumption (kWh/year) | 271 |

| DIMENSIONS & WEIGHT                 |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2050 |
| Width of the product (mm)           | 599  |
| Depth of Product without handle(mm) | 635  |
| Net Weight (kg)                     | 151  |
| Gross Weight (kg)                   | 171  |

| TEMPERATURE RANGES               |                 |
|----------------------------------|-----------------|
| Climatic compartments            | 1               |
| Compartment 1 / Temperature (°C) | from -15 to -22 |
| Compartment 2 / Temperature (°C) | /               |
| Low temp zone                    | NO              |
| Compartment 3 / Temperature (°C) | /               |
| Dual zone                        | NO              |

| GENERAL PROPERTIES     |                             |
|------------------------|-----------------------------|
| Reversible door        | NO                          |
| Low vibration          | YES                         |
| Shelves                | 3 - 1 fixed, 2 adjustable   |
| Type of shelves        | 2 Glass & 1 Stainless steel |
| Door Bins              | 2                           |
| Fridge drawers type    | /                           |
| Fresco/LowTemp Drawers | /                           |
| Bottom Drawers         | 4                           |

#### ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Front panel painting, handles, and side panels
- Door stop 90°

## S600FZ

60 cm, FREEZER, MODEL 0FZ

FULLY INTEGRATED

INTEGRATED® SERIES



| AESTHETIC                |                    |
|--------------------------|--------------------|
| Compressor position      | Bottom             |
| Front finish             | Custom Panel Ready |
| Handles                  | NO                 |
| Interior material finish | Stainless Steel    |

| PRICE (VAT and delivery charges not included) |         |
|---|---------|
| S600FZ6 (right hinge)                         | 8.310 € |
| S600FZ3 (left hinge)                          | 8.310 € |
| S600FZ6I (right hinge, with ice maker)        | 9.150 € |
| S600FZ3I (left hinge, with ice maker)         | 9.150 € |

| CAPACITY  |     |
|---|-----|
| Volume Compartment1 (L)                               | 342 |
| Volume Compartment2 (L)                               | /   |
| Volume Compartment3 (L)                               | /   |
| Total Net Volume (L)                                  | 342 |
| Total Gross Volume (L)                                | 344 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /   |
| Compartment 2 / Middle wine cellar capacity (bottles) | /   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /   |

| TECHNICAL DETAILS |          |
|-------------------|----------|
| Voltage (V)       | 220-240V |
| Frequency (Hz)    | 50-60 Hz |
| Climatic class    | SN/T     |
| Noise level (dB)  | 41       |

| EFFICIENCY                    |     |
|-------------------------------|-----|
| Energy Label class            | E   |
| Energy consumption (kWh/year) | 271 |

| DIMENSIONS & WEIGHT                 |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2120 |
| Width of the product (mm)           | 599  |
| Depth of Product without handle(mm) | 610  |
| Net Weight (kg)                     | 141  |
| Gross Weight (kg)                   | 161  |

| TEMPERATURE RANGES               |                 |
|----------------------------------|-----------------|
| Climatic compartments            | 1               |
| Compartment 1 / Temperature (°C) | from -15 to -22 |
| Compartment 2 / Temperature (°C) | /               |
| Low temp zone                    | NO              |
| Compartment 3 / Temperature (°C) | /               |
| Dual zone                        | NO              |

| GENERAL PROPERTIES     |                             |
|------------------------|-----------------------------|
| Reversible door        | NO                          |
| Low vibration          | YES                         |
| Shelves                | 3 - 1 fixed, 2 adjustable   |
| Type of shelves        | 2 Glass & 1 Stainless steel |
| Door Bins              | 2                           |
| Fridge drawers type    | /                           |
| Fresco/LowTemp Drawers | /                           |
| Bottom Drawers         | 4                           |

#### ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Ø 30 mm Tubular Stainless Steel Handles – Classic
- Ø 30 mm Tubular Stainless Steel Handles – Pro
- Ø 18 mm Tubular Stainless Steel Handles
- Stainless steel panels
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Door stop 90°
- Push and pull

# FULL SIZE: FREEZER/WINE CELLARS

## Width: 45cm

OF

Wine Cellars

Freezer

45

45

### X-PRO

Top compressors



XS450FW



XS450FZ

### DESIGNER

Bottom compressors



RS450FW



RS450FZ

### CLASSIC

Bottom compressors



KS450FW



KS450FZ

### INTEGRATED

Bottom compressors



S450FW



S450FZ



WINE CELLAR

## FULL SIZE: WINE CELLARS

Model: 0F

Width: 45cm

One door, 2 separate temperatures

Upper compartment: Wine cellar

Lower compartment: Wine cellar

### FEATURES

**Made in Italy:** Designed and built entirely in Italy with artisanal precision.

**Long Term Reliability:** Premium materials and rigorous testing ensure consistent, durable performance.

**Galvanized Steel Structure:** Strength and stability engineered to last.

**Antibacterial Interior:** Hygienic surfaces preserving freshness and bottle quality.

### Technology and Functionality

**ProVent™:** Uniform cold air distribution across every zone.

**EquiLance™:** Patented variable pivot hinge for silent, stable movement.

**OptiView™:** Diffused and uniform LED lighting, elegant and with low heat emission to preserve the wine's properties.

**Full Color TFT Display:** Clear, intuitive, high definition interface.

**Active Safety:** Visual and acoustic alerts.

**100% Total No Frost:** Automatic system that prevents ice formation and ensures impeccable humidity control.

**Variable Speed Compressors:** Precise temperature control and reduced vibrations.

**Sabbath Mode:** Dedicated function for observance needs.

**Easy Installation:** Adjustable feet and rear wheels.

### Conservation Performance

**Two Independent Climate Zones:** Dedicated temperature and humidity control for red, white, and sparkling wines.

**Triple-layer bronzed glass door:** Total protection against UV rays and external temperature fluctuations.


**Humidity control:** Precise regulation to preserve corks, labels, and bottle integrity.

### GENERAL PROPERTIES

|   |           |
|---|-----------|
| Reversible door                         | NO        |
| Equilance                               | YES       |
| SoftClosing Runner                      | YES       |
| Low vibration                           | YES       |
| Optiview (LED light spots)              | YES       |
| Shelves                                 | 13        |
| Slide-out shelves                       | YES       |
| Type of shelves                         | WOOD      |
| Fridge drawers type                     | /         |
| Fresco/LowTemp Drawers                  | /         |
| Bottom drawers                          | /         |
| Full Extension shelves 90° door opening | YES       |
| Full Extension drawers 90° door opening | NO        |
| Defrost Process                         | AUTOMATIC |
| Ice maker with water filter             | NO        |
| Door Open Alarms                        | YES       |
| Humidity Control                        | YES       |
| Active Carbon Filter                    | NO        |
| Air filter control                      | NO        |
| Shopping Fridge                         | NO        |
| Shopping Freezer                        | NO        |
| Power Failure Function                  | YES       |

## XS450FW6

45 cm, WINE CELLAR, MODEL 0FW  
BUILT-IN  
X-PRO® SERIES




| AESTHETIC   |                     |
|---|---------------------|
| Compressor position                                   | Top                 |
| Front finish  | Stainless Steel     |
| Handles   | Stainless Steel Pro |
| Interior material finish                              | Stainless Steel     |
| PRICE (VAT and delivery charges not included)         |                     |
| XS450FW6 (right hinge)                                | 10.970 €            |
| XS450FW3 (left hinge)                                 | 10.970 €            |
| CAPACITY  |                     |
| Volume Compartment1 (L)                               | 229                 |
| Volume Compartment2 (L)                               | /                   |
| Volume Compartment3 (L)                               | /                   |
| Total Net Volume (L)                                  | 229                 |
| Total Gross Volume (L)                                | 239                 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | 32                  |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | 20                  |
| TECHNICAL DETAILS                                     |                     |
| Voltage (V)   | 220-240V            |
| Frequency (Hz)  | 50-60 Hz            |
| Climatic class  | SN/T                |
| Noise level (dB)                                      | 41                  |
| EFFICIENCY  |                     |
| Energy Label class                                    | G                   |
| Energy consumption (kWh/year)                         | 169                 |

| DIMENSIONS & WEIGHT                 |              |
|-------------------------------------|--------------|
| Product height (closed wheels)(mm)  | 2120         |
| Width of the product (mm)           | 449          |
| Depth of Product without handle(mm) | 635          |
| Net Weight (kg)                     | 141          |
| Gross Weight (kg)                   | 161          |
| TEMPERATURE RANGES                  |              |
| Climatic compartments               | 2            |
| Compartment 1 / Temperature (°C)    | from 4 to 18 |
| Compartment 2 / Temperature (°C)    | /            |
| Low temp zone                       | NO           |
| Compartment 3 / Temperature (°C)    | from 4 to 18 |
| Dual zone                           | NO           |
| GENERAL PROPERTIES                  |              |
| Reversible door                     | NO           |
| Low vibration                       | YES          |
| Shelves                             | 13           |
| Type of shelves                     | WOOD         |
| Door Bins                           | /            |
| Fridge drawers type                 | /            |
| Fresco/LowTemp Drawers              | /            |
| Bottom Drawers                      | /            |

| ACCESSORIES (from page 118 to page 227)                     |                            |
|---|----------------------------|
| • Stainless Steel Side Panels for freestanding installation | • Cheese drawer            |
| • Central Joining Kit for side-by-side installed units      | • Cigar drawer             |
| • X-Pro top grill kit                                       | • Beverage drawer          |
| • Extra length anti-tipping kit                             | • Beverage shelf           |
| • Anti-condensation kit                                     | • Beverage removable shelf |
| • Cleaning Kit  | • Prosciutteria kit        |
| • Active Carbon Filter                                      |                            |
| • Front panel painting, handles, and side panels            |                            |
| • Door stop 90°   |                            |
| • Wine kit  |                            |

## RS450FW6

45 cm, WINE CELLAR, MODEL 0FW  
BUILT-IN  
DESIGNER® SERIES




| AESTHETIC   |                     |
|---|---------------------|
| Compressor position                                   | Bottom              |
| Front finish  | Stainless Steel     |
| Handles   | Stainless Steel Pro |
| Interior material finish                              | Stainless Steel     |
| PRICE (VAT and delivery charges not included)         |                     |
| RS450FW6 (right hinge)                                | 9.770 €             |
| RS450FW3 (left hinge)                                 | 9.770 €             |
| CAPACITY  |                     |
| Volume Compartment1 (L)                               | 229                 |
| Volume Compartment2 (L)                               | /                   |
| Volume Compartment3 (L)                               | /                   |
| Total Net Volume (L)                                  | 229                 |
| Total Gross Volume (L)                                | 239                 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | 32                  |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | 20                  |
| TECHNICAL DETAILS                                     |                     |
| Voltage (V)   | 220-240V            |
| Frequency (Hz)  | 50-60 Hz            |
| Climatic class  | SN/T                |
| Noise level (dB)                                      | 41                  |
| EFFICIENCY  |                     |
| Energy Label class                                    | G                   |
| Energy consumption (kWh/year)                         | 169                 |

| DIMENSIONS & WEIGHT                 |              |
|-------------------------------------|--------------|
| Product height (closed wheels)(mm)  | 2120         |
| Width of the product (mm)           | 455          |
| Depth of Product without handle(mm) | 620          |
| Net Weight (kg)                     | 141          |
| Gross Weight (kg)                   | 161          |
| TEMPERATURE RANGES                  |              |
| Climatic compartments               | 2            |
| Compartment 1 / Temperature (°C)    | from 4 to 18 |
| Compartment 2 / Temperature (°C)    | /            |
| Low temp zone                       | NO           |
| Compartment 3 / Temperature (°C)    | from 4 to 18 |
| Dual zone                           | NO           |
| GENERAL PROPERTIES                  |              |
| Reversible door                     | NO           |
| Low vibration                       | YES          |
| Shelves                             | 13           |
| Type of shelves                     | WOOD         |
| Door Bins                           | /            |
| Fridge drawers type                 | /            |
| Fresco/LowTemp Drawers              | /            |
| Bottom Drawers                      | /            |

| ACCESSORIES (from page 118 to page 227)                |                            |
|--|----------------------------|
| • Central Joining Kit for side-by-side installed units | • Beverage shelf           |
| • Extra length anti-tipping kit                        | • Beverage removable shelf |
| • Cleaning Kit   | • Prosciutteria kit        |
| • Active Carbon Filter                                 |                            |
| • Front ventilation kit                                |                            |
| • Front panel painting, handles                        |                            |
| • Door stop 90°  |                            |
| • Wine kit   |                            |
| • Cheese drawer  |                            |
| • Cigar drawer   |                            |
| • Beverage drawer                                      |                            |

## KS450FW6

45 cm, WINE CELLAR, MODEL 0FW  
BUILT-IN  
CLASSIC® SERIES



| AESTHETIC                |                         |
|--------------------------|-------------------------|
| Compressor position      | Bottom                  |
| Front finish             | Stainless Steel         |
| Handles                  | Stainless Steel Classic |
| Interior material finish | Stainless Steel         |

| PRICE (VAT and delivery charges not included) |         |
|---|---------|
| KS450FW6 (right hinge)                        | 9.770 € |
| KS450FW3 (left hinge)                         | 9.770 € |

| CAPACITY  |     |
|---|-----|
| Volume Compartment1 (L)                               | 229 |
| Volume Compartment2 (L)                               | /   |
| Volume Compartment3 (L)                               | /   |
| Total Net Volume (L)                                  | 229 |
| Total Gross Volume (L)                                | 239 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | 32  |
| Compartment 2 / Middle wine cellar capacity (bottles) | /   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | 20  |

| TECHNICAL DETAILS |          |
|-------------------|----------|
| Voltage (V)       | 220-240V |
| Frequency (Hz)    | 50-60 Hz |
| Climatic class    | SN/T     |
| Noise level (dB)  | 41       |

| EFFICIENCY                    |     |
|-------------------------------|-----|
| Energy Label class            | G   |
| Energy consumption (kWh/year) | 169 |

| DIMENSIONS & WEIGHT                 |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2050 |
| Width of the product (mm)           | 449  |
| Depth of Product without handle(mm) | 635  |
| Net Weight (kg)                     | 141  |
| Gross Weight (kg)                   | 161  |

| TEMPERATURE RANGES               |              |
|----------------------------------|--------------|
| Climatic compartments            | 2            |
| Compartment 1 / Temperature (°C) | from 4 to 18 |
| Compartment 2 / Temperature (°C) | /            |
| Low temp zone                    | NO           |
| Compartment 3 / Temperature (°C) | from 4 to 18 |
| Dual zone                        | NO           |


| GENERAL PROPERTIES     |      |
|------------------------|------|
| Reversible door        | NO   |
| Low vibration          | YES  |
| Shelves                | 13   |
| Type of shelves        | WOOD |
| Door Bins              | /    |
| Fridge drawers type    | /    |
| Fresco/LowTemp Drawers | /    |
| Bottom Drawers         | /    |

#### ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Active Carbon Filter
- Front ventilation kit
- Front panel painting, handles, and side panels
- Door stop 90°
- Wine kit
- Cheese drawer
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Prosciutteria kit

## S450FW6

45 cm, WINE CELLAR, MODEL 0FW  
FULLY INTEGRATED  
INTEGRATED® SERIES



| AESTHETIC                |                    |
|--------------------------|--------------------|
| Compressor position      | Bottom             |
| Front finish             | Custom Panel Ready |
| Handles                  | NO                 |
| Interior material finish | Stainless Steel    |

| PRICE (VAT and delivery charges not included) |         |
|---|---------|
| S450FW6 (right hinge)                         | 8.970 € |
| S450FW3 (left hinge)                          | 8.970 € |

| CAPACITY  |     |
|---|-----|
| Volume Compartment1 (L)                               | 229 |
| Volume Compartment2 (L)                               | /   |
| Volume Compartment3 (L)                               | /   |
| Total Net Volume (L)                                  | 229 |
| Total Gross Volume (L)                                | 239 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | 32  |
| Compartment 2 / Middle wine cellar capacity (bottles) | /   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | 20  |

| TECHNICAL DETAILS |          |
|-------------------|----------|
| Voltage (V)       | 220-240V |
| Frequency (Hz)    | 50-60 Hz |
| Climatic class    | SN/T     |
| Noise level (dB)  | 41       |

| EFFICIENCY                    |     |
|-------------------------------|-----|
| Energy Label class            | G   |
| Energy consumption (kWh/year) | 169 |

| DIMENSIONS & WEIGHT                 |      |
|-------------------------------------|------|
| Product height (closed wheels)(mm)  | 2120 |
| Width of the product (mm)           | 449  |
| Depth of Product without handle(mm) | 610  |
| Net Weight (kg)                     | 128  |
| Gross Weight (kg)                   | 148  |

| TEMPERATURE RANGES               |              |
|----------------------------------|--------------|
| Climatic compartments            | 2            |
| Compartment 1 / Temperature (°C) | from 4 to 18 |
| Compartment 2 / Temperature (°C) | /            |
| Low temp zone                    | NO           |
| Compartment 3 / Temperature (°C) | from 4 to 18 |
| Dual zone                        | NO           |

| GENERAL PROPERTIES     |      |
|------------------------|------|
| Reversible door        | NO   |
| Low vibration          | YES  |
| Shelves                | 13   |
| Type of shelves        | WOOD |
| Door Bins              | /    |
| Fridge drawers type    | /    |
| Fresco/LowTemp Drawers | /    |
| Bottom Drawers         | /    |

#### ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Ø 30 mm Tubular Stainless Steel Handles – Classic
- Ø 30 mm Tubular Stainless Steel Handles – Pro
- Ø 18 mm Tubular Stainless Steel Handles
- Stainless steel panels
- Extra length anti-tipping kit
- Cleaning Kit
- Active Carbon Filter
- Front ventilation kit
- Door stop 90°
- Wine kit
- Cheese drawer
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Prosciutteria kit
- Push and pull

# FULL SIZE: FREEZER

Model: 0F

Width: 45cm

One door, 1 temperature

Single compartment: Freezer



FREEZER

## FEATURES

**Made in Italy:** Designed and built entirely in Italy with artisanal precision.

**Long Term Reliability:** Premium materials and rigorous testing ensure consistent, durable performance.

**Galvanized Steel Structure:** Strength and stability engineered to last.

**Antibacterial Interior:** Hygienic surfaces preserving freshness and bottle quality.

### Technology and Functionality

**ProVent™:** Uniform cold air distribution across every zone.

**EquiLance™:** Patented variable pivot hinge for silent, stable movement.

**OptiView™:** Diffuse, uniform LED lighting.

**Full Color TFT Display:** Clear, intuitive, high definition interface.

**100% Total No Frost:** Automatic system that prevents ice formation and ensures impeccable humidity control.

**Variable Speed Compressors:** Precise temperature control and reduced vibrations.

**Sabbath Mode:** Dedicated function for observance needs.

**Easy Installation:** Adjustable feet and rear wheels.

### Conservation Performance

**One climate zone:** Gestione precisa della temperatura per una conservazione ottimale degli alimenti congelati.

**Tempered Glass Shelves:** With aluminum profiles

## GENERAL PROPERTIES

|   |                             |
|---|-----------------------------|
| Reversible door                         | NO                          |
| Equilance                               | YES                         |
| SoftClosing Runner                      | YES                         |
| Low vibration                           | YES                         |
| OptiView (LED light spots)              | YES                         |
| Shelves                                 | 3 - 1 fixed, 2 adjustable   |
| Slide-out shelves                       | NO                          |
| Type of shelves                         | 2 Glass & 1 Stainless steel |
| Fridge drawers type                     | /                           |
| Fresco/LowTemp Drawers                  | /                           |
| Bottom drawers                          | 3                           |
| Full Extension shelves 90° door opening | YES                         |
| Full Extension drawers 90° door opening | NO                          |
| Defrost Process                         | AUTOMATIC                   |
| Ice maker with water filter             | AVAILABLE                   |
| Door Open Alarms                        | YES                         |
| Humidity Control                        | NO                          |
| Active Carbon Filter                    | NO                          |
| Air filter control                      | NO                          |
| Shopping Fridge                         | NO                          |
| Shopping Freezer                        | YES                         |
| Power Failure Function                  | YES                         |

## XS450FZ

45 cm, FREEZER, MODEL 0FZ

BUILT-IN

X-PRO® SERIES



| AESTHETIC   |                     |
|---|---------------------|
| Compressor position                                   | Top                 |
| Front finish  | Stainless Steel     |
| Handles   | Stainless Steel Pro |
| Interior material finish                              | Stainless Steel     |
| PRICE (VAT and delivery charges not included)         |                     |
| XS450FZ6 (right hinge)                                | 10.190 €            |
| XS450FZ3 (left hinge)                                 | 10.190 €            |
| XS450FZ6I (right hinge, with ice maker)               | 11.040 €            |
| XS450FZ3I (left hinge, with ice maker)                | 11.040 €            |
| CAPACITY  |                     |
| Volume Compartment1 (L)                               | 223                 |
| Volume Compartment2 (L)                               | /                   |
| Volume Compartment3 (L)                               | /                   |
| Total Net Volume (L)                                  | 223                 |
| Total Gross Volume (L)                                | 225                 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                   |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                   |
| TECHNICAL DETAILS                                     |                     |
| Voltage (V)   | 220-240V            |
| Frequency (Hz)  | 50-60 Hz            |
| Climatic class  | SN/T                |
| Noise level (dB)                                      | 41                  |
| EFFICIENCY  |                     |
| Energy Label class                                    | E                   |
| Energy consumption (kWh/year)                         | 238                 |

| DIMENSIONS & WEIGHT                 |                             |
|-------------------------------------|-----------------------------|
| Product height (closed wheels)(mm)  | 2120                        |
| Width of the product (mm)           | 449                         |
| Depth of Product without handle(mm) | 635                         |
| Net Weight (kg)                     | 131                         |
| Gross Weight (kg)                   | 151                         |
| TEMPERATURE RANGES                  |                             |
| Climatic compartments               | 1                           |
| Compartment 1 / Temperature (°C)    | from -15 to -22             |
| Compartment 2 / Temperature (°C)    | /                           |
| Low temp zone                       | NO                          |
| Compartment 3 / Temperature (°C)    | /                           |
| Dual zone                           | NO                          |
| GENERAL PROPERTIES                  |                             |
| Reversible door                     | NO                          |
| Low vibration                       | YES                         |
| Shelves                             | 3 - 1 fixed, 2 adjustable   |
| Type of shelves                     | 2 Glass & 1 Stainless steel |
| Door Bins                           | 2                           |
| Fridge drawers type                 | /                           |
| Fresco/LowTemp Drawers              | /                           |
| Bottom Drawers                      | 3                           |

| ACCESSORIES (from page 118 to page 227)                     |  |
|---|--|
| • Stainless Steel Side Panels for freestanding installation |  |
| • Central Joining Kit for side-by-side installed units      |  |
| • X-Pro top grill kit                                       |  |
| • Extra length anti-tipping kit                             |  |
| • Anti-condensation kit                                     |  |
| • Cleaning Kit  |  |
| • Front panel painting, handles, and side panels            |  |
| • Door stop 90°   |  |

## RS450FZ

45 cm, FREEZER, MODEL 0FZ

BUILT-IN

DESIGNER® SERIES



| AESTHETIC   |                     |
|---|---------------------|
| Compressor position                                   | Bottom              |
| Front finish  | Stainless Steel     |
| Handles   | Stainless Steel Pro |
| Interior material finish                              | Stainless Steel     |
| PRICE (VAT and delivery charges not included)         |                     |
| RS450FZ6 (right hinge)                                | 8.990 €             |
| RS450FZ3 (left hinge)                                 | 8.990 €             |
| RS450FZ6I (right hinge, with ice maker)               | 9.840 €             |
| RS450FZ3I (left hinge, with ice maker)                | 9.840 €             |
| CAPACITY  |                     |
| Volume Compartment1 (L)                               | 223                 |
| Volume Compartment2 (L)                               | /                   |
| Volume Compartment3 (L)                               | /                   |
| Total Net Volume (L)                                  | 223                 |
| Total Gross Volume (L)                                | 225                 |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                   |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                   |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                   |
| TECHNICAL DETAILS                                     |                     |
| Voltage (V)   | 220-240V            |
| Frequency (Hz)  | 50-60 Hz            |
| Climatic class  | SN/T                |
| Noise level (dB)                                      | 41                  |
| EFFICIENCY  |                     |
| Energy Label class                                    | E                   |
| Energy consumption (kWh/year)                         | 238                 |

| DIMENSIONS & WEIGHT                 |                             |
|-------------------------------------|-----------------------------|
| Product height (closed wheels)(mm)  | 2120                        |
| Width of the product (mm)           | 455                         |
| Depth of Product without handle(mm) | 620                         |
| Net Weight (kg)                     | 131                         |
| Gross Weight (kg)                   | 151                         |
| TEMPERATURE RANGES                  |                             |
| Climatic compartments               | 1                           |
| Compartment 1 / Temperature (°C)    | from -15 to -22             |
| Compartment 2 / Temperature (°C)    | /                           |
| Low temp zone                       | NO                          |
| Compartment 3 / Temperature (°C)    | /                           |
| Dual zone                           | NO                          |
| GENERAL PROPERTIES                  |                             |
| Reversible door                     | NO                          |
| Low vibration                       | YES                         |
| Shelves                             | 3 - 1 fixed, 2 adjustable   |
| Type of shelves                     | 2 Glass & 1 Stainless steel |
| Door Bins                           | 2                           |
| Fridge drawers type                 | /                           |
| Fresco/LowTemp Drawers              | /                           |
| Bottom Drawers                      | 3                           |

| ACCESSORIES (from page 118 to page 227)                |  |
|--|--|
| • Central Joining Kit for side-by-side installed units |  |
| • Extra length anti-tipping kit                        |  |
| • Cleaning Kit   |  |
| • Front ventilation kit                                |  |
| • Front panel painting, handles                        |  |
| • Door stop 90°  |  |

## KS450FZ

45 cm, FREEZER, MODEL 0FZ

BUILT-IN

CLASSIC® SERIES



| AESTHETIC   |                         |
|---|-------------------------|
| Compressor position                                   | Bottom                  |
| Front finish  | Stainless Steel         |
| Handles   | Stainless Steel Classic |
| Interior material finish                              | Stainless Steel         |
| PRICE (VAT and delivery charges not included)         |                         |
| KS450FZ6 (right hinge)                                | 8.990 €                 |
| KS450FZ3 (left hinge)                                 | 8.990 €                 |
| KS450FZ6I (right hinge, with ice maker)               | 9.840 €                 |
| KS450FZ3I (left hinge, with ice maker)                | 9.840 €                 |
| CAPACITY  |                         |
| Volume Compartment1 (L)                               | 223                     |
| Volume Compartment2 (L)                               | /                       |
| Volume Compartment3 (L)                               | /                       |
| Total Net Volume (L)                                  | 223                     |
| Total Gross Volume (L)                                | 225                     |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                       |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                       |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                       |
| TECHNICAL DETAILS                                     |                         |
| Voltage (V)   | 220-240V                |
| Frequency (Hz)  | 50-60 Hz                |
| Climatic class  | SN/T                    |
| Noise level (dB)                                      | 41                      |
| EFFICIENCY  |                         |
| Energy Label class                                    | E                       |
| Energy consumption (kWh/year)                         | 238                     |

| DIMENSIONS & WEIGHT  |                             |
|--|-----------------------------|
| Product height (closed wheels)(mm)   | 2050                        |
| Width of the product (mm)  | 449                         |
| Depth of Product without handle(mm)  | 635                         |
| Net Weight (kg)  | 131                         |
| Gross Weight (kg)  | 151                         |
| TEMPERATURE RANGES   |                             |
| Climatic compartments  | 1                           |
| Compartment 1 / Temperature (°C)   | from -15 to -22             |
| Compartment 2 / Temperature (°C)   | /                           |
| Low temp zone  | NO                          |
| Compartment 3 / Temperature (°C)   | /                           |
| Dual zone  | NO                          |
| GENERAL PROPERTIES   |                             |
| Reversible door  | NO                          |
| Low vibration  | YES                         |
| Shelves  | 3 - 1 fixed, 2 adjustable   |
| Type of shelves  | 2 Glass & 1 Stainless steel |
| Door Bins  | 2                           |
| Fridge drawers type  | /                           |
| Fresco/LowTemp Drawers   | /                           |
| Bottom Drawers   | 3                           |
| ACCESSORIES (from page 118 to page 227)  |                             |
| <ul style="list-style-type: none"> <li>Stainless Steel Side Panels for freestanding installation</li> <li>Central Joining Kit for side-by-side installed units</li> <li>Extra length anti-tipping kit</li> <li>Cleaning Kit</li> <li>Front ventilation kit</li> <li>Front panel painting, handles, and side panels</li> <li>Door stop 90°</li> </ul> |                             |

## S450FZ

45 cm, FREEZER, MODEL 0FZ

BUILT-IN

INTEGRATED® SERIES



| AESTHETIC   |                    |
|---|--------------------|
| Compressor position                                   | Bottom             |
| Front finish  | Custom Panel Ready |
| Handles   | NO                 |
| Interior material finish                              | Stainless Steel    |
| PRICE (VAT and delivery charges not included)         |                    |
| S450FZ6 (right hinge)                                 | 8.190 €            |
| S450FZ3 (left hinge)                                  | 8.190 €            |
| S450FZ6I (right hinge, with ice maker)                | 9.040 €            |
| S450FZ3I (left hinge, with ice maker)                 | 9.040 €            |
| CAPACITY  |                    |
| Volume Compartment1 (L)                               | 223                |
| Volume Compartment2 (L)                               | /                  |
| Volume Compartment3 (L)                               | /                  |
| Total Net Volume (L)                                  | 223                |
| Total Gross Volume (L)                                | 225                |
| Compartment 1 / Upper wine cellar capacity (bottles)  | /                  |
| Compartment 2 / Middle wine cellar capacity (bottles) | /                  |
| Compartment 2 / Lower wine cellar capacity (bottles)  | /                  |
| TECHNICAL DETAILS                                     |                    |
| Voltage (V)   | 220-240V           |
| Frequency (Hz)  | 50-60 Hz           |
| Climatic class  | SN/T               |
| Noise level (dB)                                      | 41                 |
| EFFICIENCY  |                    |
| Energy Label class                                    | E                  |
| Energy consumption (kWh/year)                         | 238                |

| DIMENSIONS & WEIGHT  |                             |
|--|-----------------------------|
| Product height (closed wheels)(mm)   | 2120                        |
| Width of the product (mm)  | 449                         |
| Depth of Product without handle(mm)  | 610                         |
| Net Weight (kg)  | 121                         |
| Gross Weight (kg)  | 141                         |
| TEMPERATURE RANGES   |                             |
| Climatic compartments  | 1                           |
| Compartment 1 / Temperature (°C)   | from -15 to -22             |
| Compartment 2 / Temperature (°C)   | /                           |
| Low temp zone  | NO                          |
| Compartment 3 / Temperature (°C)   | /                           |
| Dual zone  | NO                          |
| GENERAL PROPERTIES   |                             |
| Reversible door  | NO                          |
| Low vibration  | YES                         |
| Shelves  | 3 - 1 fixed, 2 adjustable   |
| Type of shelves  | 2 Glass & 1 Stainless steel |
| Door Bins  | 2                           |
| Fridge drawers type  | /                           |
| Fresco/LowTemp Drawers   | /                           |
| Bottom Drawers   | 3                           |
| ACCESSORIES (from page 118 to page 227)  |                             |
| <ul style="list-style-type: none"> <li>Stainless Steel Side Panels for freestanding installation</li> <li>Central Joining Kit for side-by-side installed units</li> <li>Ø 30 mm Tubular Stainless Steel Handles – Classic</li> <li>Ø 30 mm Tubular Stainless Steel Handles – Pro</li> <li>Ø 18 mm Tubular Stainless Steel Handles</li> <li>Stainless steel panels</li> <li>Extra length anti-tipping kit</li> <li>Cleaning Kit</li> <li>Front ventilation kit</li> <li>Door stop 90°</li> <li>Push and pull</li> </ul> |                             |

# ACCESSORIES

| Door opening hinge |            |           |             |       |  |
|--------------------|------------|-----------|-------------|-------|--|
| Code               | Series     | Model Ref | Description | Price |  |
| 6                  | Integrated | 90        | Right hinge | FREE  |  |
|                    | Classic    | 75        |             |       |  |
|                    | Brilliance | 60        |             |       |  |
|                    | XPro       | 45        |             |       |  |
| 3                  | Integrated | 90        | Left hinge  | FREE  |  |
|                    | Classic    | 75        |             |       |  |
|                    | Brilliance | 60        |             |       |  |
|                    | XPro       | 45        |             |       |  |

| Stainless steel sides |                                 |                   |                       |       |  |
|-----------------------|---------------------------------|-------------------|-----------------------|-------|--|
| Code                  | Series                          | Model Ref         | Description           | Price |  |
| FKK65T                | Integrated, Classic, Brilliance | 90 1T/OT<br>75 OT | Stainless steel sides | 570 € |  |
| FKK65H                | Integrated, Classic, Brilliance | 90 OH<br>75 OH    | Stainless steel sides | 570 € |  |
| FKK65T599             | Integrated, Classic, Brilliance | 60 1T/OT          | Stainless steel sides | 570 € |  |
| FKK65F                | Integrated, Classic, Brilliance | 90 OF<br>75 OF    | Stainless steel sides | 570 € |  |
| FKK65F599             | Integrated, Classic, Brilliance | 60 OF<br>45 OF    | Stainless steel sides | 570 € |  |
| FMX65T                | X-Pro                           | 90 1T/OT<br>75 OT | Stainless steel sides | 570 € |  |
| FMX65H                | X-Pro                           | 90 OH<br>75 OH    | Stainless steel sides | 570 € |  |
| FMX65T599             | X-Pro                           | 60 1T/OT          | Stainless steel sides | 570 € |  |
| FMX65F                | X-Pro                           | 90 OF<br>75 OF    | Stainless steel sides | 570 € |  |
| FMX65F599             | X-Pro                           | 60 OF<br>45 OF    | Stainless steel sides | 570 € |  |

The sides will be pre-installed in the factory and are not removable.  
At the end of the zip code, add 3 to the left and 6 for the right hinge.  
For the installation of 2 or more units, indicate the model and where you want to apply the stainless steel sides.  
**NB: Side panels are not available for all models of the Designer Series.**

| Joining kit - Xpro and Country Series |        |   |  |       |  |
|---------------------------------------|--------|---|--|-------|--|
| Code                                  | Series | Model Ref   | Description  | Price |  |
| KCCMTF                                | XPro   | 90 1T/OT/0H/OF<br>75 1T/OT/0H/OF<br>60 1T/OT/0H/OF<br>45 OF | Joining kit (Joining brackets, airflow separation included)  | 170 € |  |
|                                       |        | 90 1T/OT/0H/OF<br>75 1T/OT/0H/OF<br>60 1T/OT/0H/OF<br>45 OF | Joining kit - central models with stainless steel sides (Joining brackets, airflow separation included +Anti-condensation kit) | 200 € |  |


| XPro top ventilation grille |        |                            |                           |         |  |
|-----------------------------|--------|----------------------------|---------------------------|---------|--|
| Code                        | Series | Model Ref                  | Description               | Price   |  |
| XPRO90TOP                   | XPro   | XS45 + XS45                | Kit grill + single socket | 670 €   |  |
| XPRO105TOP                  | XPro   | XS45 + XS60                | Kit grill + single socket | 690 €   |  |
| XPRO120TOP                  | XPro   | XS60 + XS60<br>XS75 + XS45 | Kit grill + single socket | 720 €   |  |
| XPRO135TOP                  | XPro   | XS75 + XS60<br>XS90 + XS45 | Kit grill + single socket | 770 €   |  |
| XPRO150TOP                  | XPro   | XS75 + XS75<br>XS90 + XS60 | Kit grill + single socket | 820 €   |  |
| XPRO165TOP                  | XPro   | XS75 + XS90                | Kit grill + single socket | 880 €   |  |
| XPRO180TOP                  | XPro   | XS90 + XS90                | Kit grill + single socket | 930 €   |  |
| XPRO195TOP                  | XPro   | XS75 + XS60 +<br>XS60      | Kit grill + single socket | 950 €   |  |
| XPRO210TOP                  | XPro   | XS75 + XS75 +<br>XS60      | Kit grill + single socket | 980 €   |  |
| XPRO225TOP                  | XPro   | XS75 + XS75 +<br>XS75      | Kit grill + single socket | 1.000 € |  |
| XPRO240TOP                  | XPro   | XS90 + XS90 +<br>XS60      | Kit grill + single socket | 1.020 € |  |
| XPRO255TOP                  | XPro   | XS90 + XS90 +<br>XS75      | Kit grill + single socket | 1.040 € |  |


Kit grill + single socket (free kit if required when ordering the equipment)


| Classic Single lower grille kit |         |                       |                         |         |  |
|---------------------------------|---------|-----------------------|-------------------------|---------|--|
| Code                            | Series  | Model Ref             | Description             | Price   |  |
| GK90                            | Classic | KS45 + KS45           | Single lower grille kit | 670 €   |  |
| GK105                           | Classic | KS45 + KS60           | Single lower grille kit | 690 €   |  |
| GK120                           | Classic | KS60 + KS60           | Single lower grille kit | 720 €   |  |
| GK135                           | Classic | KS75 + KS45           | Single lower grille kit | 770 €   |  |
| GK150                           | Classic | KS75 + KS60           | Single lower grille kit | 820 €   |  |
| GK165                           | Classic | KS90 + KS45           | Single lower grille kit | 880 €   |  |
| GK180                           | Classic | KS75 + KS75           | Single lower grille kit | 930 €   |  |
| GK195                           | Classic | KS90 + KS60           | Single lower grille kit | 950 €   |  |
| GK210                           | Classic | KS75 + KS90           | Single lower grille kit | 980 €   |  |
| GK225                           | Classic | KS90 + KS90           | Single lower grille kit | 1.000 € |  |
| GK240                           | Classic | KS75 + KS60 +<br>KS60 | Single lower grille kit | 1.020 € |  |
| GK255                           | Classic | KS75 + KS75 +<br>KS60 | Single lower grille kit | 1.040 € |  |

Single lower grille kit (free kit if required when ordering the equipment)


## ACCESSORIES


| Joining kit - Integrated and Brilliance Series                                    |                       |                |  |  |       |
|---|-----------------------|----------------|--|--|-------|
|   | Code                  | Series         | Model Ref  | Description  | Price |
|  | KCCITFU               | Integrated     | 90 1T/0T/0H/0F   | Joining kit<br>(Joining brackets, airflow separation included) | 170 € |
|   |                       |                | 75 1T/0T/0H/0F   |  |       |
|   |                       |                | 60 1T/0T/0H/0F   |  |       |
|   |                       |                | 45 0F  |  |       |
| KCCITFWU  | Brilliance Integrated | 90 1T/0T/0H/0F | Joining kit - central white<br>(Joining brackets, airflow separation included) | 170 €  |       |
|   |                       | 75 1T/0T/0H/0F |  |  |       |
|   |                       | 60 1T/0T/0H/0F |  |  |       |
|   |                       | 45 0F          |  |  |       |


| Joining kit - Classic and Brilliance Series                                       |                    |                |  |  |       |
|---|--------------------|----------------|--|--|-------|
|   | Code               | Series         | Model Ref  | Description  | Price |
|  | KCCKTF             | Classic        | 90 1T/0T/0H/0F   | Joining kit<br>(Joining brackets, airflow separation included) | 200 € |
|   |                    |                | 75 1T/0T/0H/0F   |  |       |
|   |                    |                | 60 1T/0T/0H/0F   |  |       |
|   |                    |                | 45 0F  |  |       |
| KCCKTFW   | Brilliance Classic | 90 1T/0T/0H/0F | Joining kit - central white<br>(Joining brackets, airflow separation included) | 200 €  |       |
|   |                    | 75 1T/0T/0H/0F |  |  |       |
|   |                    | 60 1T/0T/0H/0F |  |  |       |
|   |                    | 45 0F          |  |  |       |

| Joining kit - Designer Series  |         |          |   |  |       |
|--|---------|----------|---|--|-------|
|  | Code    | Series   | Model Ref   | Description  | Price |
|  | KCCKTFU | Designer | 90 1T/0T/0H/0F<br>75 1T/0T/0H/0F<br>60 1T/0T/0H/0F<br>45 0F | Joining kit<br>(Joining brackets, airflow separation included) | 200 € |

| Tubular handles AISI 304  |       |            |             |  |       |
|---|-------|------------|-------------|--|-------|
|   | Code  | Series     | Model Ref   | Description  | Price |
|  | HV    | Integrated | 90/75/60    | Classic Vertical tubular handle, round section Ø30 mm (1104 mm/43,4 in)        | 220 € |
|   | HVF   | Integrated | 90/75/60/45 | Classic Vertical tubular handle, round section Ø30 mm to join 0F and 0H models | 260 € |
|   | HO8   | Integrated | 90          | Classic Horizontal tubular handle, round section Ø30 mm (794 mm/ 31.2 in)      | 220 € |
|   | HO7   | Integrated | 75          | Classic Horizontal tubular handle, round section Ø30 mm (644 mm/25.3 in)       | 210 € |
|   | HO5   | Integrated | 60          | Classic Horizontal tubular handle, round section Ø30 mm (494 mm/ 19.4 in)      | 200 € |
|  | HCV   | Integrated | 90/75/60/45 | Vertical tubular handle, round section Ø18 mm                                  | 190 € |
|   | HC8   | Integrated | 90          | Horizontal tubular handle, round section Ø18 mm                                | 170 € |
|   | HC7   | Integrated | 75          | Horizontal tubular handle, round section Ø18 mm                                | 160 € |
|   | HC5   | Integrated | 60          | Horizontal tubular handle, round section Ø18 mm                                | 150 € |
|  | HPROV | Integrated | 90/75/60/45 | Pro Vertical tubular handle, round section Ø30 mm                              | 265 € |
|   | HPRO8 | Integrated | 90          | Pro Horizontal tubular handle, round section Ø30 mm                            | 265 € |
|   | HPRO7 | Integrated | 75          | Pro Horizontal tubular handle, round section Ø30 mm                            | 265 € |
|   | HPRO5 | Integrated | 60          | Pro Horizontal tubular handle, round section Ø30 mm                            | 265 € |




| Extra length anti-tipping kit   |           |              |           |  |       |
|---|-----------|--------------|-----------|--|-------|
|   | Code      | Series       | Model Ref | Description  | Price |
|  | B04000900 | Integrated   | 90        | Extra Length Anti-tipping Kit (allows the installation in units with depth of 80 cm) | FREE  |
|   |           | Classic      | 75        |  |       |
|   |           | Brilliance   | 60        |  |       |
|   |           | XPro Country | 45        |  |       |

| Anti-condensation kit   |       |              |                      |   |       |
|---|-------|--------------|----------------------|---|-------|
|   | Code  | Series       | Model Ref            | Description   | Price |
|  | KAC16 | XPro Country | 90<br>75<br>60<br>45 | Anti-condensation Kit adhesive 1,6 cm thick for side-by-side installation of two or more top compressors units (not required for models with compressors at the bottom) | 50 €  |


| Colour box  |         |  |                      |  |       |
|---|---------|--|----------------------|--|-------|
|   | Code    | Series                                   | Model Ref            | Description  | Price |
|  | CARTCOL | Classic<br>Brilliance<br>XPro<br>Country | 90<br>75<br>60<br>45 | Sample box 12x24x12h format, matte scratch-resistant laminated finish, containing 12 Stainless Steel AISI 304 color samples. | 370 € |


| Painting |      |   |                      |                   |         |
|----------|------|---|----------------------|-------------------|---------|
|          | Code | Series  | Model Ref            | Description       | Price   |
|          |      | XPro  | 90<br>75<br>60<br>45 | Front             | 1.490 € |
|          |      | XPro  | 90<br>75<br>60<br>45 | Sides             | 960 €   |
|          |      | Classic<br>Designer<br>Brilliance                       | 90<br>75<br>60<br>45 | Front             | 1.380 € |
|          |      | Classic<br>Designer<br>Brilliance                       | 90<br>75<br>60<br>45 | Sides             | 960 €   |
|          |      | Integrated<br>Classic<br>Designer<br>Brilliance<br>XPro | 90<br>75<br>60<br>45 | Vertical handle   | 190 €   |
|          |      | Integrated<br>Classic<br>Designer<br>Brilliance<br>XPro | 90<br>75<br>60<br>45 | Horizontal handle | 190 €   |


## ACCESSORIES


| Cleaning and hygiene  |        |  |                      |  |       |
|---|--------|--|----------------------|--|-------|
|   | Code   | Series   | Model Ref            | Description  | Price |
|  | RP00KP | Integrated<br>Classic<br>Designer<br>Brilliance<br>XPro<br>Country | 90<br>75<br>60<br>45 | Cleaning kit microfiber cloth and magic sponge                         | 70 €  |
|  | RP00FA | Integrated<br>Classic<br>Designer<br>Brilliance<br>XPro<br>Country | 90<br>75<br>60<br>45 | Water filter cartridge (for models with Ice Maker and Water Dispenser) | 90 €  |
|  | ACF    | Integrated<br>Classic<br>Designer<br>Brilliance<br>XPro<br>Country | 90<br>75<br>60<br>45 | Active Carbon Filter   | 60 €  |


| Door options |         |  |                                  |               |       |
|--------------|---------|--|----------------------------------|---------------|-------|
|              | Code    | Series   | Model Ref                        | Description   | Price |
|              | 90STOP  | Integrated<br>Classic<br>Designer<br>Brilliance<br>XPro<br>Country | 90<br>75<br>60<br>45             | 90° door stop | 210 € |
|              | PAP-INT | Integrated   | 90 OF<br>75 OF<br>60 OF<br>45 OF | Push and pull | 840 € |

| Front ventilation kit   |        |   |           |                       |       |
|---|--------|---|-----------|-----------------------|-------|
|   | Code   | Series  | Model Ref | Description           | Price |
|  | ESPKIT | Integrated<br>Classic<br>Designer<br>Brilliance | 90<br>75  | Front ventilation kit | 490 € |

| Stainless steel panels  |      |            |                      |                        |            |
|---|------|------------|----------------------|------------------------|------------|
|   | Code | Series     | Model Ref            | Description            | Price      |
|  |      | Integrated | 90<br>75<br>60<br>45 | Stainless steel panels | on request |


| Stainless steel portal for freestanding installation                                |      |  |                      |  |            |
|---|------|--|----------------------|--|------------|
|   | Code | Series   | Model Ref            | Description  | Price      |
|  |      | Integrated<br>Classic<br>Designer<br>Brilliance<br>XPro<br>Country | 90<br>75<br>60<br>45 | Stainless steel portal for freestanding installation | on request |


| Wine Kit  |        |  |                            |   |       |
|---|--------|--|----------------------------|---|-------|
|   | Code   | Series   | Model Ref                  | Description   | Price |
|  | NBK45N | Integrated<br>Classic<br>Designer<br>Brilliance<br>XPro            | 45 OFW                     | Bottle Holder Crafted from fine Canaletto walnut wood Capacity: 4 bottles (750 ml) or 2 magnum bottles. Includes: 1 corkscrew | 370 € |
|   | NBK60N | Integrated<br>Classic<br>Designer<br>Brilliance<br>XPro<br>Country | 60 1TW<br>60 0TW<br>60 OFW | Bottle Holder Crafted from fine Canaletto walnut wood Capacity: 6 bottles (750 ml) or 3 magnum bottles Includes: 1 corkscrew  | 400 € |
|   | NBK75N | Integrated<br>Classic<br>Designer<br>Brilliance<br>XPro<br>Country | 75 0TW<br>75 0HW<br>75 OFW | Bottle Holder Crafted from fine Canaletto walnut wood Capacity: 8 bottles (750 ml) or 4 magnum bottles Includes: 1 corkscrew  | 460 € |
|   | NBK90N | Integrated<br>Classic<br>Designer<br>Brilliance<br>XPro<br>Country | 90 1TW<br>90 0HW<br>90 OFW | Bottle Holder Crafted from fine Canaletto walnut wood Capacity: 12 bottles (750 ml) or 6 magnum bottles Includes: 1 corkscrew | 590 € |


| Cheese drawers  |         |  |                            |                        |       |
|---|---------|--|----------------------------|------------------------|-------|
|   | Code    | Series   | Model Ref                  | CAPACITY               | Price |
|   | NCTB45N | Integrated<br>Classic<br>Designer<br>Brilliance<br>XPro            | 45 OFW                     | 13,9 lt - height 22 cm | 510 € |
|   | NCTB60N | Integrated<br>Classic<br>Designer<br>Brilliance<br>XPro<br>Country | 60 1TW<br>60 0TW<br>60 OFW | 23,8 lt - height 22 cm | 560 € |
|   | NCTB75N | Integrated<br>Classic<br>Designer<br>Brilliance<br>XPro<br>Country | 75 0TW<br>75 0HW<br>75 OFW | 33,1 lt - height 22 cm | 630 € |
|   | NCTB90N | Integrated<br>Classic<br>Designer<br>Brilliance<br>XPro<br>Country | 90 1TW<br>90 0HW<br>90 OFW | 43 lt - height 22 cm   | 660 € |
|  | NCTS45N | Integrated<br>Classic<br>Designer<br>Brilliance<br>XPro            | 45 OFW                     | 8,8 lt - height 14 cm  | 490 € |
|   | NCTS60N | Integrated<br>Classic<br>Designer<br>Brilliance<br>XPro<br>Country | 60 1TW<br>60 0TW<br>60 OFW | 15 lt - height 14 cm   | 530 € |
|   | NCTS75N | Integrated<br>Classic<br>Brilliance<br>XPro<br>Country             | 75 0TW<br>75 0HW<br>75 OFW | 20,9 lt - height 14 cm | 610 € |
|   | NCTS90N | Integrated<br>Classic<br>Designer<br>Brilliance<br>XPro<br>Country | 90 1TW<br>90 0HW<br>90 OFW | 27,1 lt - height 14 cm | 630 € |


Discover artisanal excellence with our exquisite drawers crafted from premium Canaletto walnut. Designed to seamlessly blend elegance and functionality, they are available in two height options to perfectly suit your needs—offering a flawless harmony between aesthetics and practicality.



## ACCESSORIES

| Bottle display kit  |        |   |                            |                        |       |
|---|--------|---|----------------------------|------------------------|-------|
|   | Code   | Series  | Model Ref                  | Description            | Price |
|  | NEK60N | Integrated Classic Designer Brilliance XPro Country | 60 1TW<br>60 0TW<br>60 0FW | New bottle display kit | 590 € |

| Beverage drawer   |        |   |                            |  |       |
|---|--------|---|----------------------------|--|-------|
|   | Code   | Series  | Model Ref                  | Description  | Price |
|  | NBGD45 | Integrated Classic Designer Brilliance XPro         | 45 0FW                     | Full extraction drawer with sandblasted stain- less steel interior, soft closing runners and with 6mm tempered glass (capacity 10,5 L. ) | 300 € |
|   | NBGD60 | Integrated Classic Designer Brilliance XPro Country | 60 1TW<br>60 0TW<br>60 0FW | Full extraction drawer with sandblasted stain- less steel interior, soft closing runners and with 6mm tempered glass (capacity 18,4 L. ) | 310 € |
|   | NBGD75 | Integrated Classic Designer Brilliance XPro Country | 75 0TW<br>75 0HW<br>75 0FW | Full extraction drawer with sandblasted stain- less steel interior, soft closing runners and with 6mm tempered glass (capacity 25,9 L. ) | 320 € |
|   | NBGD90 | Integrated Classic Designer Brilliance XPro Country | 90 1TW<br>90 0HW<br>90 0FW | Full extraction drawer with sandblasted stain- less steel interior, soft closing runners and with 6mm tempered glass (capacity 33,8 L. ) | 330 € |


| Removable Beverage shelf  |        |   |                            |  |       |
|---|--------|---|----------------------------|--|-------|
|   | Code   | Series  | Model Ref                  | Description  | Price |
|  | NBGS45 | Integrated Classic Designer Brilliance XPro         | 45 0FW                     | Removable 6mm tempered glass shelves (cans capacity:21   33/50 cc) | 280 € |
|   | NBGS60 | Integrated Classic Designer Brilliance XPro Country | 60 1TW<br>60 0TW<br>60 0FW | Removable 6mm tempered glass shelves (cans capacity:42   33/50 cc) | 290 € |
|   | NBGS75 | Integrated Classic Designer Brilliance XPro Country | 75 0TW<br>75 0HW<br>75 0FW | Removable 6mm tempered glass shelves (cans capacity:56   33/50 cc) | 300 € |
|   | NBGS90 | Integrated Classic Designer Brilliance XPro Country | 90 1TW<br>90 0HW<br>90 0FW | Removable 6mm tempered glass shelves (cans capacity:70   33/50 cc) | 310 € |


| Chocolate kit   |        |   |                            |               |       |
|---|--------|---|----------------------------|---------------|-------|
|   | Code   | Series  | Model Ref                  | Description   | Price |
|  | NCK60N | Integrated Classic Designer Brilliance XPro Country | 60 1TW<br>60 0TW<br>60 0FW | Chocolate kit | 480 € |


| Cigars drawers  |          |   |                            |                        |       |
|---|----------|---|----------------------------|------------------------|-------|
|   | Code     | Series  | Model Ref                  | CAPACITY               | Price |
|    | NCSGB45N | Integrated Classic Designer Brilliance XPro         | 45 0FW                     | 13,9 lt - height 22 cm | 490 € |
|   | NCSGB60N | Integrated Classic Designer Brilliance XPro Country | 60 1TW<br>60 0TW<br>60 0FW | 23,8 lt - height 22 cm | 530 € |
|   | NCSGB75N | Integrated Classic Designer Brilliance XPro Country | 75 0TW<br>75 0HW<br>75 0FW | 33,1 lt - height 22 cm | 610 € |
|   | NCSGB90N | Integrated Classic Designer Brilliance XPro Country | 90 1TW<br>90 0HW<br>90 0FW | 43 lt - height 22 cm   | 630 € |
|  | NCSGS45N | Integrated Classic Designer Brilliance XPro         | 45 0FW                     | 8,8 lt - height 14 cm  | 470 € |
|   | NCSGS60N | Integrated Classic Designer Brilliance XPro Country | 60 1TW<br>60 0TW<br>60 0FW | 15 lt - height 14 cm   | 510 € |
|   | NCSGS75N | Integrated Classic Designer Brilliance XPro Country | 75 0TW<br>75 0HW<br>75 0FW | 20,9 lt - height 14 cm | 590 € |
|   | NCSGS90N | Integrated Classic Designer Brilliance XPro Country | 90 1TW<br>90 0HW<br>90 0FW | 27,1 lt - height 14 cm | 610 € |


Discover artisanal excellence with our exquisite drawers crafted from premium Canaletto walnut. Designed to seamlessly blend elegance and functionality, they are available in two height options to perfectly suit your needs—offering a flawless harmony between aesthetics and practicality.


## ACCESSORIES

| Knife kit   |        |   |                            |   |       |
|---|--------|---|----------------------------|---|-------|
|   | Code   | Series  | Model Ref                  | Description   | Price |
|  | NCP60N | Integrated Classic Designer Brilliance XPro Country | 60 1TW<br>60 0TW<br>60 0FW | Elegant Tray with Fine Kitchen Knives An elegant tray crafted from premium Canaletto walnut, paired with a sophisticated selection of kitchen knives: a chef's knife (20 cm), a bread knife (22 cm), and a ham knife (26 cm). Each knife features a finely balanced wooden handle for a comfortable grip, along with a dedicated wooden base for stylish and practical storage. | 520 € |
|   | NCP75N | Integrated Classic Designer Brilliance XPro Country | 75 0TW<br>75 0HW<br>75 0FW | Elegant Tray with Fine Kitchen Knives An elegant tray crafted from premium Canaletto walnut, paired with a sophisticated selection of kitchen knives: a chef's knife (20 cm), a bread knife (22 cm), and a ham knife (26 cm). Each knife features a finely balanced wooden handle for a comfortable grip, along with a dedicated wooden base for stylish and practical storage. | 560 € |
|   | NCP90N | Integrated Classic Designer Brilliance XPro Country | 90 1TW<br>90 0HW<br>90 0FW | Elegant Tray with Fine Kitchen Knives An elegant tray crafted from premium Canaletto walnut, paired with a sophisticated selection of kitchen knives: a chef's knife (20 cm), a bread knife (22 cm), and a ham knife (26 cm). Each knife features a finely balanced wooden handle for a comfortable grip, along with a dedicated wooden base for stylish and practical storage. | 600 € |


| Prosciutteria kit   |      |   |                            |                   |       |
|---|------|---|----------------------------|-------------------|-------|
|   | Code | Series  | Model Ref                  | Description       | Price |
|  | KP4  | Integrated Classic Designer XPro                    | 45 0FW                     | Prosciutteria kit | 630 € |
|   | KP5  | Integrated Classic Designer Brilliance XPro Country | 60 0TW<br>60 0FW           | Prosciutteria kit | 650 € |
|   | KP7  | Integrated Classic Designer Brilliance XPro Country | 75 0TW<br>75 0HW<br>75 0FW | Prosciutteria kit | 670 € |
|   | KP9  | Integrated Classic Designer Brilliance XPro Country | 90 0HW<br>90 0FW           | Prosciutteria kit | 700 € |

| EvenLift™ separate shelves  |         |  |             |  |       |
|---|---------|--|-------------|--|-------|
|   | Code    | Series                                     | Model Ref   | Description  | Price |
|  | EL33    | Integrated Classic Brilliance XPro Country | 90 0T/0H/0F | 3+3 double EvenLift shelves in aluminium and glass | 730 € |
|   | EL33_75 | Integrated Classic Brilliance XPro Country | 75 0T/0H/0F | 3+3 double EvenLift shelves in aluminium and glass | 730 € |

| Navigation door lock kit  |      |  |                      |                          |       |
|---|------|--|----------------------|--------------------------|-------|
|   | Code | Series                                     | Model Ref            | Description              | Price |
|  | KBN  | Integrated Classic Brilliance XPro Country | 90<br>75<br>60<br>45 | Navigation door lock kit | 730 € |

| Gastronorm trays  |      |   |           |                  |       |
|---|------|---|-----------|------------------|-------|
|   | Code | Series  | Model Ref | Description      | Price |
|  |      | Integrated Classic Designer Brilliance XPro Country | 90 OF     | Gastronorm trays | 730 € |

| Knives and bottle accessories   |      |   |                      |  |       |
|---|------|---|----------------------|--|-------|
|   | Code | Series  | Model Ref            | Description  | Price |
|    | KKNF | Integrated Classic Designer Brilliance XPro Country | 90<br>75<br>60<br>45 | Canaletto walnut wooden base for housing the knives: 20 cm chef's knife, 22 cm bread knife, 26 cm ham knife, all with Canaletto walnut wooden handle | 188 € |
|    | KNF3 | Integrated Classic Designer Brilliance XPro Country | 90<br>75<br>60<br>45 | 20 cm chef's knife   | 102 € |
|  | KNF1 | Integrated Classic Designer Brilliance XPro Country | 90<br>75<br>60<br>45 | 22 cm bread knife  | 102 € |
|  | KNF2 | Integrated Classic Designer Brilliance XPro Country | 90<br>75<br>60<br>45 | 26 cm ham knife  | 102 € |
|  | CPN  | Integrated Classic Designer Brilliance XPro Country | 90<br>75<br>60<br>45 | Corkscrew  | 135 € |
|  | WBC  | Integrated Classic Designer Brilliance XPro Country | 90<br>75<br>60<br>45 | Bottle stopper   | 92 €  |

| Stainless Steel AISI 316L Marine Gray   |      |   |                                    |   |            |
|---|------|---|------------------------------------|---|------------|
|   | Code | Series  | Model Ref                          | Description   | Price      |
|  |      | Integrated Classic Designer Brilliance XPro Country | 120<br>105<br>90<br>75<br>60<br>45 | Stainless Steel AISI 316L Marine Gray, ideal for environments exposed to extreme conditions, such as seaside homes, yachts, outdoor kitchens, or high-humidity areas. | on request |

# UNDERCOUNTER PRODUCT CODE SPECIFICATIONS

Example: 

|    |   |    |    |   |   |   |
|----|---|----|----|---|---|---|
| UC | W | 60 | 1T | P | O | X |
|----|---|----|----|---|---|---|

- |    |  |
|----|--|
| UC | digit # 1 > model series<br>UC = UNDERCOUNTER  |
| W  | digit # 2 > model type<br>R = fridges<br>B = beverage center<br>W= wine Cellars<br>2D = TriMode drawers<br>H = Humidor                                   |
| 60 | digit # 3 > width<br>90 = 90 cm<br>75 = 75 cm<br>60 = 60 cm  |
| 1T | digit # 4 > fridges, beverage, wine cellar and humidor configuration<br>1T = 1 temperature<br>2T = 2 separate microclimates                              |
| P  | digit # 5 > series<br>P = Premium<br>GM = Gran Maestro   |
| O  | digit # 6 > Front finish<br>empty = Custom Panel Ready<br>O = Stainless Steel front panel with Ø18 mm handle   |
| X  | digit # 7 > optional<br>X = Model X - empty<br>I = To indicate a unit equipped with Ice Maker (available only on 90 and 75cm GranMaestro drawers models) |

# Fhiaba Collection Undercounter Indoor & Outdoor

## Fridge

1 Temperature

60

### GRAN MAESTRO



UCR601TGM

Custom Panel



UCR601TPO

Stainless Steel front

### PREMIUM



UCR601TP

Custom Panel



UCR601TPO

Stainless Steel front

## Beverage

1 Temperature

60



UCB601TGM



UCB601TPO

2 Temperatures

60



UCB602TGM



UCB602TPO

## Wine Cellars

1 Temperature

60



UCW601TGM



UCW601TPO

2 Temperatures

60



UCW602TGM



UCW602TPO


## Humidor

1 Temperature

60



UCH601TGM



UCH601TPO

## TriMode drawers

90



UC2D90GM



UC2D90GMO

75



UC2D75GM



UC2D75GMO

60



UC2D60GM



UC2D60GMO



UC2D90P



UC2D90PO



UC2D75P



UC2D75PO



UC2D60P



UC2D60PO

| Export Price list 2.2 / 2026 |                         |       |       |            |           |
|------------------------------|-------------------------|-------|-------|------------|-----------|
| Version                      | Temperatura             | Width | Hinge | Finitura   | Accessori |
| FRIDGES                      | 1 Temperature           | 60    | DX    | Solid Door |           |
| BEVERAGE                     | 2 Temperatures          | 60    | DX    | Glass Door |           |
|                              | 1 Temperature           | 60    | DX    | Glass Door |           |
| WINE CELLARS                 | 2 Temperatures          | 60    | DX    | Glass Door |           |
|                              | 1 Temperature           | 60    | DX    | Glass Door |           |
| MODEL X                      | 1 Temperature           | 60    | DX    | Glass Door |           |
| HUMIDOR                      | 1 Temperature           | 60    | DX    | Glass Door |           |
| 2 CASSTONI TRIMODE           | Freezer, fresco, fridge | 90    |       |            |           |
|                              |                         |       |       |            | Ice maker |
|                              |                         | 75    |       |            |           |
|                              |                         |       |       |            | Ice maker |
|                              |                         | 60    |       |            |           |

Reversible door:  
 Right hinge STANDARD  
 Left hinge ON REQUEST

| Premium      |         |      |                       |         |      | Gran Maestro |         |      |                       |         |      |
|--------------|---------|------|-----------------------|---------|------|--------------|---------|------|-----------------------|---------|------|
| Custom Panel |         |      | Stainless Steel front |         |      | Custom Panel |         |      | Stainless Steel front |         |      |
| Product code | Price   | Page | Product code          | Price   | Page | Product code | Price   | Page | Product code          | Price   | Page |
| UCR601TP     | 3.390 € | 246  | UCR601TPO             | 3.920 € | 247  | UCR601TGM    | 4.020 € | 248  | UCR601TGMO            | 4.550 € | 249  |
| UCB602TP     | 3.940 € | 252  | UCB602TPO             | 4.470 € | 253  | UCB602TGM    | 4.570 € | 254  | UCB602TGMO            | 5.100 € | 255  |
| UCB601TP     | 3.380 € | 258  | UCB601TPO             | 3.910 € | 259  | UCB601TGM    | 4.010 € | 260  | UCB601TGMO            | 4.540 € | 261  |
| UCW602TP     | 4.150 € | 264  | UCW602TPO             | 4.680 € | 265  | UCW602TGM    | 4.780 € | 266  | UCW602TGMO            | 5.310 € | 267  |
| UCW601TP     | 3.500 € | 270  | UCW601TPO             | 4.030 € | 271  | UCW601TGM    | 4.130 € | 272  | UCW601TGMO            | 4.660 € | 273  |
| /            |         |      | /                     |         |      | UC601TGMX    | 3.390 € | 272  | UC601TGMGX            | 3.920 € | 273  |
| UCH601TP     | 6.035 € | 276  | UCH601TPO             | 6.565 € | 277  | /            |         |      | /                     |         |      |
| UC2D90P      | 5.250 € | 282  | UC2D90PO              | 5.780 € | 283  | UC2D90GM     | 5.880 € | 284  | UC2D90GMO             | 6.410 € | 285  |
| /            |         |      | /                     |         |      | UC2D90GMI    | 6.700 € | 284  | UC2D90GMIO            | 7.230 € | 285  |
| UC2D75P      | 4.920 € | 288  | UC2D75PO              | 5.450 € | 289  | UC2D75GM     | 5.550 € | 290  | UC2D75GMO             | 6.080 € | 291  |
| /            |         |      | /                     |         |      | UC2D75GMI    | 6.370 € | 290  | UC2D75GMIO            | 6.900 € | 291  |
| UC2D60P      | 4.590 € | 294  | UC2D60PO              | 5.120 € | 295  | UC2D60GM     | 5.220 € | 296  | UC2D60GMO             | 5.750 € | 297  |

# UNDERCOUNTER: FRIDGE/BEVERAGE/WINE CELLAR/HUMIDOR

Width: 60cm

## Frigoriferi

1 Temperature

60

## Beverage

1 Temperature

60

2 Temperatures

60

## Wine Cellars

1 Temperature

60

2 Temperatures

60

## Humidor

1 Temperature

60

### GRAN MAESTRO

Custom Panel



UCR601TGM



UCB601TGM



UCB602TGM



UCW601TGM



UCW602TGM

Stainless Steel front



UCR601TPO



UCB601TPO



UCB602TPO



UCW601TPO



UCW602TPO

### PREMIUM

Custom Panel



UCR601TP



UCB601TP



UCB602TP



UCW601TP



UCW602TP



UCH601TP

Stainless Steel front



UCR601TPO



UCB601TPO



UCB602TPO



UCW601TPO



UCW602TPO



UCH601TPO

## UNDERCOUNTER: FRIDGES

Model: 1T

Width: 60cm

One door, 1 temperature

Single compartment: Fridge



FRIDGE

### FEATURES

**Made in Italy:** Designed and built entirely in Italy with artisanal precision.

**Stainless Steel AISI 304 structure:** High-quality material, corrosion-resistant, ideal for professional and premium domestic use.

**Solid door:** Robust and precise construction, designed to ensure stability, durability, and flawless closure over time.

**Antibacterial Interior:** Hygienic surfaces that preserve freshness, safety, and food quality.

### Technology and Functionality

**OptiView™:** Diffuse, uniform LED lighting.

**Active Safety:** Visual and acoustic alerts.

**100% Total No Frost:** Automatic system that prevents ice formation and ensures impeccable humidity control.

**Variable Speed Compressors:** Precise temperature control, reduced vibrations, and maximum efficiency.

**Easy Installation:** Adjustable feet and rear wheels.

### Conservation Performance

**One climate zone:** Precise temperature control for optimal food preservation.

**Tempered Glass Shelves:** With aluminum profiles

### Design and Installation

**Fully Integrated / Built in:** Designed to integrate seamlessly into your décor, with a clean and minimal aesthetic.

**Indoor & Outdoor Installation:** Designed to perform flawlessly in both indoor spaces and covered outdoor areas, ensuring consistent performance even in variable climatic conditions.

**Reversible door:** Maximum installation flexibility, adaptable to any configuration.

### GENERAL PROPERTIES

|   |           |
|---|-----------|
| Reversible door                         | YES       |
| Equilance                               | NO        |
| SoftClosing Runner                      | YES       |
| Low vibration                           | YES       |
| Optiview (LED light spots)              | YES       |
| Shelves                                 | 3         |
| Slide-out shelves                       | YES       |
| Type of shelves                         | GLASS     |
| Cassetti interni                        | 1         |
| Full Extension shelves 90° door opening | YES       |
| Full Extension drawers 90° door opening | NO        |
| Defrost Process                         | AUTOMATIC |
| Ice maker with water filter             | NO        |
| Door Open Alarms                        | YES       |
| Humidity Control                        | NO        |
| Active Carbon Filter                    | NO        |
| Air filter control                      | NO        |
| Shopping Fridge                         | NO        |
| Shopping Freezer                        | NO        |
| Power Failure Function                  | YES       |

## UCR601TP

60 cm, UNDERCOUNTER FRIDGE, MODEL 1T  
PREMIUM  
FULLY INTEGRATED  
UNDERCOUNTER® SERIES



| AESTHETIC                                     |                    |
|---|--------------------|
| Compressor position                           | Bottom             |
| Front finish                                  | Custom Panel Ready |
| Handles                                       | NO                 |
| Interior material finish                      | Stainless Steel    |
| Display                                       | OLED               |
| PRICE (VAT and delivery charges not included) |                    |
| UCR601TP (right hinge)                        | 3.390 €            |
| CAPACITY                                      |                    |
| Volume Compartment1 (L)                       | 143                |
| Volume Compartment2 (L)                       | /                  |
| Volume Compartment3 (L)                       | /                  |
| Total Net Volume (L)                          | 143                |
| Total Gross Volume (L)                        | /                  |
| Capacity wine cellar (bottles)                | 23                 |
| Glass shelf capacity (cans)                   | 42                 |
| Drawer capacity (cans)                        | /                  |
| Fixed 3/4 wooden bottle holder (bottles)      | 11                 |
| TECHNICAL DETAILS                             |                    |
| Voltage (V)                                   | 220-240V           |
| Frequency (Hz)                                | 50/60 Hz           |
| Climatic class                                | SN/T               |
| Noise level (dB)                              | 41                 |
| EFFICIENCY                                    |                    |
| Energy Label class                            | G                  |
| Energy consumption (kWh/year)                 | 122                |

| DIMENSIONS & WEIGHT                 |             |
|-------------------------------------|-------------|
| Product height (closed wheels)(mm)  | 865         |
| Width of the product (mm)           | 598         |
| Depth of Product without handle(mm) | 572         |
| Net Weight (kg)                     | 55          |
| Gross Weight (kg)                   | 70          |
| TEMPERATURE RANGES                  |             |
| Climatic compartments               | 1           |
| Compartment 1 / Temperature (°C)    | from 2 to 8 |
| Compartment 2 / Temperature (°C)    | /           |
| Low temp zone                       | NO          |
| Compartment 3 / Temperature (°C)    | /           |
| Dual zone                           | NO          |
| GENERAL PROPERTIES                  |             |
| Reversible door                     | YES         |
| Low vibration                       | YES         |
| Shelves                             | 3           |
| Type of shelves                     | GLASS       |
| Cassettoni interni                  | 1           |

| ACCESSORIES (from page 290 to page 294)             |                     |
|---|---------------------|
| • Ø 30 mm Tubular Stainless Steel Handles – Classic | • Set of knives     |
| • Ø 30 mm Tubular Stainless Steel Handles – Pro     | • Prosciutteria kit |
| • Ø 18 mm Tubular Stainless Steel Handles           |                     |
| • Stainless steel panels                            |                     |
| • Cleaning Kit                                      |                     |
| • Active Carbon Filter                              |                     |
| • Door stop 90°                                     |                     |
| • Cheese drawer                                     |                     |
| • Cigar drawer                                      |                     |
| • Beverage drawer                                   |                     |
| • Beverage shelf                                    |                     |
| • Beverage removable shelf                          |                     |

## UCR601TPO

60 cm, UNDERCOUNTER FRIDGE, MODEL 1T  
PREMIUM  
BUILT-IN  
UNDERCOUNTER® SERIES



| AESTHETIC                                     |                       |
|---|-----------------------|
| Compressor position                           | Bottom                |
| Front finish                                  | Stainless Steel       |
| Handles                                       | Stainless Steel Ø18mm |
| Interior material finish                      | Stainless Steel       |
| Display                                       | OLED                  |
| PRICE (VAT and delivery charges not included) |                       |
| UCR601TPO (right hinge)                       | 3.920 €               |
| CAPACITY                                      |                       |
| Volume Compartment1 (L)                       | 143                   |
| Volume Compartment2 (L)                       | /                     |
| Volume Compartment3 (L)                       | /                     |
| Total Net Volume (L)                          | 143                   |
| Total Gross Volume (L)                        | /                     |
| Capacity wine cellar (bottles)                | 23                    |
| Glass shelf capacity (cans)                   | 42                    |
| Drawer capacity (cans)                        | /                     |
| Fixed 3/4 wooden bottle holder (bottles)      | 11                    |
| TECHNICAL DETAILS                             |                       |
| Voltage (V)                                   | 220-240V              |
| Frequency (Hz)                                | 50/60 Hz              |
| Climatic class                                | SN/T                  |
| Noise level (dB)                              | 41                    |
| EFFICIENCY                                    |                       |
| Energy Label class                            | G                     |
| Energy consumption (kWh/year)                 | 122                   |

| DIMENSIONS & WEIGHT                 |             |
|-------------------------------------|-------------|
| Product height (closed wheels)(mm)  | 865         |
| Width of the product (mm)           | 598         |
| Depth of Product without handle(mm) | 576         |
| Net Weight (kg)                     | 59          |
| Gross Weight (kg)                   | 74          |
| TEMPERATURE RANGES                  |             |
| Climatic compartments               | 2           |
| Compartment 1 / Temperature (°C)    | from 2 to 8 |
| Compartment 2 / Temperature (°C)    | /           |
| Low temp zone                       | NO          |
| Compartment 3 / Temperature (°C)    | /           |
| Dual zone                           | NO          |
| GENERAL PROPERTIES                  |             |
| Reversible door                     | YES         |
| Low vibration                       | YES         |
| Shelves                             | 3           |
| Type of shelves                     | GLASS       |
| Cassettoni interni                  | 1           |

| ACCESSORIES (from page 290 to page 294) |  |
|---|--|
| • Cleaning Kit                          |  |
| • Active Carbon Filter                  |  |
| • Door stop 90°                         |  |
| • Cheese drawer                         |  |
| • Cigar drawer                          |  |
| • Beverage drawer                       |  |
| • Beverage shelf                        |  |
| • Beverage removable shelf              |  |
| • Set of knives                         |  |
| • Prosciutteria kit                     |  |
| • Front panel painting, handles         |  |

## UCR601TGM

60 cm, UNDERCOUNTER FRIDGE, MODEL 1T  
GRAN MAESTRO  
FULLY INTEGRATED  
UNDERCOUNTER® SERIES



| AESTHETIC                                     |                    |
|---|--------------------|
| Compressor position                           | Bottom             |
| Front finish                                  | Custom Panel Ready |
| Handles                                       | NO                 |
| Interior material finish                      | Stainless Steel    |
| Display                                       | TFT                |
| PRICE (VAT and delivery charges not included) |                    |
| UCR601TGM (right hinge)                       | 4.020 €            |
| CAPACITY                                      |                    |
| Volume Compartment1 (L)                       | 143                |
| Volume Compartment2 (L)                       | /                  |
| Volume Compartment3 (L)                       | /                  |
| Total Net Volume (L)                          | 143                |
| Total Gross Volume (L)                        | /                  |
| Capacity wine cellar (bottles)                | 23                 |
| Glass shelf capacity (cans)                   | 42                 |
| Drawer capacity (cans)                        | /                  |
| Fixed 3/4 wooden bottle holder (bottles)      | 11                 |
| TECHNICAL DETAILS                             |                    |
| Voltage (V)                                   | 220-240V           |
| Frequency (Hz)                                | 50-60 Hz           |
| Climatic class                                | SN/T               |
| Noise level (dB)                              | 41                 |
| EFFICIENCY                                    |                    |
| Energy Label class                            | G                  |
| Energy consumption (kWh/year)                 | 122                |

| DIMENSIONS & WEIGHT                 |             |
|-------------------------------------|-------------|
| Product height (closed wheels)(mm)  | 865         |
| Width of the product (mm)           | 598         |
| Depth of Product without handle(mm) | 572         |
| Net Weight (kg)                     | 55          |
| Gross Weight (kg)                   | 70          |
| TEMPERATURE RANGES                  |             |
| Climatic compartments               | 1           |
| Compartment 1 / Temperature (°C)    | from 2 to 8 |
| Compartment 2 / Temperature (°C)    | /           |
| Low temp zone                       | NO          |
| Compartment 3 / Temperature (°C)    | /           |
| Dual zone                           | NO          |
| GENERAL PROPERTIES                  |             |
| Reversible door                     | YES         |
| Low vibration                       | YES         |
| Shelves                             | 3           |
| Type of shelves                     | GLASS       |
| Cassettoni interni                  | 1           |

| ACCESSORIES (from page 290 to page 294)             |                     |
|---|---------------------|
| • Ø 30 mm Tubular Stainless Steel Handles – Classic | • Set of knives     |
| • Ø 30 mm Tubular Stainless Steel Handles – Pro     | • Prosciutteria kit |
| • Ø 18 mm Tubular Stainless Steel Handles           |                     |
| • Stainless steel panels                            |                     |
| • Cleaning Kit                                      |                     |
| • Active Carbon Filter                              |                     |
| • Door stop 90°                                     |                     |
| • Cheese drawer                                     |                     |
| • Cigar drawer                                      |                     |
| • Beverage drawer                                   |                     |
| • Beverage shelf                                    |                     |
| • Beverage removable shelf                          |                     |

## UCR601TGMO

60 cm, UNDERCOUNTER FRIDGE, MODEL 1T  
GRAN MAESTRO  
BUILT-IN  
UNDERCOUNTER® SERIES



| AESTHETIC                                     |                       |
|---|-----------------------|
| Compressor position                           | Bottom                |
| Front finish                                  | Stainless Steel       |
| Handles                                       | Stainless Steel Ø18mm |
| Interior material finish                      | Stainless Steel       |
| Display                                       | TFT                   |
| PRICE (VAT and delivery charges not included) |                       |
| UCR601TGMO (right hinge)                      | 4.550 €               |
| CAPACITY                                      |                       |
| Volume Compartment1 (L)                       | 143                   |
| Volume Compartment2 (L)                       | /                     |
| Volume Compartment3 (L)                       | /                     |
| Total Net Volume (L)                          | 143                   |
| Total Gross Volume (L)                        | /                     |
| Capacity wine cellar (bottles)                | 23                    |
| Glass shelf capacity (cans)                   | 42                    |
| Drawer capacity (cans)                        | /                     |
| Fixed 3/4 wooden bottle holder (bottles)      | 11                    |
| TECHNICAL DETAILS                             |                       |
| Voltage (V)                                   | 220-240V              |
| Frequency (Hz)                                | 50-60 Hz              |
| Climatic class                                | SN/T                  |
| Noise level (dB)                              | 41                    |
| EFFICIENCY                                    |                       |
| Energy Label class                            | G                     |
| Energy consumption (kWh/year)                 | 122                   |

| DIMENSIONS & WEIGHT                 |             |
|-------------------------------------|-------------|
| Product height (closed wheels)(mm)  | 865         |
| Width of the product (mm)           | 598         |
| Depth of Product without handle(mm) | 576         |
| Net Weight (kg)                     | 59          |
| Gross Weight (kg)                   | 74          |
| TEMPERATURE RANGES                  |             |
| Climatic compartments               | 2           |
| Compartment 1 / Temperature (°C)    | from 2 to 8 |
| Compartment 2 / Temperature (°C)    | /           |
| Low temp zone                       | NO          |
| Compartment 3 / Temperature (°C)    | /           |
| Dual zone                           | NO          |
| GENERAL PROPERTIES                  |             |
| Reversible door                     | YES         |
| Low vibration                       | YES         |
| Shelves                             | 3           |
| Type of shelves                     | GLASS       |
| Cassettoni interni                  | 1           |

| ACCESSORIES (from page 290 to page 294) |  |
|---|--|
| • Cleaning Kit                          |  |
| • Active Carbon Filter                  |  |
| • Door stop 90°                         |  |
| • Cheese drawer                         |  |
| • Cigar drawer                          |  |
| • Beverage drawer                       |  |
| • Beverage shelf                        |  |
| • Beverage removable shelf              |  |
| • Set of knives                         |  |
| • Prosciutteria kit                     |  |
| • Front panel painting, handles         |  |

# UNDERCOUNTER: BEVERAGE

Model: 2T

Width: 60cm

One door, 2 separate temperatures

Upper compartment: Beverage

Lower compartment: Beverage



BEVERAGE

BEVERAGE

## FEATURES

**Made in Italy:** Designed and built entirely in Italy with artisanal precision.

**Stainless Steel AISI 304 structure:** High-quality material, corrosion-resistant, ideal for professional and premium domestic use.

**Antibacterial Interior:** Hygienic surfaces that preserve freshness, safety, and food quality.

### Technology and Functionality

**OptiView™:** Diffuse, uniform LED lighting.

**Active Safety:** Visual and acoustic alerts.

**100% Total No Frost:** Automatic system that prevents ice formation and ensures impeccable humidity control.

**Variable Speed Compressors:** Precise temperature control, reduced vibrations, and maximum efficiency.

**Easy Installation:** Adjustable feet and rear wheels.

### Conservation Performance

**Two Independent Climate Zones:** Dedicated temperature and humidity control for different types of beverages.

**Tempered Glass Shelves:** With aluminum profiles

### Design and Installation

**Fully Integrated / Built in:** Designed to integrate seamlessly into your décor, with a clean and minimal aesthetic.

**Indoor & Outdoor Installation:** Designed to perform flawlessly in both indoor spaces and covered outdoor areas, ensuring consistent performance even in variable climatic conditions.

**Triple-layer bronzed glass door:** Total protection against UV rays and external temperature fluctuations.

**Reversible door:** Maximum installation flexibility, adaptable to any configuration.

## GENERAL PROPERTIES

|   |                |
|---|----------------|
| Reversible door                         | YES            |
| Equilance                               | NO             |
| SoftClosing Runner                      | YES            |
| Low vibration                           | YES            |
| Optiview (LED light spots)              | YES            |
| Shelves                                 | 5              |
| Slide-out shelves                       | YES            |
| Type of shelves                         | GLASS/<br>WOOD |
| Fridge drawers type                     | /              |
| Fresco/LowTemp Drawers                  | /              |
| Bottom drawers                          | /              |
| Full Extension shelves 90° door opening | YES            |
| Full Extension drawers 90° door opening | NO             |
| Defrost Process                         | AUTOMATIC      |
| Ice maker with water filter             | NO             |
| Door Open Alarms                        | YES            |
| Humidity Control                        | NO             |
| Active Carbon Filter                    | NO             |
| Air filter control                      | NO             |
| Shopping Fridge                         | NO             |
| Shopping Freezer                        | NO             |
| Power Failure Function                  | YES            |

## UCB602TP

60 cm, UNDERCOUNTER BEVERAGE, MODEL 2T  
PREMIUM  
FULLY INTEGRATED  
UNDERCOUNTER® SERIES



| AESTHETIC                                     |                    |
|---|--------------------|
| Compressor position                           | Bottom             |
| Front finish                                  | Custom Panel Ready |
| Handles                                       | NO                 |
| Interior material finish                      | Stainless Steel    |
| Display                                       | OLED               |
| PRICE (VAT and delivery charges not included) |                    |
| UCB602TP (right hinge)                        | 3.940 €            |
| CAPACITY                                      |                    |
| Volume Compartment1 (L)                       | 143                |
| Volume Compartment2 (L)                       | /                  |
| Volume Compartment3 (L)                       | /                  |
| Total Net Volume (L)                          | 143                |
| Total Gross Volume (L)                        | /                  |
| Capacity wine cellar (bottles)                | 23                 |
| Glass shelf capacity (cans)                   | 42                 |
| Drawer capacity (cans)                        | /                  |
| Fixed 3/4 wooden bottle holder (bottles)      | 11                 |
| TECHNICAL DETAILS                             |                    |
| Voltage (V)                                   | 220-240V           |
| Frequency (Hz)                                | 50/60 Hz           |
| Climatic class                                | SN/T               |
| Noise level (dB)                              | 41                 |
| EFFICIENCY                                    |                    |
| Energy Label class                            | G                  |
| Energy consumption (kWh/year)                 | 122                |

| DIMENSIONS & WEIGHT                 |             |
|-------------------------------------|-------------|
| Product height (closed wheels)(mm)  | 865         |
| Width of the product (mm)           | 598         |
| Depth of Product without handle(mm) | 572         |
| Net Weight (kg)                     | 60          |
| Gross Weight (kg)                   | 75          |
| TEMPERATURE RANGES                  |             |
| Climatic compartments               | 2           |
| Compartment 1 / Temperature (°C)    | from 2 to 8 |
| Compartment 2 / Temperature (°C)    | from 2 to 8 |
| Low temp zone                       | NO          |
| Compartment 3 / Temperature (°C)    | /           |
| Dual zone                           | NO          |
| GENERAL PROPERTIES                  |             |
| Reversible door                     | YES         |
| Low vibration                       | YES         |
| Shelves                             | 5           |
| Type of shelves                     | GLASS/WOOD  |
| Bottom Drawers                      | /           |

| ACCESSORIES (from page 290 to page 294)             |                 |
|---|-----------------|
| • Ø 30 mm Tubular Stainless Steel Handles – Classic | • Set of knives |
| • Ø 30 mm Tubular Stainless Steel Handles – Pro     |                 |
| • Ø 18 mm Tubular Stainless Steel Handles           |                 |
| • Stainless steel panels                            |                 |
| • Cleaning Kit                                      |                 |
| • Active Carbon Filter                              |                 |
| • Door stop 90°                                     |                 |
| • Cheese drawer                                     |                 |
| • Cigar drawer                                      |                 |
| • Beverage drawer                                   |                 |
| • Beverage shelf                                    |                 |
| • Beverage removable shelf                          |                 |

## UCB602TPO

60 cm, UNDERCOUNTER BEVERAGE, MODEL 2T  
PREMIUM  
BUILT-IN  
UNDERCOUNTER® SERIES



| AESTHETIC                                     |                       |
|---|-----------------------|
| Compressor position                           | Bottom                |
| Front finish                                  | Stainless Steel       |
| Handles                                       | Stainless Steel Ø18mm |
| Interior material finish                      | Stainless Steel       |
| Display                                       | OLED                  |
| PRICE (VAT and delivery charges not included) |                       |
| UCB602TPO (right hinge)                       | 4.470 €               |
| CAPACITY                                      |                       |
| Volume Compartment1 (L)                       | 143                   |
| Volume Compartment2 (L)                       | /                     |
| Volume Compartment3 (L)                       | /                     |
| Total Net Volume (L)                          | 143                   |
| Total Gross Volume (L)                        | /                     |
| Capacity wine cellar (bottles)                | 23                    |
| Glass shelf capacity (cans)                   | 42                    |
| Drawer capacity (cans)                        | /                     |
| Fixed 3/4 wooden bottle holder (bottles)      | 11                    |
| TECHNICAL DETAILS                             |                       |
| Voltage (V)                                   | 220-240V              |
| Frequency (Hz)                                | 50/60 Hz              |
| Climatic class                                | SN/T                  |
| Noise level (dB)                              | 41                    |
| EFFICIENCY                                    |                       |
| Energy Label class                            | G                     |
| Energy consumption (kWh/year)                 | 122                   |

| DIMENSIONS & WEIGHT                 |             |
|-------------------------------------|-------------|
| Product height (closed wheels)(mm)  | 865         |
| Width of the product (mm)           | 598         |
| Depth of Product without handle(mm) | 576         |
| Net Weight (kg)                     | 63          |
| Gross Weight (kg)                   | 78          |
| TEMPERATURE RANGES                  |             |
| Climatic compartments               | 2           |
| Compartment 1 / Temperature (°C)    | from 2 to 8 |
| Compartment 2 / Temperature (°C)    | from 2 to 8 |
| Low temp zone                       | NO          |
| Compartment 3 / Temperature (°C)    | /           |
| Dual zone                           | NO          |
| GENERAL PROPERTIES                  |             |
| Reversible door                     | YES         |
| Low vibration                       | YES         |
| Shelves                             | 5           |
| Type of shelves                     | GLASS/WOOD  |
| Bottom Drawers                      | /           |

| ACCESSORIES (from page 290 to page 294)          |  |
|--|--|
| • Cleaning Kit                                   |  |
| • Active Carbon Filter                           |  |
| • Door stop 90°                                  |  |
| • Cheese drawer                                  |  |
| • Cigar drawer                                   |  |
| • Beverage drawer                                |  |
| • Beverage shelf                                 |  |
| • Beverage removable shelf                       |  |
| • Set of knives                                  |  |
| • Front panel painting, handles, and side panels |  |

## UCB602TGM

60 cm, UNDERCOUNTER BEVERAGE, MODEL 2T  
GRAN MAESTRO  
FULLY INTEGRATED  
UNDERCOUNTER® SERIES



| AESTHETIC                                     |                    |
|---|--------------------|
| Compressor position                           | Bottom             |
| Front finish                                  | Custom Panel Ready |
| Handles                                       | NO                 |
| Interior material finish                      | Stainless Steel    |
| Display                                       | TFT                |
| PRICE (VAT and delivery charges not included) |                    |
| UCB602TGM (right hinge)                       | 4.570 €            |
| CAPACITY                                      |                    |
| Volume Compartment1 (L)                       | 143                |
| Volume Compartment2 (L)                       | /                  |
| Volume Compartment3 (L)                       | /                  |
| Total Net Volume (L)                          | 143                |
| Total Gross Volume (L)                        | /                  |
| Capacity wine cellar (bottles)                | 23                 |
| Glass shelf capacity (cans)                   | 42                 |
| Drawer capacity (cans)                        | /                  |
| Fixed 3/4 wooden bottle holder (bottles)      | 11                 |
| TECHNICAL DETAILS                             |                    |
| Voltage (V)                                   | 220-240V           |
| Frequency (Hz)                                | 50-60 Hz           |
| Climatic class                                | SN/T               |
| Noise level (dB)                              | 41                 |
| EFFICIENCY                                    |                    |
| Energy Label class                            | G                  |
| Energy consumption (kWh/year)                 | 122                |

| DIMENSIONS & WEIGHT                 |             |
|-------------------------------------|-------------|
| Product height (closed wheels)(mm)  | 865         |
| Width of the product (mm)           | 598         |
| Depth of Product without handle(mm) | 572         |
| Net Weight (kg)                     | 60          |
| Gross Weight (kg)                   | 75          |
| TEMPERATURE RANGES                  |             |
| Climatic compartments               | 2           |
| Compartment 1 / Temperature (°C)    | from 2 to 8 |
| Compartment 2 / Temperature (°C)    | from 2 to 8 |
| Low temp zone                       | NO          |
| Compartment 3 / Temperature (°C)    | /           |
| Dual zone                           | NO          |
| GENERAL PROPERTIES                  |             |
| Reversible door                     | YES         |
| Low vibration                       | YES         |
| Shelves                             | 5           |
| Type of shelves                     | GLASS/WOOD  |
| Bottom Drawers                      | /           |

| ACCESSORIES (from page 290 to page 294)             |                 |
|---|-----------------|
| • Ø 30 mm Tubular Stainless Steel Handles – Classic | • Set of knives |
| • Ø 30 mm Tubular Stainless Steel Handles – Pro     |                 |
| • Ø 18 mm Tubular Stainless Steel Handles           |                 |
| • Stainless steel panels                            |                 |
| • Cleaning Kit                                      |                 |
| • Active Carbon Filter                              |                 |
| • Door stop 90°                                     |                 |
| • Cheese drawer                                     |                 |
| • Cigar drawer                                      |                 |
| • Beverage drawer                                   |                 |
| • Beverage shelf                                    |                 |
| • Beverage removable shelf                          |                 |

## UCB602TGMO

60 cm, UNDERCOUNTER BEVERAGE, MODEL 2T  
GRAN MAESTRO  
BUILT-IN  
UNDERCOUNTER® SERIES



| AESTHETIC                                     |                       |
|---|-----------------------|
| Compressor position                           | Bottom                |
| Front finish                                  | Stainless Steel       |
| Handles                                       | Stainless Steel Ø18mm |
| Interior material finish                      | Stainless Steel       |
| Display                                       | TFT                   |
| PRICE (VAT and delivery charges not included) |                       |
| UCB602TGMO (right hinge)                      | 5.100 €               |
| CAPACITY                                      |                       |
| Volume Compartment1 (L)                       | 143                   |
| Volume Compartment2 (L)                       | /                     |
| Volume Compartment3 (L)                       | /                     |
| Total Net Volume (L)                          | 143                   |
| Total Gross Volume (L)                        | /                     |
| Capacity wine cellar (bottles)                | 23                    |
| Glass shelf capacity (cans)                   | 42                    |
| Drawer capacity (cans)                        | /                     |
| Fixed 3/4 wooden bottle holder (bottles)      | 11                    |
| TECHNICAL DETAILS                             |                       |
| Voltage (V)                                   | 220-240V              |
| Frequency (Hz)                                | 50-60 Hz              |
| Climatic class                                | SN/T                  |
| Noise level (dB)                              | 41                    |
| EFFICIENCY                                    |                       |
| Energy Label class                            | G                     |
| Energy consumption (kWh/year)                 | 122                   |

| DIMENSIONS & WEIGHT                 |             |
|-------------------------------------|-------------|
| Product height (closed wheels)(mm)  | 865         |
| Width of the product (mm)           | 598         |
| Depth of Product without handle(mm) | 576         |
| Net Weight (kg)                     | 63          |
| Gross Weight (kg)                   | 78          |
| TEMPERATURE RANGES                  |             |
| Climatic compartments               | 2           |
| Compartment 1 / Temperature (°C)    | from 2 to 8 |
| Compartment 2 / Temperature (°C)    | from 2 to 8 |
| Low temp zone                       | NO          |
| Compartment 3 / Temperature (°C)    | /           |
| Dual zone                           | NO          |
| GENERAL PROPERTIES                  |             |
| Reversible door                     | YES         |
| Low vibration                       | YES         |
| Shelves                             | 5           |
| Type of shelves                     | GLASS/WOOD  |
| Bottom Drawers                      | /           |

| ACCESSORIES (from page 290 to page 294) |  |
|---|--|
| • Cleaning Kit                          |  |
| • Active Carbon Filter                  |  |
| • Door stop 90°                         |  |
| • Cheese drawer                         |  |
| • Cigar drawer                          |  |
| • Beverage drawer                       |  |
| • Beverage shelf                        |  |
| • Beverage removable shelf              |  |
| • Set of knives                         |  |
| • Front panel painting, handles         |  |

## UNDERCOUNTER: BEVERAGE

Model: 1T

Width: 60cm

One door, 1 temperature

Single compartment: Beverage



BEVERAGE

### FEATURES

**Made in Italy:** Designed and built entirely in Italy with artisanal precision.

**Stainless Steel AISI 304 structure:** High-quality material, corrosion-resistant, ideal for professional and premium domestic use.

**Antibacterial Interior:** Hygienic surfaces that preserve freshness, safety, and food quality.

#### Technology and Functionality

**OptiView™:** Diffuse, uniform LED lighting.

**Active Safety:** Visual and acoustic alerts.

**100% Total No Frost:** Automatic system that prevents ice formation and ensures impeccable humidity control.

**Variable Speed Compressors:** Precise temperature control, reduced vibrations, and maximum efficiency.

**Easy Installation:** Adjustable feet and rear wheels.

#### Conservation Performance

**One climate zone:** Precise temperature control for optimal beverage preservation.

**Tempered Glass Shelves:** With aluminum profiles

#### Design and Installation

**Fully Integrated / Built in:** Designed to integrate seamlessly into your décor, with a clean and minimal aesthetic.

**Indoor & Outdoor Installation:** Designed to perform flawlessly in both indoor spaces and covered outdoor areas, ensuring consistent performance even in variable climatic conditions.

**Triple-layer bronzed glass door:** Total protection against UV rays and external temperature fluctuations.

**Reversible door:** Maximum installation flexibility, adaptable to any configuration.

### GENERAL PROPERTIES

|   |            |
|---|------------|
| Reversible door                         | YES        |
| Equilance                               | NO         |
| SoftClosing Runner                      | YES        |
| Low vibration                           | YES        |
| Optiview (LED light spots)              | YES        |
| Shelves                                 | 4          |
| Slide-out shelves                       | YES        |
| Type of shelves                         | GLASS/WOOD |
| Fridge drawers type                     | /          |
| Fresco/LowTemp Drawers                  | /          |
| Bottom drawers                          | /          |
| Full Extension shelves 90° door opening | YES        |
| Full Extension drawers 90° door opening | NO         |
| Defrost Process                         | AUTOMATIC  |
| Ice maker with water filter             | NO         |
| Door Open Alarms                        | YES        |
| Humidity Control                        | NO         |
| Active Carbon Filter                    | NO         |
| Air filter control                      | NO         |
| Shopping Fridge                         | NO         |
| Shopping Freezer                        | NO         |
| Power Failure Function                  | YES        |

## UCB601TP

60 cm, UNDERCOUNTER BEVERAGE, MODEL 1T  
PREMIUM  
FULLY INTEGRATED  
UNDERCOUNTER® SERIES



| AESTHETIC                                     |                    |
|---|--------------------|
| Compressor position                           | Bottom             |
| Front finish                                  | Custom Panel Ready |
| Handles                                       | NO                 |
| Interior material finish                      | Stainless Steel    |
| Display                                       | OLED               |
| PRICE (VAT and delivery charges not included) |                    |
| UCB601TP (right hinge)                        | 3.380 €            |
| CAPACITY                                      |                    |
| Volume Compartment1 (L)                       | 143                |
| Volume Compartment2 (L)                       | /                  |
| Volume Compartment3 (L)                       | /                  |
| Total Net Volume (L)                          | 143                |
| Total Gross Volume (L)                        | /                  |
| Capacity wine cellar (bottles)                | 23                 |
| Glass shelf capacity (cans)                   | 42                 |
| Drawer capacity (cans)                        | /                  |
| Fixed 3/4 wooden bottle holder (bottles)      | 11                 |
| TECHNICAL DETAILS                             |                    |
| Voltage (V)                                   | 220-240V           |
| Frequency (Hz)                                | 50/60 Hz           |
| Climatic class                                | SN/T               |
| Noise level (dB)                              | 41                 |
| EFFICIENCY                                    |                    |
| Energy Label class                            | G                  |
| Energy consumption (kWh/year)                 | 122                |

| DIMENSIONS & WEIGHT                 |             |
|-------------------------------------|-------------|
| Product height (closed wheels)(mm)  | 865         |
| Width of the product (mm)           | 598         |
| Depth of Product without handle(mm) | 572         |
| Net Weight (kg)                     | 55          |
| Gross Weight (kg)                   | 70          |
| TEMPERATURE RANGES                  |             |
| Climatic compartments               | 1           |
| Compartment 1 / Temperature (°C)    | from 2 to 8 |
| Compartment 2 / Temperature (°C)    | /           |
| Low temp zone                       | NO          |
| Compartment 3 / Temperature (°C)    | /           |
| Dual zone                           | NO          |
| GENERAL PROPERTIES                  |             |
| Reversible door                     | YES         |
| Low vibration                       | YES         |
| Shelves                             | 4           |
| Type of shelves                     | GLASS/WOOD  |
| Bottom Drawers                      | /           |

| ACCESSORIES (from page 290 to page 294)             |                     |
|---|---------------------|
| • Ø 30 mm Tubular Stainless Steel Handles – Classic | • Set of knives     |
| • Ø 30 mm Tubular Stainless Steel Handles – Pro     | • Prosciutteria kit |
| • Ø 18 mm Tubular Stainless Steel Handles           |                     |
| • Stainless steel panels                            |                     |
| • Cleaning Kit                                      |                     |
| • Active Carbon Filter                              |                     |
| • Door stop 90°                                     |                     |
| • Cheese drawer                                     |                     |
| • Cigar drawer                                      |                     |
| • Beverage drawer                                   |                     |
| • Beverage shelf                                    |                     |
| • Beverage removable shelf                          |                     |

## UCB601TPO

60 cm, UNDERCOUNTER BEVERAGE, MODEL 1T  
PREMIUM  
BUILT-IN  
UNDERCOUNTER® SERIES



| AESTHETIC                                     |                       |
|---|-----------------------|
| Compressor position                           | Bottom                |
| Front finish                                  | Stainless Steel       |
| Handles                                       | Stainless Steel Ø18mm |
| Interior material finish                      | Stainless Steel       |
| Display                                       | OLED                  |
| PRICE (VAT and delivery charges not included) |                       |
| UCB601TPO (right hinge)                       | 3.910 €               |
| CAPACITY                                      |                       |
| Volume Compartment1 (L)                       | 143                   |
| Volume Compartment2 (L)                       | /                     |
| Volume Compartment3 (L)                       | /                     |
| Total Net Volume (L)                          | 143                   |
| Total Gross Volume (L)                        | /                     |
| Capacity wine cellar (bottles)                | 23                    |
| Glass shelf capacity (cans)                   | 42                    |
| Drawer capacity (cans)                        | /                     |
| Fixed 3/4 wooden bottle holder (bottles)      | 11                    |
| TECHNICAL DETAILS                             |                       |
| Voltage (V)                                   | 220-240V              |
| Frequency (Hz)                                | 50/60 Hz              |
| Climatic class                                | SN/T                  |
| Noise level (dB)                              | 41                    |
| EFFICIENCY                                    |                       |
| Energy Label class                            | G                     |
| Energy consumption (kWh/year)                 | 122                   |

| DIMENSIONS & WEIGHT                 |             |
|-------------------------------------|-------------|
| Product height (closed wheels)(mm)  | 865         |
| Width of the product (mm)           | 598         |
| Depth of Product without handle(mm) | 576         |
| Net Weight (kg)                     | 59          |
| Gross Weight (kg)                   | 74          |
| TEMPERATURE RANGES                  |             |
| Climatic compartments               | 2           |
| Compartment 1 / Temperature (°C)    | from 2 to 8 |
| Compartment 2 / Temperature (°C)    | /           |
| Low temp zone                       | NO          |
| Compartment 3 / Temperature (°C)    | /           |
| Dual zone                           | NO          |
| GENERAL PROPERTIES                  |             |
| Reversible door                     | YES         |
| Low vibration                       | YES         |
| Shelves                             | 4           |
| Type of shelves                     | GLASS/WOOD  |
| Bottom Drawers                      | /           |

| ACCESSORIES (from page 290 to page 294) |  |
|---|--|
| • Cleaning Kit                          |  |
| • Active Carbon Filter                  |  |
| • Door stop 90°                         |  |
| • Cheese drawer                         |  |
| • Cigar drawer                          |  |
| • Beverage drawer                       |  |
| • Beverage shelf                        |  |
| • Beverage removable shelf              |  |
| • Set of knives                         |  |
| • Prosciutteria kit                     |  |
| • Front panel painting, handles         |  |

## UCB601TGM

60 cm, UNDERCOUNTER BEVERAGE, MODEL 1T  
GRAN MAESTRO  
FULLY INTEGRATED  
UNDERCOUNTER® SERIES



| AESTHETIC                                     |                    |
|---|--------------------|
| Compressor position                           | Bottom             |
| Front finish                                  | Custom Panel Ready |
| Handles                                       | NO                 |
| Interior material finish                      | Stainless Steel    |
| Display                                       | TFT                |
| PRICE (VAT and delivery charges not included) |                    |
| UCB601TGM (right hinge)                       | 4.010 €            |
| CAPACITY                                      |                    |
| Volume Compartment1 (L)                       | 143                |
| Volume Compartment2 (L)                       | /                  |
| Volume Compartment3 (L)                       | /                  |
| Total Net Volume (L)                          | 143                |
| Total Gross Volume (L)                        | /                  |
| Capacity wine cellar (bottles)                | 23                 |
| Glass shelf capacity (cans)                   | 42                 |
| Drawer capacity (cans)                        | /                  |
| Fixed 3/4 wooden bottle holder (bottles)      | 11                 |
| TECHNICAL DETAILS                             |                    |
| Voltage (V)                                   | 220-240V           |
| Frequency (Hz)                                | 50-60 Hz           |
| Climatic class                                | SN/T               |
| Noise level (dB)                              | 41                 |
| EFFICIENCY                                    |                    |
| Energy Label class                            | G                  |
| Energy consumption (kWh/year)                 | 122                |

| DIMENSIONS & WEIGHT                 |             |
|-------------------------------------|-------------|
| Product height (closed wheels)(mm)  | 865         |
| Width of the product (mm)           | 598         |
| Depth of Product without handle(mm) | 572         |
| Net Weight (kg)                     | 55          |
| Gross Weight (kg)                   | 70          |
| TEMPERATURE RANGES                  |             |
| Climatic compartments               | 1           |
| Compartment 1 / Temperature (°C)    | from 2 to 8 |
| Compartment 2 / Temperature (°C)    | /           |
| Low temp zone                       | NO          |
| Compartment 3 / Temperature (°C)    | /           |
| Dual zone                           | NO          |
| GENERAL PROPERTIES                  |             |
| Reversible door                     | YES         |
| Low vibration                       | YES         |
| Shelves                             | 4           |
| Type of shelves                     | GLASS/WOOD  |
| Bottom Drawers                      | /           |

| ACCESSORIES (from page 290 to page 294)             |                     |
|---|---------------------|
| • Ø 30 mm Tubular Stainless Steel Handles – Classic | • Set of knives     |
| • Ø 30 mm Tubular Stainless Steel Handles – Pro     | • Prosciutteria kit |
| • Ø 18 mm Tubular Stainless Steel Handles           |                     |
| • Stainless steel panels                            |                     |
| • Cleaning Kit                                      |                     |
| • Active Carbon Filter                              |                     |
| • Door stop 90°                                     |                     |
| • Cheese drawer                                     |                     |
| • Cigar drawer                                      |                     |
| • Beverage drawer                                   |                     |
| • Beverage shelf                                    |                     |
| • Beverage removable shelf                          |                     |

## UCB601TGMO

60 cm, UNDERCOUNTER BEVERAGE, MODEL 1T  
GRAN MAESTRO  
BUILT-IN  
UNDERCOUNTER® SERIES



| AESTHETIC                                     |                       |
|---|-----------------------|
| Compressor position                           | Bottom                |
| Front finish                                  | Stainless Steel       |
| Handles                                       | Stainless Steel Ø18mm |
| Interior material finish                      | Stainless Steel       |
| Display                                       | TFT                   |
| PRICE (VAT and delivery charges not included) |                       |
| UCB601TGMO (right hinge)                      | 4.540 €               |
| CAPACITY                                      |                       |
| Volume Compartment1 (L)                       | 143                   |
| Volume Compartment2 (L)                       | /                     |
| Volume Compartment3 (L)                       | /                     |
| Total Net Volume (L)                          | 143                   |
| Total Gross Volume (L)                        | /                     |
| Capacity wine cellar (bottles)                | 23                    |
| Glass shelf capacity (cans)                   | 42                    |
| Drawer capacity (cans)                        | /                     |
| Fixed 3/4 wooden bottle holder (bottles)      | 11                    |
| TECHNICAL DETAILS                             |                       |
| Voltage (V)                                   | 220-240V              |
| Frequency (Hz)                                | 50-60 Hz              |
| Climatic class                                | SN/T                  |
| Noise level (dB)                              | 41                    |
| EFFICIENCY                                    |                       |
| Energy Label class                            | G                     |
| Energy consumption (kWh/year)                 | 122                   |

| DIMENSIONS & WEIGHT                 |             |
|-------------------------------------|-------------|
| Product height (closed wheels)(mm)  | 865         |
| Width of the product (mm)           | 598         |
| Depth of Product without handle(mm) | 576         |
| Net Weight (kg)                     | 59          |
| Gross Weight (kg)                   | 74          |
| TEMPERATURE RANGES                  |             |
| Climatic compartments               | 2           |
| Compartment 1 / Temperature (°C)    | from 2 to 8 |
| Compartment 2 / Temperature (°C)    | /           |
| Low temp zone                       | NO          |
| Compartment 3 / Temperature (°C)    | /           |
| Dual zone                           | NO          |
| GENERAL PROPERTIES                  |             |
| Reversible door                     | YES         |
| Low vibration                       | YES         |
| Shelves                             | 4           |
| Type of shelves                     | GLASS/WOOD  |
| Bottom Drawers                      | /           |

| ACCESSORIES (from page 290 to page 294) |  |
|---|--|
| • Cleaning Kit                          |  |
| • Active Carbon Filter                  |  |
| • Door stop 90°                         |  |
| • Cheese drawer                         |  |
| • Cigar drawer                          |  |
| • Beverage drawer                       |  |
| • Beverage shelf                        |  |
| • Beverage removable shelf              |  |
| • Set of knives                         |  |
| • Prosciutteria kit                     |  |
| • Front panel painting, handles         |  |

## UNDERCOUNTER: WINE CELLARS

Model: 2T

Width: 60cm

One door, 2 separate temperatures

Upper compartment: Wine cellar

Lower compartment: Wine cellar



WINE CELLAR

WINE CELLAR

### FEATURES

**Made in Italy:** Designed and built entirely in Italy with artisanal precision.

**Stainless Steel AISI 304 structure:** High-quality material, corrosion-resistant, ideal for professional and premium domestic use.

**Antibacterial Interior:** Hygienic surfaces preserving freshness and bottle quality.

#### Technology and Functionality

**OptiView™:** Diffused and uniform LED lighting, elegant and with low heat emission to preserve the wine's properties.

**Active Safety:** Visual and acoustic alerts.

**100% Total No Frost:** Automatic system that prevents ice formation and ensures impeccable humidity control.

**Variable Speed Compressors:** Precise temperature control, reduced vibrations, and maximum efficiency.

**Easy Installation:** Adjustable feet and rear wheels.

#### Conservation Performance

**Two Independent Climate Zones:** Dedicated temperature and humidity control for red, white, and sparkling wines.

**Canaletto walnut wood shelves:** Elegant, sturdy, and equipped with soft-closing slides, they enhance the presentation of bottles while ensuring smooth and silent operation.

#### Design and Installation

**Fully Integrated / Built in:** Designed to integrate seamlessly into your décor, with a clean and minimal aesthetic.

**Indoor & Outdoor Installation:** Designed to perform flawlessly in both indoor spaces and covered outdoor areas, ensuring consistent performance even in variable climatic conditions.

**Triple-layer bronzed glass door:** Total protection against UV rays and external temperature fluctuations.


**Reversible door:** Maximum installation flexibility, adaptable to any configuration.

### GENERAL PROPERTIES

|   |           |
|---|-----------|
| Reversible door                         | YES       |
| Equilance                               | NO        |
| SoftClosing Runner                      | YES       |
| Low vibration                           | YES       |
| Optiview (LED light spots)              | YES       |
| Shelves                                 | 5         |
| Slide-out shelves                       | YES       |
| Type of shelves                         | WOOD      |
| Fridge drawers type                     | /         |
| Fresco/LowTemp Drawers                  | /         |
| Bottom drawers                          | /         |
| Full Extension shelves 90° door opening | YES       |
| Full Extension drawers 90° door opening | NO        |
| Defrost Process                         | AUTOMATIC |
| Ice maker with water filter             | NO        |
| Door Open Alarms                        | YES       |
| Humidity Control                        | YES       |
| Active Carbon Filter                    | YES       |
| Air filter control                      | YES       |
| Shopping Fridge                         | NO        |
| Shopping Freezer                        | NO        |
| Power Failure Function                  | YES       |

## UCW602TP

60 cm, UNDERCOUNTER WINE CELLAR, MODEL 2T  
PREMIUM  
FULLY INTEGRATED  
UNDERCOUNTER® SERIES



### AESTHETIC

|                          |                    |
|--------------------------|--------------------|
| Compressor position      | Bottom             |
| Front finish             | Custom Panel Ready |
| Handles                  | NO                 |
| Interior material finish | Stainless Steel    |
| Display                  | OLED               |

### PRICE (VAT and delivery charges not included)

|                        |         |
|------------------------|---------|
| UCW602TP (right hinge) | 4.150 € |
|------------------------|---------|

### CAPACITY

|                         |     |
|-------------------------|-----|
| Volume Compartment1 (L) | 143 |
| Volume Compartment2 (L) | /   |
| Volume Compartment3 (L) | /   |
| Total Net Volume (L)    | 143 |
| Total Gross Volume (L)  | /   |

|                                |    |
|--------------------------------|----|
| Capacity wine cellar (bottles) | 41 |
|--------------------------------|----|

|                             |   |
|-----------------------------|---|
| Glass shelf capacity (cans) | / |
|-----------------------------|---|

|                        |   |
|------------------------|---|
| Drawer capacity (cans) | / |
|------------------------|---|

|  |    |
|--|----|
| Fixed 3/4 wooden bottle holder (bottles) | 11 |
|--|----|

### TECHNICAL DETAILS

|                  |          |
|------------------|----------|
| Voltage (V)      | 220-240V |
| Frequency (Hz)   | 50/60 Hz |
| Climatic class   | SN/T     |
| Noise level (dB) | 41       |

### EFFICIENCY

|                               |     |
|-------------------------------|-----|
| Energy Label class            | G   |
| Energy consumption (kWh/year) | 128 |

### DIMENSIONS & WEIGHT

|                                     |     |
|-------------------------------------|-----|
| Product height (closed wheels)(mm)  | 865 |
| Width of the product (mm)           | 598 |
| Depth of Product without handle(mm) | 572 |
| Net Weight (kg)                     | 60  |
| Gross Weight (kg)                   | 75  |

### TEMPERATURE RANGES

|                                  |              |
|----------------------------------|--------------|
| Climatic compartments            | 2            |
| Compartment 1 / Temperature (°C) | from 4 to 18 |
| Compartment 2 / Temperature (°C) | from 4 to 18 |
| Low temp zone                    | NO           |
| Compartment 3 / Temperature (°C) | /            |
| Dual zone                        | NO           |

### GENERAL PROPERTIES


|                 |      |
|-----------------|------|
| Reversible door | YES  |
| Low vibration   | YES  |
| Shelves         | 5    |
| Type of shelves | WOOD |
| Bottom Drawers  | /    |

### ACCESSORIES (from page 290 to page 294)

- Ø 30 mm Tubular Stainless Steel Handles – Classic
- Ø 30 mm Tubular Stainless Steel Handles – Pro
- Ø 18 mm Tubular Stainless Steel Handles
- Stainless steel panels
- Cleaning Kit
- Active Carbon Filter
- Door stop 90°
- Cheese drawer
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Set of knives

## UCW602TPO

60 cm, UNDERCOUNTER WINE CELLAR, MODEL 2T  
PREMIUM  
BUILT-IN  
UNDERCOUNTER® SERIES



### AESTHETIC

|                          |                       |
|--------------------------|-----------------------|
| Compressor position      | Bottom                |
| Front finish             | Stainless Steel       |
| Handles                  | Stainless Steel Ø18mm |
| Interior material finish | Stainless Steel       |
| Display                  | OLED                  |

### PRICE (VAT and delivery charges not included)

|                         |         |
|-------------------------|---------|
| UCW602TPO (right hinge) | 4.680 € |
|-------------------------|---------|

### CAPACITY

|                         |     |
|-------------------------|-----|
| Volume Compartment1 (L) | 143 |
| Volume Compartment2 (L) | /   |
| Volume Compartment3 (L) | /   |
| Total Net Volume (L)    | 143 |
| Total Gross Volume (L)  | /   |

|                                |    |
|--------------------------------|----|
| Capacity wine cellar (bottles) | 41 |
|--------------------------------|----|

|                             |   |
|-----------------------------|---|
| Glass shelf capacity (cans) | / |
|-----------------------------|---|

|                        |   |
|------------------------|---|
| Drawer capacity (cans) | / |
|------------------------|---|

|  |    |
|--|----|
| Fixed 3/4 wooden bottle holder (bottles) | 11 |
|--|----|

### TECHNICAL DETAILS

|                  |          |
|------------------|----------|
| Voltage (V)      | 220-240V |
| Frequency (Hz)   | 50/60 Hz |
| Climatic class   | SN/T     |
| Noise level (dB) | 41       |

### EFFICIENCY

|                               |     |
|-------------------------------|-----|
| Energy Label class            | G   |
| Energy consumption (kWh/year) | 128 |

### DIMENSIONS & WEIGHT

|                                     |     |
|-------------------------------------|-----|
| Product height (closed wheels)(mm)  | 865 |
| Width of the product (mm)           | 598 |
| Depth of Product without handle(mm) | 576 |
| Net Weight (kg)                     | 63  |
| Gross Weight (kg)                   | 78  |

### TEMPERATURE RANGES

|                                  |              |
|----------------------------------|--------------|
| Climatic compartments            | 2            |
| Compartment 1 / Temperature (°C) | from 4 to 18 |
| Compartment 2 / Temperature (°C) | from 4 to 18 |
| Low temp zone                    | NO           |
| Compartment 3 / Temperature (°C) | /            |
| Dual zone                        | NO           |

### GENERAL PROPERTIES


|                 |      |
|-----------------|------|
| Reversible door | YES  |
| Low vibration   | YES  |
| Shelves         | 5    |
| Type of shelves | WOOD |
| Bottom Drawers  | /    |

### ACCESSORIES (from page 290 to page 294)

- Cleaning Kit
- Active Carbon Filter
- Door stop 90°
- Cheese drawer
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Set of knives
- Front panel painting, handles, and side panels

## UCW602TGM

60 cm, UNDERCOUNTER WINE CELLAR, MODEL 2T  
GRAN MAESTRO  
FULLY INTEGRATED  
UNDERCOUNTER® SERIES



### AESTHETIC

|                          |                    |
|--------------------------|--------------------|
| Compressor position      | Bottom             |
| Front finish             | Custom Panel Ready |
| Handles                  | NO                 |
| Interior material finish | Stainless Steel    |
| Display                  | TFT                |

### PRICE (VAT and delivery charges not included)

|                         |         |
|-------------------------|---------|
| UCW602TGM (right hinge) | 4.780 € |
|-------------------------|---------|

### CAPACITY

|                         |     |
|-------------------------|-----|
| Volume Compartment1 (L) | 143 |
| Volume Compartment2 (L) | /   |
| Volume Compartment3 (L) | /   |
| Total Net Volume (L)    | 143 |
| Total Gross Volume (L)  | /   |

|                                |    |
|--------------------------------|----|
| Capacity wine cellar (bottles) | 41 |
|--------------------------------|----|

|                             |   |
|-----------------------------|---|
| Glass shelf capacity (cans) | / |
|-----------------------------|---|

|                        |   |
|------------------------|---|
| Drawer capacity (cans) | / |
|------------------------|---|

|  |    |
|--|----|
| Fixed 3/4 wooden bottle holder (bottles) | 11 |
|--|----|

### TECHNICAL DETAILS

|                  |          |
|------------------|----------|
| Voltage (V)      | 220-240V |
| Frequency (Hz)   | 50-60 Hz |
| Climatic class   | SN/T     |
| Noise level (dB) | 41       |

### EFFICIENCY

|                               |     |
|-------------------------------|-----|
| Energy Label class            | G   |
| Energy consumption (kWh/year) | 128 |

### DIMENSIONS & WEIGHT

|                                     |     |
|-------------------------------------|-----|
| Product height (closed wheels)(mm)  | 865 |
| Width of the product (mm)           | 598 |
| Depth of Product without handle(mm) | 572 |
| Net Weight (kg)                     | 60  |
| Gross Weight (kg)                   | 75  |

### TEMPERATURE RANGES

|                                  |              |
|----------------------------------|--------------|
| Climatic compartments            | 2            |
| Compartment 1 / Temperature (°C) | from 4 to 18 |
| Compartment 2 / Temperature (°C) | from 4 to 18 |
| Low temp zone                    | NO           |
| Compartment 3 / Temperature (°C) | /            |
| Dual zone                        | NO           |

### GENERAL PROPERTIES


|                 |      |
|-----------------|------|
| Reversible door | YES  |
| Low vibration   | YES  |
| Shelves         | 5    |
| Type of shelves | WOOD |
| Bottom Drawers  | /    |

### ACCESSORIES (from page 290 to page 294)

- Ø 30 mm Tubular Stainless Steel Handles – Classic
- Ø 30 mm Tubular Stainless Steel Handles – Pro
- Ø 18 mm Tubular Stainless Steel Handles
- Stainless steel panels
- Cleaning Kit
- Active Carbon Filter
- Door stop 90°
- Cheese drawer
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Set of knives

## UCW602TGMO

60 cm, UNDERCOUNTER WINE CELLAR, MODEL 2T  
GRAN MAESTRO  
BUILT-IN  
UNDERCOUNTER® SERIES



### AESTHETIC

|                          |                       |
|--------------------------|-----------------------|
| Compressor position      | Bottom                |
| Front finish             | Stainless Steel       |
| Handles                  | Stainless Steel Ø18mm |
| Interior material finish | Stainless Steel       |
| Display                  | TFT                   |

### PRICE (VAT and delivery charges not included)

|                          |         |
|--------------------------|---------|
| UCW602TGMO (right hinge) | 5.310 € |
|--------------------------|---------|

### CAPACITY

|                         |     |
|-------------------------|-----|
| Volume Compartment1 (L) | 143 |
| Volume Compartment2 (L) | /   |
| Volume Compartment3 (L) | /   |
| Total Net Volume (L)    | 143 |
| Total Gross Volume (L)  | /   |

|                                |    |
|--------------------------------|----|
| Capacity wine cellar (bottles) | 41 |
|--------------------------------|----|

|                             |   |
|-----------------------------|---|
| Glass shelf capacity (cans) | / |
|-----------------------------|---|

|                        |   |
|------------------------|---|
| Drawer capacity (cans) | / |
|------------------------|---|

|  |    |
|--|----|
| Fixed 3/4 wooden bottle holder (bottles) | 11 |
|--|----|

### TECHNICAL DETAILS

|                  |          |
|------------------|----------|
| Voltage (V)      | 220-240V |
| Frequency (Hz)   | 50-60 Hz |
| Climatic class   | SN/T     |
| Noise level (dB) | 41       |

### EFFICIENCY

|                               |     |
|-------------------------------|-----|
| Energy Label class            | G   |
| Energy consumption (kWh/year) | 128 |

### DIMENSIONS & WEIGHT

|                                     |     |
|-------------------------------------|-----|
| Product height (closed wheels)(mm)  | 865 |
| Width of the product (mm)           | 598 |
| Depth of Product without handle(mm) | 576 |
| Net Weight (kg)                     | 63  |
| Gross Weight (kg)                   | 78  |

### TEMPERATURE RANGES

|                                  |              |
|----------------------------------|--------------|
| Climatic compartments            | 2            |
| Compartment 1 / Temperature (°C) | from 4 to 18 |
| Compartment 2 / Temperature (°C) | from 4 to 18 |
| Low temp zone                    | NO           |
| Compartment 3 / Temperature (°C) | /            |
| Dual zone                        | NO           |

### GENERAL PROPERTIES

|                 |      |
|-----------------|------|
| Reversible door | YES  |
| Low vibration   | YES  |
| Shelves         | 5    |
| Type of shelves | WOOD |
| Bottom Drawers  | /    |

### ACCESSORIES (from page 290 to page 294)

- Cleaning Kit
- Active Carbon Filter
- Door stop 90°
- Cheese drawer
- Cigar drawer
- Beverage drawer
- Beverage shelf
- Beverage removable shelf
- Set of knives
- Front panel painting, handles

## UNDERCOUNTER: WINE CELLARS

Model: 1T

Width: 60cm

One door, 1 temperature

Single compartment: Wine Cellars



WINE CELLAR

### FEATURES

**Made in Italy:** Designed and built entirely in Italy with artisanal precision.

**Stainless Steel AISI 304 structure:** High-quality material, corrosion-resistant, ideal for professional and premium domestic use.

**Antibacterial Interior:** Hygienic surfaces preserving freshness and bottle quality.

#### Technology and Functionality

**OptiView™:** Diffused and uniform LED lighting, elegant and with low heat emission to preserve the wine's properties.

**Active Safety:** Visual and acoustic alerts.

**100% Total No Frost:** Automatic system that prevents ice formation and ensures impeccable humidity control.

**Variable Speed Compressors:** Precise temperature control, reduced vibrations, and maximum efficiency.

**Easy Installation:** Adjustable feet and rear wheels.

#### Conservation Performance

**One climate zone:** Dedicated temperature and humidity control for red, white, and sparkling wines.

**Canaletto walnut wood shelves:** Elegant, sturdy, and equipped with soft-closing slides, they enhance the presentation of bottles while ensuring smooth and silent operation.

#### Design and Installation

**Fully Integrated / Built in:** Designed to integrate seamlessly into your décor, with a clean and minimal aesthetic.

**Triple-layer bronzed glass door:** Total protection against UV rays and external temperature fluctuations.


**Reversible door:** Maximum installation flexibility, adaptable to any configuration.

### GENERAL PROPERTIES

|   |           |
|---|-----------|
| Reversible door                         | YES       |
| Equilance                               | NO        |
| SoftClosing Runner                      | YES       |
| Low vibration                           | YES       |
| Optiview (LED light spots)              | YES       |
| Shelves                                 | 5         |
| Slide-out shelves                       | YES       |
| Type of shelves                         | WOOD      |
| Fridge drawers type                     | /         |
| Fresco/LowTemp Drawers                  | /         |
| Bottom drawers                          | /         |
| Full Extension shelves 90° door opening | YES       |
| Full Extension drawers 90° door opening | NO        |
| Defrost Process                         | AUTOMATIC |
| Ice maker with water filter             | NO        |
| Door Open Alarms                        | YES       |
| Humidity Control                        | NO        |
| Active Carbon Filter                    | NO        |
| Air filter control                      | NO        |
| Shopping Fridge                         | NO        |
| Shopping Freezer                        | NO        |
| Power Failure Function                  | YES       |

## UCW601TP

60 cm, UNDERCOUNTER WINE CELLAR, MODEL 1T  
PREMIUM  
FULLY INTEGRATED  
UNDERCOUNTER® SERIES




| AESTHETIC                                     |                    |
|---|--------------------|
| Compressor position                           | Bottom             |
| Front finish                                  | Custom Panel Ready |
| Handles                                       | NO                 |
| Interior material finish                      | Stainless Steel    |
| Display                                       | OLED               |
| PRICE (VAT and delivery charges not included) |                    |
| UCW601TP (right hinge)                        | 3.500 €            |
| CAPACITY                                      |                    |
| Volume Compartment1 (L)                       | 143                |
| Volume Compartment2 (L)                       | /                  |
| Volume Compartment3 (L)                       | /                  |
| Total Net Volume (L)                          | 143                |
| Total Gross Volume (L)                        | /                  |
| Capacity wine cellar (bottles)                | 41                 |
| Glass shelf capacity (cans)                   | /                  |
| Drawer capacity (cans)                        | /                  |
| Fixed 3/4 wooden bottle holder (bottles)      | 11                 |
| TECHNICAL DETAILS                             |                    |
| Voltage (V)                                   | 220-240V           |
| Frequency (Hz)                                | 50/60 Hz           |
| Climatic class                                | SN/T               |
| Noise level (dB)                              | 41                 |
| EFFICIENCY                                    |                    |
| Energy Label class                            | G                  |
| Energy consumption (kWh/year)                 | 122                |

| DIMENSIONS & WEIGHT                 |              |
|-------------------------------------|--------------|
| Product height (closed wheels)(mm)  | 865          |
| Width of the product (mm)           | 598          |
| Depth of Product without handle(mm) | 572          |
| Net Weight (kg)                     | 55           |
| Gross Weight (kg)                   | 70           |
| TEMPERATURE RANGES                  |              |
| Climatic compartments               | 1            |
| Compartment 1 / Temperature (°C)    | from 4 to 18 |
| Compartment 2 / Temperature (°C)    | /            |
| Low temp zone                       | NO           |
| Compartment 3 / Temperature (°C)    | /            |
| Dual zone                           | NO           |
| GENERAL PROPERTIES                  |              |
| Reversible door                     | YES          |
| Low vibration                       | YES          |
| Shelves                             | 5            |
| Type of shelves                     | WOOD         |
| Bottom Drawers                      | /            |

| ACCESSORIES (from page 290 to page 294)             |                     |
|---|---------------------|
| • Ø 30 mm Tubular Stainless Steel Handles – Classic | • Set of knives     |
| • Ø 30 mm Tubular Stainless Steel Handles – Pro     | • Prosciutteria kit |
| • Ø 18 mm Tubular Stainless Steel Handles           |                     |
| • Stainless steel panels                            |                     |
| • Cleaning Kit                                      |                     |
| • Active Carbon Filter                              |                     |
| • Door stop 90°                                     |                     |
| • Cheese drawer                                     |                     |
| • Cigar drawer                                      |                     |
| • Beverage drawer                                   |                     |
| • Beverage shelf                                    |                     |
| • Beverage removable shelf                          |                     |

## UCW601TPO

60 cm, UNDERCOUNTER WINE CELLAR, MODEL 1T  
PREMIUM  
BUILT-IN  
UNDERCOUNTER® SERIES




| AESTHETIC                                     |                       |
|---|-----------------------|
| Compressor position                           | Bottom                |
| Front finish                                  | Stainless Steel       |
| Handles                                       | Stainless Steel Ø18mm |
| Interior material finish                      | Stainless Steel       |
| Display                                       | OLED                  |
| PRICE (VAT and delivery charges not included) |                       |
| UCW601TPO (right hinge)                       | 4.030 €               |
| CAPACITY                                      |                       |
| Volume Compartment1 (L)                       | 143                   |
| Volume Compartment2 (L)                       | /                     |
| Volume Compartment3 (L)                       | /                     |
| Total Net Volume (L)                          | 143                   |
| Total Gross Volume (L)                        | /                     |
| Capacity wine cellar (bottles)                | 41                    |
| Glass shelf capacity (cans)                   | /                     |
| Drawer capacity (cans)                        | /                     |
| Fixed 3/4 wooden bottle holder (bottles)      | 11                    |
| TECHNICAL DETAILS                             |                       |
| Voltage (V)                                   | 220-240V              |
| Frequency (Hz)                                | 50/60 Hz              |
| Climatic class                                | SN/T                  |
| Noise level (dB)                              | 41                    |
| EFFICIENCY                                    |                       |
| Energy Label class                            | G                     |
| Energy consumption (kWh/year)                 | 122                   |

| DIMENSIONS & WEIGHT                 |              |
|-------------------------------------|--------------|
| Product height (closed wheels)(mm)  | 865          |
| Width of the product (mm)           | 598          |
| Depth of Product without handle(mm) | 576          |
| Net Weight (kg)                     | 59           |
| Gross Weight (kg)                   | 74           |
| TEMPERATURE RANGES                  |              |
| Climatic compartments               | 1            |
| Compartment 1 / Temperature (°C)    | from 4 to 18 |
| Compartment 2 / Temperature (°C)    | /            |
| Low temp zone                       | NO           |
| Compartment 3 / Temperature (°C)    | /            |
| Dual zone                           | NO           |
| GENERAL PROPERTIES                  |              |
| Reversible door                     | YES          |
| Low vibration                       | YES          |
| Shelves                             | 5            |
| Type of shelves                     | WOOD         |
| Bottom Drawers                      | /            |

| ACCESSORIES (from page 290 to page 294) |  |
|---|--|
| • Cleaning Kit                          |  |
| • Active Carbon Filter                  |  |
| • Door stop 90°                         |  |
| • Cheese drawer                         |  |
| • Cigar drawer                          |  |
| • Beverage drawer                       |  |
| • Beverage shelf                        |  |
| • Beverage removable shelf              |  |
| • Set of knives                         |  |
| • Prosciutteria kit                     |  |
| • Front panel painting, handles         |  |

## UCW601TGM

60 cm, UNDERCOUNTER WINE CELLAR, MODEL 1T  
GRAN MAESTRO  
FULLY INTEGRATED  
UNDERCOUNTER® SERIES




| AESTHETIC                                     |                    |
|---|--------------------|
| Compressor position                           | Bottom             |
| Front finish                                  | Custom Panel Ready |
| Handles                                       | NO                 |
| Interior material finish                      | Stainless Steel    |
| Display                                       | TFT                |
| PRICE (VAT and delivery charges not included) |                    |
| UCW601TGM (right hinge)                       | 4.130 €            |
| UC601TGMX (Right hinge, Model X vuoto)        | 3.390 €            |
| CAPACITY                                      |                    |
| Volume Compartment1 (L)                       | 143                |
| Volume Compartment2 (L)                       | /                  |
| Volume Compartment3 (L)                       | /                  |
| Total Net Volume (L)                          | 143                |
| Total Gross Volume (L)                        | /                  |
| Capacity wine cellar (bottles)                | 41                 |
| Glass shelf capacity (cans)                   | /                  |
| Drawer capacity (cans)                        | /                  |
| Fixed 3/4 wooden bottle holder (bottles)      | 11                 |
| TECHNICAL DETAILS                             |                    |
| Voltage (V)                                   | 220-240V           |
| Frequency (Hz)                                | 50-60 Hz           |
| Climatic class                                | SN/T               |
| Noise level (dB)                              | 41                 |
| EFFICIENCY                                    |                    |
| Energy Label class                            | G                  |
| Energy consumption (kWh/year)                 | 122                |

| DIMENSIONS & WEIGHT                 |              |
|-------------------------------------|--------------|
| Product height (closed wheels)(mm)  | 865          |
| Width of the product (mm)           | 598          |
| Depth of Product without handle(mm) | 572          |
| Net Weight (kg)                     | 55           |
| Gross Weight (kg)                   | 70           |
| TEMPERATURE RANGES                  |              |
| Climatic compartments               | 1            |
| Compartment 1 / Temperature (°C)    | from 4 to 18 |
| Compartment 2 / Temperature (°C)    | /            |
| Low temp zone                       | NO           |
| Compartment 3 / Temperature (°C)    | /            |
| Dual zone                           | NO           |
| GENERAL PROPERTIES                  |              |
| Reversible door                     | YES          |
| Low vibration                       | YES          |
| Shelves                             | 5            |
| Type of shelves                     | WOOD         |
| Bottom Drawers                      | /            |

| ACCESSORIES (from page 290 to page 294)             |                     |
|---|---------------------|
| • Ø 30 mm Tubular Stainless Steel Handles – Classic | • Set of knives     |
| • Ø 30 mm Tubular Stainless Steel Handles – Pro     | • Prosciutteria kit |
| • Ø 18 mm Tubular Stainless Steel Handles           |                     |
| • Stainless steel panels                            |                     |
| • Cleaning Kit                                      |                     |
| • Active Carbon Filter                              |                     |
| • Door stop 90°                                     |                     |
| • Cheese drawer                                     |                     |
| • Cigar drawer                                      |                     |
| • Beverage drawer                                   |                     |
| • Beverage shelf                                    |                     |
| • Beverage removable shelf                          |                     |

## UCW601TGMO

60 cm, UNDERCOUNTER WINE CELLAR, MODEL 1T  
GRAN MAESTRO  
BUILT-IN  
UNDERCOUNTER® SERIES



| AESTHETIC                                     |                       |
|---|-----------------------|
| Compressor position                           | Bottom                |
| Front finish                                  | Stainless Steel       |
| Handles                                       | Stainless Steel Ø18mm |
| Interior material finish                      | Stainless Steel       |
| Display                                       | TFT                   |
| PRICE (VAT and delivery charges not included) |                       |
| UCW601TGMO (right hinge)                      | 4.660 €               |
| UC601TGMOX (Right hinge, Model X vuoto)       | 3.920 €               |
| CAPACITY                                      |                       |
| Volume Compartment1 (L)                       | 143                   |
| Volume Compartment2 (L)                       | /                     |
| Volume Compartment3 (L)                       | /                     |
| Total Net Volume (L)                          | 143                   |
| Total Gross Volume (L)                        | /                     |
| Capacity wine cellar (bottles)                | 41                    |
| Glass shelf capacity (cans)                   | /                     |
| Drawer capacity (cans)                        | /                     |
| Fixed 3/4 wooden bottle holder (bottles)      | 11                    |
| TECHNICAL DETAILS                             |                       |
| Voltage (V)                                   | 220-240V              |
| Frequency (Hz)                                | 50-60 Hz              |
| Climatic class                                | SN/T                  |
| Noise level (dB)                              | 41                    |
| EFFICIENCY                                    |                       |
| Energy Label class                            | G                     |
| Energy consumption (kWh/year)                 | 122                   |

| DIMENSIONS & WEIGHT                 |              |
|-------------------------------------|--------------|
| Product height (closed wheels)(mm)  | 865          |
| Width of the product (mm)           | 598          |
| Depth of Product without handle(mm) | 576          |
| Net Weight (kg)                     | 59           |
| Gross Weight (kg)                   | 74           |
| TEMPERATURE RANGES                  |              |
| Climatic compartments               | 1            |
| Compartment 1 / Temperature (°C)    | from 4 to 18 |
| Compartment 2 / Temperature (°C)    | /            |
| Low temp zone                       | NO           |
| Compartment 3 / Temperature (°C)    | /            |
| Dual zone                           | NO           |
| GENERAL PROPERTIES                  |              |
| Reversible door                     | YES          |
| Low vibration                       | YES          |
| Shelves                             | 5            |
| Type of shelves                     | WOOD         |
| Bottom Drawers                      | /            |

| ACCESSORIES (from page 290 to page 294) |  |
|---|--|
| • Cleaning Kit                          |  |
| • Active Carbon Filter                  |  |
| • Door stop 90°                         |  |
| • Cheese drawer                         |  |
| • Cigar drawer                          |  |
| • Beverage drawer                       |  |
| • Beverage shelf                        |  |
| • Beverage removable shelf              |  |
| • Set of knives                         |  |
| • Prosciutteria kit                     |  |
| • Front panel painting, handles         |  |

## UNDERCOUNTER: HUMIDOR

Model: 1T

Width: 60cm

One door, 1 temperature

Single compartment: Humidor



HUMIDOR

### FEATURES

**Made in Italy:** Designed and built entirely in Italy with artisanal precision.

**Stainless Steel AISI 304 structure:** High-quality material, corrosion-resistant, ideal for professional and premium domestic use.

**Antibacterial Interior:** Superfici igieniche che preservano la purezza dell'ambiente interno e la qualità dei sigari.

#### Technology and Functionality

**OptiView™:** Diffused and uniform LED lighting, elegant and with low heat emission to preserve the cigars' properties.

**Active Safety:** Visual and acoustic alerts.

**100% Total No Frost:** Automatic system that prevents ice formation and ensures impeccable humidity control.

**Variable Speed Compressors:** Precise temperature control, reduced vibrations, and maximum efficiency.

**Easy Installation:** Adjustable feet and rear wheels.

#### Conservation Performance

**One climate zone:** Precise temperature control for optimal cigar preservation.

**Canaletto walnut wood drawers:** Elegant, sturdy, and equipped with soft-closing slides, they ensure smooth and silent operation while enhancing the display of your collection.

#### Design and Installation

**Fully Integrated / Built in:** Designed to integrate seamlessly into your décor, with a clean and minimal aesthetic.

**Triple-layer bronzed glass door:** Total protection against UV rays and external temperature fluctuations.

**Reversible door:** Maximum installation flexibility, adaptable to any configuration.

### GENERAL PROPERTIES

|   |           |
|---|-----------|
| Reversible door                         | YES       |
| Equilance                               | NO        |
| SoftClosing Runner                      | YES       |
| Low vibration                           | YES       |
| Optieview (LED light spots)             | YES       |
| Shelves                                 | /         |
| Cassetti estraibili                     | YES       |
| Type of shelves                         | /         |
| Fridge drawers type                     | WOOD      |
| Cassetti interni                        | 2         |
| Full Extension shelves 90° door opening | YES       |
| Full Extension drawers 90° door opening | NO        |
| Defrost Process                         | AUTOMATIC |
| Ice maker with water filter             | NO        |
| Door Open Alarms                        | YES       |
| Humidity Control                        | NO        |
| Active Carbon Filter                    | NO        |
| Air filter control                      | NO        |
| Shopping Fridge                         | NO        |
| Shopping Freezer                        | NO        |
| Power Failure Function                  | YES       |

## UCH601TP

60 cm, UNDERCOUNTER HUMIDOR, Model 1T  
PREMIUM  
FULLY INTEGRATED  
UNDERCOUNTER® SERIES



| AESTHETIC                                     |                    |
|---|--------------------|
| Compressor position                           | Bottom             |
| Front finish                                  | Custom Panel Ready |
| Handles                                       | NO                 |
| Interior material finish                      | Stainless Steel    |
| Display                                       | OLED               |
| PRICE (VAT and delivery charges not included) |                    |
| UCH601TP (right hinge)                        | 6.035 €            |
| CAPACITY                                      |                    |
| Volume Compartment1 (L)                       | 143                |
| Volume Compartment2 (L)                       | /                  |
| Volume Compartment3 (L)                       | /                  |
| Total Net Volume (L)                          | 143                |
| Total Gross Volume (L)                        | /                  |
| Capacity wine cellar (bottles)                | /                  |
| Glass shelf capacity (cans)                   | /                  |
| Drawer capacity (cans)                        | /                  |
| Fixed 3/4 wooden bottle holder (bottles)      | /                  |
| TECHNICAL DETAILS                             |                    |
| Voltage (V)                                   | 220-240V           |
| Frequency (Hz)                                | 50/60 Hz           |
| Climatic class                                | SN/T               |
| Noise level (dB)                              | 41                 |
| EFFICIENCY                                    |                    |
| Energy Label class                            | G                  |
| Energy consumption (kWh/year)                 | 122                |

| DIMENSIONS & WEIGHT                 |              |
|-------------------------------------|--------------|
| Product height (closed wheels)(mm)  | 865          |
| Width of the product (mm)           | 598          |
| Depth of Product without handle(mm) | 572          |
| Net Weight (kg)                     | 55           |
| Gross Weight (kg)                   | 70           |
| TEMPERATURE RANGES                  |              |
| Climatic compartments               | 1            |
| Compartment 1 / Temperature (°C)    | from 4 to 18 |
| Compartment 2 / Temperature (°C)    | /            |
| Low temp zone                       | NO           |
| Compartment 3 / Temperature (°C)    | /            |
| Dual zone                           | NO           |
| GENERAL PROPERTIES                  |              |
| Reversible door                     | YES          |
| Low vibration                       | YES          |
| Numero cassetti                     | 2            |
| Type of shelves                     | /            |
| Cassetti interni                    | WOOD         |

| ACCESSORIES (from page 290 to page 294)             |  |
|---|--|
| • Ø 30 mm Tubular Stainless Steel Handles – Classic |  |
| • Ø 30 mm Tubular Stainless Steel Handles – Pro     |  |
| • Ø 18 mm Tubular Stainless Steel Handles           |  |
| • Stainless steel panels                            |  |
| • Cleaning Kit                                      |  |
| • Active Carbon Filter                              |  |
| • Door stop 90°                                     |  |

## UCH601TPO

60 cm, UNDERCOUNTER HUMIDOR, MODEL 1T  
PREMIUM  
BUILT-IN  
UNDERCOUNTER® SERIES



| AESTHETIC                                     |                       |
|---|-----------------------|
| Compressor position                           | Bottom                |
| Front finish                                  | Stainless Steel       |
| Handles                                       | Stainless Steel Ø18mm |
| Interior material finish                      | Stainless Steel       |
| Display                                       | OLED                  |
| PRICE (VAT and delivery charges not included) |                       |
| UCH601TPO (right hinge)                       | 6.565 €               |
| CAPACITY                                      |                       |
| Volume Compartment1 (L)                       | 143                   |
| Volume Compartment2 (L)                       | /                     |
| Volume Compartment3 (L)                       | /                     |
| Total Net Volume (L)                          | 143                   |
| Total Gross Volume (L)                        | /                     |
| Capacity wine cellar (bottles)                | /                     |
| Glass shelf capacity (cans)                   | /                     |
| Drawer capacity (cans)                        | /                     |
| Fixed 3/4 wooden bottle holder (bottles)      | /                     |
| TECHNICAL DETAILS                             |                       |
| Voltage (V)                                   | 220-240V              |
| Frequency (Hz)                                | 50/60 Hz              |
| Climatic class                                | SN/T                  |
| Noise level (dB)                              | 41                    |
| EFFICIENCY                                    |                       |
| Energy Label class                            | G                     |
| Energy consumption (kWh/year)                 | 122                   |













| DIMENSIONS & WEIGHT                 |              |
|-------------------------------------|--------------|
| Product height (closed wheels)(mm)  | 865          |
| Width of the product (mm)           | 598          |
| Depth of Product without handle(mm) | 576          |
| Net Weight (kg)                     | 59           |
| Gross Weight (kg)                   | 74           |
| TEMPERATURE RANGES                  |              |
| Climatic compartments               | 1            |
| Compartment 1 / Temperature (°C)    | from 4 to 18 |
| Compartment 2 / Temperature (°C)    | /            |
| Low temp zone                       | NO           |
| Compartment 3 / Temperature (°C)    | /            |
| Dual zone                           | NO           |
| GENERAL PROPERTIES                  |              |
| Reversible door                     | YES          |
| Low vibration                       | YES          |
| Numero cassetti                     | 2            |
| Type of shelves                     | /            |
| Cassetti interni                    | WOOD         |

| ACCESSORIES (from page 290 to page 294) |  |
|---|--|
| • Cleaning Kit                          |  |
| • Active Carbon Filter                  |  |
| • Door stop 90°                         |  |
| • Front panel painting, handles         |  |

# UNDERCOUNTER: TRIMODE DRAWERS

Width: 90/75/60cm

## TriMode drawers

|                       | 90  | 75  | 60  |
|-----------------------|---|---|---|
| <b>GRAN MAESTRO</b>   |   |   |   |
| Custom Panel          |    |    |    |
|                       | UC2D90GM  | UC2D75GM  | UC2D60GM  |
| Stainless Steel front |    |    |    |
|                       | UC2D90GMO   | UC2D75GMO   | UC2D60GMO   |
| <b>PREMIUM</b>        |   |   |   |
| Custom Panel          |  |  |  |
|                       | UC2D90P   | UC2D75P   | UC2D60P   |
| Stainless Steel front |  |  |  |
|                       | UC2D90PO  | UC2D75PO  | UC2D60PO  |

# UNDERCOUNTER: TRIMODE DRAWERS

Model: 2D

Width: 90cm

Two drawers, 1 temperature

Single compartment: TriMode (Fridge/Fresco/Freezer)



TRIMODE DRAWERS

## FEATURES

**Made in Italy:** Designed and built entirely in Italy with artisanal precision.

**Stainless Steel AISI 304 structure:** High-quality material, corrosion-resistant, ideal for professional and premium domestic use.

**Antibacterial Interior:** Hygienic surfaces that preserve freshness, safety, and food quality.

### Technology and Functionality

**OptiView™:** Diffuse, uniform LED lighting.

**Active Safety:** Visual and acoustic alerts.

**100% Total No Frost:** Automatic system that prevents ice formation and ensures impeccable humidity control.

**Variable Speed Compressors:** Precise temperature control, reduced vibrations, and maximum efficiency.

**Sabbath Mode:** Dedicated function for observance needs.

**Easy Installation:** Adjustable feet and rear wheels.

### Performance – TriMode™ Function

**Fridge (2°C – 8°C):** Ideal temperature for daily fresh food storage.

**Fresco (-2°C – +2°C):** Dedicated environment for meat, fish, and delicate ingredients, maintaining structure and quality.

**Freezer (-18°C – +22°C):** Maximum flexibility: freezing, long-term storage, or use as a temperature-controlled compartment up to +22°C.

### Design and Installation

**Fully Integrated / Built in:** Designed to integrate seamlessly into your décor, with a clean and minimal aesthetic.

**Indoor & Outdoor Installation:** Designed to perform flawlessly in both indoor spaces and covered outdoor areas, ensuring consistent performance even in variable climatic conditions.

**Full-Extension Drawers:** Equipped with soft-closing slides for smooth, silent operation and full access to the interior space.

**Stainless Steel AISI 304 Interior:** Elegant, hygienic, and durable, built to last.

### Additional Options

**Ice maker with water filter (75 cm and 90 cm models):** Available as an option, producing pure, crystal-clear ice thanks to the integrated filtration system.

## GENERAL PROPERTIES

|   |           |
|---|-----------|
| Reversible door                         | NO        |
| Equilance                               | NO        |
| SoftClosing Runner                      | YES       |
| Low vibration                           | YES       |
| Optiview (LED light spots)              | YES       |
| Shelves                                 | /         |
| Slide-out shelves                       | /         |
| Type of shelves                         | /         |
| Fridge drawers type                     | /         |
| Fresco/LowTemp Drawers                  | /         |
| Bottom drawers                          | 2         |
| Full Extension shelves 90° door opening | /         |
| Full Extension drawers 90° door opening | /         |
| Defrost Process                         | AUTOMATIC |
| Ice maker with water filter             | AVAILABLE |
| Door Open Alarms                        | NO        |
| Humidity Control                        | NO        |
| Active Carbon Filter                    | NO        |
| Air filter control                      | NO        |
| Shopping Fridge                         | NO        |
| Shopping Freezer                        | YES       |
| Power Failure Function                  | YES       |

## UC2D90P

90 cm, UNDERCOUNTER TRIMODE, MODEL 2D  
PREMIUM  
FULLY INTEGRATED  
UNDERCOUNTER® SERIES



| AESTHETIC                                     |                    |
|---|--------------------|
| Compressor position                           | Bottom             |
| Front finish                                  | Custom Panel Ready |
| Handles                                       | NO                 |
| Interior material finish                      | Stainless Steel    |
| Display                                       | OLED               |
| PRICE (VAT and delivery charges not included) |                    |
| UC2D90P                                       | 5.250 €            |
|   |                    |
| CAPACITY                                      |                    |
| Volume Compartment1 (L)                       | 175                |
| Volume Compartment2 (L)                       | /                  |
| Volume Compartment3 (L)                       | /                  |
| Total Net Volume (L)                          | 175                |
| Total Gross Volume (L)                        | /                  |
| Capacity wine cellar (bottles)                | /                  |
| Glass shelf capacity (cans)                   | /                  |
| Drawer capacity (cans)                        | /                  |
| Fixed 3/4 wooden bottle holder (bottles)      | /                  |
| TECHNICAL DETAILS                             |                    |
| Voltage (V)                                   | 220-240V           |
| Frequency (Hz)                                | 50/60 Hz           |
| Climatic class                                | SN/T               |
| Noise level (dB)                              | 41                 |
| EFFICIENCY                                    |                    |
| Energy Label class                            | E                  |
| Energy consumption (kWh/year)                 | 219                |

| DIMENSIONS & WEIGHT                 |               |
|-------------------------------------|---------------|
| Product height (closed wheels)(mm)  | 865           |
| Width of the product (mm)           | 898           |
| Depth of Product without handle(mm) | 572           |
| Net Weight (kg)                     | 79            |
| Gross Weight (kg)                   | 94            |
| TEMPERATURE RANGES                  |               |
| Climatic compartments               | 1             |
| Compartment 1 / Temperature (°C)    | from 8 to -22 |
| Compartment 2 / Temperature (°C)    | /             |
| Low temp zone                       | NO            |
| Compartment 3 / Temperature (°C)    | /             |
| Dual zone                           | NO            |
| GENERAL PROPERTIES                  |               |
| Reversible door                     | NO            |
| Low vibration                       | YES           |
| Shelves                             | /             |
| Type of shelves                     | /             |
| Bottom Drawers                      | 2             |

| ACCESSORI   |  |
|---|--|
| • Ø 30 mm Tubular Stainless Steel Handles – Classic |  |
| • Ø 30 mm Tubular Stainless Steel Handles – Pro     |  |
| • Ø 18 mm Tubular Stainless Steel Handles           |  |
| • Stainless steel panels                            |  |
| • Cleaning Kit                                      |  |

## UC2D90PO

90 cm, UNDERCOUNTER TRIMODE, MODEL 2D  
PREMIUM  
BUILT-IN  
UNDERCOUNTER® SERIES



| AESTHETIC                                     |                       |
|---|-----------------------|
| Compressor position                           | Bottom                |
| Front finish                                  | Stainless Steel       |
| Handles                                       | Stainless Steel Ø18mm |
| Interior material finish                      | Stainless Steel       |
| Display                                       | OLED                  |
| PRICE (VAT and delivery charges not included) |                       |
| UC2D90PO                                      | 5.780 €               |
|   |                       |
| CAPACITY                                      |                       |
| Volume Compartment1 (L)                       | 175                   |
| Volume Compartment2 (L)                       | /                     |
| Volume Compartment3 (L)                       | /                     |
| Total Net Volume (L)                          | 175                   |
| Total Gross Volume (L)                        | /                     |
| Capacity wine cellar (bottles)                | /                     |
| Glass shelf capacity (cans)                   | /                     |
| Drawer capacity (cans)                        | /                     |
| Fixed 3/4 wooden bottle holder (bottles)      | /                     |
| TECHNICAL DETAILS                             |                       |
| Voltage (V)                                   | 220-240V              |
| Frequency (Hz)                                | 50/60 Hz              |
| Climatic class                                | SN/T                  |
| Noise level (dB)                              | 41                    |
| EFFICIENCY                                    |                       |
| Energy Label class                            | E                     |
| Energy consumption (kWh/year)                 | 219                   |

| DIMENSIONS & WEIGHT                 |               |
|-------------------------------------|---------------|
| Product height (closed wheels)(mm)  | 865           |
| Width of the product (mm)           | 898           |
| Depth of Product without handle(mm) | 576           |
| Net Weight (kg)                     | 85            |
| Gross Weight (kg)                   | 100           |
| TEMPERATURE RANGES                  |               |
| Climatic compartments               | 1             |
| Compartment 1 / Temperature (°C)    | from 8 to -22 |
| Compartment 2 / Temperature (°C)    | /             |
| Low temp zone                       | NO            |
| Compartment 3 / Temperature (°C)    | /             |
| Dual zone                           | NO            |
| GENERAL PROPERTIES                  |               |
| Reversible door                     | NO            |
| Low vibration                       | YES           |
| Shelves                             | /             |
| Type of shelves                     | /             |
| Bottom Drawers                      | 2             |

| ACCESSORI                       |  |
|---------------------------------|--|
| • Cleaning Kit                  |  |
| • Front panel painting, handles |  |

## UC2D90GM

90 cm, UNDERCOUNTER TRIMODE, MODEL 2D  
GRAN MAESTRO  
FULLY INTEGRATED  
UNDERCOUNTER® SERIES



| AESTHETIC                                     |                    |
|---|--------------------|
| Compressor position                           | Bottom             |
| Front finish                                  | Custom Panel Ready |
| Handles                                       | NO                 |
| Interior material finish                      | Stainless Steel    |
| Display                                       | TFT                |
| PRICE (VAT and delivery charges not included) |                    |
| UC2D90GM                                      | 5.880 €            |
| UC2D90GM<br>(with ice maker)                  | 6.700 €            |
| CAPACITY                                      |                    |
| Volume Compartment1 (L)                       | 175                |
| Volume Compartment2 (L)                       | /                  |
| Volume Compartment3 (L)                       | /                  |
| Total Net Volume (L)                          | 175                |
| Total Gross Volume (L)                        | /                  |
| Capacity wine cellar (bottles)                | /                  |
| Glass shelf capacity (cans)                   | /                  |
| Drawer capacity (cans)                        | /                  |
| Fixed 3/4 wooden bottle holder (bottles)      | /                  |
| TECHNICAL DETAILS                             |                    |
| Voltage (V)                                   | 220-240V           |
| Frequency (Hz)                                | 50-60 Hz           |
| Climatic class                                | SN/T               |
| Noise level (dB)                              | 41                 |
| EFFICIENCY                                    |                    |
| Energy Label class                            | E                  |
| Energy consumption (kWh/year)                 | 219                |

| DIMENSIONS & WEIGHT                 |               |
|-------------------------------------|---------------|
| Product height (closed wheels)(mm)  | 865           |
| Width of the product (mm)           | 898           |
| Depth of Product without handle(mm) | 572           |
| Net Weight (kg)                     | 79            |
| Gross Weight (kg)                   | 94            |
| TEMPERATURE RANGES                  |               |
| Climatic compartments               | 1             |
| Compartment 1 / Temperature (°C)    | from 8 to -22 |
| Compartment 2 / Temperature (°C)    | /             |
| Low temp zone                       | NO            |
| Compartment 3 / Temperature (°C)    | /             |
| Dual zone                           | NO            |
| GENERAL PROPERTIES                  |               |
| Reversible door                     | NO            |
| Low vibration                       | YES           |
| Shelves                             | /             |
| Type of shelves                     | /             |
| Bottom Drawers                      | 2             |

| ACCESSORIES (from page 290 to page 294)             |  |
|---|--|
| • Ø 30 mm Tubular Stainless Steel Handles – Classic |  |
| • Ø 30 mm Tubular Stainless Steel Handles – Pro     |  |
| • Ø 18 mm Tubular Stainless Steel Handles           |  |
| • Stainless steel panels                            |  |
| • Cleaning Kit                                      |  |

## UC2D90GMO

90 cm, UNDERCOUNTER TRIMODE, MODEL 2D  
GRAN MAESTRO  
BUILT-IN  
UNDERCOUNTER® SERIES



| AESTHETIC                                     |                       |
|---|-----------------------|
| Compressor position                           | Bottom                |
| Front finish                                  | Stainless Steel       |
| Handles                                       | Stainless Steel Ø18mm |
| Interior material finish                      | Stainless Steel       |
| Display                                       | TFT                   |
| PRICE (VAT and delivery charges not included) |                       |
| UC2D90GMO                                     | 6.410 €               |
| UC2D90GMIO<br>(with ice maker)                | 7.230 €               |
| CAPACITY                                      |                       |
| Volume Compartment1 (L)                       | 175                   |
| Volume Compartment2 (L)                       | /                     |
| Volume Compartment3 (L)                       | /                     |
| Total Net Volume (L)                          | 175                   |
| Total Gross Volume (L)                        | /                     |
| Capacity wine cellar (bottles)                | /                     |
| Glass shelf capacity (cans)                   | /                     |
| Drawer capacity (cans)                        | /                     |
| Fixed 3/4 wooden bottle holder (bottles)      | /                     |
| TECHNICAL DETAILS                             |                       |
| Voltage (V)                                   | 220-240V              |
| Frequency (Hz)                                | 50-60 Hz              |
| Climatic class                                | SN/T                  |
| Noise level (dB)                              | 41                    |
| EFFICIENCY                                    |                       |
| Energy Label class                            | E                     |
| Energy consumption (kWh/year)                 | 219                   |

| DIMENSIONS & WEIGHT                 |               |
|-------------------------------------|---------------|
| Product height (closed wheels)(mm)  | 865           |
| Width of the product (mm)           | 898           |
| Depth of Product without handle(mm) | 576           |
| Net Weight (kg)                     | 85            |
| Gross Weight (kg)                   | 100           |
| TEMPERATURE RANGES                  |               |
| Climatic compartments               | 1             |
| Compartment 1 / Temperature (°C)    | from 8 to -22 |
| Compartment 2 / Temperature (°C)    | /             |
| Low temp zone                       | NO            |
| Compartment 3 / Temperature (°C)    | /             |
| Dual zone                           | NO            |
| GENERAL PROPERTIES                  |               |
| Reversible door                     | NO            |
| Low vibration                       | YES           |
| Shelves                             | /             |
| Type of shelves                     | /             |
| Bottom Drawers                      | 2             |

| ACCESSORIES (from page 290 to page 294) |  |
|---|--|
| • Cleaning Kit                          |  |
| • Front panel painting, handles         |  |

# UNDERCOUNTER: TRIMODE DRAWERS

Model: 2D

Width: 75cm

Two drawers, 1 temperature

Single compartment: TriMode (Fridge/Fresco/Freezer)



TRIMODE DRAWERS

## FEATURES

**Made in Italy:** Designed and built entirely in Italy with artisanal precision.

**Stainless Steel AISI 304 structure:** High-quality material, corrosion-resistant, ideal for professional and premium domestic use.

**Antibacterial Interior:** Hygienic surfaces that preserve freshness, safety, and food quality.

### Technology and Functionality

**OptiView™:** Diffuse, uniform LED lighting.

**Active Safety:** Visual and acoustic alerts.

**100% Total No Frost:** Automatic system that prevents ice formation and ensures impeccable humidity control.

**Variable Speed Compressors:** Precise temperature control, reduced vibrations, and maximum efficiency.

**Sabbath Mode:** Dedicated function for observance needs.

**Easy Installation:** Adjustable feet and rear wheels.

### Performance – TriMode™ Function

**Fridge (2°C – 8°C):** Ideal temperature for daily fresh food storage.

**Fresco (-2°C – +2°C):** Dedicated environment for meat, fish, and delicate ingredients, maintaining structure and quality.

**Freezer (-18°C – +22°C):** Maximum flexibility: freezing, long-term storage, or use as a temperature-controlled compartment up to +22°C.

### Design and Installation

**Fully Integrated / Built in:** Designed to integrate seamlessly into your décor, with a clean and minimal aesthetic.

**Indoor & Outdoor Installation:** Designed to perform flawlessly in both indoor spaces and covered outdoor areas, ensuring consistent performance even in variable climatic conditions.

**Full-Extension Drawers:** Equipped with soft-closing slides for smooth, silent operation and full access to the interior space.

**Stainless Steel AISI 304 Interior:** Elegant, hygienic, and durable, built to last.

### Additional Options

**Ice maker with water filter (75 cm and 90 cm models):** Available as an option, producing pure, crystal-clear ice thanks to the integrated filtration system.

## GENERAL PROPERTIES

|   |           |
|---|-----------|
| Reversible door                         | NO        |
| Equilance                               | NO        |
| SoftClosing Runner                      | YES       |
| Low vibration                           | YES       |
| Optiview (LED light spots)              | YES       |
| Shelves                                 | /         |
| Slide-out shelves                       | /         |
| Type of shelves                         | /         |
| Fridge drawers type                     | /         |
| Fresco/LowTemp Drawers                  | /         |
| Bottom drawers                          | 2         |
| Full Extension shelves 90° door opening | /         |
| Full Extension drawers 90° door opening | /         |
| Defrost Process                         | AUTOMATIC |
| Ice maker with water filter             | AVAILABLE |
| Door Open Alarms                        | NO        |
| Humidity Control                        | NO        |
| Active Carbon Filter                    | NO        |
| Air filter control                      | NO        |
| Shopping Fridge                         | NO        |
| Shopping Freezer                        | YES       |
| Power Failure Function                  | YES       |

## UC2D75P

75 cm, UNDERCOUNTER TRIMODE, MODEL 2D  
PREMIUM  
FULLY INTEGRATED  
UNDERCOUNTER® SERIES



| AESTHETIC                                     |                    |
|---|--------------------|
| Compressor position                           | Bottom             |
| Front finish                                  | Custom Panel Ready |
| Handles                                       | NO                 |
| Interior material finish                      | Stainless Steel    |
| Display                                       | OLED               |
| PRICE (VAT and delivery charges not included) |                    |
| UC2D75P                                       | 4.920 €            |
|   |                    |
| CAPACITY                                      |                    |
| Volume Compartment1 (L)                       | 141                |
| Volume Compartment2 (L)                       | /                  |
| Volume Compartment3 (L)                       | /                  |
| Total Net Volume (L)                          | 141                |
| Total Gross Volume (L)                        | /                  |
| Capacity wine cellar (bottles)                | /                  |
| Glass shelf capacity (cans)                   | /                  |
| Drawer capacity (cans)                        | /                  |
| Fixed 3/4 wooden bottle holder (bottles)      | /                  |
| TECHNICAL DETAILS                             |                    |
| Voltage (V)                                   | 220-240V           |
| Frequency (Hz)                                | 50/60 Hz           |
| Climatic class                                | SN/T               |
| Noise level (dB)                              | 41                 |
| EFFICIENCY                                    |                    |
| Energy Label class                            | E                  |
| Energy consumption (kWh/year)                 | 207                |


| DIMENSIONS & WEIGHT                 |               |
|-------------------------------------|---------------|
| Product height (closed wheels)(mm)  | 865           |
| Width of the product (mm)           | 748           |
| Depth of Product without handle(mm) | 572           |
| Net Weight (kg)                     | 69            |
| Gross Weight (kg)                   | 84            |
| TEMPERATURE RANGES                  |               |
| Climatic compartments               | 1             |
| Compartment 1 / Temperature (°C)    | from 8 to -22 |
| Compartment 2 / Temperature (°C)    | /             |
| Low temp zone                       | NO            |
| Compartment 3 / Temperature (°C)    | /             |
| Dual zone                           | NO            |
| GENERAL PROPERTIES                  |               |
| Reversible door                     | NO            |
| Low vibration                       | YES           |
| Shelves                             | /             |
| Type of shelves                     | /             |
| Bottom Drawers                      | 2             |

#### ACCESSORIES (from page 290 to page 294)

- Ø 30 mm Tubular Stainless Steel Handles – Classic
- Ø 30 mm Tubular Stainless Steel Handles – Pro
- Ø 18 mm Tubular Stainless Steel Handles
- Stainless steel panels
- Cleaning Kit

## UC2D75PO

75 cm, UNDERCOUNTER TRIMODE, MODEL 2D  
PREMIUM  
BUILT-IN  
UNDERCOUNTER® SERIES



| AESTHETIC                                     |                       |
|---|-----------------------|
| Compressor position                           | Bottom                |
| Front finish                                  | Stainless Steel       |
| Handles                                       | Stainless Steel Ø18mm |
| Interior material finish                      | Stainless Steel       |
| Display                                       | OLED                  |
| PRICE (VAT and delivery charges not included) |                       |
| UC2D75PO                                      | 5.450 €               |
|   |                       |
| CAPACITY                                      |                       |
| Volume Compartment1 (L)                       | 141                   |
| Volume Compartment2 (L)                       | /                     |
| Volume Compartment3 (L)                       | /                     |
| Total Net Volume (L)                          | 141                   |
| Total Gross Volume (L)                        | /                     |
| Capacity wine cellar (bottles)                | /                     |
| Glass shelf capacity (cans)                   | /                     |
| Drawer capacity (cans)                        | /                     |
| Fixed 3/4 wooden bottle holder (bottles)      | /                     |
| TECHNICAL DETAILS                             |                       |
| Voltage (V)                                   | 220-240V              |
| Frequency (Hz)                                | 50/60 Hz              |
| Climatic class                                | SN/T                  |
| Noise level (dB)                              | 41                    |
| EFFICIENCY                                    |                       |
| Energy Label class                            | E                     |
| Energy consumption (kWh/year)                 | 207                   |


| DIMENSIONS & WEIGHT                 |               |
|-------------------------------------|---------------|
| Product height (closed wheels)(mm)  | 865           |
| Width of the product (mm)           | 748           |
| Depth of Product without handle(mm) | 576           |
| Net Weight (kg)                     | 85            |
| Gross Weight (kg)                   | 100           |
| TEMPERATURE RANGES                  |               |
| Climatic compartments               | 1             |
| Compartment 1 / Temperature (°C)    | from 8 to -22 |
| Compartment 2 / Temperature (°C)    | /             |
| Low temp zone                       | NO            |
| Compartment 3 / Temperature (°C)    | /             |
| Dual zone                           | NO            |
| GENERAL PROPERTIES                  |               |
| Reversible door                     | NO            |
| Low vibration                       | YES           |
| Shelves                             | /             |
| Type of shelves                     | /             |
| Bottom Drawers                      | 2             |

#### ACCESSORIES (from page 290 to page 294)

- Cleaning Kit
- Front panel painting, handles

## UC2D75GM

75 cm, UNDERCOUNTER TRIMODE, MODEL 2D  
GRAN MAESTRO  
FULLY INTEGRATED  
UNDERCOUNTER® SERIES



| AESTHETIC                                     |                    |
|---|--------------------|
| Compressor position                           | Bottom             |
| Front finish                                  | Custom Panel Ready |
| Handles                                       | NO                 |
| Interior material finish                      | Stainless Steel    |
| Display                                       | TFT                |
| PRICE (VAT and delivery charges not included) |                    |
| UC2D75GM                                      | 5.550 €            |
| UC2D75GMI<br>(with ice maker)                 | 6.370 €            |
| CAPACITY                                      |                    |
| Volume Compartment1 (L)                       | 141                |
| Volume Compartment2 (L)                       | /                  |
| Volume Compartment3 (L)                       | /                  |
| Total Net Volume (L)                          | 141                |
| Total Gross Volume (L)                        | /                  |
| Capacity wine cellar (bottles)                | /                  |
| Glass shelf capacity (cans)                   | /                  |
| Drawer capacity (cans)                        | /                  |
| Fixed 3/4 wooden bottle holder (bottles)      | /                  |
| TECHNICAL DETAILS                             |                    |
| Voltage (V)                                   | 220-240V           |
| Frequency (Hz)                                | 50-60 Hz           |
| Climatic class                                | SN/T               |
| Noise level (dB)                              | 41                 |
| EFFICIENCY                                    |                    |
| Energy Label class                            | E                  |
| Energy consumption (kWh/year)                 | 207                |

| DIMENSIONS & WEIGHT                 |               |
|-------------------------------------|---------------|
| Product height (closed wheels)(mm)  | 865           |
| Width of the product (mm)           | 748           |
| Depth of Product without handle(mm) | 572           |
| Net Weight (kg)                     | 69            |
| Gross Weight (kg)                   | 84            |
| TEMPERATURE RANGES                  |               |
| Climatic compartments               | 1             |
| Compartment 1 / Temperature (°C)    | from 8 to -22 |
| Compartment 2 / Temperature (°C)    | /             |
| Low temp zone                       | NO            |
| Compartment 3 / Temperature (°C)    | /             |
| Dual zone                           | NO            |
| GENERAL PROPERTIES                  |               |
| Reversible door                     | NO            |
| Low vibration                       | YES           |
| Shelves                             | /             |
| Type of shelves                     | /             |
| Bottom Drawers                      | 2             |

| ACCESSORIES (from page 290 to page 294)             |  |
|---|--|
| • Ø 30 mm Tubular Stainless Steel Handles – Classic |  |
| • Ø 30 mm Tubular Stainless Steel Handles – Pro     |  |
| • Ø 18 mm Tubular Stainless Steel Handles           |  |
| • Stainless steel panels                            |  |
| • Cleaning Kit                                      |  |

## UC2D75GMO

75 cm, UNDERCOUNTER TRIMODE, MODEL 2D  
GRAN MAESTRO  
BUILT-IN  
UNDERCOUNTER® SERIES



| AESTHETIC                                     |                       |
|---|-----------------------|
| Compressor position                           | Bottom                |
| Front finish                                  | Stainless Steel       |
| Handles                                       | Stainless Steel Ø18mm |
| Interior material finish                      | Stainless Steel       |
| Display                                       | TFT                   |
| PRICE (VAT and delivery charges not included) |                       |
| UC2D75GMO                                     | 6.080 €               |
| UC2D75GMIO<br>(with ice maker)                | 6.900 €               |
| CAPACITY                                      |                       |
| Volume Compartment1 (L)                       | 141                   |
| Volume Compartment2 (L)                       | /                     |
| Volume Compartment3 (L)                       | /                     |
| Total Net Volume (L)                          | 141                   |
| Total Gross Volume (L)                        | /                     |
| Capacity wine cellar (bottles)                | /                     |
| Glass shelf capacity (cans)                   | /                     |
| Drawer capacity (cans)                        | /                     |
| Fixed 3/4 wooden bottle holder (bottles)      | /                     |
| TECHNICAL DETAILS                             |                       |
| Voltage (V)                                   | 220-240V              |
| Frequency (Hz)                                | 50-60 Hz              |
| Climatic class                                | SN/T                  |
| Noise level (dB)                              | 41                    |
| EFFICIENCY                                    |                       |
| Energy Label class                            | E                     |
| Energy consumption (kWh/year)                 | 207                   |

| DIMENSIONS & WEIGHT                 |               |
|-------------------------------------|---------------|
| Product height (closed wheels)(mm)  | 865           |
| Width of the product (mm)           | 748           |
| Depth of Product without handle(mm) | 576           |
| Net Weight (kg)                     | 85            |
| Gross Weight (kg)                   | 100           |
| TEMPERATURE RANGES                  |               |
| Climatic compartments               | 1             |
| Compartment 1 / Temperature (°C)    | from 8 to -22 |
| Compartment 2 / Temperature (°C)    | /             |
| Low temp zone                       | NO            |
| Compartment 3 / Temperature (°C)    | /             |
| Dual zone                           | NO            |
| GENERAL PROPERTIES                  |               |
| Reversible door                     | NO            |
| Low vibration                       | YES           |
| Shelves                             | /             |
| Type of shelves                     | /             |
| Bottom Drawers                      | 2             |

| ACCESSORIES (from page 290 to page 294) |  |
|---|--|
| • Cleaning Kit                          |  |
| • Front panel painting, handles         |  |

# UNDERCOUNTER: TRIMODE DRAWERS

Model: 2D

Width: 60cm

Two drawers, 1 temperature

Single compartment: TriMode (Fridge/Fresco/Freezer)



TRIMODE DRAWERS

## FEATURES

**Made in Italy:** Designed and built entirely in Italy with artisanal precision.  
**Stainless Steel AISI 304 structure:** High-quality material, corrosion-resistant, ideal for professional and premium domestic use.  
**Antibacterial Interior:** Hygienic surfaces that preserve freshness, safety, and food quality.

### Technology and Functionality

**OptiView™:** Diffuse, uniform LED lighting.  
**Active Safety:** Visual and acoustic alerts.  
**100% Total No Frost:** Automatic system that prevents ice formation and ensures impeccable humidity control.  
**Variable Speed Compressors:** Precise temperature control, reduced vibrations, and maximum efficiency.  
**Sabbath Mode:** Dedicated function for observance needs.  
**Easy Installation:** Adjustable feet and rear wheels.

### Performance – TriMode™ Function

**Fridge (2°C – 8°C):** Ideal temperature for daily fresh food storage.  
**Fresco (-2°C – +2°C):** Dedicated environment for meat, fish, and delicate ingredients, maintaining structure and quality.  
**Freezer (-18°C – +22°C):** Maximum flexibility: freezing, long-term storage, or use as a temperature-controlled compartment up to +22°C.

### Design and Installation

**Fully Integrated / Built in:** Designed to integrate seamlessly into your décor, with a clean and minimal aesthetic.  
**Indoor & Outdoor Installation:** Designed to perform flawlessly in both indoor spaces and covered outdoor areas, ensuring consistent performance even in variable climatic conditions.  
**Full-Extension Drawers:** Equipped with soft-closing slides for smooth, silent operation and full access to the interior space.  
**Stainless Steel AISI 304 Interior:** Elegant, hygienic, and durable, built to last.

## GENERAL PROPERTIES

|   |           |
|---|-----------|
| Reversible door                         | NO        |
| Equilance                               | NO        |
| SoftClosing Runner                      | YES       |
| Low vibration                           | YES       |
| OptiView (LED light spots)              | YES       |
| Shelves                                 | /         |
| Slide-out shelves                       | /         |
| Type of shelves                         | /         |
| Fridge drawers type                     | /         |
| Fresco/LowTemp Drawers                  | /         |
| Bottom drawers                          | 2         |
| Full Extension shelves 90° door opening | /         |
| Full Extension drawers 90° door opening | /         |
| Defrost Process                         | AUTOMATIC |
| Ice maker with water filter             | NO        |
| Door Open Alarms                        | NO        |
| Humidity Control                        | NO        |
| Active Carbon Filter                    | NO        |
| Air filter control                      | NO        |
| Shopping Fridge                         | NO        |
| Shopping Freezer                        | YES       |
| Power Failure Function                  | YES       |

## UC2D60P

60 cm, UNDERCOUNTER TRIMODE, MODEL 2D  
PREMIUM  
FULLY INTEGRATED  
UNDERCOUNTER® SERIES



| AESTHETIC                                     |                    |
|---|--------------------|
| Compressor position                           | Bottom             |
| Front finish                                  | Custom Panel Ready |
| Handles                                       | NO                 |
| Interior material finish                      | Stainless Steel    |
| Display                                       | OLED               |
| PRICE (VAT and delivery charges not included) |                    |
| UC2D60P                                       | 4.590 €            |
|   |                    |
| CAPACITY                                      |                    |
| Volume Compartment1 (L)                       | 107                |
| Volume Compartment2 (L)                       | /                  |
| Volume Compartment3 (L)                       | /                  |
| Total Net Volume (L)                          | 107                |
| Total Gross Volume (L)                        | /                  |
| Capacity wine cellar (bottles)                | /                  |
| Glass shelf capacity (cans)                   | /                  |
| Drawer capacity (cans)                        | /                  |
| Fixed 3/4 wooden bottle holder (bottles)      | /                  |
| TECHNICAL DETAILS                             |                    |
| Voltage (V)                                   | 220-240V           |
| Frequency (Hz)                                | 50/60 Hz           |
| Climatic class                                | SN/T               |
| Noise level (dB)                              | 41                 |
| EFFICIENCY                                    |                    |
| Energy Label class                            | E                  |
| Energy consumption (kWh/year)                 | 194                |

| DIMENSIONS & WEIGHT                 |               |
|-------------------------------------|---------------|
| Product height (closed wheels)(mm)  | 865           |
| Width of the product (mm)           | 598           |
| Depth of Product without handle(mm) | 572           |
| Net Weight (kg)                     | 60            |
| Gross Weight (kg)                   | 75            |
| TEMPERATURE RANGES                  |               |
| Climatic compartments               | 1             |
| Compartment 1 / Temperature (°C)    | from 8 to -22 |
| Compartment 2 / Temperature (°C)    | /             |
| Low temp zone                       | NO            |
| Compartment 3 / Temperature (°C)    | /             |
| Dual zone                           | NO            |
| GENERAL PROPERTIES                  |               |
| Reversible door                     | NO            |
| Low vibration                       | YES           |
| Shelves                             | /             |
| Type of shelves                     | /             |
| Bottom Drawers                      | 2             |

| ACCESSORIES (from page 290 to page 294)             |  |
|---|--|
| • Ø 30 mm Tubular Stainless Steel Handles – Classic |  |
| • Ø 30 mm Tubular Stainless Steel Handles – Pro     |  |
| • Ø 18 mm Tubular Stainless Steel Handles           |  |
| • Stainless steel panels                            |  |
| • Cleaning Kit                                      |  |

## UC2D60PO

60 cm, UNDERCOUNTER TRIMODE, MODEL 2D  
PREMIUM  
BUILT-IN  
UNDERCOUNTER® SERIES



| AESTHETIC                                     |                       |
|---|-----------------------|
| Compressor position                           | Bottom                |
| Front finish                                  | Stainless Steel       |
| Handles                                       | Stainless Steel Ø18mm |
| Interior material finish                      | Stainless Steel       |
| Display                                       | OLED                  |
| PRICE (VAT and delivery charges not included) |                       |
| UC2D60PO                                      | 5.120 €               |
|   |                       |
| CAPACITY                                      |                       |
| Volume Compartment1 (L)                       | 107                   |
| Volume Compartment2 (L)                       | /                     |
| Volume Compartment3 (L)                       | /                     |
| Total Net Volume (L)                          | 107                   |
| Total Gross Volume (L)                        | /                     |
| Capacity wine cellar (bottles)                | /                     |
| Glass shelf capacity (cans)                   | /                     |
| Drawer capacity (cans)                        | /                     |
| Fixed 3/4 wooden bottle holder (bottles)      | /                     |
| TECHNICAL DETAILS                             |                       |
| Voltage (V)                                   | 220-240V              |
| Frequency (Hz)                                | 50/60 Hz              |
| Climatic class                                | SN/T                  |
| Noise level (dB)                              | 41                    |
| EFFICIENCY                                    |                       |
| Energy Label class                            | E                     |
| Energy consumption (kWh/year)                 | 194                   |

| DIMENSIONS & WEIGHT                 |               |
|-------------------------------------|---------------|
| Product height (closed wheels)(mm)  | 865           |
| Width of the product (mm)           | 598           |
| Depth of Product without handle(mm) | 576           |
| Net Weight (kg)                     | 66            |
| Gross Weight (kg)                   | 81            |
| TEMPERATURE RANGES                  |               |
| Climatic compartments               | 1             |
| Compartment 1 / Temperature (°C)    | from 8 to -22 |
| Compartment 2 / Temperature (°C)    | /             |
| Low temp zone                       | NO            |
| Compartment 3 / Temperature (°C)    | /             |
| Dual zone                           | NO            |
| GENERAL PROPERTIES                  |               |
| Reversible door                     | NO            |
| Low vibration                       | YES           |
| Shelves                             | /             |
| Type of shelves                     | /             |
| Bottom Drawers                      | 2             |

| ACCESSORIES (from page 290 to page 294) |  |
|---|--|
| • Cleaning Kit                          |  |
| • Front panel painting, handles         |  |

## UC2D60GM

60 cm, UNDERCOUNTER TRIMODE, MODEL 2D  
GRAN MAESTRO INDOOR  
FULLY INTEGRATED  
UNDERCOUNTER® SERIES



| AESTHETIC                                     |                    |
|---|--------------------|
| Compressor position                           | Bottom             |
| Front finish                                  | Custom Panel Ready |
| Handles                                       | NO                 |
| Interior material finish                      | Stainless Steel    |
| Display                                       | TFT                |
| PRICE (VAT and delivery charges not included) |                    |
| UC2D60GM                                      | 5.220 €            |
|   |                    |
| CAPACITY                                      |                    |
| Volume Compartment1 (L)                       | 107                |
| Volume Compartment2 (L)                       | /                  |
| Volume Compartment3 (L)                       | /                  |
| Total Net Volume (L)                          | 107                |
| Total Gross Volume (L)                        | /                  |
| Capacity wine cellar (bottles)                | /                  |
| Glass shelf capacity (cans)                   | /                  |
| Drawer capacity (cans)                        | /                  |
| Fixed 3/4 wooden bottle holder (bottles)      | /                  |
| TECHNICAL DETAILS                             |                    |
| Voltage (V)                                   | 220-240V           |
| Frequency (Hz)                                | 50-60 Hz           |
| Climatic class                                | SN/T               |
| Noise level (dB)                              | 41                 |
| EFFICIENCY                                    |                    |
| Energy Label class                            | E                  |
| Energy consumption (kWh/year)                 | 194                |

| DIMENSIONS & WEIGHT                 |               |
|-------------------------------------|---------------|
| Product height (closed wheels)(mm)  | 865           |
| Width of the product (mm)           | 598           |
| Depth of Product without handle(mm) | 572           |
| Net Weight (kg)                     | 60            |
| Gross Weight (kg)                   | 75            |
| TEMPERATURE RANGES                  |               |
| Climatic compartments               | 1             |
| Compartment 1 / Temperature (°C)    | from 8 to -22 |
| Compartment 2 / Temperature (°C)    | /             |
| Low temp zone                       | NO            |
| Compartment 3 / Temperature (°C)    | /             |
| Dual zone                           | NO            |
| GENERAL PROPERTIES                  |               |
| Reversible door                     | NO            |
| Low vibration                       | YES           |
| Shelves                             | /             |
| Type of shelves                     | /             |
| Bottom Drawers                      | 2             |

| ACCESSORIES (from page 290 to page 294)             |  |
|---|--|
| • Ø 30 mm Tubular Stainless Steel Handles – Classic |  |
| • Ø 30 mm Tubular Stainless Steel Handles – Pro     |  |
| • Ø 18 mm Tubular Stainless Steel Handles           |  |
| • Stainless steel panels                            |  |
| • Cleaning Kit                                      |  |

## UC2D60GMO

60 cm, UNDERCOUNTER TRIMODE, MODEL 2D  
GRAN MAESTRO OUTDOOR  
BUILT-IN  
UNDERCOUNTER® SERIES



| AESTHETIC                                     |                       |
|---|-----------------------|
| Compressor position                           | Bottom                |
| Front finish                                  | Stainless Steel       |
| Handles                                       | Stainless Steel Ø18mm |
| Interior material finish                      | Stainless Steel       |
| Display                                       | TFT                   |
| PRICE (VAT and delivery charges not included) |                       |
| UC2D60GMO                                     | 5.750 €               |
|   |                       |
| CAPACITY                                      |                       |
| Volume Compartment1 (L)                       | 107                   |
| Volume Compartment2 (L)                       | /                     |
| Volume Compartment3 (L)                       | /                     |
| Total Net Volume (L)                          | 107                   |
| Total Gross Volume (L)                        | /                     |
| Capacity wine cellar (bottles)                | /                     |
| Glass shelf capacity (cans)                   | /                     |
| Drawer capacity (cans)                        | /                     |
| Fixed 3/4 wooden bottle holder (bottles)      | /                     |
| TECHNICAL DETAILS                             |                       |
| Voltage (V)                                   | 220-240V              |
| Frequency (Hz)                                | 50-60 Hz              |
| Climatic class                                | SN/T                  |
| Noise level (dB)                              | 41                    |
| EFFICIENCY                                    |                       |
| Energy Label class                            | E                     |
| Energy consumption (kWh/year)                 | 194                   |


| DIMENSIONS & WEIGHT                 |               |
|-------------------------------------|---------------|
| Product height (closed wheels)(mm)  | 865           |
| Width of the product (mm)           | 598           |
| Depth of Product without handle(mm) | 576           |
| Net Weight (kg)                     | 66            |
| Gross Weight (kg)                   | 81            |
| TEMPERATURE RANGES                  |               |
| Climatic compartments               | 1             |
| Compartment 1 / Temperature (°C)    | from 8 to -22 |
| Compartment 2 / Temperature (°C)    | /             |
| Low temp zone                       | NO            |
| Compartment 3 / Temperature (°C)    | /             |
| Dual zone                           | NO            |
| GENERAL PROPERTIES                  |               |
| Reversible door                     | NO            |
| Low vibration                       | YES           |
| Shelves                             | /             |
| Type of shelves                     | /             |
| Bottom Drawers                      | 2             |

| ACCESSORIES (from page 290 to page 294) |  |
|---|--|
| • Cleaning Kit                          |  |
| • Front panel painting, handles         |  |


# UNDERCOUNTER: ACCESSORIES

| Door opening hinge (Reversible door) |                      |           |                        |       |  |
|--------------------------------------|----------------------|-----------|------------------------|-------|--|
| Code                                 | Series               | Model Ref | Description            | Price |  |
|                                      | PREMIUM GRAN MAESTRO | UCW /UCB  | Right hinge (STANDARD) | FREE  |  |


| Handles tubolari AISI 304   |        |                      |                          |   |       |
|---|--------|----------------------|--------------------------|---|-------|
| Code  | Series | Model Ref            | Description              | Price   |       |
|    | HO8    | PREMIUM GRAN MAESTRO | UC2D90                   | Classic Horizontal tubular handle, round section Ø30 mm (794 mm/ 31.2 in) | 220 € |
|   | HO7    | PREMIUM GRAN MAESTRO | UC2D75                   | Classic Horizontal tubular handle, round section Ø30 mm (644 mm/25.3 in)  | 210 € |
|   | HO5    | PREMIUM GRAN MAESTRO | UC2D60 UCB /UCR UCW /UCH | Classic tubular handle, round section Ø30 mm (494 mm/ 19.4 in)            | 200 € |
|    | HCVU   | PREMIUM GRAN MAESTRO | UCB /UCR UCW /UCH        | Vertical tubular handle, round section Ø18 mm                             | 170 € |
|   | HC8    | PREMIUM GRAN MAESTRO | UC2D90                   | Horizontal tubular handle, round section Ø18 mm                           | 170 € |
|   | HC7    | PREMIUM GRAN MAESTRO | UC2D75                   | Horizontal tubular handle, round section Ø18 mm                           | 160 € |
|   | HC5    | PREMIUM GRAN MAESTRO | UC2D60                   | Horizontal tubular handle, round section Ø18 mm                           | 150 € |
|  | HPRO8  | PREMIUM GRAN MAESTRO | UC2D90                   | Pro Horizontal tubular handle, round section Ø30 mm                       | 265 € |
|   | HPRO7  | PREMIUM GRAN MAESTRO | UC2D75                   | Pro Horizontal tubular handle, round section Ø30 mm                       | 265 € |
|   | HPRO5  | PREMIUM GRAN MAESTRO | UC2D60 UCB /UCR UCW /UCH | Pro tubular handle, round section Ø30 mm                                  | 265 € |


| Cleaning and Hygiene  |        |                      |                        |  |      |
|---|--------|----------------------|------------------------|--|------|
| Code  | Series | Model Ref            | Description            | Price  |      |
|  | RP00KP | PREMIUM GRAN MAESTRO | UC2D UCB /UCR UCW /UCH | Cleaning kit microfiber cloth and magic sponge | 70 € |
|  | RP00FA | GRAN MAESTRO         | UC2D90G-MI UC2D75G-MI  | Water filter cartridge                         | 90 € |
|  | ACF    | PREMIUM GRAN MAESTRO | UCB /UCR UCW /UCH      | Active Carbon Filter                           | 60 € |

| Navigation door lock kit |                      |                        |                          |       |  |
|--------------------------|----------------------|------------------------|--------------------------|-------|--|
| Code                     | Series               | Model Ref              | Description              | Price |  |
| KBN                      | PREMIUM GRAN MAESTRO | UC2D UCB /UCR UCW /UCH | Navigation door lock kit | 730 € |  |



| Colour box  |         |                      |             |  |       |
|---|---------|----------------------|-------------|--|-------|
| Code  | Series  | Model Ref            | Description | Price  |       |
|  | CARTCOL | PREMIUM GRAN MAESTRO | 90 75 60 45 | Sample box 12x24x12h format, matte scratch-resistant laminated finish, containing 12 Stainless Steel AISI 304 color samples. | 370 € |

| Painting |                      |                        |                   |       |  |
|----------|----------------------|------------------------|-------------------|-------|--|
| Code     | Series               | Model Ref              | Description       | Price |  |
|          | PREMIUM GRAN MAESTRO | UC2D UCB /UCR UCW /UCH | Front Front Panel | 930 € |  |
|          | PREMIUM GRAN MAESTRO | UC2D UCB /UCR UCW /UCH | Top               | 190 € |  |
|          | PREMIUM GRAN MAESTRO | UC2D UCB /UCR UCW /UCH | Handles           | 190 € |  |


| Stainless steel panels (for Ø 30 SS ClassicTubular handles)                           |           |                      |                   |                                       |       |
|---|-----------|----------------------|-------------------|---------------------------------------|-------|
| Code  | Series    | Model Ref            | Description       | Price                                 |       |
|  | PF62D30MM | PREMIUM GRAN MAESTRO | UC2D60            | Drawer stainless steel panels - 60 cm | 590 € |
|   | PF72D30MM | PREMIUM GRAN MAESTRO | UC2D75            | Drawer stainless steel panels - 75 cm | 610 € |
|   | PF92D30MM | PREMIUM GRAN MAESTRO | UC2D90            | Drawer stainless steel panels - 90 cm | 630 € |
|   | PF6W30MM  | PREMIUM GRAN MAESTRO | UCB /UCR UCW /UCH | Glass door stainless panel - 60 cm    | 670 € |


| Stainless steel panels (for Ø 18 SS Tubular handles)                                  |           |                      |                   |                                       |       |
|---|-----------|----------------------|-------------------|---------------------------------------|-------|
| Code  | Series    | Model Ref            | Description       | Price                                 |       |
|  | PF62D18MM | PREMIUM GRAN MAESTRO | UC2D60            | Drawer stainless steel panels - 60 cm | 590 € |
|   | PF72D18MM | PREMIUM GRAN MAESTRO | UC2D75            | Drawer stainless steel panels - 75 cm | 610 € |
|   | PF92D18MM | PREMIUM GRAN MAESTRO | UC2D90            | Drawer stainless steel panels - 90 cm | 630 € |
|   | PF6W18MM  | PREMIUM GRAN MAESTRO | UCB /UCR UCW /UCH | Glass door stainless panel - 60 cm    | 670 € |


## UNDERCOUNTER: ACCESSORIES



| Cheese drawers  |         |                      |                   |                        |       |
|---|---------|----------------------|-------------------|------------------------|-------|
|   | Code    | Series               | Model Ref         | CAPACITY               | Price |
|  | NCTBUCN | PREMIUM GRAN MAESTRO | UCB /UCR UCW /UCH | 28,8 lt - height 22 cm | 580 € |
|  | NCTSUCN | PREMIUM GRAN MAESTRO | UCB /UCR UCW /UCH | 16,3 lt - height 14 cm | 560 € |

Discover artisanal excellence with our exquisite drawers crafted from premium Canaletto walnut. Designed to seamlessly blend elegance and functionality, they are available in two height options to perfectly suit your needs—offering a flawless harmony between aesthetics and practicality.


| Beverage drawers  |        |                      |                   |  |       |
|---|--------|----------------------|-------------------|--|-------|
|   | Code   | Series               | Model Ref         | Description  | Price |
|  | NBGDUC | PREMIUM GRAN MAESTRO | UCB /UCR UCW /UCH | Full extraction drawer with sandblasted stain- less steel interior, soft closing runners and with 6mm tempered glass (capacity 20,2 L. ) | 310 € |


| Beverage shelf  |         |                      |                   |   |       |
|---|---------|----------------------|-------------------|---|-------|
|   | Code    | Series               | Model Ref         | Description   | Price |
|  | NBGSFUC | PREMIUM GRAN MAESTRO | UCB /UCR UCW /UCH | 6mm tempered glass shelves with aluminum edges that can be positioned on side racks (cans capacity: 42 of 33/50 cc) | 230 € |


| Removable Beverage shelf  |        |                      |                   |   |       |
|---|--------|----------------------|-------------------|---|-------|
|   | Code   | Series               | Model Ref         | Description   | Price |
|  | NBGSUC | PREMIUM GRAN MAESTRO | UCB /UCR UCW /UCH | Removable 6mm tempered glass shelves (cans capacity:42 of 33/50 cc) | 290 € |

| Cigars drawers  |          |                      |                   |                        |       |
|---|----------|----------------------|-------------------|------------------------|-------|
|   | Code     | Series               | Model Ref         | CAPACITY               | Price |
|  | NCSGBUCN | PREMIUM GRAN MAESTRO | UCB /UCR UCW /UCH | 28,8 lt - height 22 cm | 560 € |
|  | NCSGSUCN | PREMIUM GRAN MAESTRO | UCB /UCR UCW /UCH | 16,3 lt - height 14 cm | 530 € |

Discover artisanal excellence with our exquisite drawers crafted from premium Canaletto walnut. Designed to seamlessly blend elegance and functionality, they are available in two height options to perfectly suit your needs—offering a flawless harmony between aesthetics and practicality.

| 3/4 bottle support  |         |         |                   |   |       |
|---|---------|---------|-------------------|---|-------|
|   | Code    | Series  | Model Ref         | Description   | Price |
|  | NWSFUCN | PREMIUM | UCB /UCR UCW /UCH | Fixed Canaletto walnut wood bottle support (3/4), installed at the bottom of the unit | 260 € |

| Prosciutteria kit   |      |                      |                   |                   |       |
|---|------|----------------------|-------------------|-------------------|-------|
|   | Code | Series               | Model Ref         | Description       | Price |
|  | KPUC | PREMIUM GRAN MAESTRO | UCB /UCR UCW /UCH | Prosciutteria kit | 650 € |

| Stainless Steel AISI 316L Marine Gray  |      |                      |                        |   |            |
|--|------|----------------------|------------------------|---|------------|
|  | Code | Series               | Model Ref              | Description   | Price      |
|  |      | PREMIUM GRAN MAESTRO | UC2D UCB /UCR UCW /UCH | Stainless Steel AISI 316L Marine Gray, ideal for environments exposed to extreme conditions, such as seaside homes, yachts, outdoor kitchens, or high-humidity areas. | on request |

## UNDERCOUNTER: ACCESSORIES

| Knives and bottle accessories   |      |                      |                      |  |       |
|---|------|----------------------|----------------------|--|-------|
|   | Code | Series               | Model Ref            | Description  | Price |
|    | KKNF | PREMIUM GRAN MAESTRO | 90<br>75<br>60<br>45 | Canaletto walnut wooden base for housing the knives: 20 cm chef's knife, 22 cm bread knife, 26 cm ham knife, all with Canaletto walnut wooden handle | 188 € |
|    | KNF3 | PREMIUM GRAN MAESTRO | 90<br>75<br>60<br>45 | 20 cm chef's knife   | 102 € |
|    | KNF1 | PREMIUM GRAN MAESTRO | 90<br>75<br>60<br>45 | 22 cm bread knife  | 102 € |
|    | KNF2 | PREMIUM GRAN MAESTRO | 90<br>75<br>60<br>45 | 26 cm ham knife  | 102 € |
|   | CPN  | PREMIUM GRAN MAESTRO | 90<br>75<br>60<br>45 | Corkscrew  | 135 € |
|  | WBC  | PREMIUM GRAN MAESTRO | 90<br>75<br>60<br>45 | Bottle stopper   | 92 €  |

## BLAST CHILLER AND VACUUM DRAWERS

### BLAST CHILLER

Height 45 cm

STAINLESS  
STEEL



BF45I

BLACK



BF45B

MIRROR



BF45M

CUSTOM  
COLOUR



BF45V

BLACK  
HANDLE LESS



BF45HL

### VACUUM DRAWERS

Height 45 cm



VD45I

Height 15 cm



VD15I



VD15B



VD15V

# BLAST CHILLER

Model: BF

Width: 60cm



BLAST CHILLER

## FEATURES

- The Fhiaba blast chiller is part of an entire system: it integrates with the brand's fridges and undercounter models; it can also be adapted to the dimensions of standard cooking systems, making it possible to transfer food directly from the oven to the blast chiller without changing the pan.
- Built-in
- Flush installation
- Tubular handles in AISI 304 stainless steel 30 mm diameter
- Total black model without handle
- Can be combined with the built-in vacuum sealer drawer
- Polished 304 stainless steel interiors
- Display TFT 4.3" full touch
- Minimum Temperature ranges -40°C
- Maximum Temperature ranges +75°C
- 11 functions: 8 cold and 3 hot
  - Cold functions
    1. Blast chilling
    2. Freezing
    3. Pre-cooling
    4. Cooling
    5. Storage at 0°
    6. Drinks
    7. Defrosting
    8. Blast chilling raw fish
  - Hot functions
    9. Proofing
    10. Ready-to-eat
    11. Slow cooking
- Temperature ranges probe

## GENERAL PROPERTIES

|                         |     |
|-------------------------|-----|
| Metal racks             | 3   |
| Temperature range probe | YES |

# BF45

60 cm, BLAST CHILLER

BUILT-IN

BLAST CHILLER® SERIES



### PRICE (VAT and delivery charges not included)

|  |            |
|--|------------|
| BF45I<br>Display: Stainless Steel<br>Door: Stainless Steel<br>Handle: Stainless steel Ø 30mm | 3.890 €    |
| BF45B<br>Display: Black glass<br>Door: Black glass<br>Handle: Stainless steel Ø 30mm         | 3.890 €    |
| BF45M<br>Display: Mirror glass<br>Door: Mirror glass<br>Handle: Stainless steel Ø 30mm       | 3.890 €    |
| BF45V<br>Display: custom colour<br>Door: custom colour<br>Maniglia: Stainless Steel Ø 30mm   | On request |
| BF45HL<br>Display: Black glass<br>Door: Black glass<br>Handle: without handle                | 4.230 €    |

### CAPACITY

|                      |    |
|----------------------|----|
| Total Net Volume (L) | 38 |
|----------------------|----|

### TECHNICAL DETAILS

|                |          |
|----------------|----------|
| Voltage (V)    | 220-240V |
| Frequency (Hz) | 50-60 Hz |

### DIMENSIONS & WEIGHT

|                          |                 |
|--------------------------|-----------------|
| Internal dimensions (mm) | 470 x 397 x 210 |
| External dimensions (mm) | 598 x 570 x 456 |
| Net Weight (kg)          | 38              |
| Gross Weight (kg)        | 45              |

### TEMPERATURE RANGES

|                                  |                |
|----------------------------------|----------------|
| Climatic compartments            | 1              |
| Compartment 1 / Temperature (°C) | from -35 to 75 |

### GENERAL PROPERTIES

|                    |                      |
|--------------------|----------------------|
| Door opening hinge | Bottom mounted hinge |
| Cavity material    | Stainless Steel      |
| Shelves            | 3                    |
| Type of shelves    | Metal racks          |



Total mirror



Total black - handle less



Total stainless Steel



Total black

## VACUUM DRAWER Model: VD Width: 45 and 15 cm



VACUUM DRAWER (15cm)

### FEATURES

Inspired by professional kitchen equipment, the Vacuum Drawer by Fhiaba is a chamber vacuum sealer that is designed to be integrated into your kitchen. Able to reach a vacuum level approaching absolute zero, it is indispensable for sous-vide cooking, and keeping solid food and liquids fresh for up to five times longer.

The Vacuum Drawer Fhiaba comes with a high performance pump and a virtually indestructible, heavy duty vacuum chamber. The internal tank is designed to hold glass jars and plastic packs.

The Vacuum Drawer by Fhiaba comes in two heights: 45 cm (extractable with a handle), and 15 cm with a push-pull opening system.

## VD45

45 cm, VACUUM DRAWER

BUILT-IN

VACUUM DRAWER® SERIES



| PRICE (VAT and delivery charges not included)                   |                            |
|---|----------------------------|
| VD45I<br>Door: Stainless steel<br>Handle: Stainless steel Ø30mm | 4.350 €                    |
| CAPACITY  |                            |
| Total Net Volume (L)  | 17,10                      |
| TECHNICAL DETAILS   |                            |
| Voltage (V)   | 230 V                      |
| Frequency (Hz)  | 50 Hz                      |
| Noise level (dB)  | 56                         |
| DIMENSIONS & WEIGHT   |                            |
| Bar sealer lengths (mm)   | 306                        |
| Max. pack sizes (mm)  | 300 x 400                  |
| Net Weight (kg)   | 42                         |
| Gross Weight (kg)   | 64                         |
| Dimensions of the recessed - niche height (mm)                  | 450                        |
| GENERAL PROPERTIES  |                            |
| Lid   | Tempered glass             |
| Maximum lid opening angle                                       | 60° ± 3°                   |
| Max tray projection during operation (mm)                       | 510                        |
| Controls  | 4 capacitive touch sensors |
| Tank material   | Technopolymer              |
| Exterior shell material   | Food safe                  |
| Cycle time  | > 3 minutes                |
| Max empty cycle time  | 3 minutes                  |
| Access for maintenance  | Side doors                 |

## VD15

15 cm, VACUUM DRAWER

BUILT-IN

VACUUM DRAWER® SERIES



| PRICE (VAT and delivery charges not included)  |   |
|--|---|
| VD15I<br>Door: Stainless Steel                 | 3.340 €   |
| VD15B<br>Door: Total Black                     | 3.340 €   |
| VD15V<br>Door: Stainless Steel custom colour   | On request  |
| CAPACITY                                       |   |
| Total Net Volume (L)                           | 7   |
| TECHNICAL DETAILS                              |   |
| Voltage (V)                                    | 230/110 V   |
| Frequency (Hz)                                 | 50 - 60 Hz  |
| Noise level (dB)                               | 56  |
| DIMENSIONS & WEIGHT                            |   |
| Bar sealer lengths (mm)                        | 260   |
| Max. pack sizes (mm)                           | 250 x 350   |
| Net Weight (kg)                                | 32  |
| Gross Weight (kg)                              | 54  |
| Dimensions of the recessed - niche height (mm) | 136   |
| GENERAL PROPERTIES                             |   |
| Lid  | Tempered glass or transparent, glossy technopolymer |
| Maximum lid opening angle                      | 60° ± 3°  |
| Max tray projection during operation (mm)      | 435   |
| Controls                                       | 4 capacitive touch sensors                          |
| Tank material                                  | Technopolymer                                       |
| Exterior shell material                        | Food safe   |
| Cycle time                                     | < 1,30 minutes                                      |
| Max empty cycle time                           | 1 minute  |
| Access for maintenance                         | Bottom-hinged                                       |

## VACUUM DRAWER: ACCESSORIES

| Bags |        |                |              |  |            |
|------|--------|----------------|--------------|--|------------|
|      | Code   | Series         | Model Ref    | Description  | Price      |
|      | RP20SS | Vacuum drawers | VD45<br>VD15 | Bags - 20x30 cm                                    | On request |
|      | RP25SS | Vacuum drawers | VD45<br>VD15 | Bags - 25x35 cm                                    | On request |
|      | RP20BT | Vacuum drawers | VD45<br>VD15 | Cooking bags for low Temperature ranges - 20x30 cm | On request |
|      | RP25BT | Vacuum drawers | VD45<br>VD15 | Cooking bags for low Temperature ranges - 25x35 cm | On request |



09002743EN  
FHIABAEX01

***Fhiaba***

**Fhiaba Srl**

IT - Via Fiumicino 20,  
33082 Azzano Decimo  
Pordenone

Ph. +39 0434 420160  
sales@fhiaba.com  
www.fhiaba.com